

AWS MULTI-TIER E-COMMERCE ARCHITECTURE

A Production-Ready 3-tier Application on AWS

Presented by: Sonal Subhash Rasal

Solutions Architect Foundation Project

ShopEasy Online Store

A Production-Ready Three-Tier E-Commerce Architecture on AWS

Web Tier | Application Tier | Database Tier

Explore Products

AGENDA

- Problem Statement: why 3-tier Architecture ?
- Solution: AWS Multi-Tier Architecture Overview
- Network Design: VPC, Subnets, ALB NAT Gateway
- Security Implementation: Defence in Depth
- Database Design : RDS MySQL with 3NF schema
- High Availability and Live Demo Proof
- Challenges, Learning and next steps

PROJECT OBJECTIVE

- Build secure 3-tier E-commerce architecture
- High Availability using ALB
- Private database using RDS
- Scalable and production-ready design
- Follow AWS best practice

ARCHITECTURE DIAGRAM


Industry-Standard 3-Tier Pattern on AWS:

→ Internet-Facing: ALB + Web Tier for user requests

→ Application Logic: App Tier isolated in Private Subnet

→ Data Layer: RDS Database with zero internet exposure

This ensures Scalability, Security, and High Availability.



ARCHITECTURE COMPONENTS OVERVIEW

AWS service	Purpose
1.VPC	Network Isolation
2.public subnet	Hosts ALB
3.private subnet	Hosts App and DB
4.EC2	Web/Application server
5.ALB	Load balancer
6.NAT Gateway	Internet Access or private resources
7.RDS MySQL	Database Storage

NETWORK DESIGN:E-COMMERCE-VPC IMPLEMENTATION

Live AWS Console Proof:

VPC ID: vpc-064dac3d610d99b24

Region: ap-south-1 (Mumbai)

State: Available 


Subnets Created: 6

- Public-web-subnet: For ALB + Web Tier
- Private-app-subnet: For Application Tier
- Private-DB-subnet: For RDS Database

Route Tables: 4

- public-RT: For internet-facing resources
- private-RT: For isolated resources

Key Point: Complete network isolation built as per enterprise standards.



SECURITY GROUP FLOW

- ALB SG =Allow HTTP/HTTPS from internet
- Web tier SG =Allow traffic only from ALB
- App tier SG =Allow traffic only from web tier
- RDS SG =Allow MySQL (3306) only from App tier
- FLOW: Internet → ALB → Web → App → RDS

sg-0cdf269a9566241b2 - Web-SG

Details

Security group name Web-SG	Security group ID sg-0cdf269a9566241b2	Description allow ssh	VPC ID vpc-064dac3d610d99b24
Owner 065634457606	Inbound rules count 2 Permission entries	Outbound rules count 1 Permission entry	

Inbound rules (2)

Name	Security group rule ID	IP version	Type	Protocol	Port range
-	sgr-08bfa60cf0283ce35	-	HTTP	TCP	80
-	sgr-0b6b29c5cb2a299b5	IPv4	SSH	TCP	22

sg-09027ebc7eab275a4 - ALB-SG

Details

Security group name ALB-SG	Security group ID sg-09027ebc7eab275a4	Description allow ssh	VPC ID vpc-064dac3d610d99b24
Owner 065634457606	Inbound rules count 2 Permission entries	Outbound rules count 1 Permission entry	

Inbound rules (2)

Name	Security group rule ID	IP version	Type	Protocol	Port range
-	sgr-0f50cc0fd26e555cb	IPv4	HTTPS	TCP	443
-	sgr-08e044dc4d9eb96f2	IPv4	HTTP	TCP	80

sg-039182718f3ae25f1 - App-SG



Details

Security group name App-SG	Security group ID sg-039182718f3ae25f1	Description Allow ssh	VPC ID vpc-064dac3d610d99b24
Owner 065634457606	Inbound rules count 2 Permission entries	Outbound rules count 1 Permission entry	

Inbound rules (2)

Name	Security group rule ID	IP version	Type	Protocol	Port range
-	sgr-0c9013d824e3139e3	-	SSH	TCP	22
-	sgr-03624f9af04d5d487	-	HTTP	TCP	80

HIGH AVAILABILITY: ALB AND TARGET GROUP HEALTH



Live AWS Console Proof:

1. Application Load Balancer: Status "Active" 
→ Scheme: Internet-facing | AZs: ap-south-1a & ap-south-1b
DNS: `Ecommerce-ALB-1794366555.ap-south-1b.elb.amazonaws.com`

2. Target Group: Ecommerce-TG → Healthy: 1/1  | Health Check: HTTP Port 80, Path "/"

Result: Load balancer continuously monitors server health.
If 1 instance fails, traffic auto-routes to healthy ones.
Zero downtime architecture. If server fails, ALB auto-routes traffic to healthy instances.


SECURITY IMPLEMENTATION: DATABASE ISOLATION

Live RDS Security Proof:

- ✓ Publicly Accessible: NO - Database has zero internet exposure
- ✓ Network: Private Subnets only | VPC: Ecommerce-VPC
- ✓ Firewall: Security Group allows Port 3306 ONLY from App Tier

Result: 3-Layer Security. Even if Web Server is hacked, DB remains 100% safe.

This is Defense in Depth - Industry Best Practice.



CHALLENGES FACED AND SOLUTIONS IMPLEMENTED

Challenge 1: Database Security Risk

Public DB can be hacked easily

Solution: RDS in Private Subnet. Set "Publicly accessible: No". SG allows port 3306 only from App Tier

Challenge 2: Single Point of Failure

If 1 server crashes, site goes down

Solution: Multi-AZ Load Balancer. Deployed ALB across ap-south-1a & 1b. Health checks enabled

Challenge 3: Tight Coupling

Web server directly calling DB is risky

Solution: 3-Tier Decoupling. Added Application Tier. Web → App → DB flow implemented

Challenge 4: Network Complexity

Managing public/private traffic

Solution: Custom VPC + Route Tables. Isolated subnets. NAT Gateway for private outbound access

Result: Converted a basic setup into a Secure, Scalable, and Fault-Tolerant Architecture.

KEY LEARNINGS & SKILLS ACQUIRED

- Through this project, I gained hands-on experience in:
 - 1. Cloud Architecture Design
 - → Designing a 3-Tier, Multi-AZ architecture for High Availability
 - 2. AWS Core Services
 - → Practical implementation of VPC, EC2, RDS, ALB, NAT Gateway, Security Groups
 - 3. Network Security Principles
 - → Implementing Defense in Depth, Private Subnets, Least Privilege Access
 - 4. Problem-Solving & Troubleshooting
 - → Debugging connectivity issues, configuring route tables, managing SG rules
 - 5. DevOps Mindset
 - → Building scalable, fault-tolerant, production-ready infrastructure
- This project transformed my theoretical AWS knowledge into practical, real-world skills.

COST OPTIMIZATION

- Used Free tier eligible services where possible
- Right-sized EC2 instances
- RDS in private subnet for security
- Auto scaling can be added in future
- Monitoring through Cloudwatch

LIVE PROJECT DEMO: E-COMMERCE WEBSITE IS ACTIVE

```
Query OK, 1 row affected (0.004 sec)

mysql [ecommercedb]>
mysql [ecommercedb]> INSERT INTO order_items (order_id, product_id, quantity, price_at_purchase) VALUES
-> (1, 1, 1, 75905.00);SELECT
Query OK, 1 row affected (0.021 sec)

-> o.order_id,
-> u.first_name,
-> u.email,
-> p.product_name,
-> oi.quantity,
-> oi.price_at_purchase,
-> o.order_status,
-> o.payment_status,
-> a.city,
-> a.pincode
-> FROM orders o
-> JOIN users u ON o.user_id = u.user_id
-> JOIN addresses a ON o.shipping_address_id = a.address_id
-> JOIN order_items oi ON o.order_id = oi.order_id
-> JOIN products p ON oi.product_id = p.product_id;

+-----+-----+-----+-----+-----+-----+-----+-----+
order_id | first_name | email | product_name | quantity | price_at_purchase | order_status | payment_status | city
+-----+-----+-----+-----+-----+-----+-----+-----+
1 | Rahul | rahul.sharma@example.com | iPhone 15 128GB | 1 | 75905.00 | PENDING | PAID | Nagpur
+-----+-----+-----+-----+-----+-----+-----+-----+

Query OK, 1 row affected (0.003 sec)
```

END-TO-END FLOW VERIFICATION - LIVE PROOF



TOP IMAGE: Database Proof

SQL query executed successfully. Order for "iPhone 15 128GB" inserted into RDS.

Status: PAID | Amount: ₹79,900.00 | Confirms Web → App → DB connectivity works.

ShopEasy Application Services

Application Tier Operational

Business Logic Processing Layer

Connected to Secure Database Tier

AWS Three-Tier E-Commerce Architecture



BOTTOM IMAGE: Application Tier Proof

"ShopEasy Application Services" is Operational.

Confirms Business Logic Layer is running and connected to Secure Database Tier.

FINAL PROJECT DEMO: LIVE, SECURE AND SCALABLE

ShopEasy E-Commerce Platform

Application Tier Dashboard

Application Status: Active

API Services: Running

Business Logic Engine: Operational

Database Connectivity: Established

AWS Three-Tier Architecture

Web Tier - Public Subnet

Application Tier - Private Subnet

Database Tier - Private DB Subnet

Environment: Production

Region: ap-south-1 (Mumbai)

COMPLETE LIVE DEMO - FRONTEND + BACKEND PROOF

✓ TOP IMAGE: Application Tier Dashboard
Application Status: Active | API Services: Running
Database Connectivity: Established | Region: ap-south-1 (Mumbai) Confirms: Business Logic Layer is fully operational in Private Subnet.

✓ BOTTOM IMAGE: User-Facing Website "ShopEasy Online Store" is LIVE with "Explore Products" button. 14
Hosted on: AWS 3-Tier Architecture via Application Load Balancer. Confirms: Web Tier is public and serving traffic successfully.

✓ END-TO-END PROOF: From User Click → App Logic → Database This validates the entire 3-Tier flow is working in Production.

FINAL STATUS: SECURE, SCALABLE, LIVE E-COMMERCE PLATFORM URL: <http://Ecommerce-ALB-1794366555.ap-south-1.elb.amazonaws.com>

ShopEasy Online Store

A Production-Ready Three-Tier E-Commerce Architecture on AWS

Web Tier | Application Tier | Database Tier

Explore Products

FUTURE IMPROVEMENTS

- Auto Scaling Group
- CloudWatch Monitoring
- Route 53 Custom Domain
- SSL Certificate using ACM
- CI/CD Pipeline using GitHub + CodePipeline
- WAF for Application Security

THANK YOU

Sonal Rasal

AWS Cloud Practitioner

Project: Secure & Scalable 3-Tier E-Commerce Platform on AWS

Key Highlights:

- ✓ Multi-AZ High Availability Architecture
- ✓ Defense in Depth Security Implementation
- ✓ Live & Functional End-to-End Application

Live URL: <http://Ecommerce-ALB-1794366555.ap-south-1.elb.amazonaws.com>

I'm excited to bring this practical AWS knowledge to your team.