


Name: Sonal Ulhas Shinde

Division: C


Roll no.: 38


Experiment 3

- 1) Remove other columns to only display columns of interest
 - i. In Query Editor, select the ProductID, ProductName, QuantityPerUnit, and UnitsInStock columns (use Ctrl+Click to select more than one column, or Shift+Click to select columns that are beside each other).



- ii. Select Remove Columns > Remove Other Columns from the ribbon, or right-click on a column header and click Remove Other Columns.







2) Change the data type of the UnitsInStock column

i) Select the UnitsInStock column.


ii) Select the Data Type drop-down button in the Home ribbon.




iii) If not already a Whole Number, select Whole Number for data type from the drop down (the Data Type: button also displays the data type for the current selection).



- 3) Expand the Order_Details table
 - i. In the Query View, scroll to the Order_Details column.
 - ii. In the Order_Details column, select the expand icon ().
 - iii. In the Expand drop-down:
 - iv. Select (Select All Columns) to clear all columns.
 - v. Select ProductID, UnitPrice, and Quantity.
 - vi. Click OK.




- 4) Calculate the line total for each Order_Details row
 - i. In the Add Column ribbon tab, click Add Custom Column.
 - ii. In the Add Custom Column dialog box, in the Custom Column Formula textbox, enter `[Order_Details.UnitPrice] * [Order_Details.Quantity]`.
 - iii. In the New column name textbox, enter LineTotal.
 - iv. Click OK.




5) Rename and reorder columns in the query

- In Query Editor, drag the LineTotal column to the left, after ShipCountry.




- Remove the Order_Details. prefix from the Order_Details.ProductID, Order_Details.UnitPrice and Order_Details.Quantity columns, by double-clicking on each column header, and then deleting that text from the column name.




6) Combine the Products and Total Sales queries


- First, we need to load the model that we created in the Query Editor into Power BI Desktop. From the Home ribbon of the Query Editor, select Close & Load.



ii) Power BI Desktop loads the data from the two queries.



iii) Select Cancel, and then select Relationship view in Power BI Desktop.



iv) When you double-click the arrow on the line that connects the two queries, an Edit Relationship dialog appears.

