- MODEL EXAM Batch 2025 CSE...
- **Finding Time Complexity of ...**
- Problem 1: Finding Complexit...
- Problem 2: Finding Complexit...
- Problem 3: Finding Complexit...
- Problem 4: Finding Complexit...
- Problem 5: Finding Complexit...
- **Greedy Algorithms**
- 1-G-Coin Problem
- 2-G-Cookies Problem
- 3-G-Burger Problem
- 4-G-Array Sum max problem
- 5-G-Product of Array element...
- **Divide and Conquer**
- 1-Number of Zeros in a Given ...
- 2-Majority Element

RAJALAKSHMI ENGINEERING COLLEGE

Sonam Acharjya 251801322-2025-AIDS S2

Dashboard My courses

CS23331-DAA-2025-CSE / 1-G-Coin Problem

1-G-Coin Problem

Started on	Monday, 24 August 2026, 1:58 PM
State	Finished
Completed on	Tuesday, 25 August 2026, 1:04 PM
Time taken	23 hours 5 mins
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 Correct Mark 1.00 out of 1.00 Flag question

Write a program to take value V and we want to make change for V Rs, and we have infinite supply of each of the denominations in Indian currency, i.e., we have infinite supply of { 1, 2, 5, 10, 20, 50, 100, 500, 1000} valued coins/notes, what is the minimum number of coins and/or notes needed to make the change.

Input Format:

Take an integer from stdin.

Output Format:

print the integer which is change of the number.

Example Input :

64

Output:

4

Explanaton:

We need a 50 Rs note and a 10 Rs note and two 2 rupee coins.

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>

int main()
{
    int n, count = 0;
    int coins[] = {1000, 500, 100, 50, 20, 10, 5, 2, 1};

    scanf("%d", &n);

    for (int i = 0; i < 9; i++)
    {
        count += n / coins[i];
        n = n % coins[i];
    }

    printf("%d", count);

    return 0;
}
```

	Input	Expected	Got	
✔	49	5	5	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Finish review

Back to Course

Data retention summary