

SonarQube Migration Predictive Report

Run ID: predictive-2026-06-27T155250Z

Generated: 2026-06-27 17:53:00

Objects	Full Migration	Near Full Migration	Partial Migration	Failed	Skipped
Quality Gates	1	1	1	0	9
Quality Profiles	2	5	1	0	61
Permission Templates	3	0	0	0	0
Groups	8	0	0	0	1
Portfolios	15	2	6	0	5
Projects	75	0	2	0	1
Global Settings	29	1	0	0	245
Total	133	9	10	0	322

Quality Gates

1 succeeded, 1 near full migration, 1 partial migration, 0 failed, 9 skipped (2 built-in, 7 unused)

Name	Outcome	Details
0 - Corp Platinum	Partial Migration	Some metrics will be mapped to the closest SonarQube Cloud equivalents: software_quality_blocker_issues > 0 --> reliability_rating <= D software_quality_blocker_issues > 0 --> security_rating <= D Some conditions will be dropped because the source metric has no SonarQube Cloud equivalent: new_software_quality_reliability_remediation_effort > 0
Bad - Absolute nbr of issues	Skipped	Not used by any migrated project
Bad - Irrelevant metrics	Skipped	Not used by any migrated project
Bad - Twice the same criteria	Skipped	Not used by any migrated project
Sonar way	Skipped	Built-in, not migrated
Sonar way + SCA	Skipped	Not used by any migrated project
Sonar way for AI Code	Skipped	Built-in, not migrated
Sonar way w/o coverage	Full Migration	
B test QG	Near Full Migration	Some metrics will be mapped to the closest SonarQube Cloud equivalents: new_software_quality_reliability_issues > 0 --> new_reliability_rating <= A new_software_quality_security_issues > 0 --> new_security_rating <= A



? 1 - Corp Gold	Skipped	Not used by any migrated project
? 2 - Corp Silver	Skipped	Not used by any migrated project
? 3 - Corp base	Skipped	Not used by any migrated project

Quality Profiles

2 succeeded, 5 near full migration, 1 partial migration, 0 failed, 61 skipped (54 built-in, 7 unused)

Name	Outcome	Details
abap / Sonar way	Skipped	Built-in, not migrated
ansible / Sonar way	Skipped	Built-in, not migrated
ansible / Test	Skipped	Not used by any migrated project
apex / Sonar way	Skipped	Built-in, not migrated
azurepipelines / Sonar way	Skipped	Built-in, not migrated
azureresourcemanager / Sonar way	Skipped	Built-in, not migrated
c / Sonar way	Skipped	Built-in, not migrated
cloudformation / Sonar way	Skipped	Built-in, not migrated
cobol / Sonar way	Skipped	Built-in, not migrated
cpp / Mission critical	Skipped	Built-in, not migrated
cpp / Sonar MISRA C++:2023 Compliance	Skipped	Built-in, not migrated
cpp / Sonar way	Skipped	Built-in, not migrated
cs / Sonar way	Skipped	Built-in, not migrated
css / Sonar way	Skipped	Built-in, not migrated
dart / Corp Way	Near Full Migration	Since SQC does not support parent profile rules disabled in child profiles, the following rules will be enabled in the profile: dart:S1161
dart / Critical projects	Near Full Migration	Because rules custom severities are not supported in SQC, the following rules will be reverted to their default severities: dart:S7103
dart / Sonar way	Skipped	Built-in, not migrated
docker / Sonar way	Skipped	Built-in, not migrated
flex / Sonar way	Skipped	Built-in, not migrated
githubactions / Sonar way	Skipped	Built-in, not migrated
go / Sonar way	Skipped	Built-in, not migrated
groovy / Sonar way	Skipped	Built-in, not migrated
ipynb / Sonar agentic AI	Skipped	Built-in, not migrated
ipynb / Sonar way	Skipped	Built-in, not migrated
java / Green IT	Partial Migration	Because SQC does not support 3rd party plugins, the following 3rd party rules will be removed from the quality profile: creedengo-java:GCI1, creedengo-java:GCI2, creedengo-java:GCI27, creedengo-java:GCI28, creedengo-java:GCI3, creedengo-java:GCI32, creedengo-java:GCI5, creedengo-java:GCI67, creedengo-java:GCI69, creedengo-java:GCI72, creedengo-java:GCI74, creedengo-java:GCI76, creedengo-java:GCI77, creedengo-java:GCI78, creedengo-java:GCI79, creedengo-java:GCI82, creedengo-java:GCI94





java / Security Max	Near Full Migration	Because rule templates and instantiated rules are not supported in SQC, the following rules will not be migrated: java:Don_t_be_rude
java / Sonar agentic AI	Skipped	Built-in, not migrated
java / Sonar way	Skipped	Built-in, not migrated
java / Sonar Way + Checkstyle	Skipped	Not used by any migrated project
java / Sonar Way + Creedengo	Skipped	Not used by any migrated project
jcl / All rules	Skipped	Not used by any migrated project
jcl / Sonar way	Skipped	Built-in, not migrated
js / security-max	Full Migration	
js / Sonar agentic AI	Skipped	Built-in, not migrated
js / Sonar way	Skipped	Built-in, not migrated
json / Sonar way	Skipped	Built-in, not migrated
jsp / Sonar way	Skipped	Built-in, not migrated
kotlin / No rules	Skipped	Not used by any migrated project
kotlin / Sonar way	Skipped	Built-in, not migrated
kubernetes / Sonar way	Skipped	Built-in, not migrated
objc / Sonar way	Skipped	Built-in, not migrated
php / All rules	Full Migration	
php / Sonar way	Skipped	Built-in, not migrated
pli / Sonar way	Skipped	Built-in, not migrated
plsql / Sonar way	Skipped	Built-in, not migrated
powershell / Sonar way	Skipped	Built-in, not migrated
py / Olivier Way	Near Full Migration	Permissions granted to 1 user will be dropped in the migration Because rules custom severities are not supported in SQC, the following rules will be reverted to their default severities: python:InequalityUsage, python:S1128, python:S6740 Since SQC does not support prioritized rules, the following rules will be migrated in the profile as regular rules: python:S6740
py / Prioritized	Skipped	Not used by any migrated project
py / Sonar agentic AI	Skipped	Built-in, not migrated
py / Sonar way	Skipped	Built-in, not migrated
rpg / Sonar way	Skipped	Built-in, not migrated
ruby / Sonar way	Skipped	Built-in, not migrated
rust / Sonar way	Skipped	Built-in, not migrated
scala / Sonar way	Skipped	Built-in, not migrated
secrets / Corp Way	Skipped	Not used by any migrated project
secrets / Sonar way	Skipped	Built-in, not migrated
shell / Sonar way	Skipped	Built-in, not migrated
swift / Sonar way	Skipped	Built-in, not migrated
terraform / Sonar way	Skipped	Built-in, not migrated
text / Sonar way	Skipped	Built-in, not migrated



ts / Sonar agentic AI	Skipped	Built-in, not migrated
ts / Sonar way	Skipped	Built-in, not migrated
tsql / Sonar way	Skipped	Built-in, not migrated
vb / Sonar way	Skipped	Built-in, not migrated
vbnet / Sonar way	Skipped	Built-in, not migrated
web / Sonar way	Skipped	Built-in, not migrated
xml / Sonar way	Skipped	Built-in, not migrated
xml / Xpath instantiated	Near Full Migration	Because rule templates and instantiated rules are not supported in SQC, the following rules will not be migrated: xml:XML_Xpath_instantiated_rule
yaml / Sonar way	Skipped	Built-in, not migrated

Permission Templates

3 succeeded, 0 failed, 0 skipped

Name	Outcome	Details
0. Default template	Full Migration	
0. Default Template for portfolio	Full Migration	
1. Banking projects	Full Migration	Permissions granted to 1 user will be dropped in the migration

Groups

8 succeeded, 0 failed, 1 skipped (1 built-in)

Name	Outcome	Details
ci-tools	Full Migration	
developers	Full Migration	
language-experts	Full Migration	
project-admins	Full Migration	
quality-managers	Full Migration	
security-auditors	Full Migration	
sonar-administrators	Full Migration	
sonar-users	Skipped	Built-in group on SonarQube Server; replaced by the implicit 'Members' group on SonarQube Cloud.
tech-leads	Full Migration	





Portfolios

15 succeeded, 2 near full migration, 6 partial migration, 0 failed

Name	Outcome	Details
All projects	Partial Migration	The SQS portfolio is defined with REST selection mode, it will be converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different The SQS portfolio contains applications that will be replaced by their enclosed projects
Banking	Partial Migration	The SQS portfolio has nested subportfolios depth higher than 2, it will be converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different
CEO Strategic Projects	Full Migration	
Corporate loans	Skipped	The SQS portfolio is empty, will not be migrated
Corporate Mergers and Acquisitions	Skipped	The SQS portfolio is empty, will not be migrated
Demo projects	Full Migration	
ESA-BU-XXX	Full Migration	
fdfgf	Skipped	The SQS portfolio is empty, will not be migrated
Health Insurance	Full Migration	
Hybrid app proj portfolio	Near Full Migration	The SQS portfolio contains applications that will be replaced by their enclosed projects
Insurance	Partial Migration	The SQS portfolio has nested subportfolios with different selection modes, it will be converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different
Investment Banking	Skipped	The SQS portfolio is empty, will not be migrated
Life Insurance	Full Migration	
My favorite projects	Full Migration	
Olivier's projects	Full Migration	
Other Insurance	Skipped	The SQS portfolio is empty, will not be migrated
Other unclassified projects	Partial Migration	The SQS portfolio is defined with REST selection mode, it will be converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different
Portfolio of Apps	Near Full Migration	The SQS portfolio contains applications that will be replaced by their enclosed projects
Portfolio regexp 1	Full Migration	
Portfolio regexp 2	Full Migration	
Portfolio super regexp	Partial Migration	The SQS portfolio has nested subportfolios with different selection modes, it will be converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different
Portfolio Tag 1	Full Migration	
Portfolio Tag 2	Full Migration	
Portfolios multiple branches	Full Migration	
Portofolio super tags	Partial Migration	The SQS portfolio has nested subportfolios with different selection modes, it will be converted to a flat list of projects in SQC. The portfolio perimeter may be slightly different
Private Banking	Full Migration	
Python Projects	Full Migration	
Retail Banking	Full Migration	





Projects

75 succeeded, 2 partial migration, 0 failed, 1 skipped (1 organization skipped)

Name	Outcome	Details
12k-issues-flat	Full Migration	
12k-issues-structured	Full Migration	
AI CodeFix examples	Full Migration	
Banking Africa operations	Full Migration	
BANKING-ACQUISITIONS	Full Migration	
BANKING-ACQUISITIONS-DILIGENCE	Full Migration	
BANKING-ASIA-OPS	Full Migration	
BANKING-ASIA-OPS	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
BANKING-INVESTMENT-ACQUISITIONS	Full Migration	
BANKING-INVESTMENT-DILIGENCE	Full Migration	
BANKING-INVESTMENT-EQUITY	Full Migration	
BANKING-INVESTMENT-MERGER	Full Migration	
BANKING-MERGERS	Full Migration	
BANKING-PORTAL	Full Migration	Source code of branches release-3.2 , comma , branch is missing (likely purged in SQS). Migration is executed without the sources.
BANKING-PRIVATE-ASSETS	Full Migration	
BANKING-RETAIL-WEB	Full Migration	
BANKING-TRADING-EURO	Full Migration	
BANKING-TRADING-JAPAN	Full Migration	
BANKING-TRADING-NASDAQ	Full Migration	
code-variants	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
Coverage demo	Full Migration	
Creedengo	Full Migration	
Demo Gitlab-CI Gradle	Full Migration	Permissions granted to 1 user will be dropped in the migration
Demo Jenkins Maven	Full Migration	
Demo Security	Full Migration	
demo-rules	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
demo:ado-cli	Full Migration	
demo:coverage	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
demo:github-actions-mono-maven	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
demo:gitlab:gradle	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
demo:gitlab:scanner-cli	Full Migration	Source code of branches master , main is missing (likely purged in SQS). Migration is executed without the sources.





dotnet-with-cli	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
dvpa	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
exclusions-2	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
file-issue	Full Migration	
GitHub / Actions / CLI	Full Migration	
GitHub / Actions / Maven	Full Migration	
GitHub / Actions / monorepo .Net Core	Full Migration	
GitHub / Actions / monorepo CLI	Full Migration	
GitHub / Actions / monorepo Gradle	Full Migration	
GitLab-CI / Maven	Full Migration	
gradle-with-cli	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
Green-IT	Full Migration	
iceoryx	Full Migration	
INSURANCE-HEALTH	Full Migration	
INSURANCE-HOME	Full Migration	
INSURANCE-LIFE	Full Migration	
INSURANCE-PET	Full Migration	
Juice Shop	Full Migration	
laravel	Full Migration	
maven-with-cli	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
Mute issue in IDE	Full Migration	
name	Full Migration	
okorach_demo-gitlabci-cli_e81d5112-e681-44b2-ae4-62b56c8ac5cb	Full Migration	
okorach_demo-gitlabci-maven	Full Migration	
okorach_docker-hello-world	Full Migration	Source code of branch main is missing (likely purged in SQS). Migration is executed without the sources.
pr-demo	Full Migration	
Project 1	Partial Migration	Per-branch new code period overrides do not exist on SonarQube Cloud; branches will inherit the project-level new code period.
Project 2	Full Migration	
Project 3	Skipped	Organization skipped
Project 4	Full Migration	
Project 5	Full Migration	
Project with checkstyle issues	Full Migration	
Project with no perms	Full Migration	
Project without analyses	Full Migration	
Retail - ATM	Full Migration	



Retail Clerk	Full Migration	
Retail Web	Full Migration	
SCA demo - Log4shell detect - Maven	Full Migration	
Secrets detection	Full Migration	
Sonar Tools	Partial Migration	98% of hotspots with manual changes synced (60/61); 1 ACKNOWLEDGED hotspot left as TO_REVIEW (status not supported on SonarQube Cloud) Per-branch new code period overrides do not exist on SonarQube Cloud; branches will inherit the project-level new code period.
Third party issues	Full Migration	
Training: Cyclomatic vs Cognitive complexity	Full Migration	
Training: External issues import	Full Migration	
Wealth Management	Full Migration	
Web back-end	Full Migration	
Web front-end	Full Migration	
Wrong Scanner	Full Migration	

Global Settings

29 succeeded, 1 near full migration, 0 failed, 245 skipped (10 not applicable on SonarQube cloud, 235 left at default value on SonarQube server)

Setting Key	Outcome	Details
provisioning.github.project.visibility.enabled	Skipped	Setting is left to default on SQS, no migration needed
provisioning.gitlab.enabled	Skipped	Setting is left to default on SQS, no migration needed
provisioning.gitlab.token.secured	Skipped	Setting is left to default on SQS, no migration needed
sonar.abap.file.suffixes	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.ai.suggestions.enabled	Near Full Migration	OpenAI GPT-4o is not available on SonarQube Cloud; the LLM will be changed to GPT-5.1.
sonar.alerts.enabled	Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.age.threshold.minutes	Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.age.threshold.value	Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.failure_rate.threshold.minutes	Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.failure_rate.threshold.value	Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.volume.threshold.minutes	Skipped	Setting is left to default on SQS, no migration needed
sonar.alerts.tasks.volume.threshold.value	Skipped	Setting is left to default on SQS, no migration needed
sonar.androidLint.reportPaths	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.announcement.displayMessage	Skipped	Setting is left to default on SQS, no migration needed
sonar.ansible.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.ansible.ansible-lint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.apex.coverage.reportPath	Skipped	Setting is left to default on SQS, no migration needed



sonar.apex.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.apex.pmd.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.architecture.visualization.enabled	Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.auth.*	Skipped	Settings not migrated. Authentication must be redefined from scratch on SonarQube Cloud
sonar.autodetect.ai.code	Skipped	Setting is left to default on SQS, no migration needed
sonar.azurepipelines.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.azureresource manager.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.azureresource manager.file.identifier	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.azureresource manager.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.c.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.ce.parallelProjectTasks	Skipped	Setting is left to default on SQS, no migration needed
sonar.cfam ily.bullseye.reportPath	Skipped	Setting is left to default on SQS, no migration needed
sonar.cfam ily.cobertura.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.cfam ily.cppunit.reportsPath	Skipped	Setting is left to default on SQS, no migration needed
sonar.cfam ily.gcov.reportsPath	Skipped	Setting is left to default on SQS, no migration needed
sonar.cfam ily.ignoreHeaderComments	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.cfam ily.llvm-cov.reportPath	Skipped	Setting is left to default on SQS, no migration needed
sonar.cfam ily.valgrind.reportsPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.cfam ily.vscoveragexml.reportsPath	Skipped	Setting is left to default on SQS, no migration needed
sonar.cloudformation.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.cloudformation.cfn-lint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.cloudformation.file.identifier	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.adaprep.activation	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.aucobol.preprocessor.directives.default	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.byteBasedColumnCount	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.compilationConstants	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.copy.directories	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.copy.exclusions	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.copy.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.db2include.directories	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.dialect	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.exec.recoveryMode	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.preprocessor.skipping.first.matching.characters	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.sourceFormat	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.sql.catalog.csv.path	Skipped	Setting is left to default on SQS, no migration needed
sonar.cobol.sql.catalog.defaultSchema	Skipped	Setting is left to default on SQS, no migration needed



sonar.cobol.tab.width	Skipped	Setting is left to default on SQS, no migration needed
sonar.coverage.exclusions	Full Migration	Setting does not exist at global org level in SQS, will be applied for each project instead
sonar.coverage.jacoco.aggregateXmlReportPaths	Full Migration	Setting does not exist at global org level in SQS, will be applied for each project instead
sonar.coverage.jacoco.xmlReportPaths	Full Migration	Setting does not exist at global org level in SQS, will be applied for each project instead
sonar.cpd.cobol.ignoreLiteral	Skipped	Setting is left to default on SQS, no migration needed
sonar.cpd.cross_project	Skipped	Setting is left to default on SQS, no migration needed
sonar.cpd.exclusions	Full Migration	Setting does not exist at global org level in SQS, will be applied for each project instead
sonar.cpp.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.analyzeGeneratedCode	Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.analyzeRazorCode	Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.ignoreHeaderComments	Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.roslyn.bugCategories	Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.roslyn.codeSmellCategories	Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.roslyn.ignoreIssues	Skipped	Setting is left to default on SQS, no migration needed
sonar.cs.roslyn.vulnerabilityCategories	Skipped	Setting is left to default on SQS, no migration needed
sonar.css.file.suffixes	Full Migration	Setting does not exist at global org level in SQS, will be applied for each project instead
sonar.css.stylelint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.dart.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.dart.lcov.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.auditHousekeeping	Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.branchesToKeepWhenInactive	Full Migration	Will combine 6 SonarQube Server branch patterns into a single SonarQube Cloud regex "(comma,branch develop main master release-.* trunk)" (target setting: sonar.branch.longLivedBranches.regex).
sonar.dbcleaner.daysBeforeDeletingAnticipatedTransitions	Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.daysBeforeDeletingClosedIssues	Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.daysBeforeDeletingInactiveBranchesAndPRs	Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.daysBeforeDeletingScannerCache	Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.hoursBeforeKeepingOnlyOneSnapshotByDay	Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.weeksBeforeDeletingAllSnapshots	Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.weeksBeforeKeepingOnlyAnalysesWithVersion	Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.weeksBeforeKeepingOnlyOneSnapshotByMonth	Skipped	Setting is left to default on SQS, no migration needed
sonar.dbcleaner.weeksBeforeKeepingOnlyOneSnapshotByWeek	Skipped	Setting is left to default on SQS, no migration needed
sonar.developerAggregatedInfo.disabled	Skipped	Setting is left to default on SQS, no migration needed
sonar.docker.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.docker.file.patterns	Skipped	Setting is left to default on SQS, no migration needed



sonar.docker.hadolint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.dre.apex.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.dre.groovy.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.dre.powershell.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.dre.ruby.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.enforceAzureOpenAiDomainValidation	Skipped	Setting is left to default on SQS, no migration needed
sonar.eslint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.example.hello	Skipped	Setting is left to default on SQS, no migration needed
sonar.exclusions	Skipped	Setting is left to default on SQS, no migration needed
sonar.flex.cobertura.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.flex.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.forceAuthentication	Skipped	Setting is left to default on SQS, no migration needed
sonar.githubactions.actionlint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.githubactions.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.global.exclusions	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.global.test.exclusions	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.go.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.go.coverage.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.go.exclusions	Skipped	Setting is left to default on SQS, no migration needed
sonar.go.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.go.golangci-lint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.go.golint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.go.gometalinter.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.go.govet.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.go.tests.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.governance.report.project.branch.frequency	Skipped	Setting is left to default on SQS, no migration needed
sonar.governance.report.view.frequency	Skipped	Setting is left to default on SQS, no migration needed
sonar.governance.report.view.recipients	Skipped	Setting is left to default on SQS, no migration needed
sonar.groovy.cobertura.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.groovy.file.patterns	Skipped	Setting is left to default on SQS, no migration needed
sonar.groovy.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.html.file.suffixes	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.inclusions	Skipped	Setting is left to default on SQS, no migration needed
sonar.ipynb.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.issue.enforce.multicriteria	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.issue.ignore.allfile	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.issue.ignore.block	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead



sonar.issue.ignore.multicriteria	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.issues.defaultAssigneeLogin	Skipped	Setting is left to default on SQS, no migration needed
sonar.issues.issueResolution.enabled	Skipped	Setting is left to default on SQS, no migration needed
sonar.issues.issueResolution.global.enabled	Skipped	Setting is left to default on SQS, no migration needed
sonar.issues.sandbox.default	Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.issues.sandbox.enabled	Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.issues.sandbox.override.enabled	Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.issues.sandbox.software-qualities	Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.java.checkstyle.reportPaths	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.java.enablePreview	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.java.file.suffixes	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.java.ignoreUnnamedModuleForSplitPackage	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.java.jvmframeworkconfig.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.java.jvmframeworkconfig.file.patterns	Skipped	Setting is left to default on SQS, no migration needed
sonar.java.pmd.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.java.spotbugs.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.createTSProgramForOrphanFiles	Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.css.additional.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.disableTypeChecking	Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.ecmaScriptVersion	Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.environments	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.javascript.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.globals	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.javascript.html.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.ignoreHeaderComments	Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.lcov.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.maxFileSize	Skipped	Setting is left to default on SQS, no migration needed
sonar.javascript.yaml.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.jcl.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.jreAutoProvisioning.disabled	Skipped	Setting is left to default on SQS, no migration needed
sonar.json.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.json.exclusions	Skipped	Setting is left to default on SQS, no migration needed
sonar.json.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.jsp.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.junit.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.kotlin.detekt.reportPaths	Skipped	Setting is left to default on SQS, no migration needed



sonar.kotlin.file.suffixes	Full Migration	Setting does not exist at global org level in SQS, will be applied for each project instead
sonar.kotlin.ktlint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.kubernetes.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.kubernetes.helm.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.lf.enableGravatar	Skipped	Setting is left to default on SQS, no migration needed
sonar.lf.gravatarServerUrl	Skipped	Setting is left to default on SQS, no migration needed
sonar.lf.logoUrl	Skipped	Setting is left to default on SQS, no migration needed
sonar.lf.logoWidthPx	Skipped	Setting is left to default on SQS, no migration needed
sonar.maturity.allowSuperstrictQualityGates	Skipped	Setting is left to default on SQS, no migration needed
sonar.maturity.maxCustomQualityGates	Skipped	Setting is left to default on SQS, no migration needed
sonar.maturity.maxQualityGateConditions	Skipped	Setting is left to default on SQS, no migration needed
sonar.mcp.enabled	Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.misra.hello	Skipped	Setting is left to default on SQS, no migration needed
sonar.misracompliance.enabled	Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.objc.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.pdf.confidential.header.enabled	Skipped	Setting is left to default on SQS, no migration needed
sonar.php.coverage.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.php.exclusions	Skipped	Setting is left to default on SQS, no migration needed
sonar.php.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.php.frameworkDetection	Skipped	Setting is left to default on SQS, no migration needed
sonar.php.phpstan.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.php.psalms.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.php.tests.reportPath	Skipped	Setting is left to default on SQS, no migration needed
sonar.pli.extralingualCharacters	Skipped	Setting is left to default on SQS, no migration needed
sonar.pli.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.pli.ignoreHeaderComments	Skipped	Setting is left to default on SQS, no migration needed
sonar.pli.marginLeft	Skipped	Setting is left to default on SQS, no migration needed
sonar.pli.marginRight	Skipped	Setting is left to default on SQS, no migration needed
sonar.plsql.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.plsql.ignoreHeaderComments	Skipped	Setting is left to default on SQS, no migration needed
sonar.plugins.downloadOnlyRequired	Skipped	Setting is left to default on SQS, no migration needed
sonar.portfolios.recompute.hours	Skipped	Setting is left to default on SQS, no migration needed
sonar.powershell.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.projectCreation.mainBranchName	Skipped	Setting is left to default on SQS, no migration needed
sonar.python.bandit.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.python.coverage.reportPath	Skipped	Setting is left to default on SQS, no migration needed
sonar.python.coverage.reportPaths	Skipped	Setting is left to default on SQS, no migration needed



sonar.python.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.python.flake8.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.python.mypy.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.python.pylint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.python.ruff.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.python.version	Skipped	Setting is left to default on SQS, no migration needed
sonar.python.xunit.reportPath	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.python.xunit.skipDetails	Skipped	Setting is left to default on SQS, no migration needed
sonar.qualitygate.ignoreSmallChanges	Skipped	Setting is left to default on SQS, no migration needed
sonar.report.partMaxSizeMBytes	Skipped	Setting is left to default on SQS, no migration needed
sonar.rpg.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.rpg.leftMarginWidth	Skipped	Setting is left to default on SQS, no migration needed
sonar.ruby.coverage.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.ruby.exclusions	Skipped	Setting is left to default on SQS, no migration needed
sonar.ruby.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.ruby.rubocop.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.cargo.manifestPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.clippy.enabled	Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.clippy.offline	Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.clippyReport.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.cobertura.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.rust.lcov.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.sca.enabled	Skipped	Setting is left to default on SQS, no migration needed
sonar.sca.featureEnabled	Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.sca.rescan.branch_type	Skipped	Setting is left to default on SQS, no migration needed
sonar.sca.rescan.frequency	Skipped	Setting is left to default on SQS, no migration needed
sonar.scala.coverage.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.scala.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.scala.scalastyle.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.scala.scapegoat.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.scanner.skipNodeProvisioning	Skipped	Setting is left to default on SQS, no migration needed
sonar.scm.disabled	Skipped	Setting is left to default on SQS, no migration needed
sonar.secrets.disableEntropyFilter	Skipped	Setting is left to default on SQS, no migration needed
sonar.security.config.gosecurity	Skipped	Setting is left to default on SQS, no migration needed
sonar.security.config.javasecurity	Skipped	Setting is left to default on SQS, no migration needed
sonar.security.config.kotlinsecurity	Skipped	Setting is left to default on SQS, no migration needed



sonar.security.config.phpsecurity	Skipped	Setting is left to default on SQS, no migration needed
sonar.security.config.pythonsecurity	Skipped	Setting is left to default on SQS, no migration needed
sonar.security.config.roslyn.sonaranalyzer.security.cs	Skipped	Setting is left to default on SQS, no migration needed
sonar.shell.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.shell.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.swift.coverage.reportPath	Skipped	Setting is left to default on SQS, no migration needed
sonar.swift.coverage.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.swift.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.swift.swiftLint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.technicalDebt.developmentCost	Skipped	Setting is left to default on SQS, no migration needed
sonar.technicalDebt.ratingGrid	Skipped	Setting does not exist (feature does not exist or setting irrelevant) on SQC, no migration possible
sonar.terraform.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.terraform.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.terraform.provider.aws.version	Skipped	Setting is left to default on SQS, no migration needed
sonar.terraform.provider.azure.version	Skipped	Setting is left to default on SQS, no migration needed
sonar.terraform.tflint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.test.exclusions	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.test.inclusions	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.text.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.text.excluded.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.text.inclusions	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.text.inclusions.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.tsqf.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.typescript.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.typescript.tsconfigPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.typescript.tslint.reportPaths	Skipped	Setting is left to default on SQS, no migration needed
sonar.validateWebhooks	Skipped	Setting is left to default on SQS, no migration needed
sonar.vb.file.suffixes	Full Migration	Setting does not exist at global org level in SQC, will be applied for each project instead
sonar.vb.ignoreHeaderComments	Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.analyzeGeneratedCode	Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.ignoreHeaderComments	Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.roslyn.bugCategories	Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.roslyn.codeSmellCategories	Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.roslyn.ignoreIssues	Skipped	Setting is left to default on SQS, no migration needed
sonar.vbnet.roslyn.vulnerabilityCategories	Skipped	Setting is left to default on SQS, no migration needed
sonar.xml.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed



sonar.yaml.activate	Skipped	Setting is left to default on SQS, no migration needed
sonar.yaml.file.suffixes	Skipped	Setting is left to default on SQS, no migration needed
sonar.yaml.spectral.reportPaths	Skipped	Setting is left to default on SQS, no migration needed

Migration limitations

- Applications do not exist on SonarQube Cloud, 5 SQS applications will not be migrated.
- SonarQube Cloud has no per-branch new-code-definition concept; 3 branch-level new code definition(s) on SonarQube Server will not be migrated.
- SonarQube Cloud does not support the reference_branch or specific_analysis new-code-definition types; 1 project(s) will be migrated with the SonarQube Cloud organization default instead.
- SonarQube Cloud does not support user permissions via API. The following 4 user(s) had permissions on SonarQube Server permission templates and will not be migrated: james, michal, olivier, olivier-k31581.
- SonarQube Cloud does not support user permissions via API. The following 23 user(s) had global SonarQube Server permissions and will not be migrated: Global-analyser-2026, TEMP-user-42746, TEMP-user-42846, TEMP-user-49113, TEMP-user-49644, TEMP-user-51113, TEMP-user-52404, TEMP-user-52445, TEMP-user-54234, TEMP-user-55689, TEMP-user-57961, TEMP-user-59264, TEMP-user-61203, TEMP-user-64044, admin, ado, bbTEMPaa, james, michal, olivier, olivier-k31581, olivier-korach22656, syncer.
- sonar.qualitygate.ignoreSmallChanges is set on SonarQube Server but has no /api/settings/set equivalent on SonarQube Cloud. Configure "Ignore duplication and coverage on small changes (org-level)" manually after migration.