PROJECT REQUIREMENTS

Automated SOAR Playbook: Shuffle-Based Malicious Event Triage and Endpoint Isolation

1. Hardware Requirements

- Development workstation with 4 GB RAM minimum; 8 GB recommended for local lab tooling.
- Isolated virtual lab or approved test environment.
- Network access to the configured Shuffle instance and event source, if webhook mode is used.

2. Software Requirements

- Python 3.10 or newer.
- Shuffle SOAR instance and workflow webhook for optional integration.
- Optional EDR/endpoint-management integration configured within Shuffle for actual containment.
- Browser and code editor for workflow design and review.

3. Python Dependencies

No third-party Python packages are required. The utility uses Python standard-library modules for JSON processing, command-line parsing, timestamps, and HTTPS requests.

4. Functional Requirements

- Read a normalized security event from a JSON file or standard input.
- Evaluate event type, severity, and explicit malicious indicator fields.
- Produce a structured decision record and save it as JSON.
- Optionally send the decision to a configured HTTPS Shuffle webhook.
- Keep actual endpoint isolation inside a separately reviewed Shuffle workflow.

5. Safety and Security Requirements

- Test only in systems and environments that you own or are authorized to administer.
- Use synthetic events and a lab endpoint allowlist.
- Store webhook URLs and credentials in environment variables, never in source code.
- Require approval and a rollback/reconnect path for disruptive containment actions.
- Log decisions, actions, failures, and workflow identity for auditability.

6. Acceptance Criteria

- Sample event is parsed and a valid JSON decision is generated.
- Non-candidate events do not request containment.
- Candidate events are labeled for review, not treated as automatic proof of compromise.
- Webhook mode rejects non-HTTPS URLs.
- The script does not directly isolate endpoints.

Note: Shuffle workflow nodes and endpoint integrations must be configured separately. A webhook response alone does not prove that an isolation action completed.