Sonde

Accessibility Health Check

https://ally.com

927

0 1000

Excellent

April 28, 2026
Provided free by Sonde

https://daylight.sonde.life/usfin/ally-com/

3 pages | **83** findings | **8** critical | **12** high | **60** medium | **3** low | **27.7** avg/page |
1,830 elements | **54** with findings | **97%** ECR | **3m 33s** total | **1m 11s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Ally Bank"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<p data-testid="RichTextTestId_block_p" class="Text_body-md__aYHxV -mt-0 -mb-xxs -co
lor-gray-white">Ally Bank </p>
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

→

4.53:1 ✓ SUGGESTED

Ally Bank

#777676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Spending"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a class="Link_link__JHJ4m Link_-dark__6RmSy Link_-no-inline__7AGiC Link_-embedded-b
lock___x1B8" data-allytmln="explore-Checking" href="https://www.ally.com/bank/intere
st-checking-account/" target="_s
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

→

4.53:1 ✓ SUGGESTED

Spending

#777676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "You've got an ally in every corner."

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<strong data-testid="RichTextTestId_mark_bold">You’ve got an ally in every corner.</
strong>
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

→

3.03:1 ✓ SUGGESTED

You’ve got an ally in every co...

#959494 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Bank product Icon"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<title>Bank product Icon</title>
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

→

4.53:1 ✓ SUGGESTED

Bank product Icon

#777676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /ventures WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /ventures WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH "role=text" should have no focusable descendants: Fix any of the following: Element has focusable descendants

Page: /

Element:

```
<p class="userConsent__disclaimerText" role="text">
```

SONDE FIX PLAN
Ensure role="text" is used on elements with no focusable descendants. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH Console warning: 🚀 _satellite.notify is deprecated. Please use the `_satellite.logger` API.

Page: /

Source: https://www.ally.com/_next/static/chunks/5230-99413ba528bff774.js:0 MEDIUM

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives

HIGH Focus jumps backward from "Decline Cookies" to "Skip to login" (visual distance: 845px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>Skip to login</button>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally Logo, go to ally.com" (visual distance: 451px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Ally Logo, go to ally.com</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally ventures logo" (visual distance: 445px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /ventures WCAG 2.4.3

Element:

```
<a>Ally ventures logo</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /ventures WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="helpTopNav" href="https://www.ally.com/help/" target="_self" allytm-click-tagged="true">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" href="http://www.ally.com/search" target="_self" allytm-click-tagged="true">Search</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investorRelations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-tagged="true">Investor Relations<
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompa
ny" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click
-tagged="true">Our Company</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers"
href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="tru
e">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="aboutUsTopNav" href="https://www.ally.com/about/" target="_self" allytm-click-t
agged="true">About Us</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-tagged="true">Social Impact</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-suppliers" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged="true">Suppliers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCenter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media Center</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="contactUsTopNav" href="https://www.ally.com/contact-us/" target="_self" allytm-
click-tagged="true">Contact Us</
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-t
agged="true">Investor Relations<
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialIm
pact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-t
agged="true">Social Impact</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-dealerSe
rvices" href="https://www.ally.com/dealer/" target="_self" allytm-click-tagged="tru
e">Dealer Services</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-allyVent
ures" href="https://www.ally.com/ventures/" target="_self" allytm-click-tagged="tru
e">Ally Ventures</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-corporat
eFinance" href="https://www.ally.com/corporate-finance/" target="_self" allytm-click
-tagged="true">Corporate Finance
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="true">Careers</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompany" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click-tagged="true">Our Company</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCen
ter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media
Center</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-supplier
s" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged
="true">Suppliers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-conversa
tionally" href="https://www.ally.com/stories/" target="_self" allytm-click-tagged="t
rue">Conversationally</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation region "Top Menu" (present on www.ally.com) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: /ventures WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Top Menu"] -->
```

SONDE FIX PLAN

Ensure the "Top Menu" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inli
ne__GtMVe" data-allytmln="defaul
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false"
aria-label="Open Investing &amp; Retirement Menu" data-allytmln="investMenu" allytm-
click-tagged="true">Investing &
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false"
aria-label="Open Auto Menu" data-allytmln="autoMenu" allytm-click-tagged="true">Auto
</button>
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Accept" inserts 15 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="userConsent__btn" allytmln="Banner - Accept" allytm-click-tagged="tru
e" aria-label="Accept Cookies">Accept</button>
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false"
aria-label="Open Auto Menu" data-allytmln="autoMenu" allytm-click-tagged="true">Auto
</button>
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inli
ne__GtMVe" data-allytmln="defaul
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &amp;amp; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Modelshop" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /ventures WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="venturesExternalLinkInterstitial" href="##" t
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /ventures WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="defaul
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Learn More" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /ventures WCAG 4.1.3

Element:

```
<a class="Modal_dialogTrigger__6C7WP Link_ctaTertiary__Ai4Hu Link_-dark__6RmSy Link_
buttonAsLink__4_bbF" data-allytmln="learnMoreRobKerr" aria-label="learn more rob ker
r" role="button" href="##" allyt
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Car IQ" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /ventures WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="venturesExter
nalLinkInterstitial" href="##" t
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Greenlight" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /ventures WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="venturesExter
nalLinkInterstitial" href="##" t
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM x-content-type-options header has invalid or weak value: nosniff nosniff

Page: /ventures

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

Page: /ventures

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data Track Changes Nominate a Site

Report a Scanning Issue