Sonde

Control de salud de accesibilidad

https://ally.com

950



Excellent

May 22, 2026
Proporcionado gratis por Sonde

https://daylight.sonde.life/usfin/ally-com/

2 pages **73** findings **0** critical **10** high **44** medium **19** low **36.5** avg/page
1,161 elements **52** with findings **95.5%** ECR **3m 20s** total **1m 40s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /ventures WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /ventures WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH "role=text" should have no focusable descendants: Fix any of the following: Element has focusable descendants

Página: /

Elemento:

```
<p class="userConsent__disclaimerText" role="text">
```

PLAN DE CORRECCIÓN SONDE

Ensure role="text" is used on elements with no focusable descendants. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH "role=text" should have no focusable descendants: Fix any of the following: Element has focusable descendants

Página: /ventures

Elemento:

```
<p class="userConsent__disclaimerText" role="text">
```

PLAN DE CORRECCIÓN SONDE

Ensure role="text" is used on elements with no focusable descendants. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH Focus jumps backward from "Decline Cookies" to "Skip to login" (visual distance: 4295px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<button>Skip to login</button>
```

PLAN DE CORRECCIÓN SONDE

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Skip to main content" to "Ally Logo, go to ally.com" (visual distance: 451px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>Ally Logo, go to ally.com</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Skip to main content" to "Ally ventures logo" (visual distance: 445px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /ventures WCAG 2.4.3

Elemento:

```
<a>Ally ventures logo</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Decline Cookies" to "Skip to main content" (visual distance: 859px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /ventures WCAG 2.4.3

Elemento:

```
<button>Skip to main content</button>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /ventures WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /ventures WCAG 1.3.1

Elemento:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /ventures WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /ventures WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /ventures WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /ventures WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompa
ny" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click
-tagged="true">Our Company</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="helpTopNav" href="https://www.ally.com/help/" target="_self" allytm-click-tagged="true">Help</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="contactUsTopNav" href="https://www.ally.com/contact-us/" target="_self" allytm-click-tagged="true">Contact Us</
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="aboutUsTopNav" href="https://www.ally.com/about/" target="_self" allytm-click-tagged="true">About Us</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-tagged="true">Social Impact</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="true">Careers</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-t
agged="true">Investor Relations<
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCen
ter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media
Center</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" href="htt
p://www.ally.com/search/" target="_self" allytm-click-tagged="true">Search</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-supplier
s" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged
="true">Suppliers</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-conversa
tionally" href="https://www.ally.com/stories/" target="_self" allytm-click-tagged="t
rue">Conversationally</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-corporat
eFinance" href="https://www.ally.com/corporate-finance/" target="_self" allytm-click
-tagged="true">Corporate Finance
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-allyVent
ures" href="https://www.ally.com/ventures/" target="_self" allytm-click-tagged="tru
e">Ally Ventures</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-t
agged="true">Investor Relations<
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers"
href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="tru
e">Careers</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-supplier
s" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged
="true">Suppliers</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompa
ny" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click
-tagged="true">Our Company</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCen
ter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media
Center</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-tagged="true">Social Impact</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /ventures WCAG 1.4.1

Elemento:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-dealerServices" href="https://www.ally.com/dealer/" target="_self" allytm-click-tagged="true">Dealer Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Our Company" on https://www.ally.com/ and "Learn More About Ally" on https://www.ally.com/ventures. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /ventures WCAG 3.2.4

Elemento:

```
<a class="Link_ctaPrimary__H4y9b" data-allytmln="learnMoreVentures" href="https://www.ally.com/about/company-structure/" target="_self" aria-label="Learn More About Ally" allytm-click-tagged="true">Learn More</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "Ally Ventures" on https://www.ally.com/ and "Ally ventures logo" on https://www.ally.com/ventures. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /ventures WCAG 3.2.4

Elemento:

```
<a class="Link_link__JHJ4m Link_-no-inline__7AGiC" data-allytmln="allyVenturesLogo"
href="http://www.ally.com/ventures/" target="_self" aria-label="Ally ventures logo"
allytm-click-tagged="true"><img alt="Ally ventures logo" class="styles_Image__YRv0H
" src="https://secure.ally.com/acs/content/cms/images/201178/0xsu4cuk2auf/4CfBKGA4q4
JsRY9l0k9TX4/dbdd5d85253114b3a43832ceab10c7a5/32814ventureslogo.png?w=456&amp;h=100&
amp;q=90&amp;fm=webp" srcset="https://secure.ally.com/acs/content/cms/images/201
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Ally Logo, go to ally.com" on https://www.ally.com/ and "Home" on https://www.ally.com/ventures. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /ventures WCAG 3.2.4

Elemento:

```
<a class="Breadcrumbs_navLinks__W__Yt Link_navLink__ZbrPx Link_-no-inline__7AGiC" da
ta-allytmln="infobar-Home" href="https://www.ally.com/" target="_self" allytm-click-
tagged="true">Home</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Top Menu" is present on https://www.ally.com/ but missing on https://www.ally.com/ventures. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /ventures WCAG 3.2.3

Elemento:

```
<!-- missing: nav[aria-label="Top Menu"] -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Top Menu" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "Sub Menu" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "Instagram" on https://www.ally.com/ and "Facebook" on https://www.ally.com/ventures. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /ventures WCAG 3.2.4

Elemento:

```
<a class="Link_link__JHJ4m Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln
="Facebook" href="https://www.facebook.com/ally" target="_blank" aria-label="Faceboo
k" allytm-click-tagged="true"><svg aria-hidden="false" class="styles_svgIcon__UoR7M"
width="25" height="25" xmlns="http://www.w3.org/2000/svg"><title>Facebook Logo</titl
e><image href="//secure.ally.com/acs/content/cms/images/201178/kihwedicfgkh/2LMJ9WlZ
iWU6OtQCRqbvob/9dd16b86bb0714fae4fac09e800eee3b/Facebook_Logo__1_.svg" width="2
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Console warning: 🚀 _satellite.notify is deprecated. Please use the `_satellite.logger` API.

Página: /

Fuente: https://www.ally.com/_next/static/chunks/437-ece642eda218d40a.js:0 MEDIUM

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM

"Skip to main content" is visually at position 3 but receives focus at position 75 (drift: 72).

WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<button>Skip to main content</button>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "About Us" is visually at position 4 but receives focus at position 77 (drift: 73). WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>About Us</a>
```

PLAN DE CORRECCIÓN SONDE
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Interactive control "button.styles_button__xA8Jv" is only 29px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<button.styles_button__xA8Jv>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.userConsent__disclaimerHighlight.userConsent__disclaimerHighlight_link" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<a.userConsent__disclaimerHighlight.userConsent__disclaimerHighlight_link>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.Link_link__JHJ4m.Link_-dark__6RmSy" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<a.Link_link__JHJ4m.Link_-dark__6RmSy>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.Link_link__JHJ4m.Link_navLinkTop__7USdO" is only 28px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: WCAG 2.5.8

Elemento:

```
<a.Link_link__JHJ4m.Link_navLinkTop__7USdO>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM x-content-type-options header has invalid or weak value: nosniff nosniff

Página: /ventures

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Link timeout: https://www.ally.com/security/ did not respond within 5000ms after 4 attempts

Página: /

Elemento:

```
<a href="https://www.ally.com/security/">Security</a>
```

LOW Link timeout: https://www.ally.com/accessibility/ did not respond within 5000ms after 3 attempts

Página: /

Elemento:

```
<a href="https://www.ally.com/accessibility/">Accessibility</a>
```

LOW Link timeout: https://www.ally.com/## did not respond within 5000ms after 3 attempts

Página: /

Elemento:

```
<a href="https://www.ally.com/##">Shop Ally Gear</a>
```

LOW Link timeout: https://www.ally.com/sitemap/ did not respond within 5000ms after 3 attempts

Página: /

Elemento:

```
<a href="https://www.ally.com/sitemap/">Site Map</a>
```

LOW Link timeout: https://www.ally.com/invest/disclosures/ did not respond within 5000ms after 3 attempts

Página: /

Elemento:

```
<a href="https://www.ally.com/invest/disclosures/">Ally Invest Disclosures</a>
```

LOW Link timeout: https://www.ally.com/ventures/ did not respond within 5000ms after 3 attempts

Página: /

Elemento:

```
<a href="https://www.ally.com/ventures/">Ally Ventures</a>
```

LOW Link timeout: https://www.ally.com/dealer/ did not respond within 5000ms after 3 attempts

Página: /

Elemento:

```
<a href="https://www.ally.com/dealer/">Dealer Services</a>
```

LOW Link timeout: https://www.ally.com/education/financial-education-programs/ did not respond within 5000ms after 3 attempts

Página: /

Elemento:

```
<a href="https://www.ally.com/education/financial-education-programs/">Financial Education Programs</a>
```

LOW Link timeout: https://www.ally.com/invest/disclosures/ did not respond within 5000ms after 3 attempts

Página: /ventures

Elemento:

```
<a href="https://www.ally.com/invest/disclosures/">Ally Invest Disclosures</a>
```

LOW Link timeout: https://www.ally.com/dealer/ did not respond within 5000ms after 3 attempts

Página: /ventures

Elemento:

```
<a href="https://www.ally.com/dealer/">Dealer Services</a>
```

LOW Link timeout: https://www.ally.com/accessibility/ did not respond within 5000ms after 3 attempts

Página: /ventures

Elemento:

```
<a href="https://www.ally.com/accessibility/">Accessibility</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

Página: /ventures

Elemento:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Link timeout: https://www.ally.com/sitemap/ did not respond within 5000ms after 3 attempts

Página: /ventures

Elemento:

```
<a href="https://www.ally.com/sitemap/">Site Map</a>
```

LOW Link timeout: https://www.ally.com/ventures/ did not respond within 5000ms after 3 attempts

Página: /ventures

Elemento:

```
<a href="https://www.ally.com/ventures/">Ally Ventures</a>
```

LOW Link timeout: https://www.ally.com/education/financial-education-programs/ did not respond within 5000ms after 3 attempts

Página: /ventures

Elemento:

```
<a href="https://www.ally.com/education/financial-education-programs/">Financial Education Programs</a>
```

LOW Link timeout: https://www.ally.com/security/ did not respond within 5000ms after 4 attempts

Página: /ventures

Elemento:

```
<a href="https://www.ally.com/security/">Security</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio | Reportar un problema de escaneo