Sonde

Accessibility Health Check

https://capitalone.com

984

0 1000

Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usfin/capitalone-com/

10 pages **94** findings **1** critical **15** high **62** medium **16** low **9.4** avg/page
2,500 elements **89** with findings **96.4%** ECR **3m 59s** total **23.9s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Keyboard trap detected in nav "Cars for saleNew cars for saleUsed cars ". Focus cycles within 4 elements without escaping. 17 focusable elements in container.

WCAG 2.1.2

Page: /cars/calculator WCAG 2.1.2

Element:

```
<nav role="nav">Cars for saleNew cars for saleUsed cars </nav>
```

SONDE FIX PLAN

Ensure Tab and Shift+Tab can move focus out of this region. If this is a modal dialog, provide a close mechanism (Escape key) that returns focus to the trigger element.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /cars/calculator WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Console warning: OneTag has encountered at least one warning. Please refer to the oneTag documentation on how to enable oneTag debug messages.

Page: /

Source: https://onetms.capitalone.com/ot/ot.js:6 MEDIUM

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Newrelic action queued -> setCustomAttribute: app-version 0.1.752 (2 occurrences)

Page: /cars/calculator

Source: `https://www.capitalone.com/cars/ocb-ui/search-assets/logger.BmHwsxRQ.js:0`

MEDIUM

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 2 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /cars/calculator WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 0 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "contentinfo" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /cars/calculator WCAG 1.3.1

Element:

```
<!-- 2 contentinfo landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<label _ngcontent-web-shell-c2931505271="" for="ods-input-0" class="grv-shr-lib-text
field__label grv-shr-lib-text__body--tiny">Username</label>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<input _ngcontent-web-shell...="" type="text" id="ods-input-0" maxlength="50" name
="ods-input-0" aria-label="Username" aria-describedby="us-login-auth-error-..." requ
ired="" class="login-username grv-...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /

Element:

```
<html lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<a _ngcontent-web-shell-c2931505271="" id="setUpAccess" class="asset-link set-up-acc
ess grv-shr-lib-text__body--tiny" data-initial-value="Set up online access" href="ht
tps://verified.capitalone.com/en...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM The skip-link target should exist and be focusable: Fix any of the following: No skip link target

Page: /

Element:

```
<a _ngcontent-web-shell-c1855419180="" href="#default-id" class="site-header__skip-n
av"> Skip to main content
</a>
```

SONDE FIX PLAN

Ensure all skip links have a focusable target. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-
margin-top: 68px; display: block;" class="legacy-component ng-star-inserted">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<label _ngcontent-web-shell-c2931505271="" for="ods-input-1" class="grv-shr-lib-text
field__label grv-shr-lib-text__body--tiny">Password</label>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<input _ngcontent-web-shell-c2931505271="" type="checkbox" id="rememberMe" name="rem
emberMe" class="rem-checkbox ng-untouched ng-pristine ng-valid" data-initial-value
="">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-row"><div _ngcontent-web-
shell-c347514875="" class="grv-shr-lib-col headline"><h2 _ngcontent-web-shell-c34751
4875="" class="grv-shr-lib-text_...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c2931505271="" class="grv-shr-lib-col--sm-2 login-field ng
-star-inserted">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<input _ngcontent-web-shell...="" type="password" id="ods-input-1" maxlength="64" na
me="ods-input-1" aria-label="Password" aria-describedby="us-login-auth-error-..." re
quired="" class="login-password ...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c553998024="" class="grv-shr-lib-row ng-tns-c553998024-0">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell...="" role="tabpanel" class="feature-image active..." id
="activeImage0" aria-labelledby="tab0" style="background-image: ur...">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<h1 _ngcontent-web-shell-c1873906676="" tabindex="0" class="main-title visuallyhidde
n ng-star-inserted" aria-label="Explore Capital One’s Banking and Financial Service
s">Explore Capital One’s Banking ...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-row">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c2667954597="" class="card-overlay">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<img _ngcontent-web-shell...="" alt="FDIC-Insured - Backe..." lang="en-US" src="dat
a:image/png;base6..." class="gds-fdic-sign gds-fd...">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-margin-top: 68px; display: block;" class="legacy-component ng-star-inserted">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-margin-top: 68px; display: block;" class="legacy-component ng-star-inserted">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div _ngcontent-web-shell-c347514875="" role="tablist" class="interactive-features-tablist">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<label _ngcontent-web-shell-c2931505271="" for="rememberMe" class="grv-shr-lib-text_
_body--tiny">Remember me</label>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /cars/calculator

Element:

```
<nav class="hidden xl:flex order-2">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

Page: /cars/calculator

Element:

```
<footer class="bg-FsClrBrandPaletteMidnight font-sans text-white">
```

SONDE FIX PLAN

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

Page: /cars/calculator

Element:

```
<footer>
```

SONDE FIX PLAN

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="site-L2__tabbable" href="/credit-cards/cash-back/" target="_self"><span cl
ass="heading">Cash Back Rewards</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="site-L2__tabbable" href="/small-business/credit-cards/" target="_self"><sp
an class="heading">Business Rewards</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="site-L2__tabbable" href="/credit-cards/students/" target="_self"><span cla
ss="heading">Student Rewards</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="sub-heading-link" href="/credit-cards/fair-and-building/" target="_self" t
abindex="-1"><span class="sub-heading">Credit Level: Fair to Rebuilding</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="site-L2__tabbable" href="/credit-cards/travel-and-miles/" target="_self"><
span class="heading">Travel Rewards</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="site-L2__tabbable" href="/credit-cards/fair-and-building/" target="_self">
<span class="heading">Credit Building</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="sub-heading-link" href="/credit-cards/travel-and-miles/" target="_self" ta
bindex="-1"><span class="sub-heading">Credit Level: Excellent to Good</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="sub-heading-link" href="/credit-cards/cash-back/" target="_self" tabindex
="-1"><span class="sub-heading">Credit Level: Excellent to Fair</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="sub-heading-link" href="/small-business/credit-cards/" target="_self" tabi
ndex="-1"><span class="sub-heading">Credit Level: Excellent to Fair</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="sub-heading-link" href="/credit-cards/students/" target="_self" tabindex
="-1"><span class="sub-heading">Credit Level: Fair</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Car Dealers Near You" on https://www.capitalone.com/ and "Car dealers" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /cars/calculator WCAG 3.2.4

Element:

```
<a data-hk="s0000410212" href="/cars/dealers-near/" data-analytics-tag-key="BASE_HEA
DER_FIND_MY_DEALER" data-analytics-track-on="click" class="block focus:bg-FsClrBgBas
e1Hover hover:bg-FsClrBgBase1Hover active:bg-FsClrBgNeutEmphNonePress py-2 rounded-
[8px] px-2 text-FsFontSize0_875x" data-testid="car-dealers-dropdown-desktop" data-an
alytics-has-listener="true">Car dealers</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Credit Cards" is present on https://www.capitalone.com/ but missing on https://www.capitalone.com/cars/calculator. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Page: /cars/calculator WCAG 3.2.3

Element:

```
<!-- missing: nav#card-menu-container -->
```

SONDE FIX PLAN

Ensure the "Credit Cards" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "Checking & Savings"

navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "Business" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "Commercial" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "Benefits & Tools" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "Car Research & Reviews" on https://www.capitalone.com/ and "All articles" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /cars/calculator WCAG 3.2.4

Element:

```
<a data-hk="s0000414212" href="/cars/learn" data-analytics-tag-key="BASE_HEADER_VIEW
_ALL_ARTICLES" data-analytics-track-on="click" class="block focus:bg-FsClrBgBase1Hov
er hover:bg-FsClrBgBase1Hover active:bg-FsClrBgNeutEmphNonePress py-2 rounded-[8px]
px-2 text-FsFontSize0_875x" data-testid="view-all-articles-button" data-analytics-ha
s-listener="true">All articles</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Car Financing Resources" on https://www.capitalone.com/ and "Managing your money" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /cars/calculator WCAG 3.2.4

Element:

```
<a data-hk="s0000411211" href="/cars/learn/managing-your-money-wisely" data-analytic
s-tag-key="BASE_HEADER_MANAGING_YOUR_MONEY" data-analytics-track-on="click" class="b
lock focus:bg-FsClrBgBase1Hover hover:bg-FsClrBgBase1Hover active:bg-FsClrBgNeutEmph
NonePress py-2 rounded-[8px] px-2 text-FsFontSize0_875x" data-testid="managing-your-
money-dropdown" data-analytics-has-listener="true">Managing your money</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Pre-Qualify for an Auto Loan" on https://www.capitalone.com/ and "Get pre-qualified" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /cars/calculator WCAG 3.2.4

Element:

```
<a data-hk="s00004112210" data-analytics-tag-key="BASE_HEADER_FINANCE_GET_PREQUALIFIED" data-analytics-track-on="click" data-testid="financing-get-prequalified-button" class="flex xl:h-8 h-12 w-full xl:text-FsFontSize0_875x text-FsFontSize1x text-FsClrContentInteract xl:bg-FsClrBgInteractEmphHigh xl:text-FsClrWhite1000 outline-offset-4 rounded-[8px] items-center justify-center px-4 py-[6px] font-FsFontWeightSemibold leading-FsTypeLabelLineHeightSmall border-solid border border-FsClrContentIntera
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation "Cars for saleNew cars for saleUsed cars for saleCar dealersAll cars for saleFinancingCar payment calculatorManaging your moneyGetting a good dealAuto refinanceGet pre-qualifiedSell my carCar valueCar researchEV hubHow Auto Navigator worksAll articles" changes relative order between https://www.capitalone.com/ and https://www.capitalone.com/cars/calculator. Shared links appear as [Car dealers, Managing your money, Get pre-qualified, Car value, All articles] vs baseline [/cars/prequalify/, /cars/prequalify/, /cars/prequalify/, /cars/my-garage, /cars/my-garage, /cars/my-garage, Car Research & Reviews, Car Financing Resources, Car Dealers Near You, Car Dealers Near You].

WCAG 3.2.3

Page: /cars/calculator WCAG 3.2.3

Element:

```
<nav aria-label="Cars for saleNew cars for saleUsed cars for saleCar dealersAll cars for saleFinancingCar payment calculatorManaging your moneyGetting a good dealAuto refinanceGet pre-qualifiedSell my carCar valueCar researchEV hubHow Auto Navigator worksAll articles"><!-- site-set order mismatch --></nav>
```

SONDE FIX PLAN

Keep repeated navigation links in the same relative order across comparable pages. Adding or removing links is fine, but shared links should maintain consistent ordering unless users explicitly reorder the list.

The same link functionality is identified as "Shop for a Car" on https://www.capitalone.com/ and "Capital One Auto Navigator

MEDIUM homepage" on https://www.capitalone.com/cars/calculator. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /cars/calculator WCAG 3.2.4

Element:

```
<a href="/cars" class="w-40" title="Auto Navigator homepage" aria-label="Capital One Auto Navigator homepage" data-analytics-track-on="click" data-testid="link-to-auto-navigator-homepage"><svg data-hk="s000030" width="165" height="26" viewBox="0 0 165 26" fill="none" xmlns="http://www.w3.org/2000/svg"><path d="M83.7483 21.157L83.4624 18.781H79.6513L78.4347 21.157H77.1089L82.1912 11.593H83.7067L85.0456 21.157H83.7483ZM80.1531 17.7983H83.335L82.7345 12.7706L80.1531 17.7983Z" fill="#013D5B" shape-r
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM Broken link: https://www.capitalone.com/activate/ returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://www.capitalone.com/activate/">Activate Credit Card</a>
```

MEDIUM Interactive control "a.w-40" is only 26px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<a.w-40>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.cursor-pointer" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<button.cursor-pointer>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Page requires horizontal scrolling at Phone SE (320px width, 21px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Page: /cars/calculator WCAG 1.4.10

Element:

```
<html lang="und">
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM Interactive control "#estimatedAPR" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<#estimatedAPR>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.underline.text-FsClrBgInteractEmphMedium" is only 21px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<a.underline.text-FsClrBgInteractEmphMedium>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#loanAmount" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<#loanAmount>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.group.flex" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /cars/calculator WCAG 2.5.8

Element:

```
<a.group.flex>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

Page: /cars/calculator

Element:

```
<button data-hk="s5000020010010000" type="button" aria-expanded="false" data-closed
="" class="group inline-flex w-full items-center justify-between border-2 border-tra
nsparent font-fsFontWeightSemibol
```

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

Page: /cars/calculator

Element:

```
<button data-hk="s5000022010010000" type="button" aria-expanded="false" data-closed
="" class="group inline-flex w-full items-center justify-between border-2 border-tra
nsparent font-fsFontWeightSemibol
```

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

Page: /cars/calculator

Element:

```
<button data-hk="s5000021010010000" type="button" aria-expanded="false" data-closed
="" class="group inline-flex w-full items-center justify-between border-2 border-tra
nsparent font-fsFontWeightSemibol
```

LOW Broken link: https://www.x.com/askcapitalone returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.x.com/askcapitalone">Reach @AskCapitalOne</a>
```

LOW Broken link: https://verified.capitalone.com/sign-in-help/ returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://verified.capitalone.com/sign-in-help/">Forgot username or password?
</a>
```

LOW Link timeout: unsafe:javascript:void(0); did not respond within 5000ms after 6 attempts

Page: /

Element:

```
<a href="unsafe:javascript:void(0);">Benefits &amp;amp; Tools</a>
```

LOW Broken link: https://verified.capitalone.com/enroll/pii returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://verified.capitalone.com/enroll/pii">Activate Your Account</a>
```

LOW Broken link: https://verified.capitalone.com/auth/signin returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://verified.capitalone.com/auth/signin">Sign In</a>
```

LOW Link timeout: https://www.capitalone.com/auto-financing/refinance/ did not respond within 5000ms after 2 attempts

Page: /cars/calculator

Element:

```
<a href="https://www.capitalone.com/auto-financing/refinance/">Check out refinance</
a>
```

LOW Link timeout: https://www.capitalone.com/cars/sell-my-car did not respond within 5000ms after 2 attempts

Page: /cars/calculator

Element:

```
<a href="https://www.capitalone.com/cars/sell-my-car">Sell my car</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue