Sonde

Accessibility Health Check

https://chase.com

961

0 1000

Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usfin/chase-com/

3 pages **85** findings **0** critical **6** high **70** medium **9** low **28.3** avg/page
3,763 elements **49** with findings **98.7%** ECR **3m 17s** total **1m 6s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (52.3px by 21.2px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.2px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<button type="button" id="show-hide-btn" tabindex="0" style="min-width: 0px; dis
p...">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /business/business-sbw-2

Element:

```
<div class="consent-banner" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH

Console warning: [Analytics-Lite]: clearEventsQueue() is deprecated. You can safely remove this function call from your codebase.

Page: /business/business-sbw-2

Source: https://asset.chase.com/web/library/digddsautomation/reportingjs/Reporting.js:0

MEDIUM

SONDE FIX PLAN

Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer Add Strict-Transport-Security header with max-age of at least 31536000 Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Focus jumps backward from "div:nth-of-type(1) > div:nth-of-type(2) > a" to "Skip to main content" (visual distance: 1388px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: /business/business-sbw-2 WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /business/business-sbw-2 WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /business/business-sbw-2 WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /business/business-sbw-2 WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /business/business-sbw-2 WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /business/business-sbw-2

Element:

```
<div class="consent-banner-section-wrapper" region="landmark" aria-label="Privacy Po
licy">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /business/business-sbw-2

Element:

```
<a href="#main" class="sc-f1d44d46-0 eSbDRK mds-body-large-heavier mds-pos-fixed mds
-text-center mds-text-decoration-none">Skip to main content</a>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://personal.chase.co
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="/personal/savings/bank-cd
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="/personal/offers/total-ch
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://creditcards.chase
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://creditcards.chase
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://personal.chase.co
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://creditcards.chase
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="/personal/credit-cards/fr
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="/personal/mortgage" data-
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://creditcards.chase
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /business/business-sbw-2 WCAG 1.4.1

Element:

```
<a href="https://www.youtube.com/chase" role="link" title="YouTube" data-pt-name="ft
_soc_youtube" rel="noreferrer" target="_blank" class="link btn-link btn-not-inverse
btn-content-driven chaseanalytic
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /business/business-sbw-2 WCAG 1.4.1

Element:

```
<a href="https://instagram.com/chase" role="link" title="Instagram" data-pt-name="ft
_soc_instagram" rel="noreferrer" target="_blank" class="link btn-link btn-not-invers
e btn-content-driven chaseanalyt
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /business/business-sbw-2 WCAG 1.4.1

Element:

```
<a href="https://www.facebook.com/chase" role="link" title="Facebook" data-pt-name
="ft_soc_facebook" rel="noreferrer" target="_blank" class="link btn-link btn-not-inv
erse btn-content-driven chaseanaly
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /business/business-sbw-2 WCAG 1.4.1

Element:

```
<a href="https://twitter.com/Chase" role="link" title="X, formerly Twitter" data-pt-name="ft_soc_x" rel="noreferrer" target="_blank" class="link btn-link btn-not-inverse btn-content-driven chaseanalyt
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /business/business-sbw-2 WCAG 1.4.1

Element:

```
<a href="https://www.pinterest.com/chase/" role="link" title="Pinterest" data-pt-name="ft_soc_pinterest" rel="noreferrer" target="_blank" class="link btn-link btn-not-inverse btn-content-driven chasea
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /business/business-sbw-2 WCAG 1.4.1

Element:

```
<a href="https://www.linkedin.com/company/chase?trk=company_logo" role="link" title="LinkedIn" data-pt-name="ft_soc_linkedin" rel="noreferrer" target="_blank" class="link btn-link btn-not-inverse btn-
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation region "Checking Choose a checking accountDebit card for kidsSavings & CDsChoose a savings accountCDsCredit cardsExplore credit cardsSee if you're pre-approvedPersonal credit cardsBusiness credit cardsHome loansExplore Home LendingMortgage ratesApply for a mortgageBuy a homeRefinanceHome equityMortgage calculatorsManage accountsAutoExplore car financingRefinance your carInvesting by J.P. MorganExplore investingWork with our advisorsInvest on your ownRetirement and IRAsEducation planningInvesting insightsEducation & goalsEducation centerFree credit scoreChase Money SkillsSecurity CenterTravelBook with Chase TravelExplore The EditTravel inspirationEditor hotel picksRestaurant guidesChase Travel Corporate Solutions" is present on https://www.chase.com/ but missing on https://www.chase.com/business/business-sbw-2. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Page: /business/business-sbw-2 WCAG 3.2.3

Element:

```
<!-- missing: nav -->
```

SONDE FIX PLAN

Ensure the "Checking Choose a checking accountDebit card for kidsSavings & CDsChoose a savings accountCDsCredit cardsExplore credit cardsSee if you're pre-approvedPersonal credit cardsBusiness credit cardsHome loansExplore Home LendingMortgage ratesApply for a mortgageBuy a homeRefinanceHome equityMortgage calculatorsManage accountsAutoExplore car financingRefinance your carInvesting by J.P. MorganExplore investingWork with our advisorsInvest on your ownRetirement and IRAsEducation planningInvesting insightsEducation & goalsEducation centerFree credit scoreChase Money SkillsSecurity CenterTravelBook with Chase TravelExplore The EditTravel inspirationEditor hotel picksRestaurant guidesChase Travel Corporate Solutions" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "Privacy" on https://www.chase.com/ and "Privacy Policy" on https://www.chase.com/business/business-sbw-2. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /business/business-sbw-2 WCAG 3.2.4

Element:

```
<a href="https://www.chase.com/digital/resources/privacy-security/privacy/online-pri
vacy-policy" class="chaseanalytics-track-link" data-pt-name="consent-privacy" target
="_blank">Privacy Policy</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM Console warning: [Analytics-Lite]: clearEventsQueue() is deprecated. You can safely remove this function call from your codebase.

Page: /

Source: https://asset.chase.com/web/library/digddsautomation/reportingjs/Reporting.js:0

MEDIUM

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

MEDIUM Broken link: https://www.chase.com/content/dam/chaseux-fragments/en/chase-footnotes-and-disclosures/business/banking/ranked-1 returned status 404 Not Found after 1 attempts

Page: /business/business-sbw-2

Element:

```
<a href="https://www.chase.com/content/dam/chaseux-fragments/en/chase-footnotes-and-
disclosures/business/banking/ranked-1">Footnote
        1Opens overlay</a>
```

MEDIUM Content clipped by 71px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /business/business-sbw-1 WCAG 1.4.12

Element:

```
<span class="sc-5ed86311-0 bSfPPF accessible-text">Open side menu</span>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.chaseanalytics-track-link" is only 44px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size- WCAG 2.5.8

min` (44px) on touch tiers.

Page: /business/business-sbw-1 WCAG 2.5.8

Element:

```
<a.chaseanalytics-track-link>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 388px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /business/business-sbw-1 WCAG Sonde responsive contract

Element:

```
<div aria-hidden="true" class="sc-93c77d2f-1 TKxeB mds-body-medium h-100 w-100 mds-p
os-fixed mds-top-0" aria-label="Sign in panel" role="dialog"><div class="h-100 mds-d
-none"></div></div>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.sc-f1d44d46-0.eSbDRK" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /business/business-sbw-1 WCAG 2.5.8

Element:

```
<a.sc-f1d44d46-0.eSbDRK>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.btn-primary-button.btn-not-inverse" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /business/business-sbw-1 WCAG 2.5.8

Element:

```
<button.btn-primary-button.btn-not-inverse>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 215px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /business/business-sbw-1 WCAG 1.4.12

Element:

```
<span id="nav-logo-link-text" class="sc-5ed86311-0 bSfPPF accessible-text">Chase for Business links to Chase for Business home</span>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.consent-close-icon-wrapper.chaseanalytics-track-link" is only 16px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /business/business-sbw-1 WCAG 2.5.8

Element:

```
<a.consent-close-icon-wrapper.chaseanalytics-track-link>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.chaseanalytics-track-link.regular-link" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /business/business-sbw-1 WCAG 2.5.8

Element:

```
<a.chaseanalytics-track-link.regular-link>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.btn-no-styles.btn-not-inverse" is only 27px tall at Phone SE. Sonde responsive contract enforces `--sonde-target- WCAG 2.5.8

size-min` (44px) on touch tiers.

Page: /business/business-sbw-1 WCAG 2.5.8

Element:

```
<button.btn-no-styles.btn-not-inverse>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 388px at Phone SE (320px width). WCAG 1.4.10

Page: /business/business-sbw-1 WCAG 1.4.10

Element:

```
<div aria-hidden="true" class="sc-93c77d2f-1 TKxeB mds-body-medium h-100 w-100 mds-p
os-fixed mds-top-0" aria-label="Sign in panel" role="dialog"><div class="h-100 mds-d
-none"></div></div>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.btn-primary-button.btn-not-inverse" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /business/business-sbw-1 WCAG 2.5.8

Element:

```
<a.btn-primary-button.btn-not-inverse>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.link.btn-link" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /business/business-sbw-1 WCAG 2.5.8

Element:

```
<a.link.btn-link>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 95px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /business/business-sbw-1 WCAG 1.4.12

Element:

```
<a href="#main" class="sc-f1d44d46-0 eSbDRK mds-body-large-heavier mds-pos-fixed mds
-text-center mds-text-decoration-none">Skip to main content</a>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

LOW Broken link: https://twitter.com/Chase returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://twitter.com/Chase">X, formerly Twitter</a>
```

LOW Link timeout: https://secure.chase.com/web/oao/application/card?cfgCode=PREAPPROVEDCONCC&flowVersion=REACT&cellCode=6TKV#/origination/preapproved/index/index did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://secure.chase.com/web/oao/application/card?cfgCode=PREAPPROVEDCONCC&
amp;flowVersion=REACT&amp;cellCode=6TKV#/origination/preapproved/index/index">See if
you're pre-approved</a>
```

LOW Link timeout: https://optout.aboutads.info/?c=2&lang=EN did not respond within 5000ms after 8 attempts

Page: /

Element:

```
<a href="https://optout.aboutads.info/?c=2&amp;lang=EN">AdChoices</a>
```

LOW Link timeout: https://locator.chase.com/ did not respond within 5000ms after 2 attempts

Page: /business/business-sbw-2

Element:

```
<a href="https://locator.chase.com/">Find ATM or Branch</a>
```

LOW Link timeout: https://optout.aboutads.info/?c=2&lang=EN did not respond within 5000ms after 8 attempts

Page: /business/business-sbw-2

Element:

```
<a href="https://optout.aboutads.info/?c=2&amp;lang=EN">AdChoices, Opens overlay</a>
```

LOW Broken link: https://twitter.com/Chase returned status 403 Forbidden after 1 attempts

Page: /business/business-sbw-2

Element:

```
<a href="https://twitter.com/Chase">X, formerly Twitter, Opens overlay</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue