Sonde

Accessibility Health Check

https://fidelity.com



Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usfin/fidelity-com/

4 pages **201** findings **1** critical **38** high **139** medium **23** low **50.3** avg/page
9,227 elements **145** with findings **98.4%** ECR **3m 6s** total **46.5s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Images must have alternative text: Fix all of the following: Element has an alt attribute containing only a space character, which is not ignored by all screen readers

WCAG 1.1.1

Page: /529-plans/az-529-plan-activate WCAG 1.1.1

Element:

```
<img src="/bin-public/060_www_fidelity_com/images/icon/phone_black.png" alt=" " styl
e="margin-right: 10px; padding: 0; width: 50px;">
```

SONDE FIX PLAN

Ensure <img> elements have alternative text or a role of none or presentation. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /529-plans/arizona WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /529-plans/arizona-investment-options WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /529-plans/arizona-investment-options WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /529-plans/arizona-investment-options WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /529-plans/arizona-investment-options WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /529-plans/az-529-plan-activate WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /529-plans/az-529-plan-activate WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.39 (foreground color: #ffffff, background color: #6f9824, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: /529-plans/arizona-investment-options WCAG 1.4.3

Element:

```
<h3 class="tabs--list-header">I want an Age-Based portfolio that automatically adjus
ts</h3>
```

SONDE FIX PLAN
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Console warning: AT: request failed Error: Request timed out at t.ontimeout [as __zone_symbol__ON_PROPERTYtimeout] (https://dmt.fidelity.com/prod/meas/:1077:297) at XMLHttpRequest.Xe (https://digital.fidelity.com/ctgw/digital/search/client/smartSuggest.js:1:1392) at u.invokeTask (https://digital.fidelity.com/ctgw/digital/search/client/smartSuggest.js:1:19931) at N.runTask (https://digital.fidelity.com/ctgw/digital/search/client/smartSuggest.js:1:14819) at E.invokeTask [as invoke] (https://digital.fidelity.com/ctgw/digital/search/client/smartSuggest.js:1:21016) at M (https://digital.fidelity.com/ctgw/digital/search/client/smartSuggest.js:1:4608) at x (https://digital.fidelity.com/ctgw/digital/search/client/smartSuggest.js:1:4901) at XMLHttpRequest.z (https://digital.fidelity.com/ctgw/digital/search/client/smartSuggest.js:1:5167)

Page: /529-plans/arizona

Source: `https://dmt.fidelity.com/prod/meas/:1000` MEDIUM

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Focus jumps backward from "Contact Us" to "Share Your Screen" (visual distance: 369px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Share Your Screen</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "Contact Us" to "Share Your Screen" (visual distance: 353px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: /529-plans/arizona-investment-options WCAG 2.4.3

Element:

```
<a>Share Your Screen</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Missing X-Content-Type-Options header

Page: /

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Page: /529-plans/arizona-investment-options

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives

HIGH Missing Content-Security-Policy header

Page: /529-plans/az-529-plan-activate

SONDE FIX PLAN
Add a Content-Security-Policy header with appropriate directives

MEDIUM Page has 7 "navigation" landmarks but only 6 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 7 navigation landmarks, 6 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 2 "banner" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 2 banner landmarks, 0 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "banner" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 9 "navigation" landmarks but only 6 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /529-plans/arizona WCAG 1.3.1

Element:

```
<!-- 9 navigation landmarks, 6 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /529-plans/arizona WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /529-plans/arizona-investment-options WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 9 "navigation" landmarks but only 6 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /529-plans/arizona-investment-options WCAG 1.3.1

Element:

```
<!-- 9 navigation landmarks, 6 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /529-plans/az-529-plan-activate WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 0 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /

Element:

```
<h3 _ngcontent-ng-c520347061="" class="slide-title">Invest smart from the start with a brokerage account</h3>
```

SONDE FIX PLAN
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="fds-global__footer">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should not have more than one banner landmark: Fix any of the following: Document has more than one banner landmark

Page: /

Element:

```
<header>
```

SONDE FIX PLAN
Ensure the document has at most one banner landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Banner landmark should not be contained in another landmark: Fix any of the following: The banner landmark is contained in another landmark.

Page: /

Element:

```
<div class="nav-utility" role="banner">
```

SONDE FIX PLAN
Ensure the banner landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Banner landmark should not be contained in another landmark: Fix any of the following: The banner landmark is contained in another landmark.

Page: /529-plans/arizona

Element:

```
<div class="nav-utility" role="banner">
```

SONDE FIX PLAN
Ensure the banner landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /529-plans/arizona

Element:

```
<a id="sharePageControl" href="#share">Share</a>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /529-plans/arizona

Element:

```
<li class="page-controls--text-medium">
        <a title="Larger text size" href="#larger"><span class="off-screen">Larger t
ext size </span>A</a>
</li>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /529-plans/arizona

Element:

```
<nav>
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /529-plans/arizona

Element:

```
<li class="page-controls--text-small active">
        <a title="Default text size" href="#default"><span class="off-screen">Defaul
t text size </span>A</a>
</li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /529-plans/arizona

Element:

```
<li class="page-controls--text-large">
        <a title="Largest text size" href="#largest"><span class="off-screen">Larges
t text size </span>A</a>
</li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /529-plans/arizona

Element:

```
<li class="page-controls--print">
       <a ltag="VSDESC^ccprint" href="#print">Print</a>
</li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /529-plans/arizona-investment-options

Element:

```
<li class="page-controls--text-medium">
        <a title="Larger text size" href="#larger"><span class="off-screen">Larger t
ext size </span>A</a>
</li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /529-plans/arizona-investment-options

Element:

```
<li class="page-controls--print">
       <a ltag="VSDESC^ccprint" href="#print">Print</a>
</li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /529-plans/arizona-investment-options

Element:

```
<li class="page-controls--text-large">
        <a title="Largest text size" href="#largest"><span class="off-screen">Larges
t text size </span>A</a>
</li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /529-plans/arizona-investment-options

Element:

```
<a id="sharePageControl" href="#share">Share</a>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Banner landmark should not be contained in another landmark: Fix any of the following: The banner landmark is contained in another landmark.

Page: /529-plans/arizona-investment-options

Element:

```
<div class="nav-utility" role="banner">
```

SONDE FIX PLAN
Ensure the banner landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /529-plans/arizona-investment-options

Element:

```
<nav>
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /529-plans/arizona-investment-options

Element:

```
<li class="page-controls--text-small active">
        <a title="Default text size" href="#default"><span class="off-screen">Defaul
t text size </span>A</a>
</li>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /529-plans/az-529-plan-activate

Element:

```
<nav>
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Banner landmark should not be contained in another landmark: Fix any of the following: The banner landmark is contained in another landmark.

Page: /529-plans/az-529-plan-activate

Element:

```
<header class="header-navless  header-navless--menu-link" id="header" role="banner">
```

SONDE FIX PLAN

Ensure the banner landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/branches/branch-locations" id="Link_1636412216025"
name="Link_1636412216025">Investor Centers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/fixed-income-bonds/overview" id="Link_163641109646
7" name="Link_1636411096467">Fixed Income</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/etfs/overview" id="Link_1636411076377" name="Link_1636411076377">ETFs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/fixed-income-bonds/cds" id="Link_1636412184218" name="Link_1636412184218">CDs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/stock-trading/overview" id="Link_1636412226123" name="Link_1636412226123">Stocks</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/fixed-income-bonds/individual-bonds/overview" id
="Link_1636411112327" name="Link_1636411112327">Bonds</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/options-trading/overview" id="Link_1636412194044"
name="Link_1636412194044">Options</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/mutual-funds/overview" id="Link_1636411062737" nam
e="Link_1636411062737" class="footer-in-524-9498">Mutual Funds</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/crypto/overview" id="Link_1750797240914" name="Lin
k_1750797240914">Crypto</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(20, 20, 20)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/trading/trading-platforms" id="Link_1636412205044"
name="Link_1636412205044">Fidelity Trader+</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/trading/trading-platforms" target="_top" data-prim
ary-level2="ActiveTraderPro"><span>Fidelity Trader+</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/digital/cashmanagement" target="_top" dat
a-primary-level2="CashManagement" class="locked pre-login-level2"><span>Cash Managem
ent</span><span role="img" class
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/digital/portfolio/positions" target="_to
p" data-primary-level2="AccountPositions" class="locked pre-login-level2"><span>Acco
unt Positions</span><span role="i
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/digital/traderplus" target="_blank" data-
primary-level2="TradingDashboard" class="locked pre-login-level2"><span>Fidelity Tra
der+ Web</span><span role="img"
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/prgw/digital/login/full-page?AuthRedUrl=http
s://digital.fidelity.com/ftgw/digital/portfolio/summary" target="_top" class="locked
pre-login-level2" data-primary-le
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/customer-service/money-movement" target="_top" dat
a-primary-level2="Transfer"><span>Transfers</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/pna/customer/pgc/networth/" target="_top"
data-primary-level2="FullView" class="locked pre-login-level2"><span>Full View<sup>®
</sup></span><span role="img" c
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona WCAG 1.4.1

Element:

```
<a id="mobile_accounts_trade_mobile" href="javascript:;" data-primary-level1="Accoun
tsTrade" data-nav-type="key-value"><span>Accounts &amp; Trade</span></a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/digital/trade-equity/index/orderEntry" ta
rget="_top" data-primary-level2="Trade" class="locked pre-login-level2"><span>Trade
</span><span role="img" class="sc
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/digital/billpay/home" target="_top" data-
primary-level2="BillPay" class="locked pre-login-level2"><span>Bill Pay</span><span
role="img" class="screen-reader-
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona-investment-options WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/digital/traderplus" target="_blank" data-primary-level2="TradingDashboard" class="locked pre-login-level2"><span>Fidelity Trader+ Web</span><span role="img"
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona-investment-options WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/digital/portfolio/positions" target="_top" data-primary-level2="AccountPositions" class="locked pre-login-level2"><span>Account Positions</span><span role="i
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona-investment-options WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/digital/billpay/home" target="_top" data-primary-level2="BillPay" class="locked pre-login-level2"><span>Bill Pay</span><span role="img" class="screen-reader-
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona-investment-options WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/digital/cashmanagement" target="_top" data-primary-level2="CashManagement" class="locked pre-login-level2"><span>Cash Management</span><span role="img" class
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona-investment-options WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/customer-service/money-movement" target="_top" data-primary-level2="Transfer"><span>Transfers</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona-investment-options WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/prgw/digital/login/full-page?AuthRedUrl=http
s://digital.fidelity.com/ftgw/digital/portfolio/summary" target="_top" class="locked
pre-login-level2" data-primary-le
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona-investment-options WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/trading/trading-platforms" target="_top" data-prim
ary-level2="ActiveTraderPro"><span>Fidelity Trader+</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona-investment-options WCAG 1.4.1

Element:

```
<a id="mobile_accounts_trade_mobile" href="javascript:;" data-primary-level1="Accoun
tsTrade" data-nav-type="key-value"><span>Accounts &amp;amp; Trade</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona-investment-options WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/pna/customer/pgc/networth/" target="_top"
data-primary-level2="FullView" class="locked pre-login-level2"><span>Full View<sup>®
</sup></span><span role="img" c
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/arizona-investment-options WCAG 1.4.1

Element:

```
<a href="https://digital.fidelity.com/ftgw/digital/trade-equity/index/orderEntry" ta
rget="_top" data-primary-level2="Trade" class="locked pre-login-level2"><span>Trade
</span><span role="img" class="sc
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/az-529-plan-activate WCAG 1.4.1

Element:

```
<a href="#" class="expand-collapse--head expand-collapse--fancyexpand">
                                    <span itemprop="name">
                                    Where can I find historical information abo
ut my CollegeS
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(30, 111, 29), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/az-529-plan-activate WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/529-plans/college-gifting" id="Link_1614805674678"
name="Link_1614805674678" class="scl-green">college gifting</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /529-plans/az-529-plan-activate WCAG 1.4.1

Element:

```
<a class="expand-collapse--option-fancycollapse expand-collapse--fancycollapse" href
="#">Collapse all </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /529-plans/az-529-plan-activate WCAG 1.4.1

Element:

```
<a class="expand-collapse--option-fancyexpand expand-collapse--fancyexpand" href
="#">Expand all </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /529-plans/az-529-plan-activate WCAG 1.4.1

Element:

```
<a href="https://login.fidelity.com/ftgw/Fas/Fidelity/RtlCust/IdentifyUser/Init/?int
ent=nur&amp;" id="Link_1713824670270" name="Link_1713824670270"><span class="scl-gre
en">online access</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /529-plans/az-529-plan-activate WCAG 1.4.1

Element:

```
<a href="#" class="expand-collapse--head expand-collapse--fancyexpand">
                                        <span itemprop="name">
                                        Where can I find additional information abo
ut my account
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(30, 111, 29), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /529-plans/az-529-plan-activate WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/customer-service/deposit-money" id="Link_161480561
8902" name="Link_1614805618902" class="scl-green">automatic contributions</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(30, 111, 29), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /529-plans/az-529-plan-activate WCAG 1.4.1

Element:

```
<a href="https://accountmaint.fidelity.com/ftgw/onlineforms/action/init" id="Link_16
66129821976" name="Link_1666129821976" class="scl-green">investment instructions</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(30, 111, 29), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/az-529-plan-activate WCAG 1.4.1

Element:

```
<a href="https://www.fidelity.com/bin-public/060_www_fidelity_com/documents/customer
-service/authorization-for-direct-deposit.pdf" id="Link_1666129707003" target="_blan
k" name="Link_1666129707003" cla
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(14, 103, 169), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /529-plans/az-529-plan-activate WCAG 1.4.1

Element:

```
<a href="https://az529.gov/investment-options/college-savings-bank/" id="Link_166613
0580805" title="College Savings Bank" target="_blank" class="popup" name="Link_16661
30580805" onclick="advancedlink(
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Accounts & Trade" on https://www.fidelity.com/529-plans/arizona and "Investing" on https://www.fidelity.com/529-plans/arizona-investment-options. WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Page: /529-plans/arizona-investment-options WCAG 3.2.4

Element:

```
<a id="mobile_investing_mobile" href="javascript:;" data-primary-level1="Investing"
data-nav-type="key-value"><span>Investing</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Chat" on https://www.fidelity.com/529-plans/arizona and "Chat with a representative" on https://www.fidelity.com/529-plans/arizona-investment-options. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/arizona-investment-options WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/customer-service/chat-with-us" id="Link_1469202382
017" name="Link_1469202382017"><span class="scl-green">Chat with a
<br>
representative</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Find out what you'll need before you open an accountOpens in a new window" on https://www.fidelity.com/529-plans/arizona and "Required informationOpens in a new window" on https://www.fidelity.com/529-plans/arizona-investment-options. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/arizona-investment-options WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/529-plans/open-account-information" id="Link_15566
53403095" target="popup" class="popup" name="Link_1556653403095" onclick="advancedli
nk('https://www.fidelity.com/529-plans/open-account-information','','812x560', 'Link
_1556653403095')">Required information<span class="off-screen">Opens in a new window
</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Retirement Accounts" on https://www.fidelity.com/529-plans/arizona and "IRAs" on https://www.fidelity.com/529-plans/arizona-investment-options. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/arizona-investment-options WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/retirement/retirement-accounts" id="Link_163641236
1726" name="Link_1636412361726">IRAs</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Are you on track?" on https://www.fidelity.com/529-plans/arizona and "college savings calculator" on https://www.fidelity.com/529-plans/arizona-investment-options. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/arizona-investment-options WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/misc/college-savings/college_savings.html" id="Lin
k_1684178000444" title="college savings calculator" name="Link_1684178000444">colleg
e savings calculator</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Instagram, (Opens in a new window)" on https://www.fidelity.com/529-plans/arizona and "Facebook, (Opens in a new window)" on https://www.fidelity.com/529-plans/arizona-investment-options. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/arizona-investment-options WCAG 3.2.4

Element:

```
<a href="https://www.facebook.com/fidelityinvestments" id="Link_1636412479353" targe
t="_blank" name="Link_1636412479353" onclick="advancedlink('https://www.facebook.co
m/fidelityinvestments','You are now leaving Fidelity.com for a website that is unaff
iliated with Fidelity. Fidelity has not been involved in the preparation of the cont
ent supplied at the unaffiliated site and does not guarantee or assume any responsib
ility for its content.','', 'Link_1636412479353')">Facebook<span class="off-scree
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Fact Kit" on https://www.fidelity.com/529-plans/arizona and "529 plan Fact Kit" on https://www.fidelity.com/529-plans/arizona-investment-options. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/arizona-investment-options WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/bin-public/060_www_fidelity_com/documents/529_AZ_f
act-kit.pdf" id="Link_1634681471597" target="_blank" name="Link_1634681471597">529 p
lan Fact Kit</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Terms of Use" on https://www.fidelity.com/529-plans/arizona and "This is for persons in the US only." on https://www.fidelity.com/529-plans/arizona-investment-options. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/arizona-investment-options WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/terms-of-use#For" id="Link_1668465291493" name="Li
nk_1668465291493">
                        <span style="text-decoration: underline;">This is for person
s in the US only.</span>
                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Investment options" on https://www.fidelity.com/529-plans/arizona and "Skip to main content" on https://www.fidelity.com/529-plans/arizona-investment-options. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/arizona-investment-options WCAG 3.2.4

Element:

```
<a href="#navSkipToContent" class="header-nav-stm" data-utility="SkiptoMainContent">
Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "529 College Savings Plans" on https://www.fidelity.com/529-plans/arizona and "529 Plans" on https://www.fidelity.com/529-plans/arizona-investment-options. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/arizona-investment-options WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/529-plans/overview" id="Link_1636412319542" name
="Link_1636412319542">529 Plans</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Accounts & Trade Portfolio Account Positions Trade Fidelity Trader+ Web Fidelity Trader+ Transfers Cash Management Bill Pay Full View® Security Settings Account Features Documents Tax Forms & Information Retirement Distributions Refer a Friend Investing Self-Directed Investing Advanced Trading Investing for a Child Managing Cash & Credit Investment Accounts & Products Investing & Trading Education Retirement Retirement Planning 401(k) Rollovers & IRA Transfers Retirement Accounts Retirement Education Wealth Management Wealth Management Offerings Financial Advisors Financial Planning Investment Management Wealth Management Insights News & Research News Wealth Management Insights Watchlist Alerts Stocks, ETFs, Crypto Mutual Funds Fixed Income, Bonds & CDs Options IPOs Annuities Learn" is present on https://www.fidelity.com/529-plans/arizona but missing on https://www.fidelity.com/529-plans/az-529-plan-activate. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Page: /529-plans/az-529-plan-activate WCAG 3.2.3

Element:

```
<!-- missing: div -->
```

SONDE FIX PLAN

Ensure the "Accounts & Trade Portfolio Account Positions Trade Fidelity Trader+ Web Fidelity Trader+ Transfers Cash Management Bill Pay Full View® Security Settings Account Features Documents Tax Forms & Information Retirement Distributions Refer a Friend Investing Self-Directed Investing Advanced Trading Investing for a Child Managing Cash & Credit Investment Accounts & Products Investing & Trading Education Retirement Retirement Planning 401(k) Rollovers & IRA Transfers Retirement Accounts Retirement Education Wealth Management Wealth Management Offerings Financial Advisors Financial Planning Investment Management Wealth Management Insights News & Research News Wealth Management Insights Watchlist Alerts Stocks, ETFs, Crypto Mutual Funds Fixed Income, Bonds & CDs Options IPOs Annuities Learn" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "Accounts & Trade" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "Investing" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "Retirement" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "Wealth Management" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "News & Research" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "Disclosures, (Opens in a new window)" on https://www.fidelity.com/529-plans/arizona and "Disclosures Opens in a new window" on https://www.fidelity.com/529-plans/az-529-plan-activate. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/az-529-plan-activate WCAG 3.2.4

Element:

```
<a href="https://communications.fidelity.com/information/crs/" id="Link_164252874758
5" target="_blank" name="Link_1642528747585">Disclosures <span class="off-screen">Op
ens in a new window</span></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Fidelity.com Home" on https://www.fidelity.com/529-plans/arizona and "SIPC" on https://www.fidelity.com/529-plans/az-529-plan-activate. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/az-529-plan-activate WCAG 3.2.4

Element:

```
<a href="https://www.sipc.org/" id="Link_1532619540544" name="Link_1532619540544">SI
PC</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Contact Us, (Opens in a new window)" on https://www.fidelity.com/529-plans/arizona and "Contact Us" on https://www.fidelity.com/529-plans/az-529-plan-activate. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/az-529-plan-activate WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/customer-service/contact-us" id="Link_164252875342
4" target="_blank" name="Link_1642528753424">Contact Us</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "College gifting service" on https://www.fidelity.com/529-plans/arizona and "college gifting" on https://www.fidelity.com/529-plans/az-529-plan-activate. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/az-529-plan-activate WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/529-plans/college-gifting" id="Link_1614805674678"
name="Link_1614805674678" class="scl-green">college gifting</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.fidelity.com/529-plans/arizona and "Overview" on https://www.fidelity.com/529-plans/az-529-plan-activate. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/az-529-plan-activate WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/529-plans/arizona">Overview </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Terms of Use" on https://www.fidelity.com/529-plans/arizona and "This is for persons in the US only." on https://www.fidelity.com/529-plans/az-529-plan-activate. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /529-plans/az-529-plan-activate WCAG 3.2.4

Element:

```
<a href="https://www.fidelity.com/terms-of-use#For" id="Link_1360850185902" name="Li
nk_1360850185902"><span style="text-decoration: underline;">This is for persons in t
he US only.</span></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM "Investor Centers" is visually at position 61 but receives focus at position 35 (drift: 26). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Investor Centers</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Give Feedback" is visually at position 70 but receives focus at position 102 (drift: 32). WCAG 2.4.3

Page: /529-plans/arizona-investment-options WCAG 2.4.3

Element:

```
<button>Give Feedback</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Give Feedback" is visually at position 22 but receives focus at position 34 (drift: 12). WCAG 2.4.3

Page: /529-plans/az-529-plan-activate WCAG 2.4.3

Element:

```
<button>Give Feedback</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Interactive control "a" is only 31px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/arizona WCAG 2.5.8

Element:

```
<a>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#dropdown-526-372013" is only 27px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/arizona WCAG 2.5.8

Element:

```
<#dropdown-526-372013>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#Link_1564168921703" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/arizona WCAG 2.5.8

Element:

```
<#Link_1564168921703>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#Link_1745258913489" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/arizona WCAG 2.5.8

Element:

```
<#Link_1745258913489>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#Link_1564168735983" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /529-plans/arizona WCAG 2.5.8

Element:

```
<#Link_1564168735983>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#Link_1564168823383" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /529-plans/arizona WCAG 2.5.8

Element:

```
<#Link_1564168823383>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "button.action-button--generic.action-button--small" is only 19px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /529-plans/arizona-investment-options WCAG 2.5.8

Element:

```
<button.action-button--generic.action-button--small>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 18px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /529-plans/arizona-investment-options WCAG 1.4.12

Element:

```
<a href="https://www.linkedin.com/company/fidelity-investments" id="Link_1636412449926" target="_blank" name="Link_1636412449926" onclick="advancedlink('https://www.linkedin.com/company/fidelity-inves
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Interactive control "#Link_1556653403095" is only 15px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /529-plans/arizona-investment-options WCAG 2.5.8

Element:

```
<#Link_1556653403095>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.expand-collapse--option-fancycollapse.expand-collapse--fancycollapse" is only 23px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /529-plans/arizona-investment-options WCAG 2.5.8

Element:

```
<a.expand-collapse--option-fancycollapse.expand-collapse--fancycollapse>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 18px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /529-plans/arizona-investment-options WCAG 1.4.12

Element:

```
<a href="https://www.instagram.com/fidelityinvestments" id="Link_1636412442155" target="_blank" name="Link_1636412442155" onclick="advancedlink('https://www.instagram.com/fidelityinvestments','You are
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Interactive control "a.expand-collapse--option-fancyexpand.expand-collapse--fancyexpand" is only 23px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /529-plans/arizona-investment-options WCAG 2.5.8

Element:

```
<a.expand-collapse--option-fancyexpand.expand-collapse--fancyexpand>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 311px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /529-plans/arizona-investment-options WCAG 1.4.12

Element:

```
<span class="off-screen customer-secure-lock-icon">Log In Required</span>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Interactive control "#Link_1766096183818" is only 31px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /529-plans/arizona-investment-options WCAG 2.5.8

Element:

```
<#Link_1766096183818>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.expand-collapse--head.expand-collapse--fancyexpand" is only 22px tall at Phone SE. Sonde responsive contract

WCAG 2.5.8

enforces `--sonde-target-size-min` (44px) on touch tiers.

Page: /529-plans/arizona-investment-options WCAG 2.5.8

Element:

```
<a.expand-collapse--head.expand-collapse--fancyexpand>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 305px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /529-plans/arizona-investment-options WCAG 1.4.12

Element:

```
<span class="off-screen">Opens in a new window</span>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 18px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /529-plans/arizona-investment-options WCAG 1.4.12

Element:

```
<a href="https://www.youtube.com/user/fidelityinvestments" id="Link_1636412456843" t
arget="_blank" name="Link_1636412456843" onclick="advancedlink('https://www.youtube.
com/user/fidelityinvestments','Y
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "#dropdown-526-1063232" is only 27px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/arizona-investment-options WCAG 2.5.8

Element:

```
<#dropdown-526-1063232>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Primary content surface "div" is only 1140px wide at Large monitor (2560px viewport). Sonde responsive contract expects ≥ 1152px on this tier. WCAG Sonde responsive contract

Page: /529-plans/arizona-investment-options WCAG Sonde responsive contract

Element:

```
<div>
```

SONDE FIX PLAN
Use `min(100%, var(--sonde-layout-shell-max))` or remove fixed `max-width` so the primary surface expands on large monitors.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /529-plans/arizona-investment-options WCAG 1.4.12

Element:

```
<span class="screen-reader-only">Fidelity.com Home</span>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.logo-img.pre-login-only" is only 30px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/arizona-investment-options WCAG 2.5.8

Element:

```
<a.logo-img.pre-login-only>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 35px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /529-plans/arizona-investment-options WCAG 1.4.12

Element:

```
<h2 class="screen-reader-only">Footer</h2>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 22px at Phone SE (320px width). WCAG 1.4.10

Page: /529-plans/az-529-plan-activate WCAG 1.4.10

Element:

```
<tr>
<td valign="top" width="60px" style="border:none;">
<h3 class="last-child" style="font-weight: 600;">New to Fidelity?</h3>
<ol>
<li>Set up your <a href="https://login.fidelity.com/ftgw/Fas/Fideli
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#Link_1614805674678" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/az-529-plan-activate WCAG 2.5.8

Element:

```
<#Link_1614805674678>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 6px at Phone SE (320px width). WCAG 1.4.10

Page: /529-plans/az-529-plan-activate WCAG 1.4.10

Element:

```
<li>Visit your <strong><a href="https://oltx.fidelity.com/ftgw/fbc/ofsummary/default
Page" id="Link_1612279790798" name="Link_1612279790798" class="secure-lock-icon"><sp
an class="scl-green">Accounts su
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.header-navless--dropdown-icon" is only 28px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/az-529-plan-activate WCAG 2.5.8

Element:

```
<a.header-navless--dropdown-icon>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#Link_1666129707003" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/az-529-plan-activate WCAG 2.5.8

Element:

```
<#Link_1666129707003>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 22px at Phone SE (320px width). WCAG 1.4.10

Page: /529-plans/az-529-plan-activate WCAG 1.4.10

Element:

```
<td valign="top" width="60px" style="border-left: 1; border-bottom: 0;">
<h3 class="last-child" style="font-weight: 600;">Existing Fidelity relationship</h3>
<ol>
<li>Visit your <strong><a href="https
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.scl-green" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/az-529-plan-activate WCAG 2.5.8

Element:

```
<a.scl-green>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#Link_1612279790798" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/az-529-plan-activate WCAG 2.5.8

Element:

```
<#Link_1612279790798>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#Link_1614805618902" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/az-529-plan-activate WCAG 2.5.8

Element:

```
<#Link_1614805618902>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 22px at Phone SE (320px width). WCAG 1.4.10

Page: /529-plans/az-529-plan-activate WCAG 1.4.10

Element:

```
<tbody>
<tr>
<td valign="top" width="60px" style="border:none;">
<h3 class="last-child" style="font-weight: 600;">New to Fidelity?</h3>
<ol>
<li>Set up your <a href="https://login.fidelity.com/ftgw/Fa
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#Link_1666129821976" is only 20px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/az-529-plan-activate WCAG 2.5.8

Element:

```
<#Link_1666129821976>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 22px at Phone SE (320px width). WCAG 1.4.10

Page: /529-plans/az-529-plan-activate WCAG 1.4.10

Element:

```
<table class="table-simple" width="90%" style="margin: 10px 30px 0px 30px; border:no
ne;">
<tbody>
<tr>
<td valign="top" width="60px" style="border:none;">
<h3 class="last-child" style="font-weight: 60
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 14px at Phone SE (320px width). WCAG 1.4.10

Page: /529-plans/az-529-plan-activate WCAG 1.4.10

Element:

```
<h3 class="last-child" style="font-weight: 600;">Existing Fidelity relationship</h3>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#Link_1713824670270" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /529-plans/az-529-plan-activate WCAG 2.5.8

Element:

```
<#Link_1713824670270>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 14px at Phone SE (320px width). WCAG 1.4.10

Page: /529-plans/az-529-plan-activate WCAG 1.4.10

Element:

```
<ol>
<li>Visit your <strong><a href="https://oltx.fidelity.com/ftgw/fbc/ofsummary/default
Page" id="Link_1612279790798" name="Link_1612279790798" class="secure-lock-icon"><sp
an class="scl-green">Accoun
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 33px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /529-plans/az-529-plan-activate WCAG 1.4.12

Element:

```
<div id="QSIFeedbackButton-pullup-container" class="QSIFeedbackButton" role="dialog"
aria-modal="true" aria-hidden="true" style="position: fixed; left: 0px; width: 100%;
height: 0px; top: 100%; overfl
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role link is not allowed for given element

Page: /

Element:

```
<article _ngcontent-ng-c2265149108="" name="learn-card-component" role="link" class
="variation--small" tabindex="0">
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See:
https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role link is not allowed for given element

Page: /

Element:

```
<article _ngcontent-ng-c2265149108="" name="learn-card-component" role="link" class
="variation--small" tabindex="0">
```

SONDE FIX PLAN
Ensure role attribute has an appropriate value for the element. See:
https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role link is not allowed for given element

Page: /

Element:

```
<article _ngcontent-ng-c2265149108="" name="learn-card-component" role="link" class
="variation--small" tabindex="0">
```

SONDE FIX PLAN
Ensure role attribute has an appropriate value for the element. See:
https://www.w3.org/WAI/WCAG22/quickref/

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role tablist is not allowed for given element

Page: /

Element:

```
<section _ngcontent-ng-c1120880444="" role="tablist" class="tab-group">
```

SONDE FIX PLAN
Ensure role attribute has an appropriate value for the element. See:
https://www.w3.org/WAI/WCAG22/quickref/

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /529-plans/arizona

Element:

```
<h3></h3>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /529-plans/arizona-investment-options

Element:

```
<h3 class="multiple-element--header"></h3>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /529-plans/arizona-investment-options

Element:

```
<h3 class="expand-collapse--title"></h3>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /529-plans/arizona-investment-options

Element:

```
<h3 class="multiple-element--header"></h3>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /529-plans/az-529-plan-activate

Element:

```
<h3 class="expand-collapse--title"></h3>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /529-plans/az-529-plan-activate

Element:

```
<h3></h3>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Deep focus region: nav "site" has 14 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys.

WCAG 2.4.1

Page: /529-plans/arizona-investment-options WCAG 2.4.1

Element:

```
<nav role="nav">site</nav>
```

SONDE FIX PLAN

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW

Deep focus region: nav ".off-screen{position:absolute;left:-312." has 14 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys.

WCAG 2.4.1

Page: /529-plans/arizona-investment-options WCAG 2.4.1

Element:

```
<nav role="nav">.off-screen{position:absolute;left:-312.</nav>
```

SONDE FIX PLAN

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://jobs.fidelity.com/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://jobs.fidelity.com/">Careers</a>
```

LOW Broken link: https://www.twitter.com/fidelity returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.twitter.com/fidelity">X (Twitter), (Opens in a new window)</a>
```

LOW Broken link: https://www.morningstar.com/api-corporate/midway/v1/research/download/1187834?timestamp=16984368000000500&token=eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJkYXRhIjp7ImRvY3VtZW50SWQiOjExODc4MzR9LCJpYXQiOjE3MTE2NjI1MzV9.xbtaP1JLQZ7KkVhvZhQ5n_oJRIJl3896ETs2YdjEXRI returned status 404 Not Found after 1 attempts

Page: /529-plans/arizona

Element:

```
<a href="https://www.morningstar.com/api-corporate/midway/v1/research/download/1187834?timestamp=16984368000000500&amp;token=eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJkYXRhIjp7ImRvY3VtZW50SWQiOjExODc4MzR9LCJpYXQiOjE3MTE2NjI1MzV9.xbtaP1JLQZ7KkVhvZhQ5n_oJRIJl3896ETs2YdjEXRI">2023</a>
```

LOW Broken link: https://jobs.fidelity.com/ returned status 403 Forbidden after 1 attempts

Page: /529-plans/arizona

Element:

```
<a href="https://jobs.fidelity.com/">Careers</a>
```

LOW Broken link: https://marketing.morningstar.com/api-corporate/axiom/ama/v1/research/download/1234577?timestamp=17230591800000500&token=eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJkYXRhIjp7ImRvY3VtZW50SWQiOjEyMzQ1Nzd9LCJpYXQiOjE3Mjk3ODA4Mzh9.79lOb4oMJ

9tdkWSSxT1vwe28yCu5iF0mRq5WIDeCMu8 returned status 404 Not Found after 1 attempts

Page: /529-plans/arizona

Element:

```
<a href="https://marketing.morningstar.com/api-corporate/axiom/ama/v1/research/download/1234577?timestamp=17230591800000500&amp;token=eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJkYXRhIjp7ImRvY3VtZW50SWQiOjEyMzQ1Nzd9LCJpYXQiOjE3Mjk3ODA4Mzh9.79lOb4oMJ9tdkWSSxT1vwe28yCu5iF0mRq5WIDeCMu8">2025</a>
```

LOW Broken link: https://cts.businesswire.com/ct/CT?id=smartlink&url=https%3A%2F%2Fmarketing.morningstar.com%2Fapi-corporate%2Faxiom%2Fama%2Fv1%2Fresearch%2Fdownload%2F1234577%3Ftimestamp%3D17230591800000500%26token%3DeyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJkYXRhIjp7ImRvY3VtZW50SWQiOjEyMzQ1Nzd9LCJpYXQiOjE3Mjk4MDM4NjB9.p9m3Z_ZA80Z5TUet6tFMvO9v7yM0SJSLQ1FAASRZrzc&esheet=54143491&newsitemid=20241028014862&lan=en-US&anchor=updated+methodology&index=4&md5=285b89aa3218c1a3ce2899c50d7bf914 returned status 404 Not Found after 2 attempts

Page: /529-plans/arizona

Element:

```
<a href="https://cts.businesswire.com/ct/CT?id=smartlink&amp;url=https%3A%2F%2Fmarketing.morningstar.com%2Fapi-corporate%2Faxiom%2Fama%2Fv1%2Fresearch%2Fdownload%2F1234577%3Ftimestamp%3D17230591800000500%26token%3DeyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJkYXRhIjp7ImRvY3VtZW50SWQiOjEyMzQ1Nzd9LCJpYXQiOjE3Mjk4MDM4NjB9.p9m3Z_ZA80Z5TUet6tFMvO9v7yM0SJSLQ1FAASRZrzc&amp;esheet=54143491&amp;newsitemid=20241028014862&amp;lan=en-US&amp;anchor=updated+methodology&amp;index=4&amp;md5=285b89aa3218c1a3ce2899c50
```

LOW Broken link: https://www.twitter.com/fidelity returned status 403 Forbidden after 1 attempts

Page: /529-plans/arizona

Element:

```
<a href="https://www.twitter.com/fidelity">X (Twitter), (Opens in a new window)</a>
```

LOW Broken link: https://www.twitter.com/fidelity returned status 403 Forbidden after 1 attempts

Page: /529-plans/arizona-investment-options

Element:

```
<a href="https://www.twitter.com/fidelity">X (Twitter), (Opens in a new window)</a>
```

LOW Broken link: https://jobs.fidelity.com/ returned status 403 Forbidden after 1 attempts

Page: /529-plans/arizona-investment-options

Element:

```
<a href="https://jobs.fidelity.com/">Careers</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue