Sonde

Control de salud de accesibilidad

https://wellsfargo.com



Excellent

May 22, 2026

Proporcionado gratis por Sonde

https://daylight.sonde.life/usfin/wellsfargo-com/

5 pages **192** findings **0** critical **19** high **137** medium **36** low **38.4** avg/page

4,590 elements **125** with findings **97.3%** ECR **3m 18s** total **39.6s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /atm/ WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /atm/ WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /atm/ WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /atm/ WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /atm/ WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<a href="https://connect.secure.wellsfargo.com/auth/login/present?passkey=Y">Sign on with a passkey</a>
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<a href="/privacy-security/?linkLoc=signon">Privacy, Cookies, and Legal</a>
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<a href="https://oam.wellsfargo.com/oamo/identity/help/passwordhelp/">Forgot usernam
e or password?</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Página: /atm/

Elemento:

```
<html xmlns="http://www.w3.org/1999/xhtml" lang="en">
```

PLAN DE CORRECCIÓN SONDE

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=presentation]

WCAG 1.3.1

Página: /atm/ WCAG 1.3.1

Elemento:

```
<ul>
```

PLAN DE CORRECCIÓN SONDE

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Página: /auto-loans/ WCAG 4.1.2

Elemento:

```
<summary class="show-hide-content-title" aria-expanded="true" role="button">
```

PLAN DE CORRECCIÓN SONDE

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Página: /auto-loans/ WCAG 4.1.2

Elemento:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

PLAN DE CORRECCIÓN SONDE

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Página: /auto-loans/ WCAG 4.1.2

Elemento:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

PLAN DE CORRECCIÓN SONDE

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Página: /auto-loans/ WCAG 4.1.2

Elemento:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

PLAN DE CORRECCIÓN SONDE

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /biz/ WCAG 2.5.8

Elemento:

```
<a href="https://oam.wellsfargo.com/oamo/identity/help/passwordhelp/">
                Forgot username or password?
            </a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /biz/ WCAG 2.5.8

Elemento:

```
<a href="https://connect.secure.wellsfargo.com/auth/login/present?passkey=Y">Sign on
with a passkey</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /biz/ WCAG 2.5.8

Elemento:

```
<a href="/privacy-security/?linkLoc=signon">
                Privacy, Cookies, and Legal
            </a>
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH Page requires horizontal scrolling at Phone SE (320px width, 650px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Página: /atm/ WCAG 1.4.10

Elemento:

```
<html lang="und">
```

PLAN DE CORRECCIÓN SONDE
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH strict-transport-security header has invalid or weak value: max-age=21600

Página: /

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /about/ WCAG 1.3.1

Elemento:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /atm/ WCAG 1.3.1

Elemento:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /auto-loans/ WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /biz/ WCAG 1.3.1

Elemento:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /atm/

Elemento:

```
<a class="c52twitter twitter c28aLink" href="/exit/social?site=twitter" target="_bla
nk" rel="noopener noreferrer" data-mrkt-tracking-id="415a27d6-dd26-4063-8081-5196399
dc4dd" aria-label="Share this pa...
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /atm/

Elemento:

```
<div id="contentBody">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /atm/

Elemento:

```
<div id="title">
                        <h1 class="c11" id="skip" tabindex="-1">
                                Wells Fargo ATM Banking
                        </h1>


                        <div class="headerLocation">




                        </div>

                </div>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /atm/

Elemento:

```
<div class="c52noLink" id="NID1_5_3_1_2_2">Share</div>
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /atm/

Elemento:

```
<a class="c52fb facebook c28aLink" href="/exit/social?site=facebook" target="_blank"
rel="noopener noreferrer" data-mrkt-tracking-id="3b21794e-c658-46f4-900f-297d992ea6f
9" aria-label="Share this page ...
```

PLAN DE CORRECCIÓN SONDE
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /atm/

Elemento:

```
<div class="c20" role="complementary">
```

PLAN DE CORRECCIÓN SONDE
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /atm/

Elemento:

```
<li>
                                        <a href="#" class="printLink">


                                                Print
                                        </a>
                                </li>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /atm/

Elemento:

```
<div id="contentTop">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/savings-cds/" class="">Savings &amp;amp; CDs</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/help/">See more FAQs</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/checking/" class="">Checking</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="https://creditcards.wellsfargo.com/?sub_channel=WEB&amp;vendor_code=WF&amp;
linkLoc=FNMC&amp;lang=en" data-platform="creditCardsWF">Credit Cards</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a href="/locator/">ATMs/Locations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /about/ WCAG 1.4.1

Elemento:

```
<a href="/investor-relations/">Investor Relations </a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /about/ WCAG 1.4.1

Elemento:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /about/ WCAG 1.4.1

Elemento:

```
<a href="/about/diversity/">Inclusion &amp;amp; Accessibility</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /about/ WCAG 1.4.1

Elemento:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /about/ WCAG 1.4.1

Elemento:

```
<a href="/help/">See more FAQs</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /about/ WCAG 1.4.1

Elemento:

```
<a href="/about/corporate/governance/">Leadership &amp; Governance</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /about/ WCAG 1.4.1

Elemento:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /about/ WCAG 1.4.1

Elemento:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /about/ WCAG 1.4.1

Elemento:

```
<a href="/locator/">ATMs/Locations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /about/ WCAG 1.4.1

Elemento:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /atm/ WCAG 1.4.1

Elemento:

```
<a href="/spanish/" id="langPrefToggle" class="spTogglePersonal" xml:lang="es" name
="langPrefToggle" lang="es">Español</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /atm/ WCAG 1.4.1

Elemento:

```
<a href="/cib/" class="tabNavLink" id="tabNavCorporateBanking" name="tabNavCorporate
Banking">Corporate &amp;amp; Investment Banking</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /atm/ WCAG 1.4.1

Elemento:

```
<a href="/locator/">ATMs/Locations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /atm/ WCAG 1.4.1

Elemento:

```
<a href="/help/">Customer Service</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /atm/ WCAG 1.4.1

Elemento:

```
<a href="/com/" class="tabNavLink" id="tabNavCommercial" name="tabNavCommercial">Com
mercial Banking</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(82, 117, 189), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /atm/ WCAG 1.4.1

Elemento:

```
<a class="ShareLink c52email" href="mailto:?body=Hi%2C%0A%0AI%20thought%20you'd%20b
e%20interested%20in%20this%20page%20I%20found%20on%20wellsfargo.com%3A%20%0A%0AWell
s%20Fargo%20ATM%20Banking%0AWells%
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(90, 93, 98), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /atm/ WCAG 1.4.1

Elemento:

```
<a href="/">Personal</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /atm/ WCAG 1.4.1

Elemento:

```
<a href="/biz/" class="tabNavLink" id="tabNavSmallBusiness" name="tabNavSmallBusines
s">Business</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(82, 117, 189), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /atm/ WCAG 1.4.1

Elemento:

```
<a class="ShareLink c52linkedin" href="http://www.linkedin.com/shareArticle?mini=tru
e&amp;ro=false&amp;url=https%3A%2F%2Fwww.wellsfargo.com%2Fatm%2F&amp;summary=ATM%20B
anking%20-%20Wells%20Fargo&amp;t
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /atm/ WCAG 1.4.1

Elemento:

```
<a href="/investing-wealth/" class="tabNavLink" id="tabInvestingWealth" name="tabInv
estingWealth">Investing &amp; Wealth Management</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /auto-loans/ WCAG 1.4.1

Elemento:

```
<a href="/help/">Customer Service and FAQs</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /auto-loans/ WCAG 1.4.1

Elemento:

```
<a href="/help/">See more FAQs</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /auto-loans/ WCAG 1.4.1

Elemento:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /auto-loans/ WCAG 1.4.1

Elemento:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /auto-loans/ WCAG 1.4.1

Elemento:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /auto-loans/ WCAG 1.4.1

Elemento:

```
<a href="/locator/">ATMs/Locations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(90, 70, 155), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /auto-loans/ WCAG 1.4.1

Elemento:

```
<a href="https://sites.wf.com/fargo/" enrollmentid="5208">Meet Fargo</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /auto-loans/ WCAG 1.4.1

Elemento:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /auto-loans/ WCAG 1.4.1

Elemento:

```
<a href="/locator/">ATMs/Locations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /auto-loans/ WCAG 1.4.1

Elemento:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /biz/ WCAG 1.4.1

Elemento:

```
<a href="/help/online-banking/wires-faqs/">How do I set up a wire transfer?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /biz/ WCAG 1.4.1

Elemento:

```
<a href="/locator/">ATMs/Locations</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /biz/ WCAG 1.4.1

Elemento:

```
<a href="/biz/business-credit/credit-cards/">Credit Cards</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /biz/ WCAG 1.4.1

Elemento:

```
<a href="/help/online-banking/activity-faqs/#whyaremyavailableandpostedbalancesdiffe
rent">Why are my available balance and posted balances different?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /biz/ WCAG 1.4.1

Elemento:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /biz/ WCAG 1.4.1

Elemento:

```
<a href="/biz/checking/">Checking</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /biz/ WCAG 1.4.1

Elemento:

```
<a href="/biz/help/faqs/">See more FAQs</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /biz/ WCAG 1.4.1

Elemento:

```
<a href="/help/checking-savings/deposits-faqs/#whenwillmydepositbecreditedtomyaccoun
t">When will my deposit be credited to my account?</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /biz/ WCAG 1.4.1

Elemento:

```
<a href="/biz/savings/">Savings &amp;amp; CDs</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /biz/ WCAG 1.4.1

Elemento:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help </a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation "Privacy, Cookies, Security & Legal Do Not Sell or Share My Personal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap Home About Wells Fargo Careers Inclusion and Accessibility" changes relative order between https://www.wellsfargo.com/ and https://www.wellsfargo.com/about/. Shared links appear as [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Sitemap, About Wells Fargo, Careers, Inclusion and Accessibility] vs baseline [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, About Wells Fargo, Careers, Inclusion and Accessibility, Sitemap].

WCAG 3.2.3

Página: /about/ WCAG 3.2.3

Elemento:

```
<nav aria-label="Privacy, Cookies, Security &amp;amp; Legal Do Not Sell or Share My Pers
onal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap
Home About Wells Fargo Careers Inclusion and Accessibility"><!-- site-set order mism
atch --></nav>
```

PLAN DE CORRECCIÓN SONDE

Keep repeated navigation links in the same relative order across comparable pages. Adding or removing links is fine, but shared links should maintain consistent ordering unless users explicitly reorder the list.

MEDIUM

The same link functionality is identified as "About Wells Fargo" on https://www.wellsfargo.com/ and "Skip to main content" on https://www.wellsfargo.com/about/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /about/ WCAG 3.2.4

Elemento:

```
<a href="#skip" class="hidden">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as " Search" on https://www.wellsfargo.com/ and "Search Opens a dialog." on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /atm/ WCAG 3.2.4

Elemento:

```
<button id="nxgSearchButton">
                                                                <span class="nxgSear
chText">Search</span> 
                                                                <span class="nxgVisu
allyHidden" id="nxgSearchDescription">Opens a dialog.</span>
                                                                <span class="nxgSear
chIcon"></span>
                                                        </button>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Español" on https://www.wellsfargo.com/ and "Continúe" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /atm/ WCAG 3.2.4

Elemento:

```
<a href="/es/" class="c7 utilitybtn" id="popupContinue" name="popupContinue">Continú
e</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation "corporate, legal, security" changes relative order between https://www.wellsfargo.com/ and https://www.wellsfargo.com/atm/. Shared links appear as [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Sitemap, Careers, Inclusion and Accessibility] vs baseline [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Careers, Inclusion and Accessibility, Sitemap].

WCAG 3.2.3

Página: /atm/ WCAG 3.2.3

Elemento:

```
<nav aria-label="corporate, legal, security"><!-- site-set order mismatch --></nav>
```

PLAN DE CORRECCIÓN SONDE

Keep repeated navigation links in the same relative order across comparable pages. Adding or removing links is fine, but shared links should maintain consistent ordering unless users explicitly reorder the list.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.wellsfargo.com/ and "selected Personal" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /atm/ WCAG 3.2.4

Elemento:

```
<a id="tabNavPersonal" class="tabNavLink" href="/" name="tabNavPersonal"> <span clas
s="hidden">selected</span> Personal </a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Header Navigation" is present on https://www.wellsfargo.com/ but missing on https://www.wellsfargo.com/atm/. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /atm/ WCAG 3.2.3

Elemento:

```
<!-- missing: nav[aria-label="Header Navigation"] -->
```

PLAN DE CORRECCIÓN SONDE
Ensure the "Header Navigation" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "ATMs/Locations" on https://www.wellsfargo.com/ and "Find an ATM" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /atm/ WCAG 3.2.4

Elemento:

```
<a href="/locator/" class="c93" data-cid="tcm:182-173115-16" data-ctid="tcm:223-158449-32" data-presentation="4" id="NID1_6_1_1_1_2_1_1_1">Find an ATM </a>
```

PLAN DE CORRECCIÓN SONDE
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Customer service and FAQs" on https://www.wellsfargo.com/ and "Customer Service" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /atm/ WCAG 3.2.4

Elemento:

```
<a href="/help/">Customer Service</a>
```

PLAN DE CORRECCIÓN SONDE
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation "Privacy, Cookies, Security & Legal Do Not Sell or Share My Personal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap Home About Wells Fargo Careers Inclusion and Accessibility" changes relative order between https://www.wellsfargo.com/ and https://www.wellsfargo.com/auto-loans/. Shared links appear as [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Sitemap, About Wells Fargo, Careers, Inclusion and Accessibility] vs baseline [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice

WCAG 3.2.3

of Data Collection, General Terms of Use, Report Fraud, About Wells Fargo, Careers, Inclusion and Accessibility, Sitemap].

Página: /auto-loans/ WCAG 3.2.3

Elemento:

```
<nav aria-label="Privacy, Cookies, Security &amp;amp; Legal Do Not Sell or Share My Pers
onal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap
Home About Wells Fargo Careers Inclusion and Accessibility"><!-- site-set order mism
atch --></nav>
```

PLAN DE CORRECCIÓN SONDE

Keep repeated navigation links in the same relative order across comparable pages. Adding or removing links is fine, but shared links should maintain consistent ordering unless users explicitly reorder the list.

MEDIUM

The same link functionality is identified as "Other ways to make a payment" on https://www.wellsfargo.com/ and "Get the details about auto loan payment options" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /auto-loans/ WCAG 3.2.4

Elemento:

```
<a class="ps-btn-text" data-cid="tcm:84-341937-16" data-ctid="tcm:91-223644-32" data
-presentation="4" aria-label="Get the details about auto loan payment options" type
="componentlink" data-page-uri="tcm:702-341455-64" data-component-uri="tcm:702-34146
6" href="/auto-loans/make-payments/">Get the details &amp;gt;</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Vehicle financing New and used vehicle financing through your dealer" on https://www.wellsfargo.com/ and "Let's go to auto loan financing" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /auto-loans/ WCAG 3.2.4

Elemento:

```
<a class="ps-btn-text" data-cid="tcm:84-341936-16" data-ctid="tcm:91-223644-32" data
-presentation="4" aria-label="Let's go to auto loan financing " type="component
link" data-page-uri="tcm:702-341455-64" data-component-uri="tcm:702-341463" href="/a
uto-loans/vehicle-financing-101/">Let's go &gt;</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Education & Tools" on https://www.wellsfargo.com/ and "Learn more about" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /auto-loans/ WCAG 3.2.4

Elemento:

```
<a aria-label="Learn more about " financial="" health="" at="" wells="" fargo="" typ
e="componentlink" data-page-uri="tcm:702-341455-64" data-component-uri="tcm:702-2481
29" href="/financial-health/">Learn more</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Auto Loans" on https://www.wellsfargo.com/ and "Skip to main content" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /auto-loans/ WCAG 3.2.4

Elemento:

```
<a href="#skip" class="hidden">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "560" on https://www.wellsfargo.com/ and "350" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /biz/ WCAG 3.2.4

Elemento:

```
<input type="hidden" name="akEventChallengeLoaded" id="akEventChallengeLoaded" value
="350" autocomplete="off" readonly="">
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "NDX:%pYI uKbBRam4)JJ'n"7!4y@;@G<u)TyK-xFY|F9qEXp7(kK8Yu6wLO*iZ4 LNkPsz3@A}B x?72R5Oh]u9BL#e]kr7`MUg3B%^;@x)X-pRf@dkRaxO$i)E*Z`w? IxV/ejS\O'ch.#t'aN8"u)wQU'ERDc:"k7eq&VfScx}Ow<5%v`b.K+L/%yNir7q3 3^u+@#bLr_#]KF3[zk/SQai'43s1.Jr-hm@xG&%"chSbRJ-,2!sO(]<IPx? pZC{GK6QM2&Lx]T[Io/v=hy/t@-VuUFH$^8(%k<K]%crP8^H#gL6]V nHi2#5z[+EMXzIeT52j5{WK;f4x\>j.DJJ,7"+IBRrL(I]$5[ IAFbw\,hNnu"R&LM)SgS-Z-rgH3`yLha#K{S=&p\Rn.x&0'{<3vC/B<)V eyYd.9[qDDm((T=I%SeKL#fH!k85FIHh/,eSY z4@i.'&eHsdE^+PT*VvY%rzY6 O>dz"bkOv'UwA6%4rQ>An<j@:PE:mS+q%q2<yYB`9UGaQ0J#p=:o@POk 8=`6i'(^K8(I'%jPdGySnK6*{;MXB`u\}I54tim&![r7`uM,wE6-8[SB-I+'[7d=%_nQe-OdYD6v:zS+V" on https://www.wellsfargo.com/ and "NDX:%pYI uKbBRam4)JJ'n"7!4y@;@G<u)TyK-xFY|F9qEXp7(kK8Yu6wLO*iZ4 LNkPsz3@A}B x? 72R5Oh]u9BL#e]kr7`MUg3B%^;@x)X-pRf@dkRaxO$i)E*Z`w:FtP+o)IVy? {7#.m5*@2`e_WIO7s7LcYfhUmD4U NJ.THXTov{GH+4)z2by)IALg=9pwMo[EN63Ln'51bYJ\SS#"9.hwMg"AYf@= rT?o(m]M&JRa{{`I4\'TvTG[I [4>/s`zFI}cOI%Tr'C{Ha:GqJ'sx0r0;II<dr@o1`M;wh>6n(k9T#Y f,9hm(g-1ZwY3B?dzZcO/9c4;R)`$"CkDv}Z-[SqQ4p]%I-9oA3X0E+fPYMO),IW}/+ (r`.sDHt+QI2V"QwW(a/S[sTt*^4i<7BN=j8t16oJEE6!c0KSj('a's'#+&j]`C;p$> c&5<)]#M(<xYueQtm^K24I*"q#*b}G;uL;x9I <`*YYIW:$YMNV9huW$mO^IX>uNd5E(s=+49uS\pLsBf@+h=r9%jC>$O? 74^h%%iw;b`!g+oG=^&FI,zOg?Fa\])G2;u_QGn[pE`MT7tH= (5h9S2q.*y0g*3fxT 5Wdq(:c.sB8FfCtgRTkR.`V^eT6\UAnVryV4" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /biz/ WCAG 3.2.4

Elemento:

```
<input name="nds-pmd" type="hidden" value="NDX:%pYI uKbBRam4)JJ'n&quot;7!4y@;@G&lt;
u)TyK-xFY|F9qEXp7(kK8Yu6wLO*iZ4 LNkPsz3@A}B x?72R5Oh]u9BL#e]kr7`MUg3B%^;@x)X-pRf@dkR
axO$i)E*Z`w:FtP+o)IVy?{7#.m5*@2`e_WIO7s7LcYfhUmD4U NJ.THXTov{GH+4)z2by)|ALg=9pwMo[EN
63Ln'51bYJ\SS#&quot;9.hwMg&quot;AYf@=rT?o(m]M&amp;JRa{{`l4\'TvTG[|[4&gt;/s`zFl}c0I%T
r'C{Ha:GqJ'sx0r0;ll&lt;dr@o1'`M;wh&gt;6n(k9T#Y f,9hm(g-1ZwY3B?dzZcO/9c4;R)`$&quot;Ck
Dv}Z-[SqQ4p]%l-9oA3X0E+fPYM0),|W}/+(r`.sDHt+QI2V&quot;QwW(a/S[sTt*^4i&lt;7BN=j8t1
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "Cons" on https://www.wellsfargo.com/ and "BIZ" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /biz/ WCAG 3.2.4

Elemento:

```
<input type="hidden" name="LOB" value="BIZ">
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "805" on https://www.wellsfargo.com/ and "488" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /biz/ WCAG 3.2.4

Elemento:

```
<input type="hidden" name="akEventChallengeSuppressed" id="akEventChallengeSuppresse
d" value="488" autocomplete="off" readonly="">
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "cob" on https://www.wellsfargo.com/ and "biz" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /biz/ WCAG 3.2.4

Elemento:

```
<input id="origin" name="origin" type="hidden" value="biz">
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "83818b1c5175b82a2.0244753402|r=us-west-2|meta=3|metabgclr=transparent|metaiconclr=%23757575|guitextcolor=%23000000|lang=en|pk=9B8ED233-984B-4DE5-A7B6-3A370D9FF48B|at=40|sup=1|rid=4|ag=101|cdn_url=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc|surl=https%3A%2F%2Fokra.wf.com|smurl=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc%2Fassets%2Fstyle-manager" on https://www.wellsfargo.com/ and "95518b1c53c48a491.6274375402|r=us-west-2|meta=3|metabgclr=transparent|metaiconclr=%23757575|guitextcolor=%23000000|lang=en|pk=9B8ED233-984B-4DE5-A7B6-3A370D9FF48B|at=40|sup=1|rid=14|ag=101|cdn_url=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc|surl=https%3A%2F%2Fokra.wf.com|smurl=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc%2Fassets%2Fstyle-manager" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /biz/ WCAG 3.2.4

Elemento:

```
<input type="hidden" name="akst" id="akst" value="95518b1c53c48a491.6274375402|r=us-west-2|meta=3|metabgclr=transparent|metaiconclr=%23757575|guitextcolor=%23000000|lang=en|pk=9B8ED233-984B-4DE5-A7B6-3A370D9FF48B|at=40|sup=1|rid=14|ag=101|cdn_url=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc|surl=https%3A%2F%2Fokra.wf.com|smurl=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc%2Fassets%2Fstyle-manager" autocomplete="off" readonly="">
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "805" on https://www.wellsfargo.com/ and "488" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /biz/ WCAG 3.2.4

Elemento:

```
<input type="hidden" name="akEventChallengeComplete" id="akEventChallengeComplete" v
alue="488" autocomplete="off" readonly="">
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Business" on https://www.wellsfargo.com/ and "Skip to main content" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /biz/ WCAG 3.2.4

Elemento:

```
<a href="#skip" class="hidden">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "203" on https://www.wellsfargo.com/ and "154" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /biz/ WCAG 3.2.4

Elemento:

```
<input type="hidden" name="akIframeLoaded" id="akIframeLoaded" value="154" autocompl
ete="off" readonly="">
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM Broken link: https://www.wellsfargo.com/investor-relations/ returned status 404 Not Found after 1 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargo.com/investor-relations/">Investor Relations</a>
```

MEDIUM Content clipped by 54px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /atm/ WCAG 1.4.12

Elemento:

```
<a href="#skip" class="hidden">Skip to content</a>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 97px at Tablet (768px width). WCAG Sonde responsive contract

Página: /atm/ WCAG Sonde responsive contract

Elemento:

```
<ul>
                                                    <li role="presentation">


                <a href="https://connect.secure.wellsfargo.com/auth/login/present?or
igin=cob&amp;LOB=CONS" class="signIn"> <img alt="Secure" src="https://www
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /atm/ WCAG 1.4.12

Elemento:

```
<span class="hidden">selected</span>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Página: /atm/ WCAG Sonde responsive contract

Elemento:

```
<body>

                <div id="shell" class="t8" data-pid="tcm:222-14699-64" data-ptid="tcm:222-170471-128" data-lightbox-print="false">

                <a href="#skip" class="hidden">Skip to content</a>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#tabNavPersonal" is only 32px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /atm/ WCAG 2.5.8

Elemento:

```
<#tabNavPersonal>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#tabInvestingWealth" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /atm/ WCAG 2.5.8

Elemento:

```
<#tabInvestingWealth>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 54px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Página: /atm/ WCAG 1.4.12

Elemento:

```
<span class="hidden" id="c52_socialshare">Share this page</span>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Element overflows viewport by 202px at Tablet (768px width).

WCAG Sonde responsive contract

Página: /atm/ WCAG Sonde responsive contract

Elemento:

```
<div id="masthead" class="html5header c1 nxg">
                        <div class="wfLogoStripParent">
                                <div class="wfLogoStripChild">
                                        <div id="brand">

                                        <a href="/"> <img src="https://www17.wellsfa
rgomed
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM

Content clipped by 143px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Página: /atm/ WCAG 1.4.12

Elemento:

```
<span class="jaws_hidden">Share this page on Facebook, opens a dialog</span>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Página: /atm/ WCAG Sonde responsive contract

Elemento:

```
<div id="topSearch">

                                                <ul>

                                                        <li role="presentation">



                <a href="https://connect.secure.wellsfargo.com/auth/login/present?or
igin=cob&amp;LOB=CONS" class="sign
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#tabNavSmallBusiness" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /atm/ WCAG 2.5.8

Elemento:

```
<#tabNavSmallBusiness>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 34px at Tablet (768px width). WCAG Sonde responsive contract

Página: /atm/ WCAG Sonde responsive contract

Elemento:

```
<a href="/locator/">ATMs/Locations</a>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 34px at Tablet (768px width). WCAG Sonde responsive contract

Página: /atm/ WCAG Sonde responsive contract

Elemento:

```
<li role="presentation"><a href="/locator/">ATMs/Locations</a></li>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.signIn" is only 15px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /atm/ WCAG 2.5.8

Elemento:

```
<a.signIn>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Página: /atm/ WCAG Sonde responsive contract

Elemento:

```
<header role="banner">
                <div id="masthead" class="html5header c1 nxg">
                        <div class="wfLogoStripParent">
                                <div class="wfLogoStripChild">
                                        <div id="brand">

                                        <a href="/"> <img src="ht
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Página: /atm/ WCAG Sonde responsive contract

Elemento:

```
<div id="shell" class="t8" data-pid="tcm:222-14699-64" data-ptid="tcm:222-170471-12
8" data-lightbox-print="false">


                <a href="#skip" class="hidden">Skip to content</a>
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#tabNavCommercial" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /atm/ WCAG 2.5.8

Elemento:

```
<#tabNavCommercial>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#langPrefToggle" is only 15px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /atm/ WCAG 2.5.8

Elemento:

```
<#langPrefToggle>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Página: /atm/ WCAG Sonde responsive contract

Elemento:

```
<div class="wfLogoStripChild">
                                    <div id="brand">

                                    <a href="/"> <img src="https://www17.wellsfa
rgomedia.com/assets/images/css/template/homepage/homepage-horz-logo.svg" alt="Wells
Fargo Ho
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#nxgSearchButton" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /atm/ WCAG 2.5.8

Elemento:

```
<#nxgSearchButton>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Página: /atm/ WCAG Sonde responsive contract

Elemento:

```
<div class="wfLogoStripParent">
                                <div class="wfLogoStripChild">
                                        <div id="brand">

                                        <a href="/"> <img src="https://www17.wellsfa
rgomedia.com/assets/images/css/template/homepage/homepag
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM

Interactive control "#ps-dynamic-footnote-link1" is only 13px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /auto-loans/ WCAG 2.5.8

Elemento:

```
<#ps-dynamic-footnote-link1>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#ps-dynamic-footnote-link2" is only 14px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /auto-loans/ WCAG 2.5.8

Elemento:

```
<#ps-dynamic-footnote-link2>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.ps-btn-primary" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /auto-loans/ WCAG 2.5.8

Elemento:

```
<a.ps-btn-primary>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Primary content surface "main" is only 1400px wide at Ultrawide (3440px viewport). Sonde responsive contract expects ≥ 1548px on this tier.

WCAG Sonde responsive contract

Página: /auto-loans/ WCAG Sonde responsive contract

Elemento:

```
<main>
```

PLAN DE CORRECCIÓN SONDE

Use `min(100%, var(--sonde-layout-shell-max))` or remove fixed `max-width` so the primary surface expands on large monitors.

MEDIUM

Interactive control "a" is only 15px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /auto-loans/ WCAG 2.5.8

Elemento:

```
<a>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.ps-btn-text" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /auto-loans/ WCAG 2.5.8

Elemento:

```
<a.ps-btn-text>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.ps-sign-on-text" is only 39px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /auto-loans/ WCAG 2.5.8

Elemento:

```
<a.ps-sign-on-text>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#ps-dynamic-footnote-link0" is only 13px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /auto-loans/ WCAG 2.5.8

Elemento:

```
<#ps-dynamic-footnote-link0>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.ps-btn-secondary" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /biz/ WCAG 2.5.8

Elemento:

```
<a.ps-btn-secondary>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.c7" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /biz/ WCAG 2.5.8

Elemento:

```
<a.c7>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 459px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /biz/ WCAG 1.4.12

Elemento:

```
<h1 class="hidden" id="skip">Wells Fargo business online banking login &amp; busines
s services</h1>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a" is only 29px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /biz/ WCAG 2.5.8

Elemento:

```
<a>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Missing X-Frame-Options header

Página: /biz/

PLAN DE CORRECCIÓN SONDE

Add X-Frame-Options: DENY or SAMEORIGIN

LOW Deep focus region: navigation "corporate, legal, security" has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Página: /atm/ WCAG 2.4.1

Elemento:

```
<nav role="navigation">corporate, legal, security</nav>
```

PLAN DE CORRECCIÓN SONDE

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Deep focus region: navigation "Privacy, Cookies, Security & Legal " has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Página: /auto-loans/ WCAG 2.4.1

Elemento:

```
<nav role="navigation">Privacy, Cookies, Security & Legal

</nav>
```

PLAN DE CORRECCIÓN SONDE
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://www.twitter.com/wellsfargo/ returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://www.twitter.com/wellsfargo/">Continue</a>
```

LOW Link timeout: https://www.wellsfargo.com/locator/ did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://www.wellsfargo.com/locator/">ATMs/Locations</a>
```

LOW Link timeout: https://history.wf.com/ did not respond within 5000ms after 2 attempts

Página: /about/

Elemento:

```
<a href="https://history.wf.com/">Explore our history</a>
```

LOW Link timeout: https://www.wellsfargo.com/about/supply-chain-management/ did not respond within 5000ms after 2 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargo.com/about/supply-chain-management/">Learn more &gt;
</a>
```

LOW Link timeout: https://newsroom.wf.com/English/news-releases/ did not respond within 5000ms after 2 attempts

Página: /about/

Elemento:

```
<a href="https://newsroom.wf.com/English/news-releases/">Press Releases</a>
```

LOW Link timeout: https://www.wellsfargojobs.com/en/ did not respond within 5000ms after 2 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargojobs.com/en/">Join us</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/life-at-wells-fargo/benefits/ returned status 403 Forbidden after 1 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargojobs.com/en/life-at-wells-fargo/benefits/">Benefits</
a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/resources/ returned status 403 Forbidden after 1 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargojobs.com/en/resources/">Hiring resources</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/inclusion/ returned status 403 Forbidden after 1 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargojobs.com/en/inclusion/">Inclusion</a>
```

LOW Link timeout: https://www.wellsfargo.com/locator/ did not respond within 5000ms after 2 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargo.com/locator/">ATMs/Locations</a>
```

LOW Link timeout: https://stories.wf.com/our-impact/ did not respond within 5000ms after 2 attempts

Página: /about/

Elemento:

```
<a href="https://stories.wf.com/our-impact/">Our Impact</a>
```

LOW Link timeout: https://stories.wf.com/your-business/ did not respond within 5000ms after 2 attempts

Página: /about/

Elemento:

```
<a href="https://stories.wf.com/your-business/">Your Business</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/well-life returned status 403 Forbidden after 1 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargojobs.com/en/well-life">Well Life</a>
```

LOW Link timeout: https://stories.wf.com/your-money/ did not respond within 5000ms after 2 attempts

Página: /about/

Elemento:

```
<a href="https://stories.wf.com/your-money/">Your Money</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/diversity/ returned status 403 Forbidden after 1 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargojobs.com/en/diversity/">Job seekers</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/early-careers/ returned status 403 Forbidden after 1 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargojobs.com/en/early-careers/">Early careers</a>
```

LOW Broken link: https://www.wellsfargojobs.com/ returned status 403 Forbidden after 1 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargojobs.com/">Search jobs</a>
```

LOW Link timeout: https://www-us.computershare.com/Investor/ did not respond within 5000ms after 2 attempts

Página: /about/

Elemento:

```
<a href="https://www-us.computershare.com/Investor/">Computershare Trust Co.</a>
```

LOW Broken link: https://newsroom.wf.com/ returned status 403 Forbidden after 1 attempts

Página: /about/

Elemento:

```
<a href="https://newsroom.wf.com/">Newsroom</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/frequently-asked-questions returned status 403 Forbidden after 1 attempts

Página: /about/

Elemento:

```
<a href="https://www.wellsfargojobs.com/en/frequently-asked-questions">FAQs</a>
```

LOW Link timeout: https://www.wellsfargo.com/locator/ did not respond within 5000ms after 2 attempts

Página: /atm/

Elemento:

```
<a href="https://www.wellsfargo.com/locator/">ATMs/Locations</a>
```

LOW Link timeout: https://www.wellsfargo.com/locator/ did not respond within 5000ms after 2 attempts

Página: /auto-loans/

Elemento:

```
<a href="https://www.wellsfargo.com/locator/">ATMs/Locations</a>
```

LOW Broken link: https://www.businesstrack.com/ returned status 403 Forbidden after 1 attempts

Página: /biz/

Elemento:

```
<a href="https://www.businesstrack.com/">Continue</a>
```

LOW Link timeout: https://www.wellsfargo.com/locator/ did not respond within 5000ms after 2 attempts

Página: /biz/

Elemento:

```
<a href="https://www.wellsfargo.com/locator/">ATMs/Locations</a>
```

LOW Link timeout: https://www.wellsfargo.com/about/supply-chain-management/ did not respond within 5000ms after 2 attempts

Página: /biz/

Elemento:

```
<a href="https://www.wellsfargo.com/about/supply-chain-management/">Supplier Access
&amp; Impact</a>
```

LOW Missing Referrer-Policy header

Página: /about/

PLAN DE CORRECCIÓN SONDE

Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Missing Referrer-Policy header

Página: /atm/

PLAN DE CORRECCIÓN SONDE
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Missing Referrer-Policy header

Página: /auto-loans/

PLAN DE CORRECCIÓN SONDE
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio | Reportar un problema de escaneo