Sonde

Accessibility Health Check

https://bernco.gov

577

0 1000

Progressing

May 22, 2026

Provided free by Sonde

https://daylight.sonde.life/usgov/bernco-gov/

3 pages **1,058** findings **1** critical **334** high **609** medium **114** low **352.7** avg/page

43,341 elements **600** with findings **98.6%** ECR **3m 16s** total **1m 5s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Form elements must have labels: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element has an empty placeholder attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /bernco-media/general-news/ WCAG 4.1.2

Element:

```
<input type="text" name="s" placeholder="" class="et_pb_s">
```

SONDE FIX PLAN

Ensure every form element has a label. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: /a-z/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: /bernco-media/general-news/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #ffffff, background color: #e47756, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a class="et_pb_button et_pb_more_button" href="https://www.youtube.com/shorts/4z0NlZnU-u4?feature=share" data-icon="">Click Here</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">5</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">5</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">3</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">3</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #e47756, background color: #ffffff, font size: 25.2pt (33.6px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<h3>Bernalillo County Commissioners &amp;amp; Elected Officials</h3>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.69 (foreground color: #858585, background color: #ffffff, font size: 9.8pt (13px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a href="#">County Meetings</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.47 (foreground color: #ffffff, background color: #96aa94, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<div class="services-grid-card-title">Clerk Information</div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.58 (foreground color: #e47756, background color: #e8f1ee, font size: 18.0pt (24px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<h3>Official Site For Bernalillo County</h3>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.73 (foreground color: #8e9291, background color: #e8f1ee, font size: 8.3pt (11px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a href="http://www.rtsolutions.com" target="_blank" rel="noopener">Real Time Soluti
ons</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / WCAG 2.4.4

Element:

```
<a class="et-pb-arrow-prev" href="#"><span>Previous</span></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">4</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#" class="et-pb-active-control">2</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.17 (foreground color: #a0a5a3, background color: #e8f1ee, font size: 8.3pt (11px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<p>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #e47756, background color: #ffffff, font size: 16.5pt (22px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a href="https://www.youtube.com/shorts/4z0NlZnU-u4?feature=share">Wildfire Safety
</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / WCAG 2.4.4

Element:

```
<a class="et-pb-arrow-next" href="#"><span>Next</span></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / WCAG 2.4.4

Element:

```
<a class="et-pb-arrow-next" href="#"><span>Next</span></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#" class="et-pb-active-control">1</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #ffffff, background color: #e47756, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a class="et_pb_button et_pb_more_button" href="https://www.bernco.gov/blog/2026/05/21/rideshare-credits-offered-to-help-prevent-impaired-driving-over-memorial-day-weekend/">Read More</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#" class="">1</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">5</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">4</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / WCAG 2.4.4

Element:

```
<a class="et-pb-arrow-prev" href="#"><span>Previous</span></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.69 (foreground color: #858585, background color: #ffffff, font size: 9.8pt (13px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a href="#">Complete Event Calendar</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.47 (foreground color: #ffffff, background color: #96aa94, font size: 10.5pt (14px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<div class="services-grid-card-description">
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.73 (foreground color: #8e9291, background color: #e8f1ee, font size: 8.3pt (11px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a href="http://www.rtsolutions.com/realfile" target="_blank" rel="noopener">Documen
t Management</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.47 (foreground color: #ffffff, background color: #96aa94, font size: 15.0pt (20px), font weight: bold). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<div class="services-grid-card-title">Assessor Information</div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #e47756, background color: #ffffff, font size: 25.2pt (33.6px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<h3>Customer Service Portal</h3>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">4</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / WCAG 2.4.4

Element:

```
<a class="et-pb-arrow-next" href="#"><span>Next</span></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#" class="et-pb-active-control">2</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">5</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">2</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.73 (foreground

WCAG 1.4.3

color: #8e9291, background color: #e8f1ee, font size: 8.3pt (11px), font weight: bold). Expected contrast ratio of 4.5:1

Page: / WCAG 1.4.3

Element:

```
<a href="http://www.rtsolutions.com/realsites" target="_blank" rel="noopener">Websit
e Design</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #e47756, background color: #ffffff, font size: 16.5pt (22px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<h2 class="et_pb_slide_title">Rio Grande High School Food and Agricultural Internshi
p Program</h2>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #ffffff, background color: #e47756, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a class="et_pb_button et_pb_more_button" href="https://www.bernco.gov/emergency-man
agement/emergency-preparedness-resources/" target="_blank" data-icon="">Click Here
</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.58 (foreground color: #e8582c, background color: #ffffff, font size: 9.8pt (13px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a href="#">Upcoming Events</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.47 (foreground color: #ffffff, background color: #96aa94, font size: 10.5pt (14px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<div class="services-grid-card-description">
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">7</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at

HIGH least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px. WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">3</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px. WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">4</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px. WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#" class="">1</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.65 (foreground color: #ffffff, background color: #6689ac, font size: 7.0pt (9.36px), font weight: bold). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<div class="ai1ec-month">May</div>
```

SONDE FIX PLAN
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / WCAG 2.4.4

Element:

```
<a class="et-pb-arrow-prev" href="#"><span>Previous</span></a>
```

SONDE FIX PLAN
Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">7</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / WCAG 2.4.4

Element:

```
<a class="et-pb-arrow-next" href="#"><span>Next</span></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

---

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.65 (foreground color: #ffffff, background color: #6689ac, font size: 7.0pt (9.36px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<div class="ai1ec-month">May</div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

---

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #ffffff, background color: #e47756, font size: 14.7pt (19.6px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<p>All Bernalillo County offices will be closed on Monday, May 25 for the Memorial D
ay holiday. </p>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum Current ratio: 2.97:1 (need 4.5:1). Change foreground from #ffffff to #2f2f2f (ratio: 4.5:1).

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">6</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#" class="et-pb-active-control">1</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (12.8px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="#">2</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: / WCAG 2.4.4

Element:

```
<a class="et-pb-arrow-prev" href="#"><span>Previous</span></a>
```

SONDE FIX PLAN
Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (188.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/behavioral-health-authority/" target="_blank" rel="noopener">Behavioral Health Authority</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (109.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/county-manager/holiday-schedule/" target="_blank" rel="noopener">County Holidays</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (159.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public..." id="ctl03_TemplateBody_c..." title="Floodzone Info
rmatio..." target="_blank" rel="noopener">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (141.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/finance/about-us/accounting-and-budget/" target="_blank" rel="noopener">Ac
counting &amp;amp; Budget</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (210.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/trash-recycling/east-mountain-transfer-
station/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageConte
nt_ctl00_Placeholder5_ctl00_abcL...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (61.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/trash-recycling/illegal-dumping/" id="c
tl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeh
older5_ctl00_abcLinks_ctl03_link...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (60.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/district-1/" target="_blank" rel="noopener">District 1</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (128.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/planning/office-of-neighborhood-coordination/" targe
t="_blank" rel="noopener">BernCo at a Glance</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (93.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/behavioral-health-authority/departments/dbhs/care-campus/" target="_blank" rel="noopener">CARE Campus</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (222.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/boards-commissions/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl22_link" target="_blank" rel="noopener">...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (166.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.6px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/about-the-community-services-division/communication-services-department/" target="_blank" rel="noopener">Communication Services</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (238.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/business-services/community-workforce-agreements/" t
arget="_blank" rel="noopener">Community Workforce Agreements</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (140px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/clerk/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_p
ageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl23_link" target="_bla
nk" rel="noopener">County Clerk'...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (136.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/summer-lunch-program/" target="_blank" rel="noopener">F
ree Lunch Program</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (190.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/about-the-public-works-division/fleet-facilities-management/"
id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_P
laceholder5_ctl00_abcLinks_ctl0...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (289.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/consumer-health-protection/find-your-permitting-agency-or-jurisdi
ction/" target="_blank" rel="noopener">Find Your Jurisdiction or Permitting Age
ncy</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (224.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://bernalilloextension.nmsu.edu/" id="ctl03_TemplateBody_ctl00_PageLayo
ut_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_link
List_ctl27_link" target="_blank"...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (28.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/doing-business-with-the-county/how-to-become-a-vendor/" t
arget="_blank" rel="noopener">Bids</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (194.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeho
lder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl14_link"
target="_blank" rel="noopener">...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (159.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.6px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/Government/elected-officials" id="ctl03_TemplateBody_ctl00_PageLayout_ctl0
0_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ct
l10_link" target="_blank" rel="n...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (112.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/assessor/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl00_linkList_ctl18_link" target="_blank" rel="noopener">Assessor's...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.73 (foreground color: #8e9291, background color: #e8f1ee, font size: 8.3pt (11px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /a-z/ WCAG 1.4.3

Element:

```
<a href="http://www.rtsolutions.com/realfile" target="_blank" rel="noopener">Document Management</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (199.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/metropolitan-detention-center/programs/community-custody-program/" target="_blank" rel="noopener">Community Custody Program</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (164.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/legal/" target="_blank" rel="noopener">County Attorney's Office</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (218px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/probate-court/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3
_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl30_link" targ
et="_blank" rel="noopener">Court...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (192.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/emergency-communications/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_P
laceholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl04_linkList_ctl04
_link" target="_blank" rel="noop...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /a-z/

Element:

```
<html lang="en-US" class="js" style="height: auto;">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (94.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.balloonfiesta.com/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl
00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl01_linkList_c
tl00_link" target="_blank" rel="...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.73 (foreground color: #8e9291, background color: #e8f1ee, font size: 8.3pt (11px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /a-z/ WCAG 1.4.3

Element:

```
<a href="http://www.rtsolutions.com" target="_blank" rel="noopener">Real Time Soluti
ons</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (203.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://experience.arcgis.com/experience/3429c5f2b8d44868a94c9d9a00cf5777"
target="_blank" rel="noopener">Find Your Commission District</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (142.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/trash-recycling/east-mountain-transfer-
station/" target="_blank" rel="noopener">Convenience Centers</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.17 (foreground color: #a0a5a3, background color: #e8f1ee, font size: 8.3pt (11px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /a-z/ WCAG 1.4.3

Element:

```
<p>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #ffffff, background color: #e47756, font size: 10.5pt (14px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /a-z/ WCAG 1.4.3

Element:

```
<span property="name">A-Z Services</span>
```

SONDE FIX PLAN
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (175.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/county-manager/about-bernalillo-county/county-commission-maps/" target="_blank" rel="noopener">County Commission Maps</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (250px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/county-manager/criminal-justice-coordinating-council/criminal-justice-coordinating-council-overview/" target="_blank" rel="noopener">Criminal Justice Coordinating Counc...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (62.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.cabq.gov/transit/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00
_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl00_linkList_ctl
01_link" target="_blank" rel="no...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (140.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/animal-care-services/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Place
holder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl00_linkList_ctl12_lin
k" target="_blank" rel="noopener...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (58.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/parks-recreation/swimming-pools-spray-parks/" id="ctl03
_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholde
r5_ctl00_abcLinks_ctl00_linkList...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (118.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/accounts-payable-vendor-information/" target="_blank" rel
="noopener">Accounts Payable</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #ffffff, background color: #e47756, font size: 10.5pt (14px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /a-z/ WCAG 1.4.3

Element:

```
<span>Home</span>
```

SONDE FIX PLAN
Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (170.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/boards-commissions/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeho
lder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl01_linkList_ctl06_link"
target="_blank" rel="noopener">...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.73 (foreground color: #8e9291, background color: #e8f1ee, font size: 8.3pt (11px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /a-z/ WCAG 1.4.3

Element:

```
<a href="http://www.rtsolutions.com/realsites" target="_blank" rel="noopener">Websit
e Design</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.58 (foreground color: #e47756, background color: #e8f1ee, font size: 18.0pt (24px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /a-z/ WCAG 1.4.3

Element:

```
<h3>Official Site For Bernalillo County</h3>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (113.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/building-services/" target="_blank" rel="noopener">Building Servi
ces</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (86.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.municode.com/library/nm/bernalillo_county/codes/code_of_ordinances" target="_blank" rel="noopener">County Code</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (174px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/finance/strategic-plan-and-department-performance/" target="_blank" rel="noopener">Department Performance</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (159.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/economic-development/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl04_linkList_ctl01_link" target="_blank" rel="noopener...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (60.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.berncoclerk.gov/elections/" target="_blank" rel="noopener">Elec
tions</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (85.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/human-resources/bernco-jobs/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl0
0_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl04_linkList_ct
l07_link" target="_blank" rel="n...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (175.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public..." id="ctl03_TemplateBody_c..." title="Floodplain Adm
inistr..." target="_blank" rel="noopener">
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (110.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/metropolitan-detention-center/overview/" target="_blank" rel="noopener">Full Custody List</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (141.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://aca-prod.accela.com/bernco/Default.aspx" target="_blank" rel="noopener">Accela Citizen Access</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (192.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/for-business-owners/business-license-registration/" target="_blank" rel="noopener">Apply For a Business License</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (70.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/community-services/parks-recreation/team-sports/" ta
rget="_blank" rel="noopener">Basketball</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (223.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/finance/american-rescue-plan-act/" target="_blank" r
el="noopener">American Rescue Plan Act (ARPA)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (259px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.nmhealth.org/about/erd/bvrhs/vrp/" target="_blank" rel="noopene
r">Birth Certificates (NM Dept. Of Health)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (134.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.cabq.gov/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeho
lder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl06_link"
target="_blank" rel="noopener">...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (324.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/finance/county-accounting-budget/comprehensive-annual-financial-reports-ca
fr/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ct
l00_Placeholder5_ctl00_abcLinks_...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (192.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/consumer-health-protection/" target="_blank" rel="noopener">Consu
mer Health Protection</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (73.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/contact-us/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl17_link" target="_blank" rel="noopener">Contact ...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (167.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/emergency-management/" target="_blank" rel="noopener">Emergency Management</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (126.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://anabpd.ansi.org/Accreditation/credentialing/certificate-issuers/AllDirectoryListing?prgID=264&amp;statusID=4" target="_blank" rel="noopener">Food Handler Card</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (60.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.abcwua.org/" target="_blank" rel="noopener">ABCWUA</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (48px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.cabq.gov/airport/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00
_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl00_linkList_ctl
08_link" target="_blank" rel="no...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (153px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/bernco-media/general-news/" id="ctl03_TemplateBody_c
tl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLin
ks_ctl01_linkList_ctl02_link" ta...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (100.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/planning/bernalillo-county-cannabis-faqs/" target="_blank" rel="noopener">Cannabis FAQs</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (240px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/compliance-office/bernalillo-county-code-of-conduct/" target="_blank" rel="noopener">Code of Conduct/Compliance Office</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (204.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/cultural-services/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl33_link" target="_blan...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (242.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/development-design-construction/develop
ment-review/" target="_blank" rel="noopener">Development Review (Public Works)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (109.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/finance/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00
_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl05_linkList_ctl01_link" title="Fin
ance Division" target="_blank" r...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (143.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/clerk/bureau-of-elections-overview/absentee-voting/" target="_blank" rel
="noopener">Absentee Application</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (169.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/county-manager/" target="_blank" rel="noopener">County Manager Division</a
>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (158.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/employee-wellness-act/" target="_blank" rel="noopener">Employee W
ellness Act </a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (81.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/economic-development/film-bernco/" target="_blank" r
el="noopener">Film BernCo</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (78.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/consumer-health-protection/food-safety/" target="_blank" rel="noo
pener">Food Safety</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/cultural-services/public-art-program/" id="ctl03_Templa
teBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl0
0_abcLinks_ctl00_linkList_ctl16_...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (178.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.cabq.gov/airquality/todays-status/burn-no-burn" id="ctl03_Templa
teBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl0
0_abcLinks_ctl01_linkList_ctl12_...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (193.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/probate-court/case-lookup/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_
Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl0
1_link" target="_blank" rel="noo...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (64.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/contact-us/website-feedback/" target="_blank" rel="noopener">Feedback</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (187.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.aps.edu/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placehol
der3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl00_linkList_ctl10_link"
target="_blank" rel="noopener">A...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (166.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/assessor/find-a-property/assessor-property-record-search-portal/" target
="_blank" rel="noopener">Assessor Records Search</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (125.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://notifications.bernco.gov/" id="ctl03_TemplateBody_ctl00_PageLayout_c
tl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl01_linkList
_ctl03_link" target="_blank" rel...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (93px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/finance/county-accounting-budget/biennial-budget-reports/" target="_blank"
rel="noopener">Budget Books</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (184.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.cabq.gov/cjnet/dst2alb/" id="ctl03_TemplateBody_ctl00_PageLayout
_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkLi
st_ctl31_link" target="_blank" r...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (60.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/district-4/" target="_blank" rel="noopener">District 4</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (44.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/bernco-media/events/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeh
older3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl04_linkList_ctl11_lin
k" target="_blank" rel="noopener"...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (90.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19.8px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/fire/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pa
geContent_ctl00_Placeholder5_ctl00_abcLinks_ctl05_linkList_ctl03_link" title="Fire a
nd Rescue" target="_blank" rel="...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (221.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/county-manager/bernalillo-county-charter/" target="_blank" rel="noopener">
Charter, Bernalillo County Urban</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (331.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/" target="_blank" rel="noopener">Development Services (Planning &
amp; Dev’t&amp;nbsp;Services)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (60.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/district-2/" target="_blank" rel="noopener">District 2</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (107.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/government/elected-officials/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl
00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl04_linkList_c
tl02_link" target="_blank" rel="...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (117.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/building-services/electrical/" target="_blank" rel="noopener">Ele
ctrical Permits</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (107.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/human-resources/talent-management-center-of-excellen
ce/flame/" target="_blank" rel="noopener">FLAME Program</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (132.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://anabpd.ansi.org/Accreditation/credentialing/personnel-certificatio
n/food-protection-manager/AlLdirectoryListing?menuID=8&amp;prgID=8&amp;statusID=4" t
arget="_blank" rel="noopener">Foo...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (69.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://viaintfacep2.bernco.gov/arrestlist" target="_blank" rel="noopener">
Arrest List</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (205.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/capital-improvement-program" target="_blank" rel="noopener">Capital Improv
ement Program</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (151.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.berncoclerk.gov/" target="_blank" rel="noopener">Clerk’s Record
s Search</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (134.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/community-centers/" id="ctl03_TemplateBody_ctl00_PageLa
yout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_li
nkList_ctl12_link" target="_blan...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (236.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.berncoclerk.gov/recording-and-filing/" target="_blank" rel="noo
pener">County Clerk’s Recording and Filing</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (134px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://metro.nmcourts.gov/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_
Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl3
2_link" target="_blank" rel="noo...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (161.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.nmhealth.org/about/erd/bvrhs/vrp/death/" id="ctl03_TemplateBody
_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcL
inks_ctl03_linkList_ctl00_link" ...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (60.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/district-5/" target="_blank" rel="noopener">District 5</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (27.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/behavioral-health-authority/services/dwi-prevention/dwi-prevention-program/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placehol...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (189.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/building-services/getting-started/" target="_blank" rel="noopener">Building Permit Information</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (204.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/business-services/permits-inspections-licensing/" target="_blank" rel="noo
pener">Business Registration (license)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (60.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/district-3/" target="_blank" rel="noopener">District 3</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (103.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/parks-recreation/weight-rooms-fitness-centers/" id="ctl
03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placehol
der5_ctl00_abcLinks_ctl05_linkLi...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (221.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.govdeals.com/BernalilloCounty" id="ctl03_TemplateBody_ctl00_Page
Layout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl06_
linkList_ctl05_link" target="_bl...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (147.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public..." id="ctl03_TemplateBody_c..." title="Greenwaste Rec
ycling" target="_blank" rel="noopener">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (105.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/trash-recycling/illegal-dumping/" id="c
tl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeh
older5_ctl00_abcLinks_ctl08_link...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (47.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://abqlibrary.org/home" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl10_linkList_ctl02_link" target="_blank" title="L...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (222.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/community-centers/paradise-hills/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl14_linkList_ctl00_link...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (62.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/trash-recycling/residential-trash-service/recycling/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (187.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/doing-business-with-the-county/open-solicitations/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl15_link...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (163.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public..." id="ctl03_TemplateBody_c..." title="Groundwater Resource..." target="_blank" rel="noopener">
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (146.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/planning/neighborhood-coordination/neighborhood-associations/neighborhood-grants/" target="_blank" rel="noopener">Neighborhood Grants</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (193.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/finance/about-us/operations-excellence-office/" target="_blank" rel="noope
ner">Operations Excellence Office</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (226.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/" target="_blank" rel="noopener">Planning &amp;amp; Development Servi
ces</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (155px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/doing-business-with-the-county/open-solicitations/" id="c
tl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeh
older5_ctl00_abcLinks_ctl15_link...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (126.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/parks-recreation/land-management/" target="_blank" rel
="noopener">Land Management</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (81.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/planning/office-of-neighborhood-coordination/" targe
t="_blank" rel="noopener">Newsletters</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (37.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/parks-recreation/parks/" target="_blank" rel="noopene
r">Parks</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (137px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public..." id="ctl03_TemplateBody_c..." target="_blank" title
="Rain Barrel Program" rel="noopener">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/metropolitan-detention-center/" id="ctl03_TemplateBody_ctl00_PageLayout_ct
l00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl09_linkList_
ctl00_link" title="Jail" target=...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (121.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/animal-care-services/lost-found-animals/" id="ctl03_TemplateBody_ctl00_Pag
eLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl10
_linkList_ctl09_link" target="_b...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (235.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://library.municode.com/index.aspx?clientId=13071" target="_blank" rel
="noopener">Municode – Bernalillo County Code</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (145.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.berncoclerk.gov/voter-registration/my-voter-information/" id="c
tl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeh
older5_ctl00_abcLinks_ctl11_link...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (250.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/planning/office-of-neighborhood-coordination/" targe
t="_blank" rel="noopener">Office of Neighborhood Coordination</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (224.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/about-us/procurement-business-services/" id="ctl03_Templa
teBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl0
0_abcLinks_ctl14_linkList_ctl13_...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (143.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/health-and-public-safety/" target="_blank" rel="noopener">Public Safety Di
vision</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (97.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.cabq.gov/planning/online-planning-permitting-applications" id
="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Pla
ceholder5_ctl00_abcLinks_ctl10_lin...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (210.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/community-centers/los-padillas/" id="ctl03_TemplateBody
_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcL
inks_ctl10_linkList_ctl07_link" ...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (116.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://bernalillocountynm.iqm2.com/Citizens/Default.aspx" target="_blank"
rel="noopener">Meeting Agendas</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (140.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/county-manager/bernalillo-county-organizational-chart/" target="_blank" re
l="noopener">Organizational Chart</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (95.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/probate-court/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3
_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl14_linkList_ctl11_link" titl
e="Probate Court" target="_blank...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (106.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://bernalillocountynm.iqm2.com/Citizens/Default.aspx" id="ctl03_Templa
teBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl0
0_abcLinks_ctl14_linkList_ctl21_...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (129.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/animal-care-services/lost-found-animals/report-a-found-pet/" id="ctl03_Tem
plateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_c
tl00_abcLinks_ctl15_linkList_ctl...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (172.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/behavioral-health-authority/services/justice/reentry/" target="_blank" rel="noopener">Resource Re-Entry Center</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (117.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/trash-recycling/household-hazardous-waste/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (103.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/summer-lunch-program/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl10_linkList_ctl10_link" title="Lun...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (199.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.berncocl..." id="ctl03_TemplateBody_c..." title="Marriage Licen
se Inf..." target="_blank" rel="noopener">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (136.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/county-manager/past-commissioners/" target="_blank"
rel="noopener">Past Commissioners</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (66.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/doing-business-with-the-county/open-solicitations/" targe
t="_blank" rel="noopener">Proposals</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (127.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/cultural-services/public-art-program/" id="ctl03_Templa
teBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl0
0_abcLinks_ctl14_linkList_ctl18_...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (191.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/bernco-view/public-information-requests/" target="_blank" rel="noopener">P
ublic Information Requests</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (272.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/community-centers/raymond-g-sanchez/" id="ctl03_Templat
eBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00
_abcLinks_ctl15_linkList_ctl01_l...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (164.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/general-services/right-of-way/" target="_blank" rel
="noopener">Real Estate/Right of Way</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (306.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/lets-talk-trash/" target="_blank" rel="noopener">Illegal Dumping
Partnership – Let’s Talk Trash</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (324.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/bernco-view/public-information-requests/" target="_blank" rel="noopener">I
nspection of Public Records Act Requests (IPRA)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (153.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/open-space/properties/" target="_blank" rel="noopener">
Open Space Properties</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (161.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/building-services/plumbing-gas/" target="_blank" rel="noopener">P
lumbing Online Permit</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (36.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/parks-recreation/swimming-pools-spray-parks/" id="ctl03
_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholde
r5_ctl00_abcLinks_ctl14_linkList...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (248.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/boards-commissions/bernalillo-county-property-nuisance-abatement-office/" target="_blank" rel="noopener">Property Nuisance Abatement Office</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (171.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.berncoclerk.gov/recording-and-filing/public-document-search/" target="_blank" rel="noopener">Public Documents Search</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (55.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/about-the-community-services-division/housing-department/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_c...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (206.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/metropolitan-detention-center/overview/" target="_blank" rel="noopener">In
mate Custody &amp;amp; Release Info</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (119.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://bernco.wd1.myworkdayjobs.com/berncocareers" id="ctl03_TemplateBody_
ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLi
nks_ctl09_linkList_ctl01_link" t...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (121.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/legal/" target="_blank" rel="noopener">Legal Department</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (81.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/gis-overview/map-gallery/" target="_blank" rel="noopener">Map&nbs
p;Gallery</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (147px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/open-space" id="ctl03_TemplateBody_ctl00_PageLayout_ctl
00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl13_linkList_c
tl02_link" title="Open Space" ta...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (236.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.berncoclerk.gov/recording-and-filing/passport-services/" target
="_blank" rel="noopener">Passport Applications &amp;amp; Processing</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (150.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/boards-commissions/public-comment/" target="_blank" rel="noopener">Public
Comment Form</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (124.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/cultural-services/cultural-services-events/movies-in-th
e-park/" target="_blank" rel="noopener">Movies in the Park</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (77.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/government/talk-to-us/ordinances/" id="ctl03_TemplateBody_ctl00_PageLayout
_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl13_linkLi
st_ctl03_link" title="Ordinances...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (231px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/parks-recreation/" id="ctl03_TemplateBody_ctl00_PageLay
out_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl14_lin
kList_ctl02_link" title="Parks &...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (287.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/for-business-owners/plastic-and-polystyrene-ban-faqs/" target="_b
lank" rel="noopener">Plastic Bag/Container Ban Ordinance FAQs</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (127.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/treasurer/property-tax-reports-charts-overview/2007-2020-property-tax-rate
-charts/" target="_blank" rel="noopener">Property Tax Rates</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (168.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/trash-recycling/residential-trash-service/" target="_blank" rel="noopener">Residential Trash Service</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (110.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/trash-recycling/residential-trash-service/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (250.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/..." id="ctl03_TemplateBody_c..." title="Gutierrez - Hubbell ..." target="_blank" rel="noopener">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (119.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/consumer-health-protection/" target="_blank" rel="noopener">Healt
h Protection</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (116px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/county-manager/holiday-schedule/" target="_blank" rel="noopener">Holiday S
chedule</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (153.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/for-business-owners/required-workplace-postings/" target="_blank"
rel="noopener">Minimum Wage Poster</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (98.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/bernco-media/general-news/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl14_linkList_ctl10_link" ti...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (184.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/probate-court/case-lookup/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl14_linkList_ctl12_link" title="Probate Court Cas...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (169.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/" target="_blank" rel="noopener">General Services Division</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (156px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/gis-overview/" target="_blank" rel="noopener">GIS Technology Sect
ion</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (126.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.tax.newmexico.gov/gross-receipts-tax-historic-rates.aspx" id="ct
l03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeho
lder5_ctl00_abcLinks_ctl06_linkL...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (211.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/boards-commissions/homeless-coordinating-council/" target="_blank" rel="no
opener">Homeless Coordinating Council</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (103.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/probate-court/about-judge-cristy-j-carbon-gaul/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl09_linkList_ctl03_link" tar...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (174.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/building-services/mechanical/" target="_blank" rel="noopener">Mechanical Online Permit</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (209.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/metropolitan-detention-center/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl11_linkList_ctl05_link" title="Metropolitan ...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (152.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/open-space/programs/" target="_blank" rel="noopener">Op
en Space Programs </a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (165.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/employee-wellness-act/" target="_blank" rel="noopener">Paid Time
Off Ordinance</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (154.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/planning-and-land-use/" target="_blank" rel="noopener">Planning a
nd Land Use</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (144.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_
ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl14_linkList_ctl24_link" title
="Public Works Division" target=...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (121px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/risk-management-department/" id="ctl03_TemplateBody_ctl00
_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_c
tl15_linkList_ctl11_link" title=...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (173px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/capital-improvement-program/general-obligation-go-bo
nd-funding/" target="_blank" rel="noopener">General Obligation Bonds</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (123px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/open-space/open-space-hidden-pages/programs/grow-the-growers/" target="_blank" rel="noopener">Grow the Growers</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (176.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/about-the-public-works-division/technical-services/natural-resource-services/" target="_blank" rel="noopener">Natural Resource Services</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (240.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/graffiti-removal/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl06_linkList_ctl08_link...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (210.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/community-centers/los-vecinos/" id="ctl03_TemplateBody_
ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLi
nks_ctl10_linkList_ctl08_link" t...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (130.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://metro.nmcourts.gov/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_
Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl11_linkList_ctl0
4_link" target="_blank" title="M...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (217.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/clerk/request-records/" target="_blank" rel="noopener">Recording and Filin
g Documents</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (69.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.cabq.gov/culturalservices/govtv" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl06_linkList_ctl04_link" target="_...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://public.govdelivery.com/accounts/NMBERNCO/subscriber/new" target="_blank" rel="noopener">GovDelivery Enrollment</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (339.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/community-services/parks-recreation/parks-recreation-and-open-space-capital-projects/" target="_blank" rel="noopener">Parks, Recreation and Open Space Capital Projects<...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (158.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/planning/building-services/plumbing-and-mechanical/" target="_blank" rel
="noopener">Plumbing &amp;amp; Mechanical</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (108.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://treasurer.bernco.gov/public.access/search/commonsearch.aspx?mode=re
alprop" target="_blank" rel="noopener">Property Search</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (74.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/open-space/open-space-hidden-pages/overview-hidden/gree
nprint/" target="_blank" rel="noopener">Greenprint</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (242.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.mrcog-nm.gov/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl11_linkList_ctl07_link" target="_blank" title="Mid-...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (147.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/bernco-media/general-news/" target="_blank" rel="noopener">News Release Archive</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (117.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 19px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/treasurer/frequently-asked-questions/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl14_linkList_ctl15_link" title="Proper...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (119px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/open-space/open-space-hidden-pages/programs/master-natu
ralist/" target="_blank" rel="noopener">Master Naturalist</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (267.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.mrgcd.com/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeh
older3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl11_linkList_ctl06_lin
k" target="_blank" title="Middle ...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (145.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/public-works/current-projects/" target="_blank" rel
="noopener">Public Works Projects</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (168.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/doing-business-with-the-county/open-solicitations/" targe
t="_blank" rel="noopener">Request for Qualification</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (246.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/about-..." id="ctl03_TemplateBody_c..." title="Roadway Operat
ions &..." target="_blank" rel="noopener">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (158.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/community-health-outreach/office-of-social-services/" t
arget="_blank" rel="noopener">Senior &amp;amp; Social Services</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (230.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/water-wastewater-stormwater/water-conse
rvation-program/water-conservation-incentives/" target="_blank" rel="noopener">Toile
t Retrofit Assistance Program</a...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (158.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.firstgov.gov/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Pla
ceholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl18_linkList_ctl00_l
ink" target="_blank" title="U.S....
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (44.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/parks-recreation/weeds-maintenance-and-glyphosate-morat
orium-faqs/" target="_blank" rel="noopener">Weeds</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (192.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/community-centers/westside/" id="ctl03_TemplateBody_ctl
00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks
_ctl20_linkList_ctl06_link" titl...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (193.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/clerk/request-records/public-documents-search/" target="_blank" rel="noope
ner">Search County Clerk Records</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (323.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/behavioral-health-authority/departments/dbhs/care-ca
mpus/supportive-aftercare-community-program-sac/" target="_blank" rel="noopener">Sup
portive Aftercare Community Prog...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (120.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/county-manager/behavioral-health-initiative/housing-supports/tiny-home-village/" target="_blank" rel="noopener">Tiny Home Village</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (293.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/county-manager/university-of-new-mexico-hospital-mill-levy/" target="_blank" rel="noopener">University of New Mexico Hospital Mill Levy</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (62.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://bcapp.bernco.gov/BCSO_WarrantInterWITS/" target="_blank" rel="noopener">Warrants</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (208.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public..." id="ctl03_TemplateBody_c..." title="Water Conserva
tion O..." target="_blank" rel="noopener">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (125.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/water-wastewater-stormwater/report-wate
r-waste/" target="_blank" rel="noopener">Water Waste Form</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (112.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/parks-recreation/team-sports/" id="ctl03_TemplateBody_c
tl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLin
ks_ctl16_linkList_ctl14_link" ti...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (225.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.4px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.abcwua.org/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Place
holder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl20_linkList_ctl03_lin
k" target="_blank" title="Water ...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (147.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/youth-services-center/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Plac
eholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl21_linkList_ctl01_li
nk" title="Youth Services Center...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (278.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/community-centers/south-valley-senior-center/" id="ctl0
3_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placehold
er5_ctl00_abcLinks_ctl16_linkLis...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (200.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/parks-recreation/swimming-pools-spray-parks/" id="ctl03
_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholde
r5_ctl00_abcLinks_ctl16_linkList...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (111.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/water-wastewater-
stormwater/wells/permitting-process/" target="_blank" rel="noopener">Wells Permittin
g</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (102.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/water-wastewater-stormwater/wastewater-
septic-systems/connect-to-municipal-sewer/" target="_blank" rel="noopener">Sewer Hoo
k-up</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (126.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/bernalillo-county-sheriff/recruiting/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl16_linkList_ctl09_link" target="_blan...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (43.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/clerk/bureau-of-elections-overview/" target="_blank" rel="noopener">Voting</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (225.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/trash-recycling/residential-trash-service/low-income-program/" target="_blank" rel="noopener">Solid Waste Low Income Program</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (122.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/about-the-public-works-division/technical-services/" target
="_blank" rel="noopener">Technical Services</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (183.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/behavioral-health-authority/departments/dbhs/care-ca
mpus/young-adult-program-yap/" target="_blank" rel="noopener">Young Adult Program (Y
AP)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (226.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://www.state.nm.us/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Plac
eholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl12_linkList_ctl09_li
nk" target="_blank" title="State...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (98px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/bernalillo-county-sheriff/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl16_linkList_ctl08_link" target="_blank" title="S...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (270.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/about-the-program/" target="_blank" rel="noopener">Unclaimed/Indigent Cremation Program</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (37.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/trash-recycling/residential-trash-service/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (92.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/finance/strategic-plan-and-department-performance/" target="_blank" rel="noopener">Strategic Plan</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (136.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/bernco-view/" target="_blank" rel="noopener">Transparency Portal</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (189.3px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://nmroads.com/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl15_linkList_ctl12_link" target="_blank" title="Road Cond...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (78.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/trash-recycling/residential-trash-service/" target="_blank" rel="noopener">Solid Waste</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (161.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/economic-development/south-valley-mainstreet/" target="_blank" rel="noopener">South Valley MainStreet</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (164.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/summer-lunch-program/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl16_linkList_ctl20_link" title="Sum...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (206.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/water-wastewater-stormwater/water-conservation-program/water-conservation-incentives/" target="_blank" rel="noopener">Water Conservat...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (163.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/assessor/exemptions-applications-other/" target="_blank" rel="noopener">Veterans Tax Exemption</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (260.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/youth-sports-commission/about/" target="_blank" rel="noopener">Youth Sports Commission Certification</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (238.1px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="http://hospitals.unm.edu/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl18_linkList_ctl03_link" target="_blank" title="UNM...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (38px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.youtube.com/channel/UCAKt5BZwiEUsv7sfIuPVDFQ" target="_blank" rel="noopener">Video</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (134.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public..." id="ctl03_TemplateBody_c..." title="Water Conservation" target="_blank" rel="noopener">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (115.4px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/community-services/community-health-outreach/senior-meals/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl16_linkList_ctl0...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (256px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/water-wastewater-stormwater/financial-assistance/" target="_blank" rel="noopener">Waste Water Connection &amp; Assistance</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (106.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.2px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/water-wastewater-stormwater/wells/" target="_blank" rel="noopener">Well Ownership</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (163.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/county-manager/safer-community-places/" target="_bla
nk" rel="noopener">Safer Community Places</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (126.7px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public-works-services/road-safety-conditions/streets-traffic-
signals/traffic-engineering/" target="_blank" rel="noopener">Traffic Engineering</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (156.2px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/water-wastewater-
stormwater/wastewater-septic-systems/wastewater-permitting-process/" target="_blank"
rel="noopener">Wastewater Permi...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (301.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/general-services/about-the-program/" target="_blank" rel="noopener">Search Unclaimed Decedents (Complete List)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (132.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/public..." id="ctl03_TemplateBody_c..." title="Storm Water Quality" target="_blank" rel="noopener">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (152.5px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="/public-works/about-..." id="ctl03_TemplateBody_c..." title="Traffic Impact Analy..." target="_blank" rel="noopener">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (133.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://www.bernco.gov/community-services/cultural-services/vendor-information/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (130.9px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.8px instead of at least 24px.

WCAG 2.5.8

Page: /a-z/ WCAG 2.5.8

Element:

```
<a href="https://treasurer.bernco.gov/public.access/search/commonsearch.aspx?mode=realprop" target="_blank" rel="noopener">Tax Records Search</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #ffffff, background color: #e47756, font size: 10.5pt (14px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /bernco-media/general-news/ WCAG 1.4.3

Element:

```
<span property="name">News Release Archive</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.73 (foreground color: #8e9291, background color: #e8f1ee, font size: 8.3pt (11px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /bernco-media/general-news/ WCAG 1.4.3

Element:

```
<a href="http://www.rtsolutions.com/realfile" target="_blank" rel="noopener">Documen
t Management</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.73 (foreground color: #8e9291, background color: #e8f1ee, font size: 8.3pt (11px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /bernco-media/general-news/ WCAG 1.4.3

Element:

```
<a href="http://www.rtsolutions.com/realsites" target="_blank" rel="noopener">Websit
e Design</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #ffffff, background color: #e47756, font size: 10.5pt (14px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /bernco-media/general-news/ WCAG 1.4.3

Element:

```
<span>Home</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.58 (foreground color: #e47756, background color: #e8f1ee, font size: 18.0pt (24px), font weight: normal). Expected contrast ratio of 3:1

WCAG 1.4.3

Page: /bernco-media/general-news/ WCAG 1.4.3

Element:

```
<h3>Official Site For Bernalillo County</h3>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.17 (foreground color: #a0a5a3, background color: #e8f1ee, font size: 8.3pt (11px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /bernco-media/general-news/ WCAG 1.4.3

Element:

```
<p>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.73 (foreground color: #8e9291, background color: #e8f1ee, font size: 8.3pt (11px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /bernco-media/general-news/ WCAG 1.4.3

Element:

```
<a href="http://www.rtsolutions.com" target="_blank" rel="noopener">Real Time Soluti
ons</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.96 (foreground color: #ffffff, background color: #e47756, font size: 10.5pt (14px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /bernco-media/general-news/ WCAG 1.4.3

Element:

```
<span>BernCo Media</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Insufficient color contrast: 2.97:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(228, 119, 86). Text: "Click Here"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a class="et_pb_button et_pb_more_button" href="https://www.bernco.gov/emergency-management/emergency-preparedness-resources/" target="_blank" data-icon="">Click Here</a>
```

2.97:1 ✗ CURRENT

Click Here

#ffffff on #e47756

→

4.51:1 ✓ SUGGESTED

Click Here

#2f2f2f on #e47756

SONDE FIX PLAN

Current ratio: 2.97:1 (need 4.5:1). Change foreground from #ffffff to #2f2f2f (ratio: 4.5:1).

HIGH

Insufficient color contrast: 2.97:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(228, 119, 86). Text: "Home"

WCAG 1.4.3

Page: /bernco-media/general-news/ WCAG 1.4.3

Element:

```
<span>Home</span>
```

2.97:1 ✗ CURRENT

Home

→

4.51:1 ✓ SUGGESTED

Home

#ffffff on #e47756 #2f2f2f on #e47756

SONDE FIX PLAN
Current ratio: 2.97:1 (need 4.5:1). Change foreground from #ffffff to #2f2f2f (ratio: 4.5:1).

HIGH

Console warning: jQuery.Deferred exception: Cannot read properties of undefined (reading 'attributes') TypeError: Cannot read properties of undefined (reading 'attributes') at HTMLDocument.<anonymous> (https://www.bernco.gov/wp-content/themes/Divi%20Child/js/scripts.js?ver=1.0.4:179:45) at e (https://www.bernco.gov/wp-includes/js/jquery/jquery.min.js?ver=3.7.1:2:27028) at t (https://www.bernco.gov/wp-includes/js/jquery/jquery.min.js?ver=3.7.1:2:27330)

Page: /

Source: https://www.bernco.gov/wp-includes/js/jquery/jquery.min.js?ver=3.7.1:1 MEDIUM

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: jQuery.Deferred exception: Cannot read properties of undefined (reading 'attributes') TypeError: Cannot read properties of undefined (reading 'attributes') at HTMLDocument.<anonymous> (https://www.bernco.gov/wp-content/themes/Divi%20Child/js/scripts.js?ver=1.0.4:179:45) at e (https://www.bernco.gov/wp-includes/js/jquery/jquery.min.js?ver=3.7.1:2:27028) at t (https://www.bernco.gov/wp-includes/js/jquery/jquery.min.js?ver=3.7.1:2:27330)

Page: /a-z/

Source: https://www.bernco.gov/wp-includes/js/jquery/jquery.min.js?ver=3.7.1:1 MEDIUM

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: jQuery.Deferred exception: Cannot read properties of undefined (reading 'attributes') TypeError: Cannot read properties of undefined (reading 'attributes') at HTMLDocument.<anonymous> (https://www.bernco.gov/wp-content/themes/Divi%20Child/js/scripts.js?ver=1.0.4:179:45) at e (https://www.bernco.gov/wp-includes/js/jquery/jquery.min.js?ver=3.7.1:2:27028) at t (https://www.bernco.gov/wp-includes/js/jquery/jquery.min.js?ver=3.7.1:2:27330)

Page: /bernco-media/general-news/

Source: https://www.bernco.gov/wp-includes/js/jquery/jquery.min.js?ver=3.7.1:1 MEDIUM

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Focus jumps backward from "Main Level Services" to "BLAKE ROAD AT BELMONT DRIVE CLOSED FOR SAFETY DURING IMPROVE" (visual distance: 1105px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>BLAKE ROAD AT BELMONT DRIVE CLOSED FOR SAFETY DURING IMPROVE</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "CLOSE SEARCH" to "APPLY TO WORK AT BERNALILLO COUNTY!" (visual distance: 482px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>APPLY TO WORK AT BERNALILLO COUNTY!</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "CLOSE SEARCH" to "Home" (visual distance: 486px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Home</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "E-Waste Recycling" to "Feedback" (visual distance: 2242px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Feedback</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "CLOSE SEARCH" to "Home" (visual distance: 485px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /bernco-media/general-news/ WCAG 2.4.3

Element:

```
<a>Home</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "« Older Entries" to "#post-4331 > div > div > div > div:nth-of-type(4) > div:nth-of-type(3) > div:nth-of-type(2) > div > form > div > input:nth-of-type(1)" (visual distance: 2362px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /bernco-media/general-news/ WCAG 2.4.3

Element:

```
<input></input>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Page requires horizontal scrolling at Phone SE (320px width, 496px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Page: /a-z/ WCAG 1.4.10

Element:

```
<html lang="und">
```

SONDE FIX PLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM Zooming and scaling must not be disabled: Fix any of the following: user-scalable on <meta> tag disables zooming on mobile devices WCAG 1.4.4

Page: / WCAG 1.4.4

Element:

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=
1.0, user-scalable=0">
```

SONDE FIX PLAN

Ensure <meta name="viewport"> does not disable text scaling and zooming. See: https://www.w3.org/WAI/WCAG22/Understanding/resize-text

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_module et_pb_text et_pb_text_7  et_pb_text_align_left et_pb_bg_lay
out_light">




                                <div class="et_pb_text_inner"><h2 style="text-align:
center;">County Spotlight</...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div id="services-grid-widget-nav">
                    <a href="javascript:void(0)" class="services-grid-widget-root">M
ain Level Services</a>
                </div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_module et_pb_text et_pb_text_6  et_pb_text_align_left et_pb_bg_lay
out_light">




                                <div class="et_pb_text_inner"><h2>How can we help yo
u?</h2>
<h3>Customer Service...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_slide et_pb_slide_1 et_pb_bg_layout_dark et_pb_slide_with_image et
_pb_media_alignment_center et-pb-active-slide" data-slide-id="et_pb_slide_1" style
="z-index: 1; display: block; opac...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<span class="ai1ec-date-title ai1ec-load-view" href="https://www.bernco.gov/calendar
-2/action~oneday/exact_date~5-22-2026/?ai1ec_source=ai1ec_agenda_widget" data-href
="https://www.bernco.gov/calendar-...
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<ul class="et_pb_tabs_controls clearfix">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et-pb-controllers"><a href="#" class="et-pb-active-control">1</a><a href
="#">2</a><a href="#">3</a><a href="#">4</a><a href="#">5</a></div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div id="services-grid">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_slide_description">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et-pb-controllers"><a href="#" class="">1</a><a href="#" class="et-pb-active-control">2</a><a href="#">3</a><a href="#">4</a><a href="#">5</a><a href="#">6</a><a href="#">7</a></div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /

Element:

```
<html lang="en-US" class="js js no-touch js no-touch">
```

SONDE FIX PLAN
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/
Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_row et_pb_row_8 et_pb_gutters2 et_pb_row_5col">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_row et_pb_row_7 et_pb_gutters2 et_pb_row_5col">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_module et_pb_text et_pb_text_9  et_pb_text_align_left et_pb_bg_lay
out_light">




                                <div class="et_pb_text_inner"><h2>Serving the Commun
ity</h2>
<h3>Bernalillo Coun...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et-pb-controllers"><a href="#" class="">1</a><a href="#" class="et-pb-ac
tive-control">2</a><a href="#">3</a><a href="#">4</a><a href="#">5</a><a href="#">6
</a><a href="#">7</a></div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_slide et_pb_bg_layout_light et_pb_post_slide-30653 et-pb-active-sl
ide" style="z-index: 1; display: block; opacity: 1;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_column et_pb_column_1_3 et_pb_column_inner et_pb_column_inner_1">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_module et_pb_text et_pb_text_1  et_pb_text_align_left et_pb_bg_lay
out_light">




                                <div class="et_pb_text_inner"><h2 style="text-align:
center;">BernCo Social Medi...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<a href="https://www.bernco.gov/blog/event/open-gym-basketball-at-henry-kiki-saavedra-community-center/?instance_id=17556" class="ai1ec-popup-trigger ai1ec-load-event">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_slide_description">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et-pb-controllers"><a href="#" class="et-pb-active-control">1</a><a href="#">2</a><a href="#">3</a><a href="#">4</a><a href="#">5</a></div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<a href="https://www.bernco.gov/blog/event/paradise-hills-community-center-may-midfest/?instance_id=20637" class="ai1ec-popup-trigger ai1ec-load-event">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div id="services-grid-text-search-input-container">
                        <input id="services-grid-text-search" placeholder="Searc
h...">
                    </div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<span class="ai1ec-date-title ai1ec-load-view" href="https://www.bernco.gov/calendar
-2/action~oneday/exact_date~5-21-2026/?ai1ec_source=ai1ec_agenda_widget" data-href
="https://www.bernco.gov/calendar-...
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<a href="https://www.bernco.gov/blog/event/ceramics-at-raymond-g-sanchez-community-c
enter/?instance_id=11968" class="ai1ec-popup-trigger ai1ec-load-event">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="et_pb_module et_pb_text et_pb_text_8  et_pb_text_align_left et_pb_bg_lay
out_light">




                                <div class="et_pb_text_inner"><h2>County Video</h2>
</div>
                        </div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /a-z/

Element:

```
<div class="et_pb_section et_pb_section_6 et_pb_with_background et_section_regular">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /a-z/

Element:

```
<span property="name">A-Z Services</span>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /a-z/

Element:

```
<span>Home</span>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Zooming and scaling must not be disabled: Fix any of the following: user-scalable on <meta> tag disables zooming on mobile devices WCAG 1.4.4

Page: /a-z/ WCAG 1.4.4

Element:

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=
1.0, user-scalable=0">
```

SONDE FIX PLAN

Ensure <meta name="viewport"> does not disable text scaling and zooming. See: https://www.w3.org/WAI/WCAG22/Understanding/resize-text

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /a-z/

Element:

```
<div id="section-title" class="et_pb_section et_pb_section_1 et_pb_with_background e
t_section_regular">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /bernco-media/general-news/

Element:

```
<span property="name">News Release Archive</span>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /bernco-media/general-news/

Element:

```
<div class="et_pb_row et_pb_row_7">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /bernco-media/general-news/

Element:

```
<span>Home</span>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /bernco-media/general-news/

Element:

```
<div class="et_pb_column et_pb_column_2_3 et_pb_column_5  et_pb_css_mix_blend_mode_p
assthrough">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /bernco-media/general-news/

Element:

```
<div id="section-title" class="et_pb_section et_pb_section_1 et_pb_with_background e
t_section_regular">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Zooming and scaling must not be disabled: Fix any of the following: user-scalable on <meta> tag disables zooming on mobile devices WCAG 1.4.4

Page: /bernco-media/general-news/ WCAG 1.4.4

Element:

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=
1.0, user-scalable=0">
```

SONDE FIX PLAN
Ensure <meta name="viewport"> does not disable text scaling and zooming. See: https://www.w3.org/WAI/WCAG22/Understanding/resize-text

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /bernco-media/general-news/

Element:

```
<html lang="en-US" class="js" style="height: auto;">
```

SONDE FIX PLAN
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /bernco-media/general-news/

Element:

```
<span>BernCo Media</span>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.facebook.com/BernalilloCounty" class="icon et_pb_with_border" t
itle="Follow on Facebook" target="_blank"><span class="et_pb_social_media_follow_net
work_name" aria-hidden="true">Fo
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(68, 71, 70), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="gsst_a" href="javascript:void(0)" title="Clear search box" role="button" s
tyle="display: none;"><span class="gscb_a" id="gs_cb51" aria-hidden="true">×</span>
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.youtube.com/channel/UCAKt5BZwiEUsv7sfIuPVDFQ" class="icon et_pb
_with_border" title="Follow on Youtube" target="_blank"><span class="et_pb_social_me
dia_follow_network_name" aria-hi
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.instagram.com/berncounty/" class="icon et_pb_with_border" title
="Follow on Instagram" target="_blank"><span class="et_pb_social_media_follow_networ
k_name" aria-hidden="true">Follo
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(232, 88, 44), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="#">Upcoming Events</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.flickr.com/photos/124401095@N07" class="icon et_pb_with_border"
title="Follow on Flickr" target="_blank"><span class="et_pb_social_media_follow_netw
ork_name" aria-hidden="true">Fo
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://twitter.com/BernCounty" class="icon et_pb_with_border" title="Follo
w on X" target="_blank"><span class="et_pb_social_media_follow_network_name" aria-hi
dden="true">Follow</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgba(51, 51, 51, 0.6), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="#">Complete Event Calendar</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(68, 71, 70), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="gsst_a" href="javascript:void(0)" style="display: none;" title="Clear sear
ch box" role="button"><span class="gscb_a" id="gs_cb50" aria-hidden="true">x</span>
</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgba(51, 51, 51, 0.6), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="#">County Meetings</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(68, 71, 70), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /a-z/ WCAG 1.4.1

Element:

```
<a class="gsst_a" href="javascript:void(0)" title="Clear search box" role="button" s
tyle="display: none;"><span class="gscb_a" id="gs_cb51" aria-hidden="true">×</span>
</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /a-z/ WCAG 1.4.1

Element:

```
<a href="https://www.instagram.com/berncounty/" class="icon et_pb_with_border" title
="Follow on Instagram" target="_blank"><span class="et_pb_social_media_follow_networ
k_name" aria-hidden="true">Follo
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /a-z/ WCAG 1.4.1

Element:

```
<a href="https://www.youtube.com/channel/UCAKt5BZwiEUsv7sfIuPVDFQ" class="icon et_pb_with_border" title="Follow on Youtube" target="_blank"><span class="et_pb_social_media_follow_network_name" aria-hi
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /a-z/ WCAG 1.4.1

Element:

```
<a href="https://twitter.com/BernCounty" class="icon et_pb_with_border" title="Follow on X" target="_blank"><span class="et_pb_social_media_follow_network_name" aria-hidden="true">Follow</span></a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /a-z/ WCAG 1.4.1

Element:

```
<a href="https://www.facebook.com/BernalilloCounty" class="icon et_pb_with_border" t
itle="Follow on Facebook" target="_blank"><span class="et_pb_social_media_follow_net
work_name" aria-hidden="true">Fo
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /a-z/ WCAG 1.4.1

Element:

```
<a href="https://www.flickr.com/photos/124401095@N07" class="icon et_pb_with_border"
title="Follow on Flickr" target="_blank"><span class="et_pb_social_media_follow_netw
ork_name" aria-hidden="true">Fo
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(68, 71, 70), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /a-z/ WCAG 1.4.1

Element:

```
<a class="gsst_a" href="javascript:void(0)" style="display: none;" title="Clear sear
ch box" role="button"><span class="gscb_a" id="gs_cb50" aria-hidden="true">×</span>
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /bernco-media/general-news/ WCAG 1.4.1

Element:

```
<a href="https://www.instagram.com/berncounty/" class="icon et_pb_with_border" title
="Follow on Instagram" target="_blank"><span class="et_pb_social_media_follow_networ
k_name" aria-hidden="true">Follo
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(68, 71, 70), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /bernco-media/general-news/ WCAG 1.4.1

Element:

```
<a class="gsst_a" href="javascript:void(0)" title="Clear search box" role="button" s
tyle="display: none;"><span class="gscb_a" id="gs_cb51" aria-hidden="true">x</span>
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /bernco-media/general-news/ WCAG 1.4.1

Element:

```
<a href="https://twitter.com/BernCounty" class="icon et_pb_with_border" title="Follo
w on X" target="_blank"><span class="et_pb_social_media_follow_network_name" aria-hi
dden="true">Follow</span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(68, 71, 70), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /bernco-media/general-news/ WCAG 1.4.1

Element:

```
<a class="gsst_a" href="javascript:void(0)" style="display: none;" title="Clear sear
ch box" role="button"><span class="gscb_a" id="gs_cb50" aria-hidden="true">×</span>
</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /bernco-media/general-news/ WCAG 1.4.1

Element:

```
<a href="https://www.flickr.com/photos/124401095@N07" class="icon et_pb_with_border"
title="Follow on Flickr" target="_blank"><span class="et_pb_social_media_follow_netw
ork_name" aria-hidden="true">Fo
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /bernco-media/general-news/ WCAG 1.4.1

Element:

```
<a href="https://www.facebook.com/BernalilloCounty" class="icon et_pb_with_border" t
itle="Follow on Facebook" target="_blank"><span class="et_pb_social_media_follow_net
work_name" aria-hidden="true">Fo
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 73, 85), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /bernco-media/general-news/ WCAG 1.4.1

Element:

```
<a href="https://www.youtube.com/channel/UCAKt5BZwiEUsv7sfIuPVDFQ" class="icon et_pb_with_border" title="Follow on Youtube" target="_blank"><span class="et_pb_social_media_follow_network_name" aria-hi
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Assessor – Damian R. Lara" on https://www.bernco.gov/ and "Assessor's Office" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/assessor/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl00_linkList_ctl18_link" target="_blank" rel="noopener">Assessor's Office</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Treasurer – Tim Eichenberg" on https://www.bernco.gov/ and "Treasurer's Office" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/treasurer/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl17_linkList_ctl10_link" title="Treasurer's Office" target="_blank" rel="noopener">Treasurer's Office</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "BernCo Media" on https://www.bernco.gov/ and "BernCo News Releases" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="https://www.bernco.gov/bernco-media/general-news/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl01_linkList_ctl02_link" target="_blank" rel="noopener">BernCo News Releases</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Public Art" on https://www.bernco.gov/ and "Art" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/community-services/cultural-services/public-art-program/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl00_linkList_ctl16_link" target="_blank" rel="noopener">Art</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Probate Judge – Cristy J. Carbon-Gaul" on https://www.bernco.gov/ and "Court of Wills, Estates & Probate" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/probate-court/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3
_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl30_link" targ
et="_blank" rel="noopener">Court of Wills, Estates &amp;amp; Probate</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Parks, Recreation and Open Space" on https://www.bernco.gov/ and "Parks & Recreation" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/community-services/parks-recreation/" id="ctl03_TemplateBody_ctl00_PageLay
out_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl14_lin
kList_ctl02_link" title="Parks &amp;amp; Recreation" target="_blank" rel="noopener">Park
s, Recreation and Open Space</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Follow on Facebook" on https://www.bernco.gov/ and "GovDeals Online Surplus Auction" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="http://www.govdeals.com/BernalilloCounty" id="ctl03_TemplateBody_ctl00_Page
Layout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl06_
linkList_ctl05_link" target="_blank" title="GovDeals Online Surplus Auction" rel="no
opener">GovDeals Online Surplus Auction</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "View all upcoming Bernalillo County events here." on https://www.bernco.gov/ and "Events" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/bernco-media/events/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl04_linkList_ctl11_link" target="_blank" rel="noopener">Events</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "A-Z Services" on https://www.bernco.gov/ and "English" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="#" onclick="return false;"><img decoding="async" src="//www.bernco.gov/wp-content/plugins/gtranslate/flags/16/en-us.png" height="16" width="16" alt="en"> English</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Probate Court Case Lookup" on https://www.bernco.gov/ and "Case Lookup (Probate Court)" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/probate-court/case-lookup/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl01_link" target="_blank" rel="noopener">Case Lookup (Probate Court)</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Swimming Pools & Spray Parks" on https://www.bernco.gov/ and "Aquatics" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/community-services/parks-recreation/swimming-pools-spray-parks/" id="ctl03
_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholde
r5_ctl00_abcLinks_ctl00_linkList_ctl14_link" target="_blank" rel="noopener">Aquatics
</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Operations & Maintenance" on https://www.bernco.gov/ and "Roadway Operations & Maintenance" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/public-works/about-the-public-works-division/operations-maintenance-depart
ment/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_
ctl00_Placeholder5_ctl00_abcLinks_ctl15_linkList_ctl14_link" title="Roadway Operatio
ns &amp;amp; Maintenance" target="_blank" rel="noopener">Roadway Operations &amp;amp; Mainte
nance</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Finance" on https://www.bernco.gov/ and "Finance Division" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/finance/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl05_linkList_ctl01_link" title="Finance Division" target="_blank" rel="noopener">Finance Division</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Jobs" on https://www.bernco.gov/ and "Job Opportunties" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="https://bernco.wd1.myworkdayjobs.com/berncocareers" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl09_linkList_ctl01_link" title="Job Opportunties" target="_blank" rel="noopener">Job Opportunities</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Public Works" on https://www.bernco.gov/ and "Public Works Division" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/public-works/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl14_linkList_ctl24_link" title="Public Works Division" target="_blank" rel="noopener">Public Works Division</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Community Services" on https://www.bernco.gov/ and "Community Services Division" on https://www.bernco.gov/a-z/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /a-z/ WCAG 3.2.4

Element:

```
<a href="/community-services/" id="ctl03_TemplateBody_ctl00_PageLayout_ctl00_Placeholder3_ctl00_pageContent_ctl00_Placeholder5_ctl00_abcLinks_ctl02_linkList_ctl14_link" target="_blank" rel="noopener">Community Services Division</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "BernCo Media" on https://www.bernco.gov/ and "English" on https://www.bernco.gov/bernco-media/general-news/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /bernco-media/general-news/ WCAG 3.2.4

Element:

```
<a href="#" onclick="return false;"><img decoding="async" src="//www.bernco.gov/wp-content/plugins/gtranslate/flags/16/en-us.png" height="16" width="16" alt="en"> English</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

"FLAME Program" is visually at position 71 but receives focus at position 152 (drift: 81).

WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>FLAME Program</a>
```

SONDE FIX PLAN

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Greenwaste Recycling" is visually at position 108 but receives focus at position 171 (drift: 63). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Greenwaste Recycling</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Food Safety" is visually at position 81 but receives focus at position 158 (drift: 77). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Food Safety</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Food Handler Card" is visually at position 78 but receives focus at position 156 (drift: 78). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Food Handler Card</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "GIS Technology Section" is visually at position 96 but receives focus at position 165 (drift: 69). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>GIS Technology Section</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Floodplain Administrators" is visually at position 74 but receives focus at position 154 (drift: 80). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Floodplain Administrators</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "GOV TV 16" is visually at position 98 but receives focus at position 166 (drift: 68). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>GOV TV 16</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Fitness Centers" is visually at position 69 but receives focus at position 151 (drift: 82). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Fitness Centers</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Find Your Jurisdiction or Permitting Agency" is visually at position 65 but receives focus at position 149 (drift: 84). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Find Your Jurisdiction or Permitting Agency</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Gross Receipts Tax" is visually at position 110 but receives focus at position 172 (drift: 62). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Gross Receipts Tax</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "General Services Division" is visually at position 94 but receives focus at position 163 (drift: 69). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>General Services Division</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Fire & Rescue" is visually at position 67 but receives focus at position 150 (drift: 83). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Fire & Rescue</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Food Manager Card" is visually at position 79 but receives focus at position 157 (drift: 78). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Food Manager Card</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "GovDeals Online Surplus Auction" is visually at position 100 but receives focus at position 167 (drift: 67). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>GovDeals Online Surplus Auction</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Find Your Commission District" is visually at position 63 but receives focus at position 148 (drift: 85). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Find Your Commission District</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Graffiti Removal Program and Form" is visually at position 104 but receives focus at position 169 (drift: 65). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Graffiti Removal Program and Form</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Garbage Pick-up" is visually at position 91 but receives focus at position 161 (drift: 70). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Garbage Pick-up</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Full Custody List" is visually at position 85 but receives focus at position 160 (drift: 75). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Full Custody List</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Flood Zone Information" is visually at position 76 but receives focus at position 155 (drift: 79). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Flood Zone Information</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Free Lunch Program" is visually at position 83 but receives focus at position 159 (drift: 76). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Free Lunch Program</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "GovDelivery Enrollment" is visually at position 102 but receives focus at position 168 (drift: 66). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>GovDelivery Enrollment</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Greenprint" is visually at position 106 but receives focus at position 170 (drift: 64). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Greenprint</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Groundwater Resources" is visually at position 112 but receives focus at position 173 (drift: 61). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Groundwater Resources</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Film BernCo" is visually at position 59 but receives focus at position 146 (drift: 87). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Film BernCo</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Finance Division" is visually at position 61 but receives focus at position 147 (drift: 86). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Finance Division</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "General Obligation Bonds" is visually at position 93 but receives focus at position 162 (drift: 69). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>General Obligation Bonds</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Gift/Financial Disclosure Forms For Elected Officials & Publ" is visually at position 95 but receives focus at position 164 (drift: 69). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Gift/Financial Disclosure Forms For Elected Officials & Publ</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Fleet/Facilities Management" is visually at position 73 but receives focus at position 153 (drift: 80). WCAG 2.4.3

Page: /a-z/ WCAG 2.4.3

Element:

```
<a>Fleet/Facilities Management</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Broken link: https://www.bernco.gov/animal-care-services returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/animal-care-services">Animal Care Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/business-services/permits-inspections-licensing/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/business-services/permits-inspections-licensing/">Permits, Inspections &amp; Licensing</a>
```

MEDIUM Broken link: https://www.bernco.gov/how-do-i/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/how-do-i/">How Do I?</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/finance/">Finance</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/about-us/accounting-and-budget/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/finance/about-us/accounting-and-budget/">Accounting &amp; Budget</a>
```

MEDIUM Broken link: https://www.bernco.gov/emergency-management returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/emergency-management">Emergency Management</a>
```

MEDIUM Broken link: https://www.bernco.gov/forms/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/forms/">Forms</a>
```

MEDIUM Broken link: https://www.bernco.gov/capital-improvement-program/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/capital-improvement-program/">Overview</a>
```

MEDIUM Broken link: https://www.bernco.gov/health-and-public-safety/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/health-and-public-safety/">Public Safety</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/consumer-health-protection/food-safety/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/planning/consumer-health-protection/food-safety/">He
alth Protection Codes/Permits (Food &amp;amp; Pools)</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/compliments-and-complaints/ returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/county-manager/compliments-and-complaints/">Complain
ts &amp;amp; Compliments</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/building-services/apply-for-trade-permits/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/planning/building-services/apply-for-trade-permit
s/">Trade Permits</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/credit-card/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/bernco-view/credit-card/">Credit Card Information - Commissioners, County Manager and Assistants</a>
```

MEDIUM Broken link: https://www.bernco.gov/public-works/about-the-public-works-division/fleet-facilities-management/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/public-works/about-the-public-works-division/fleet-facilities-management/">Fleet/Facilities Management</a>
```

MEDIUM Broken link: https://www.bernco.gov/general-services/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/general-services/">General Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/gis-overview/map-gallery/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/planning/gis-overview/map-gallery/">Maps</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/operations-excellence-office/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/finance/operations-excellence-office/">Operations Excellence Office</a>
```

MEDIUM Broken link: https://www.bernco.gov/community-services/parks-recreation/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/community-services/parks-recreation/">Parks, Recreat
ion and Open Space</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/for-business-owners/business-license-registration/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/planning/for-business-owners/business-license-regist
ration/">Business Registration</a>
```

MEDIUM Broken link: https://www.bernco.gov/your-community/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/your-community/">Living Here</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/ordinances-codes/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/planning/ordinances-codes/">Ordinances &amp;amp; Codes</
a>
```

MEDIUM Broken link: https://www.bernco.gov/bernalillo-county-sheriff returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/bernalillo-county-sheriff">Sheriff’s Office</a>
```

MEDIUM Broken link: https://www.bernco.gov/public-works/public-works-services/water-wastewater-stormwater/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/water-wastewater-
stormwater/">Natural Resource Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/public-works/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/public-works/">Public Works</a>
```

MEDIUM Broken link: https://www.bernco.gov/a-z/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/a-z/">A-Z Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/metropolitan-detention-center/inmate-money/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/metropolitan-detention-center/inmate-money/">Inmate Money</a>
```

MEDIUM Broken link: https://www.bernco.gov/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/">Home</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-media/general-news/behavioral-health-services-news-archive/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/bernco-media/general-news/behavioral-health-services-news-archive/">News</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/tax-dollars-at-work/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/finance/tax-dollars-at-work/">Tax Dollars at Work</a
>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/employee-salaries/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/bernco-view/employee-salaries/">Employee Salaries</a
>
```

MEDIUM Broken link: https://www.bernco.gov/behavioral-health-authority/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/behavioral-health-authority/">Behavioral Health Auth
ority</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/contracts/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/bernco-view/contracts/">Contracts</a>
```

MEDIUM Broken link: https://www.bernco.gov/your-community/services/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/your-community/services/">Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/youth-services-center returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/youth-services-center">Youth Services Center</a>
```

MEDIUM Broken link: https://www.bernco.gov/government/elected-officials/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/government/elected-officials/">Elected Officials</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/county-employee-information/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/bernco-view/county-employee-information/">County Emp
loyee Information</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/county-manager">County Manager/Administration</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/county-accounting-budget/audits/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/finance/county-accounting-budget/audits/">Audits</a>
```

MEDIUM Broken link: https://www.bernco.gov/district-3/district-3/financial-disclosures/ returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/district-3/district-3/financial-disclosures/">Distri
ct 3 Directed Funding</a>
```

MEDIUM Broken link: https://www.bernco.gov/probate-court/probate-process/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/probate-court/probate-process/">Wills, Estate &amp;
Probate Court</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/ returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/bernco-view/">Public Records &amp; Data</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/planning">Planning &amp; Development Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/fire/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/fire/">Fire &amp; Rescue</a>
```

MEDIUM Broken link: https://www.bernco.gov/contact-us/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/contact-us/">Contact Us</a>
```

MEDIUM Broken link: https://www.bernco.gov/human-resources returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/human-resources">Human Resources</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/criminal-justice-coordinating-council/ returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/county-manager/criminal-justice-coordinating-council/">Criminal Justice Coordinating Council</a>
```

MEDIUM Broken link: https://www.bernco.gov/DBHS-archive/?page_id=15020 returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/DBHS-archive/?page_id=15020">Home</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/university-of-new-mexico-hospital-mill-levy/ returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/county-manager/university-of-new-mexico-hospital-mill-levy/">University of New Mexico Hospital Mill Levy</a>
```

MEDIUM Broken link: https://www.bernco.gov/compliance-office returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/compliance-office">Compliance Office</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/for-residents-homeowners/homeowner-projects-permits/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/planning/for-residents-homeowners/homeowner-projects
-permits/">Home Improvement Permits</a>
```

MEDIUM Broken link: https://www.bernco.gov/emergency-communications returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/emergency-communications">Emergency Communications</
a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/opengov-financials/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/finance/opengov-financials/">OpenGov Financials</a>
```

MEDIUM Broken link: https://www.bernco.gov/public-safety/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/public-safety/">Public Safety</a>
```

MEDIUM Broken link: https://www.bernco.gov/human-resources/about-us/labor-relations-1/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/human-resources/about-us/labor-relations-1/">Labor R
elations</a>
```

MEDIUM Broken link: https://www.bernco.gov/boards-commissions/public-comment/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/boards-commissions/public-comment/">Comment on an Or
dinance</a>
```

MEDIUM Broken link: https://www.bernco.gov/government/talk-to-us/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/government/talk-to-us/">Talk to Us</a>
```

MEDIUM Broken link: https://www.bernco.gov/human-resources/labor-and-employee-relations-center-of-excellence/union-contracts-mous/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/human-resources/labor-and-employee-relations-center-of-excellence/union-contracts-mous/">Union Contracts</a>
```

MEDIUM Broken link: https://www.bernco.gov/careers/bernco/classspecs returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/careers/bernco/classspecs">Job Descriptions</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/bernalillo-county-mdc-population-dashboard/# returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/county-manager/bernalillo-county-mdc-population-dashboard/#">MDC Population Dashboard</a>
```

MEDIUM Broken link: https://www.bernco.gov/district-2/about-the-commissioner/ returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/district-2/about-the-commissioner/">About the Commissioner</a>
```

MEDIUM Broken link: https://www.bernco.gov/clerk/marriage-licenses/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/clerk/marriage-licenses/">Marriage Licenses</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/investor-relations/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/finance/investor-relations/">Investor Relations</a>
```

MEDIUM Broken link: https://www.bernco.gov/treasurer/paying-your-property-taxes-overview/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/treasurer/paying-your-property-taxes-overview/">Pay Property Tax</a>
```

MEDIUM Broken link: https://www.bernco.gov/economic-development returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/economic-development">Economic Development</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/campaign-contributions/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/bernco-view/campaign-contributions/">Campaign Contributions</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/holiday-schedule/ returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/county-manager/holiday-schedule/">Holiday Schedule</
a>
```

MEDIUM Broken link: https://www.bernco.gov/legal returned status 403 Forbidden after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/legal">County Attorney</a>
```

MEDIUM Broken link: https://www.bernco.gov/fire returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/fire">Fire &amp; Rescue</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/employee-salaries/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/bernco-view/employee-salaries/">Employee Salaries</a
>
```

MEDIUM Broken link: https://www.bernco.gov/probate-court/probate-process/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/probate-court/probate-process/">Wills, Estate &amp;
Probate Court</a>
```

MEDIUM Broken link: https://www.bernco.gov/fire returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/fire">Fire &amp; Rescue</a>
```

MEDIUM Broken link: https://www.bernco.gov/contact-us/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/contact-us/">Contact Us</a>
```

MEDIUM Broken link: https://www.bernco.gov/health-and-public-safety/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/health-and-public-safety/">Public Safety</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/for-residents-homeowners/homeowner-projects-permits/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/planning/for-residents-homeowners/homeowner-projects
-permits/">Home Improvement Permits</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/compliments-and-complaints/ returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/county-manager/compliments-and-complaints/">Complain
ts &amp; Compliments</a>
```

MEDIUM Broken link: https://www.bernco.gov/legal returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/legal">County Attorney</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/about-us/accounting-and-budget/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/finance/about-us/accounting-and-budget/">Accounting &amp;amp; Budget</a>
```

MEDIUM Broken link: https://www.bernco.gov/fire/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/fire/">Fire &amp;amp; Rescue</a>
```

MEDIUM Broken link: https://www.bernco.gov/behavioral-health-authority/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/behavioral-health-authority/">Behavioral Health Authority</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/county-employee-information/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/bernco-view/county-employee-information/">County Employee Information</a>
```

MEDIUM Broken link: https://www.bernco.gov/emergency-communications returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/emergency-communications">Emergency Communications</a>
```

MEDIUM Broken link: https://www.bernco.gov/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/">Home</a>
```

MEDIUM Broken link: https://www.bernco.gov/human-resources returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/human-resources">Human Resources</a>
```

MEDIUM Broken link: https://www.bernco.gov/DBHS-archive/?page_id=15020 returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/DBHS-archive/?page_id=15020">Home</a>
```

MEDIUM Broken link: https://www.bernco.gov/forms/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/forms/">Forms</a>
```

MEDIUM Broken link: https://www.bernco.gov/human-resources/about-us/labor-relations-1/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/human-resources/about-us/labor-relations-1/">Labor R
elations</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/criminal-justice-coordinating-council/ returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/county-manager/criminal-justice-coordinating-council/">Criminal Justice Coordinating Council</a>
```

MEDIUM

Broken link: https://www.bernco.gov/community-services/community-health-outreach/health-social-service-initiatives/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/community-services/community-health-outreach/health-social-service-initiatives/">Health &amp;amp; Social Services Initiatives</a>
```

MEDIUM

Broken link: https://www.bernco.gov/government/elected-officials/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/government/elected-officials/">Elected Officials</a>
```

MEDIUM

Broken link: https://www.bernco.gov/county-manager/university-of-new-mexico-hospital-mill-levy/ returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/county-manager/university-of-new-mexico-hospital-mill-levy/">University of New Mexico Hospital Mill Levy</a>
```

MEDIUM

Broken link: https://www.bernco.gov/public-safety/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/public-safety/">Public Safety</a>
```

MEDIUM

Broken link: https://www.bernco.gov/economic-development returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/economic-development">Economic Development</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/opengov-financials/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/finance/opengov-financials/">OpenGov Financials</a>
```

MEDIUM Broken link: https://www.bernco.gov/district-3/district-3/financial-disclosures/ returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/district-3/district-3/financial-disclosures/">Distri
ct 3 Directed Funding</a>
```

MEDIUM Broken link: https://www.bernco.gov/your-community/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/your-community/">Living Here</a>
```

MEDIUM Broken link: https://www.bernco.gov/public-works/about-the-public-works-division/fleet-facilities-management/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/public-works/about-the-public-works-division/fleet-f
acilities-management/">Fleet/Facilities Management</a>
```

MEDIUM Broken link: https://www.bernco.gov/public-works/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/public-works/">Public Works</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/building-services/apply-for-trade-permits/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/planning/building-services/apply-for-trade-permits/">Trade Permits</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/finance/">Finance</a>
```

MEDIUM Broken link: https://www.bernco.gov/youth-services-center returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/youth-services-center">Youth Services Center</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/operations-excellence-office/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/finance/operations-excellence-office/">Operations Excellence Office</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/investor-relations/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/finance/investor-relations/">Investor Relations</a>
```

MEDIUM Broken link: https://www.bernco.gov/clerk/marriage-licenses/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/clerk/marriage-licenses/">Marriage Licenses</a>
```

MEDIUM Broken link: https://www.bernco.gov/how-do-i/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/how-do-i/">How Do I?</a>
```

MEDIUM Broken link: https://www.bernco.gov/general-services/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/general-services/">General Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/animal-care-services returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/animal-care-services">Animal Care Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/metropolitan-detention-center/inmate-money/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/metropolitan-detention-center/inmate-money/">Inmate Money</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/bernalillo-county-mdc-population-dashboard/# returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/county-manager/bernalillo-county-mdc-population-dashboard/#">MDC Population Dashboard</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/planning">Planning &amp;amp; Development Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernalillo-county-sheriff returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/bernalillo-county-sheriff">Sheriff’s Office</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/campaign-contributions/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/bernco-view/campaign-contributions/">Campaign Contri
butions</a>
```

MEDIUM Broken link: https://www.bernco.gov/business-services/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/business-services/">Doing Business with the County</
a>
```

MEDIUM Broken link: https://www.bernco.gov/public-works/public-works-services/water-wastewater-stormwater/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/water-wastewater-
stormwater/">Natural Resource Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-media/general-news/behavioral-health-services-news-archive/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/bernco-media/general-news/behavioral-health-services-news-archive/">News</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/consumer-health-protection/food-safety/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/planning/consumer-health-protection/food-safety/">Health Protection Codes/Permits (Food &amp;amp; Pools)</a>
```

MEDIUM Broken link: https://www.bernco.gov/a-z/#search returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/a-z/#search">Search</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/contracts/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/bernco-view/contracts/">Contracts</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/credit-card/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/bernco-view/credit-card/">Credit Card Information - Commissioners, County Manager and Assistants</a>
```

MEDIUM Broken link: https://www.bernco.gov/emergency-management returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/emergency-management">Emergency Management</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/ordinances-codes/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/planning/ordinances-codes/">Ordinances &amp;amp; Codes</
a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/county-accounting-budget/audits/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/finance/county-accounting-budget/audits/">Audits</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/county-manager">County Manager/Administration</a>
```

MEDIUM Broken link: https://www.bernco.gov/government/talk-to-us/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/government/talk-to-us/">Talk to Us</a>
```

MEDIUM Broken link: https://www.bernco.gov/human-resources/labor-and-employee-relations-center-of-excellence/union-contracts-mous/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/human-resources/labor-and-employee-relations-center-
of-excellence/union-contracts-mous/">Union Contracts</a>
```

MEDIUM Broken link: https://www.bernco.gov/a-z/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/a-z/">A-Z Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/holiday-schedule/ returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/county-manager/holiday-schedule/">Holiday Schedule</
a>
```

MEDIUM Broken link: https://www.bernco.gov/your-community/services/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/your-community/services/">Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/boards-commissions/public-comment/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/boards-commissions/public-comment/">Comment on an Or
dinance</a>
```

MEDIUM Broken link: https://www.bernco.gov/compliance-office/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/compliance-office/">Compliance Office Home</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/ returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/bernco-view/">Public Records &amp;amp; Data</a>
```

MEDIUM Broken link: https://www.bernco.gov/treasurer/paying-your-property-taxes-overview/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/treasurer/paying-your-property-taxes-overview/">Pay Property Tax</a>
```

MEDIUM Broken link: https://www.bernco.gov/district-2/about-the-commissioner/ returned status 403 Forbidden after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/district-2/about-the-commissioner/">About the Commissioner</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/for-business-owners/business-license-registration/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/planning/for-business-owners/business-license-registration/">Business Registration</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/gis-overview/map-gallery/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/planning/gis-overview/map-gallery/">Maps</a>
```

MEDIUM Broken link: https://www.bernco.gov/careers/bernco/classspecs returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/careers/bernco/classspecs">Job Descriptions</a>
```

MEDIUM Broken link: https://www.bernco.gov/capital-improvement-program/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/capital-improvement-program/">Overview</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/tax-dollars-at-work/ returned status 403 Forbidden after 1 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/finance/tax-dollars-at-work/">Tax Dollars at Work</a
>
```

MEDIUM Broken link: https://www.bernco.gov/economic-development/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/economic-development/">Economic Development</a>
```

MEDIUM Broken link: https://www.bernco.gov/metropolitan-detention-center/inmate-money/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/metropolitan-detention-center/inmate-money/">Inmate
Money</a>
```

MEDIUM Broken link: https://www.bernco.gov/fire/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/fire/">Fire &amp;amp; Rescue</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/university-of-new-mexico-hospital-mill-levy/ returned status 403 Forbidden after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/county-manager/university-of-new-mexico-hospital-mil
l-levy/">University of New Mexico Hospital Mill Levy</a>
```

MEDIUM Broken link: https://www.bernco.gov/your-community/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/your-community/">Living Here</a>
```

MEDIUM Broken link: https://www.bernco.gov/public-works/about-the-public-works-division/fleet-facilities-management/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/public-works/about-the-public-works-division/fleet-f
acilities-management/">Fleet/Facilities Management</a>
```

MEDIUM Broken link: https://www.bernco.gov/legal returned status 403 Forbidden after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/legal">County Attorney</a>
```

MEDIUM Broken link: https://www.bernco.gov/human-resources returned status 403 Forbidden after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/human-resources">Human Resources</a>
```

MEDIUM Broken link: https://www.bernco.gov/government/elected-officials/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/government/elected-officials/">Elected Officials</a>
```

MEDIUM Broken link: https://www.bernco.gov/contact-us/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/contact-us/">Contact Us</a>
```

MEDIUM Broken link: https://www.bernco.gov/public-works/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/public-works/">Public Works</a>
```

MEDIUM Broken link: https://www.bernco.gov/compliance-office/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/compliance-office/">Compliance Office Home</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/bernalillo-county-mdc-population-dashboard/# returned status 403 Forbidden after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/county-manager/bernalillo-county-mdc-population-dashboard/#">MDC Population Dashboard</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/compliments-and-complaints/ returned status 403 Forbidden after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/county-manager/compliments-and-complaints/">Complain
ts &amp;amp; Compliments</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/for-residents-homeowners/homeowner-projects-permits/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/planning/for-residents-homeowners/homeowner-projects
-permits/">Home Improvement Permits</a>
```

MEDIUM Broken link: https://www.bernco.gov/probate-court/probate-process/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/probate-court/probate-process/">Wills, Estate &amp;
Probate Court</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/holiday-schedule/ returned status 403 Forbidden after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/county-manager/holiday-schedule/">Holiday Schedule</
a>
```

MEDIUM Broken link: https://www.bernco.gov/clerk/marriage-licenses/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/clerk/marriage-licenses/">Marriage Licenses</a>
```

MEDIUM Broken link: https://www.bernco.gov/careers/bernco/classspecs returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/careers/bernco/classspecs">Job Descriptions</a>
```

MEDIUM Broken link: https://www.bernco.gov/government/talk-to-us returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/government/talk-to-us">Talk To Us</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/county-employee-information/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/bernco-view/county-employee-information/">County Emp
loyee Information</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/investor-relations/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/finance/investor-relations/">Investor Relations</a>
```

MEDIUM Broken link: https://www.bernco.gov/boards-commissions/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/boards-commissions/">Agendas</a>
```

MEDIUM Broken link: https://www.bernco.gov/district-2/about-the-commissioner/ returned status 403 Forbidden after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/district-2/about-the-commissioner/">About the Commis
sioner</a>
```

MEDIUM Broken link: https://www.bernco.gov/forms/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/forms/">Forms</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/county-manager">County Manager/Administration</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/consumer-health-protection/food-safety/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/planning/consumer-health-protection/food-safety/">He
alth Protection Codes/Permits (Food &amp;amp; Pools)</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/ordinances-codes/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/planning/ordinances-codes/">Ordinances &amp;amp; Codes</
a>
```

MEDIUM Broken link: https://www.bernco.gov/DBHS-archive/?page_id=15755 returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/DBHS-archive/?page_id=15755">Young Adult Program</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/credit-card/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/bernco-view/credit-card/">Credit Card Information – Commissioners, County Manager and Assistants</a>
```

MEDIUM Broken link: https://www.bernco.gov/business-services/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/business-services/">Doing Business with the County</a>
```

MEDIUM Broken link: https://www.bernco.gov/your-community/services/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/your-community/services/">Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/human-resources/about-us/labor-relations-1/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/human-resources/about-us/labor-relations-1/">Labor Relations</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/opengov-financials/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/finance/opengov-financials/">OpenGov Financials</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/campaign-contributions/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/bernco-view/campaign-contributions/">Campaign Contri
butions</a>
```

MEDIUM Broken link: https://www.bernco.gov/how-do-i/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/how-do-i/">How Do I?</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/county-accounting-budget/audits/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/finance/county-accounting-budget/audits/">Audits</a>
```

MEDIUM Broken link: https://www.bernco.gov/human-resources/labor-and-employee-relations-center-of-excellence/union-contracts-mous/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/human-resources/labor-and-employee-relations-center-
of-excellence/union-contracts-mous/">Union Contracts</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/planning">Planning &amp;amp; Development Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/about-us/accounting-and-budget/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/finance/about-us/accounting-and-budget/">Accounting
&amp;amp; Budget</a>
```

MEDIUM Broken link: https://www.bernco.gov/youth-services-center/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/youth-services-center/">Youth Services Center Home</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernalillo-county-sheriff/recruiting/citizens-police-academy/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/bernalillo-county-sheriff/recruiting/citizens-police-academy/">Sheriff’s Citizen Academy</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/contracts/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/bernco-view/contracts/">Contracts</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/operations-excellence-office/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/finance/operations-excellence-office/">Operations Excellence Office</a>
```

MEDIUM Broken link: https://www.bernco.gov/fire returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/fire">Fire &amp; Rescue</a>
```

MEDIUM Broken link: https://www.bernco.gov/public-safety/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/public-safety/">Public Safety</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/ returned status 403 Forbidden after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/bernco-view/">Public Records &amp;amp; Data</a>
```

MEDIUM Broken link: https://www.bernco.gov/county-manager/criminal-justice-coordinating-council/ returned status 403 Forbidden after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/county-manager/criminal-justice-coordinating-council/">Criminal Justice Coordinating Council</a>
```

MEDIUM Broken link: https://www.bernco.gov/community-services/community-health-outreach/health-social-service-initiatives/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/community-services/community-health-outreach/health-social-service-initiatives/">Health &amp;amp; Social Services Initiatives</a>
```

MEDIUM Broken link: https://www.bernco.gov/capital-improvement-program/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/capital-improvement-program/">Overview</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/for-business-owners/business-license-registration/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/planning/for-business-owners/business-license-registration/">Business Registration</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/building-services/apply-for-trade-permits/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/planning/building-services/apply-for-trade-permits/">Trade Permits</a>
```

MEDIUM Broken link: https://www.bernco.gov/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/">Home</a>
```

MEDIUM Broken link: https://www.bernco.gov/planning/gis-overview/map-gallery/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/planning/gis-overview/map-gallery/">Maps</a>
```

MEDIUM Broken link: https://www.bernco.gov/emergency-communications/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/emergency-communications/">Emergency Communications Home</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/tax-dollars-at-work/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/finance/tax-dollars-at-work/">Tax Dollars at Work</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-view/employee-salaries/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/bernco-view/employee-salaries/">Employee Salaries</a
>
```

MEDIUM Broken link: https://www.bernco.gov/public-works/public-works-services/water-wastewater-stormwater/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/water-wastewater-
stormwater/">Natural Resource Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/finance/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/finance/">Finance</a>
```

MEDIUM Broken link: https://www.bernco.gov/district-3/district-3/financial-disclosures/ returned status 403 Forbidden after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/district-3/district-3/financial-disclosures/">Distri
ct 3 Directed Funding</a>
```

MEDIUM Broken link: https://www.bernco.gov/treasurer/paying-your-property-taxes-overview/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/treasurer/paying-your-property-taxes-overview/">Pay
Property Tax</a>
```

MEDIUM Broken link: https://www.bernco.gov/behavioral-health-authority/data-dashboard/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/behavioral-health-authority/data-dashboard/">Opioid Settlement Dashboard</a>
```

MEDIUM Broken link: https://www.bernco.gov/animal-care-services/enforcement/file-an-animal-complaint/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/animal-care-services/enforcement/file-an-animal-complaint/">File an Animal Complaint</a>
```

MEDIUM Broken link: https://www.bernco.gov/general-services/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/general-services/">General Services</a>
```

MEDIUM Broken link: https://www.bernco.gov/health-and-public-safety returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/health-and-public-safety">Public Safety</a>
```

MEDIUM Broken link: https://www.bernco.gov/bernco-media/general-news/behavioral-health-services-news-archive/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/bernco-media/general-news/behavioral-health-services-news-archive/">News</a>
```

MEDIUM Broken link: https://www.bernco.gov/emergency-management/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/emergency-management/">Emergency Management / Homela
nd Security</a>
```

MEDIUM Broken link: https://www.bernco.gov/a-z/ returned status 403 Forbidden after 1 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/a-z/">A-Z Services</a>
```

MEDIUM Element overflows viewport by 18px at Phone SE (320px width). WCAG 1.4.10

Page: /a-z/ WCAG 1.4.10

Element:

```
<a href="#K">K</a>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 425px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /a-z/ WCAG Sonde responsive contract

Element:

```
<tbody>
<tr>
<td style="width: 5%;">
<h2><u><a href="#A">A</a></u></h2>
</td>
<td style="width: 2.5%;">
<h2><u><a href="#B">B</a></u></h2>
</td>
<td style="width: 3.23625%;">
<h2><u><a href="#C">C</a>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 18px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /a-z/ WCAG Sonde responsive contract

Element:

```
<td style="width: 0.0012207%;">
<h2><u><a href="#M">M</a></u></h2>
</td>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 18px at Phone SE (320px width). WCAG 1.4.10

Page: /a-z/ WCAG 1.4.10

Element:

```
<u><a href="#K">K</a></u>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 425px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /a-z/ WCAG Sonde responsive contract

Element:

```
<tr>
<td style="width: 5%;">
<h2><u><a href="#A">A</a></u></h2>
</td>
<td style="width: 2.5%;">
<h2><u><a href="#B">B</a></u></h2>
</td>
<td style="width: 3.23625%;">
<h2><u><a href="#C">C</a></u></h2
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 18px at Phone SE (320px width). WCAG 1.4.10

Page: /a-z/ WCAG 1.4.10

Element:

```
<h2><u><a href="#K">K</a></u></h2>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 495px at Phone SE (320px width). WCAG 1.4.10

Page: /a-z/ WCAG 1.4.10

Element:

```
<tr>
<td style="width: 5%;">
<h2><u><a href="#A">A</a></u></h2>
</td>
<td style="width: 2.5%;">
<h2><u><a href="#B">B</a></u></h2>
</td>
<td style="width: 3.23625%;">
<h2><u><a href="#C">C</a></u></h2
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 496px at Phone SE (320px width). WCAG 1.4.10

Page: /a-z/ WCAG 1.4.10

Element:

```
<table border="1" style="border-collapse: collapse; width: 100%;">
<tbody>
<tr>
<td style="width: 5%;">
<h2><u><a href="#A">A</a></u></h2>
</td>
<td style="width: 2.5%;">
<h2><u><a href="#B">B</a></u>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 426px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /a-z/ WCAG Sonde responsive contract

Element:

```
<table border="1" style="border-collapse: collapse; width: 100%;">
<tbody>
<tr>
<td style="width: 5%;">
<h2><u><a href="#A">A</a></u></h2>
</td>
<td style="width: 2.5%;">
<h2><u><a href="#B">B</a></u>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 10px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /a-z/ WCAG Sonde responsive contract

Element:

```
<a href="#M">M</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 495px at Phone SE (320px width). WCAG 1.4.10

Page: /a-z/ WCAG 1.4.10

Element:

```
<tbody>
<tr>
<td style="width: 5%;">
<h2><u><a href="#A">A</a></u></h2>
</td>
<td style="width: 2.5%;">
<h2><u><a href="#B">B</a></u></h2>
</td>
<td style="width: 3.23625%;">
<h2><u><a href="#C">C</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 27px at Phone SE (320px width). WCAG 1.4.10

Page: /a-z/ WCAG 1.4.10

Element:

```
<td style="width: 0.0048828%;">
<h2><u><a href="#K">K</a></u></h2>
</td>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 10px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /a-z/ WCAG Sonde responsive contract

Element:

```
<u><a href="#M">M</a></u>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 10px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /a-z/ WCAG Sonde responsive contract

Element:

```
<h2><u><a href="#M">M</a></u></h2>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a" is only 26px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /bernco-media/general-news/ WCAG 2.5.8

Element:

```
<a>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.et_pb_button.et_pb_button_2_tb_header" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /bernco-media/general-news/ WCAG 2.5.8

Element:

```
<a.et_pb_button.et_pb_button_2_tb_header>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.icon.et_pb_with_border" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /bernco-media/general-news/ WCAG 2.5.8

Element:

```
<a.icon.et_pb_with_border>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.et_pb_button.et_pb_button_3_tb_header" is only 34px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /bernco-media/general-news/ WCAG 2.5.8

Element:

```
<a.et_pb_button.et_pb_button_3_tb_header>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#gsc-i-id2" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /bernco-media/general-news/ WCAG 2.5.8

Element:

```
<#gsc-i-id2>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.logo" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /bernco-media/general-news/ WCAG 2.5.8

Element:

```
<a.logo>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

LOW Deep focus region: nav "Overview Events Social Media Center Vide" has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /bernco-media/general-news/ WCAG 2.4.1

Element:

```
<nav role="nav">Overview
Events
Social Media Center
Vide</nav>
```

SONDE FIX PLAN

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Link timeout: https://www.bernco.gov/boards-commissions did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/boards-commissions">Boards &amp;amp; Commissions</a>
```

LOW Link timeout: https://bernalillocountynm-web.tylerhost.net/web/user/disclaimer did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://bernalillocountynm-web.tylerhost.net/web/user/disclaimer">Marriage License Records</a>
```

LOW Link timeout: https://viaintfacep2.bernco.gov/custodylist/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://viaintfacep2.bernco.gov/custodylist/">Custody List</a>
```

LOW Link timeout: https://assessor.bernco.gov/public.access/search/commonsearch.aspx?mode=realprop did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://assessor.bernco.gov/public.access/search/commonsearch.aspx?mode=realprop">Lookup Property Information</a>
```

LOW Link timeout: https://www.bernco.gov/probate-court/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/probate-court/">Probate Judge – Cristy J. Carbon-Gaul</a>
```

LOW Link timeout: https://www.berncoclerk.gov/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.berncoclerk.gov/">Clerk – Michelle S. Kavanaugh</a>
```

LOW Link timeout: https://www.bernco.gov/bernalillo-county-sheriff/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/bernalillo-county-sheriff/">Sheriff – John D. Allen</a>
```

LOW Link timeout: https://www.bernco.gov/online-services did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/online-services">Services for Residents</a>
```

LOW Link timeout: https://www.paydici.com/bernalillo-county-nm/search/landing did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.paydici.com/bernalillo-county-nm/search/landing">Pay Property T
ax</a>
```

LOW Link timeout: https://www.bernco.gov/county-manager/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/county-manager/">County Manager’s Division</a>
```

LOW Link timeout: http://notifications.bernco.gov/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="http://notifications.bernco.gov/">BernCo Text &amp;amp; Email Notifications</a>
```

LOW Link timeout: https://www.flickr.com/photos/124401095@N07 did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.flickr.com/photos/124401095@N07">Follow</a>
```

LOW Link timeout: https://www.bernco.gov/community-services/cultural-services/cultural-services-events/chile-festival/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/community-services/cultural-services/cultural-servic
es-events/chile-festival/"></a>
```

LOW Link timeout: https://www.instagram.com/berncounty/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.instagram.com/berncounty/">Follow</a>
```

LOW Link timeout: https://www.bernco.gov/public-works/public-works-services/graffiti-removal/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/graffiti-remova
l/">Report Graffiti</a>
```

LOW Link timeout: https://www.bernco.gov/district-1/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/district-1/">District 1 – Barbara Baca</a>
```

LOW Link timeout: https://www.bernco.gov/assessor/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/assessor/">Assessor – Damian R. Lara</a>
```

LOW Link timeout: http://epermits.bernco.gov/CitizenAccess/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="http://epermits.bernco.gov/CitizenAccess/">Property &amp;amp; Permits Lookup</a
>
```

LOW Link timeout: https://twitter.com/BernCounty did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://twitter.com/BernCounty">Follow</a>
```

LOW Link timeout: https://www.bernco.gov/capital-improvement-program did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/capital-improvement-program">Capital Improvement Pla
n</a>
```

LOW Link timeout: http://app.bernco.gov/warrants/ did not respond within 5000ms after 4 attempts

Page: /

Element:

```
<a href="http://app.bernco.gov/warrants/">Warrants</a>
```

LOW Link timeout: https://www.bernco.gov/treasurer/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/treasurer/">Treasurer – Tim Eichenberg</a>
```

LOW Link timeout: https://bernco.wd1.myworkdayjobs.com/berncocareers did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://bernco.wd1.myworkdayjobs.com/berncocareers">Jobs</a>
```

LOW Link timeout: https://www.bernco.gov/customer-service/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/customer-service/">Customer Service</a>
```

LOW Link timeout: http://app.bernco.gov/HA_App_Portal/ did not respond within 5000ms after 6 attempts

Page: /

Element:

```
<a href="http://app.bernco.gov/HA_App_Portal/">Housing Portal</a>
```

LOW Link timeout: https://www.bernco.gov/clerk-old/voter-registration/my-voter-information/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/clerk-old/voter-registration/my-voter-information/">
My Voter Information</a>
```

LOW Link timeout: https://www.bernco.gov/#search did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.bernco.gov/#search">Search</a>
```

LOW Link timeout: https://www.youtube.com/channel/UCAKt5BZwiEUsv7sfIuPVDFQ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.youtube.com/channel/UCAKt5BZwiEUsv7sfIuPVDFQ">Follow</a>
```

LOW Link timeout: http://assessor.bernco.gov/public.access/Search/Disclaimer.aspx?FromUrl=../search/commonsearch.aspx?mode=realprop did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="http://assessor.bernco.gov/public.access/Search/Disclaimer.aspx?FromUrl=../search/commonsearch.aspx?mode=realprop">Assessor Property Record Search Tool</a>
```

LOW Link timeout: http://www.govdeals.com/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="http://www.govdeals.com/">Online Government Surplus Auctions</a>
```

LOW Link timeout: https://www.bernco.gov/community-services/cultural-services/cultural-services-events/chile-festival/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/community-services/cultural-services/cultural-services-events/chile-festival/"></a>
```

LOW Link timeout: https://www.flickr.com/photos/124401095@N07 did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.flickr.com/photos/124401095@N07">Follow</a>
```

LOW Link timeout: http://assessor.bernco.gov/public.access/Search/Disclaimer.aspx?FromUrl=../search/commonsearch.aspx?mode=realprop did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="http://assessor.bernco.gov/public.access/Search/Disclaimer.aspx?FromUrl=../search/commonsearch.aspx?mode=realprop">Assessor Property Record Search Tool</a>
```

LOW Link timeout: http://notifications.bernco.gov/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="http://notifications.bernco.gov/">BernCo Text &amp;amp; Email Notifications</a>
```

LOW Link timeout: https://www.bernco.gov/county-manager/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/county-manager/">County Manager’s Division</a>
```

LOW Link timeout: https://www.youtube.com/channel/UCAKt5BZwiEUsv7sfluPVDFQ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.youtube.com/channel/UCAKt5BZwiEUsv7sfIuPVDFQ">Follow</a>
```

LOW Link timeout: https://www.bernco.gov/boards-commissions did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/boards-commissions">Boards &amp;amp; Commissions</a>
```

LOW Link timeout: http://app.bernco.gov/warrants/ did not respond within 5000ms after 4 attempts

Page: /a-z/

Element:

```
<a href="http://app.bernco.gov/warrants/">Warrants</a>
```

LOW Link timeout: http://www.govdeals.com/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="http://www.govdeals.com/">Online Government Surplus Auctions</a>
```

LOW Link timeout: https://assessor.bernco.gov/public.access/search/commonsearch.aspx?mode=realprop did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://assessor.bernco.gov/public.access/search/commonsearch.aspx?mode=realprop">Lookup Property Information</a>
```

LOW Link timeout: https://www.instagram.com/berncounty/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.instagram.com/berncounty/">Follow</a>
```

LOW Link timeout: https://www.bernco.gov/customer-service/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/customer-service/">Customer Service</a>
```

LOW Link timeout: https://www.bernco.gov/capital-improvement-program did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/capital-improvement-program">Capital Improvement Plan</a>
```

LOW Link timeout: https://www.paydici.com/bernalillo-county-nm/search/landing did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.paydici.com/bernalillo-county-nm/search/landing">Pay Property Tax</a>
```

LOW Link timeout: https://bernco.wd1.myworkdayjobs.com/berncocareers did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://bernco.wd1.myworkdayjobs.com/berncocareers">Jobs</a>
```

LOW Link timeout: https://www.bernco.gov/public-works/public-works-services/graffiti-removal/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/graffiti-removal/">Report Graffiti</a>
```

LOW Link timeout: https://www.bernco.gov/bernalillo-county-sheriff/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/bernalillo-county-sheriff/">Sheriff – John D. Allen</a>
```

LOW Link timeout: https://twitter.com/BernCounty did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://twitter.com/BernCounty">Follow</a>
```

LOW Link timeout: https://www.bernco.gov/district-1/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/district-1/">District 1 – Barbara Baca</a>
```

LOW Link timeout: http://app.bernco.gov/HA_App_Portal/ did not respond within 5000ms after 6 attempts

Page: /a-z/

Element:

```
<a href="http://app.bernco.gov/HA_App_Portal/">Housing Portal</a>
```

LOW Link timeout: https://www.bernco.gov/online-services did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/online-services">Services for Residents</a>
```

LOW Link timeout: https://www.bernco.gov/probate-court/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/probate-court/">Probate Judge – Cristy J. Carbon-Gaul</a>
```

LOW Link timeout: https://viaintfacep2.bernco.gov/custodylist/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://viaintfacep2.bernco.gov/custodylist/">Custody List</a>
```

LOW Link timeout: https://www.bernco.gov/clerk-old/voter-registration/my-voter-information/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/clerk-old/voter-registration/my-voter-information/">My Voter Information</a>
```

LOW Link timeout: https://bernalillocountynm-web.tylerhost.net/web/user/disclaimer did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://bernalillocountynm-web.tylerhost.net/web/user/disclaimer">Marriage License Records</a>
```

LOW Link timeout: https://www.bernco.gov/assessor/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/assessor/">Assessor – Damian R. Lara</a>
```

LOW Link timeout: https://www.berncoclerk.gov/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.berncoclerk.gov/">Clerk – Michelle S. Kavanaugh</a>
```

LOW Link timeout: https://www.bernco.gov/treasurer/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="https://www.bernco.gov/treasurer/">Treasurer – Tim Eichenberg</a>
```

LOW Link timeout: http://epermits.bernco.gov/CitizenAccess/ did not respond within 5000ms after 2 attempts

Page: /a-z/

Element:

```
<a href="http://epermits.bernco.gov/CitizenAccess/">Property &amp;amp; Permits Lookup</a
>
```

LOW Link timeout: https://www.bernco.gov/bernalillo-county-sheriff/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/bernalillo-county-sheriff/">Sheriff – John D. Allen
</a>
```

LOW Link timeout: https://www.flickr.com/photos/124401095@N07 did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.flickr.com/photos/124401095@N07">Follow</a>
```

LOW Link timeout: https://www.bernco.gov/probate-court/case-lookup/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/probate-court/case-lookup/">Probate Court Case Looku
p</a>
```

LOW Link timeout: https://www.bernco.gov/assessor/countrywide-canvass/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/assessor/countrywide-canvass/">Assessor Canvass Surv
ey</a>
```

LOW Link timeout: https://bernalillocountynm-web.tylerhost.net/web/user/disclaimer did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://bernalillocountynm-web.tylerhost.net/web/user/disclaimer">Marriage
License Records</a>
```

LOW Link timeout: https://www.berncoclerk.gov/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.berncoclerk.gov/">Clerk – Michelle S. Kavanaugh</a>
```

LOW Link timeout: https://www.bernco.gov/community-services/cultural-services/cultural-services-events/chile-festival/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/community-services/cultural-services/cultural-servic
es-events/chile-festival/"></a>
```

LOW Link timeout: http://app.bernco.gov/HA_App_Portal/ did not respond within 5000ms after 6 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="http://app.bernco.gov/HA_App_Portal/">Housing Portal</a>
```

LOW Link timeout: http://www.govdeals.com/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="http://www.govdeals.com/">Online Government Surplus Auctions</a>
```

LOW Link timeout: https://www.bernco.gov/online-services did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/online-services">Services for Residents</a>
```

LOW Link timeout: https://bernco.wd1.myworkdayjobs.com/berncocareers did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://bernco.wd1.myworkdayjobs.com/berncocareers">Jobs</a>
```

LOW Link timeout: http://assessor.bernco.gov/public.access/Search/Disclaimer.aspx?FromUrl=../search/commonsearch.aspx?mode=realprop did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="http://assessor.bernco.gov/public.access/Search/Disclaimer.aspx?FromUrl=../
search/commonsearch.aspx?mode=realprop">Assessor Property Record Search Tool</a>
```

LOW Link timeout: https://www.bernco.gov/public-works/public-works-services/graffiti-removal/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/public-works/public-works-services/graffiti-removal/">Report Graffiti</a>
```

LOW Link timeout: https://www.bernco.gov/boards-commissions did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/boards-commissions">Boards &amp;amp; Commissions</a>
```

LOW Link timeout: https://www.bernco.gov/capital-improvement-program did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/capital-improvement-program">Capital Improvement Plan</a>
```

LOW Link timeout: https://www.instagram.com/berncounty/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.instagram.com/berncounty/">Follow</a>
```

LOW Link timeout: https://www.bernco.gov/treasurer/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/treasurer/">Treasurer – Tim Eichenberg</a>
```

LOW Link timeout: https://viaintfacep2.bernco.gov/custodylist/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://viaintfacep2.bernco.gov/custodylist/">Custody List</a>
```

LOW Link timeout: http://app.bernco.gov/warrants/ did not respond within 5000ms after 4 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="http://app.bernco.gov/warrants/">Warrants</a>
```

LOW Link timeout: https://www.bernco.gov/district-1/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/district-1/">District 1 – Barbara Baca</a>
```

LOW Link timeout: https://www.bernco.gov/clerk-old/voter-registration/my-voter-information/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/clerk-old/voter-registration/my-voter-information/">
My Voter Information</a>
```

LOW Link timeout: https://www.bernco.gov/county-manager/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/county-manager/">County Manager’s Division</a>
```

LOW Link timeout: https://www.paydici.com/bernalillo-county-nm/search/landing did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.paydici.com/bernalillo-county-nm/search/landing">Pay Property T
ax</a>
```

LOW Link timeout: https://assessor.bernco.gov/public.access/search/commonsearch.aspx?mode=realprop did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://assessor.bernco.gov/public.access/search/commonsearch.aspx?mode=realprop">Lookup Property Information</a>
```

LOW Link timeout: http://notifications.bernco.gov/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="http://notifications.bernco.gov/">BernCo Text &amp;amp; Email Notifications</a>
```

LOW Link timeout: http://epermits.bernco.gov/CitizenAccess/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="http://epermits.bernco.gov/CitizenAccess/">Property &amp;amp; Permits Lookup</a>
```

LOW Link timeout: https://www.youtube.com/channel/UCAKt5BZwiEUsv7sfluPVDFQ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.youtube.com/channel/UCAKt5BZwiEUsv7sfIuPVDFQ">Follow</a>
```

LOW Link timeout: https://www.bernco.gov/customer-service/ did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://www.bernco.gov/customer-service/">Customer Service</a>
```

LOW Link timeout: https://twitter.com/BernCounty did not respond within 5000ms after 2 attempts

Page: /bernco-media/general-news/

Element:

```
<a href="https://twitter.com/BernCounty">Follow</a>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /a-z/

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /a-z/

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /bernco-media/general-news/

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /bernco-media/general-news/

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue