Sonde

Accessibility Health Check

https://www.birminghamal.gov

949



Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/birminghamal-gov/

13 pages **388** findings **12** critical **42** high **263** medium **71** low **29.8** avg/page
5,595 elements **107** with findings **98.1%** ECR **3m 11s** total **14.7s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Insufficient color contrast: 1.15:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 0, 0), background: rgb(18, 22, 25). Text: "Skip to main content"

WCAG 1.4.3

Page: /live/about-birmingham WCAG 1.4.3

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/live/about-birmingham#m
ain-content">Skip to main conten
```

1.15:1 ✗ CURRENT

Skip to main content

#000000 on #121619

4.54:1 ✓ SUGGESTED

Skip to main content

#7f7f7f on #121619

SONDE FIX PLAN

Current ratio: 1.15:1 (need 4.5:1). Change foreground from #000000 to #7f7f7f (ratio: 4.5:1). Or change background from #121619 to #000000.

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.51 (foreground color: #ffffff, background color: #33b3c0, font size: 15.0pt (20px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 1.4.3

Element:

```
<a target="_blank" class="button button-primary" href="https://seeclickfix.com/repor
t">Sign In<i class="fa-arrow-up-right-from-square fa-regular undefined" aria-label="
(link is external)"></i></a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum Current ratio: 2.51:1 (need 4.5:1). Change foreground from #ffffff to #3b3a3a (ratio: 4.5:1).

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.51 (foreground color: #ffffff, background color: #33b3c0, font size: 15.0pt (20px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 1.4.3

Element:

```
<a target="_blank" class="button button-primary" href="https://www.birminghamtimes.com/2023/12/meet-the-designers-behind-birminghams-1963-civil-rights-poster-series/">
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (641px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.4px instead of at least 24px.

WCAG 2.5.8

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.5.8

Element:

```
<a target="_blank" href="/archival-document?d...">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (635.6px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.5.8

Element:

```
<a target="_blank" href="https://s3.us-east-2.amazonaws.com/assets.birminghamal.gov/s3fs-public/2026-05/The-Woodfin-Way.pdf"><i class="fa-file fa-regular pr-2"></i>The Woodfin Way: A Strategic Plan fo...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.51 (foreground color: #ffffff, background color: #33b3c0, font size: 15.0pt (20px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 1.4.3

Element:

```
<a class="font-medium font-bod..." tabindex="0" target="_blank" aria-label="The Blue
print: Mayor..." href="/archival-document?d...">
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (647.6px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.4px instead of at least 24px.

WCAG 2.5.8

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.5.8

Element:

```
<a href="/government/mayors-o..." data-entity-type="node" data-entity-uuid="7f18f5bd
-e81c-46ea-a..." data-entity-substitu...="canonical" title=" The Woodfin Way: A
...">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.51 (foreground color: #ffffff, background color: #33b3c0, font size: 15.0pt (20px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 1.4.3

Element:

```
<a class="font-medium font-bod..." tabindex="0" target="_blank" aria-label="The Firs
t 100: A Cit..." href="https://s3.us-east-2...">
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.51 (foreground

WCAG 1.4.3

color: #ffffff, background color: #33b3c0, font size: 15.0pt (20px), font weight: normal). Expected contrast ratio of 4.5:1

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 1.4.3

Element:

```
<a class="font-medium font-bod..." tabindex="0" target="_blank" aria-label="311 Prog
ress Report ..." href="https://s3.us-east-2...">
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (745.4px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.8px instead of at least 24px.

WCAG 2.5.8

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.5.8

Element:

```
<a target="_blank" href="/archival-document?d...">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.51 (foreground color: #ffffff, background color: #33b3c0, font size: 15.0pt (20px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 1.4.3

Element:

```
<a class="button button-primar..." href="/government/mayors-o..." data-entity-type
="node" data-entity-uuid="ff22c288-2b36-41a4-a..." data-entity-substitu...="canonica
l" title="View the Progress: T..."...
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (483.9px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.5.8

Element:

```
<a href="/government/city-departments/pep/planning-division/city-birmingham-comprehe
nsive-plan" data-entity-type="node" data-entity-uuid="9007b0e4-a895-4e11-8791-997dc4
20a1a9" data-entity-substitution...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (408.6px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.4px instead of at least 24px.

WCAG 2.5.8

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.5.8

Element:

```
<a target="_blank" href="https://s3.us-east-2.amazonaws.com/assets.birminghamal.gov/
s3fs-public/2026-05/Final-Woodfin-Way-Presentation-3.31_DFT-2.pdf"><i class="fa-file
fa-regular pr-2"></i>Progress: ...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (243px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.4px instead of at least 24px.

WCAG 2.5.8

Page: /live/about-birmingham WCAG 2.5.8

Element:

```
<a target="_blank" href="https://birminghamhasmore.com/">Greater Birmingham Region<i
class="fa-arrow-up-right-from-square fa-regular undefined" aria-label="(link is exte
rnal)"></i></a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (371.9px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.8px instead of at least 24px.

WCAG 2.5.8

Page: /live/about-birmingham WCAG 2.5.8

Element:

```
<a target="_blank" href="https://www.nps.gov/bicr/index.htm">Birmingham Civil Rights National Monument<i class="fa-arrow-up-right-from-square fa-regular undefined" aria-label="(link is external)"></i>...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (152.6px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /live/about-birmingham WCAG 2.5.8

Element:

```
<a target="_blank" href="https://www.birmingham365.org/">Birmingham 365<i class="fa-arrow-up-right-from-square fa-regular undefined" aria-label="(link is external)"></i></a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (259.8px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.8px instead of at least 24px.

WCAG 2.5.8

Page: /live/about-birmingham WCAG 2.5.8

Element:

```
<a target="_blank" href="https://www.birminghambusinessalliance.com/">Birmingham Bus
iness Alliance<i class="fa-arrow-up-right-from-square fa-regular undefined" aria-lab
el="(link is external)"></i></a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (419.5px by 23px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.8px instead of at least 24px.

WCAG 2.5.8

Page: /live/about-birmingham WCAG 2.5.8

Element:

```
<a href="https://www.birminghamal.org/">Greater Birmingham Convention and Visitors B
ureau</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /

Source:

https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29

MEDIUM

SONDE FIX PLAN

Add a Content-Security-Policy header with appropriate directives

HIGH

Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /live

Source:

https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29

MEDIUM

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /play

Source:

`https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29`

MEDIUM

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /work

Source:

`https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29`

MEDIUM

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Focus jumps backward from "Terms of Use" to "Skip to main content" (visual distance: 1267px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>Skip to main content</button>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 4855px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Tax & License" to "Birmingham City Council" (visual distance: 775px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Birmingham City Council</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accommodation Policy" to "Submit A Service Request" (visual distance: 902px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 2.4.3

Element:

```
<h2>Submit A Service Request</h2>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/city-departments/birmingham-crossplex/about-crossplex WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Victim Services" to "Motto" (visual distance: 860px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 2.4.3

Element:

```
<h2>Motto</h2>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Transparency" to "The City of Birmingham launched a yearlong poster series to " (visual distance: 967px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 2.4.3

Element:

```
<h2>The City of Birmingham launched a yearlong poster series to </h2>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Transparency" to "Dear Birmingham," (visual distance: 697px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.4.3

Element:

```
<h2>Dear Birmingham,</h2>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /live WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /live/about-birmingham WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /play WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /terms-use WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip to main content" (visual distance: 1385px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /work WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Page requires horizontal scrolling at Modern phone (390px width, 114px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG Sonde responsive contract

Element:

```
<html lang="und">
```

SONDE FIX PLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government

Element:

```
<h3 class="mb-4 text-black dark:text-white">About Birmingham</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government/city-council/residents/311-birminghams-customer-service-center

Element:

```
<h4>Report pothole repairs, blocked storm drains, broken traffic signals, illegal du
mping, missed trash, and other issues.</h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government/city-departments/birmingham-crossplex/about-crossplex

Element:

```
<h4><strong>Goal of the CrossPlex</strong></h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

Element:

```
<h4><strong>The Birmingham Police Department is comprised of four major bureaus:</st
rong></h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

Element:

```
<h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /government/mayors-office/strategic-plan-progress-birmingham

Element:

```
<h4>The Woodfin Way: A Strategic Plan for Progress identifies six strategic goals:</h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /live

Element:

```
<h3 class="mb-4 text-black dark:text-white">Report A Problem</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /play

Element:

```
<h3 class="mb-4 text-black dark:text-white">Birmingham365</h3>
```

SONDE FIX PLAN
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /work

Element:

```
<h3 class="mb-4 text-black dark:text-white">Public Works and Construction Bids</h3>
```

SONDE FIX PLAN
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-sec
ondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twit
ter fa-brands undefined"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:tex
t-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class
="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:t
ext-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmin
gham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i>
</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Learn More" on https://www.birminghamal.gov/ and "Read The City of Birmingham expands online tax payment services; discontinues mail-in payment option" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
" tabindex="0" aria-label="Read The City of Birmingham expands online tax payment se
rvices; discontinues mail-in payment option" href="/news/city-birmingham-expands-onl
ine-tax-payment-services-discontinues-mail-payment-option" data-uw-rm-brl="PR"
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.birminghamal.gov/ and "Open Data" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a class="px-3 py-1 hover:underline font-medium" href="https://data.birminghamal.gov/" data-uw-rm-brl="PR" data-uw-original-href="https://data.birminghamal.gov/">Open Data</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Events" on https://www.birminghamal.gov/ and "See all events" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  py-2 px-4 bg-transparent text-secondary-1 border-2 border-secondary-1 hover:text-secondary-2 hover:border-secondary-2 hover:shadow-md dark:hover:border-secondary-3 dark:hover:text-secondary-3 " tabindex="0" aria-label="See all events" href="/events">See all events</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:
text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i c
lass="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Work" on https://www.birminghamal.gov/ and "Employment & Bidding" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a aria-label="Employment &amp; Bidding" class="group border-b-2 border-b-neutral-95
0 dark:border-b-neutral-200 block h-full pb-4 flex flex-col justify-between dark:tex
t-white " href="/work" data-uw-rm-brl="PR" data-uw-original-href="/work"><div><h3 cl
ass="mb-4 text-black dark:text-white" data-uw-rm-heading="prs">Employment &amp; Bidd
ing</h3><p>Opportunities for the City of Birmingham and Jefferson County</p></div><d
iv class="text-secondary-1 group-hover:text-secondary-2 mt-8 font-medium">View o
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Su
bscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</
a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "Government" on https://www.birminghamal.gov/ and "City Departments" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a aria-label="City Departments" class="group border-b-2 border-b-neutral-950 dark:b
order-b-neutral-200 block h-full pb-4 flex flex-col justify-between dark:text-white
" href="/government" data-uw-rm-brl="PR" data-uw-original-href="/government"><div><h
3 class="mb-4 text-black dark:text-white" data-uw-rm-heading="prs">City Departments
</h3><p>Birmingham's complete list of city departments and phone numbers</p></div><d
iv class="text-secondary-1 group-hover:text-secondary-2 mt-8 font-medium">City De
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "311" on https://www.birminghamal.gov/ and "Report Problems" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a aria-label="Report Problems" class="group border-b-2 border-b-neutral-950 dark:bo
rder-b-neutral-200 block h-full pb-4 flex flex-col justify-between dark:text-white "
href="/government/city-council/residents/311-birminghams-customer-service-center" da
ta-uw-rm-brl="PR" data-uw-original-href="/government/city-council/residents/311-birm
inghams-customer-service-center"><div><h3 class="mb-4 text-black dark:text-white" da
ta-uw-rm-heading="prs">Report Problems</h3><p>Need to report a problem or illeg
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:te
xt-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTf
IFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "News" on https://www.birminghamal.gov/ and "See all news" on https://www.birminghamal.gov/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: / WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-transparent text-secondary-1 border-2 border-secondary-1 hover:text-seco
ndary-2 hover:border-secondary-2 hover:shadow-md dark:hover:border-secondary-3 dark:
hover:text-secondary-3 " tabindex="0" aria-label="See all news" href="/news" data-uw
-rm-brl="PR" data-uw-original-href="/news">See all news</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmingham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Government" on https://www.birminghamal.gov/ and "Skip to main content" on https://www.birminghamal.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h-auto focus:border-2 focus:border-black" tabindex="0" href="/government#main-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  py-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2 hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Subscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:tex
t-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class
="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:
text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i c
lass="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:te
xt-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTf
IFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/government. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-sec
ondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twit
ter fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/government/city-council/residents/311-birminghams-customer-service-center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:t
ext-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmin
gham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i>
</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/government/city-council/residents/311-birminghams-customer-service-center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:
text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i c
lass="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/government/city-council/residents/311-birminghams-customer-service-center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Su
bscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</
a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/government/city-council/residents/311-birminghams-customer-service-center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:te
xt-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTf
IFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/government/city-council/residents/311-birminghams-customer-service-center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-sec
ondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twit
ter fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/government/city-council/residents/311-birminghams-customer-service-center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:tex
t-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class
="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "311" on https://www.birminghamal.gov/ and "Skip to main content" on https://www.birminghamal.gov/government/city-council/residents/311-birminghams-customer-service-center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government/city-counci
l/residents/311-birminghams-customer-service-center#main-content">Skip to main conte
nt</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.birminghamal.gov/ and "Open Data" on https://www.birminghamal.gov/government/city-departments/birmingham-crossplex/about-crossplex. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-crossplex/about-crossplex WCAG 3.2.4

Element:

```
<a class="px-3 py-1 hover:underline font-medium" href="https://data.birminghamal.go
v/">Open Data</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/government/city-departments/birmingham-crossplex/about-crossplex. Components

WCAG 3.2.4

with the same function should use consistent names within the same locale.

Page: /government/city-departments/birmingham-crossplex/about-crossplex WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmingham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/government/city-departments/birmingham-crossplex/about-crossplex. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-crossplex/about-crossplex WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twitter fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/government/city-departments/birmingham-crossplex/about-crossplex. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-crossplex/about-crossplex WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:tex
t-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class
="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/government/city-departments/birmingham-crossplex/about-crossplex. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-crossplex/about-crossplex WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:
text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i c
lass="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/government/city-departments/birmingham-crossplex/about-crossplex. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-crossplex/about-crossplex WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:te
xt-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTf
IFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/government/city-departments/birmingham-crossplex/about-crossplex. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-crossplex/about-crossplex WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Su
bscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</
a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/government/city-departments/birmingham-police-department/about-birmingham-police-department. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-sec
ondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twit
ter fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/government/city-departments/birmingham-police-department/about-birmingham-police-department. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmingham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/government/city-departments/birmingham-police-department/about-birmingham-police-department. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTfIFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/government/city-departments/birmingham-police-department/about-birmingham-police-department. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/government/city-departments/birmingham-police-department/about-birmingham-police-department. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i class="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.birminghamal.gov/ and "Open Data" on https://www.birminghamal.gov/government/city-departments/birmingham-police-department/about-birmingham-police-department. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 3.2.4

Element:

```
<a class="px-3 py-1 hover:underline font-medium" href="https://data.birminghamal.gov/">Open Data</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/government/city-departments/birmingham-police-department/about-birmingham-police-department. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  py-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2 hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Subscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "Twitter" on https://www.birminghamal.gov/government/mayors-office/office-public-affairs/2023-forging-justice-commemoration. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 3.2.4

Element:

```
<a aria-label="Twitter" class="text-5xl text-primary-1 dark:text-secondary-3 dark:ho
ver:text-secondary-1 hover:opacity-70 hover:rounded-full w-16 h-16 text-center flex
items-center justify-center" target="_blank" href="http://twitter.com/cityofbhamal">
<i class="fa-x-twitter fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/government/mayors-office/office-public-affairs/2023-forging-justice-commemoration. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Su
bscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</
a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.birminghamal.gov/ and "Open Data" on https://www.birminghamal.gov/government/mayors-office/office-public-affairs/2023-forging-justice-commemoration. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 3.2.4

Element:

```
<a class="px-3 py-1 hover:underline font-medium" href="https://data.birminghamal.gov/">Open Data</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "YouTube" on https://www.birminghamal.gov/government/mayors-office/office-public-affairs/2023-forging-justice-commemoration. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 3.2.4

Element:

```
<a aria-label="YouTube" class="text-5xl text-primary-1 dark:text-secondary-3 dark:hover:text-secondary-1 hover:opacity-70 hover:rounded-full w-16 h-16 text-center flex items-center justify-center" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTfIFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "Facebook" on https://www.birminghamal.gov/government/mayors-office/office-public-affairs/2023-forging-justice-commemoration.

WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 3.2.4

Element:

```
<a aria-label="Facebook" class="text-5xl text-primary-1 dark:text-secondary-3 dark:hover:text-secondary-1 hover:opacity-70 hover:rounded-full w-16 h-16 text-center flex items-center justify-center" target="_blank" href="https://www.facebook.com/pages/City-of-Birmingham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "TikTok" on https://www.birminghamal.gov/government/mayors-office/office-public-affairs/2023-forging-justice-commemoration. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 3.2.4

Element:

```
<a aria-label="TikTok" class="text-5xl text-primary-1 dark:text-secondary-3 dark:hover:text-secondary-1 hover:opacity-70 hover:rounded-full w-16 h-16 text-center flex items-center justify-center" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "Instagram" on https://www.birminghamal.gov/government/mayors-office/office-public-affairs/2023-forging-justice-commemoration. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 3.2.4

Element:

```
<a aria-label="Instagram" class="text-5xl text-primary-1 dark:text-secondary-3 dark:hover:text-secondary-1 hover:opacity-70 hover:rounded-full w-16 h-16 text-center flex items-center justify-center" target="_blank" href="https://instagram.com/cityofbirmingham"><i class="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/government/mayors-office/strategic-plan-progress-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twitter fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Strategic Plan" on https://www.birminghamal.gov/government/mayors-office/office-public-affairs/2023-forging-justice-commemoration and "Skip to main content" on https://www.birminghamal.gov/government/mayors-office/strategic-plan-progress-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h-auto focus:border-2 focus:border-black" tabindex="0" href="/government/mayors-office/strategic-plan-progress-birmingham#main-content">Skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/government/mayors-office/strategic-plan-progress-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:
text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i c
lass="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/government/mayors-office/strategic-plan-progress-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Su
bscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</
a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/government/mayors-office/strategic-plan-progress-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmingham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/government/mayors-office/strategic-plan-progress-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/government/mayors-office/strategic-plan-progress-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:te
xt-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTf
IFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/live. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:t
ext-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmin
gham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i>
</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Trash Schedule" on https://www.birminghamal.gov/ and "Trash and Recycling Schedules" on https://www.birminghamal.gov/live. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
border-2 border-secondary-1 hover:border-secondary-2 mr-4 mb-4" tabindex="0" aria-la
bel="Trash and Recycling Schedules" href="/government/city-departments/department-pu
blic-works/waste-services/garbage-recycle-bulk-trash-schedules">Trash and Recyc
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/live. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Su
bscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</
a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/live. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:te
xt-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTf
IFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/live. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:
text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i c
lass="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/live. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:tex
t-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class
="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/live. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-sec
ondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twit
ter fa-brands undefined"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Live" on https://www.birminghamal.gov/ and "Skip to main content" on https://www.birminghamal.gov/live. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/live#main-content">Skip
to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "311" on https://www.birminghamal.gov/ and "Report A Problem" on https://www.birminghamal.gov/live. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live WCAG 3.2.4

Element:

```
<a aria-label="Report A Problem" class="group border-b-2 border-b-neutral-950 dark:b
order-b-neutral-200 block h-full pb-4 flex flex-col justify-between dark:text-white
" href="/government/city-council/residents/311-birminghams-customer-service-center">
<div><h3 class="mb-4 text-black dark:text-white">Report A Problem</h3><p>Missed garb
age pickup? Pothole repair needed? Need to report an overgrown/vacant lot?</p></div>
<div class="text-secondary-1 group-hover:text-secondary-2 mt-8 font-medium">Our
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Birmingham City Guide" on https://www.birminghamal.gov/ and "External link: Birmingham City Guide" on https://www.birminghamal.gov/live. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live WCAG 3.2.4

Element:

```
<a aria-label="External link: Birmingham City Guide" class=" group flex items-start"
href="https://www.birminghamal.org/visit/"><div class="w-20 h-20 mr-3 rounded-full f
lex items-center justify-center basis-20 shrink-0  -mt-3 group-hover:bg-secondary-
2"><i class="fa-suitcase-rolling fa-regular text-4xl lg:text-[2.75rem] text-secondar
y-2 group-hover:text-white dark:text-secondary-1"></i></div><div><h3 class="text-sec
ondary-1 group-hover:text-secondary-2">Birmingham City Guide</h3><p class="mt-2 d
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "About Birmingham" on https://www.birminghamal.gov/ and "Skip to main content" on https://www.birminghamal.gov/live/about-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live/about-birmingham WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/live/about-birmingham#m
ain-content">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/live/about-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live/about-birmingham WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-sec
ondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twit
ter fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/live/about-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live/about-birmingham WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:te
xt-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTf
IFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/live/about-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live/about-birmingham WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:tex
t-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class
="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/live/about-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live/about-birmingham WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:
text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i c
lass="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/live/about-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live/about-birmingham WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Su
bscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</
a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/live/about-birmingham. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /live/about-birmingham WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:t
ext-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmin
gham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i>
</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/play. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /play WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmingham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/play. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /play WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i class="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/play. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /play WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:tex
t-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class
="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Play" on https://www.birminghamal.gov/ and "Skip to main content" on https://www.birminghamal.gov/play. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /play WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/play#main-content">Skip
to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/play. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /play WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-sec
ondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twit
ter fa-brands undefined"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/play. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /play WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Su
bscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</
a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/play. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /play WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:te
xt-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTf
IFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/terms-use. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /terms-use WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:tex
t-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class
="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/terms-use. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /terms-use WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:t
ext-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmin
gham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i>
</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/terms-use. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /terms-use WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-sec
ondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twit
ter fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Terms of Use" on https://www.birminghamal.gov/ and "Skip to main content" on https://www.birminghamal.gov/terms-use. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /terms-use WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/terms-use#main-conten
t">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/terms-use. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /terms-use WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  p
y-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2
hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white
w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Su
bscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</
a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/terms-use. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /terms-use WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:te
xt-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTf
IFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/terms-use. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /terms-use WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:
text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i c
lass="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham TikTok - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham TikTok" on https://www.birminghamal.gov/work. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /work WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham TikTok" class="text-2xl text-white false hover:tex
t-secondary-2" target="_blank" href="https://www.tiktok.com/@cityofbhamal"><i class
="fa-tiktok fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Facebook - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Facebook" on https://www.birminghamal.gov/work. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /work WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Facebook" class="text-2xl text-white false hover:text-secondary-2" target="_blank" href="https://www.facebook.com/pages/City-of-Birmingham-Mayors-Office/917670208253265"><i class="fa-facebook fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Subscribe to Our Newsletter" on https://www.birminghamal.gov/ and "Subscribe" on https://www.birminghamal.gov/work. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /work WCAG 3.2.4

Element:

```
<a class="font-medium font-body text-xl text-center inline-block tracking-[0.5px]  py-2 px-4 bg-secondary-1 text-white border-2 border-secondary-1 hover:bg-secondary-2 hover:shadow-md hover:border-secondary-2 dark:text-coolGray-10 dark:hover:text-white w-full mt-4 lg:mt-0 lg:basis-32 lg:ml-4" tabindex="0" target="_blank" aria-label="Subscribe" href="https://lp.constantcontactpages.com/su/UHCspoY/spotlight">Subscribe</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Permits" on https://www.birminghamal.gov/ and "Permitting" on https://www.birminghamal.gov/work. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /work WCAG 3.2.4

Element:

```
<a aria-label="Permitting" class="group border-b-2 border-b-neutral-950 dark:border-
b-neutral-200 block h-full pb-4 flex flex-col justify-between dark:text-white " href
="/government/city-departments/pep/permitting-inspection-division/city-birmingham-pe
rmitting"><div><h3 class="mb-4 text-black dark:text-white">Permitting</h3><p>Many pe
rmits are available in the Online Permitting System, with more being added regularl
y.</p></div><div class="text-secondary-1 group-hover:text-secondary-2 mt-8 font-m
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham YouTube - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham YouTube" on https://www.birminghamal.gov/work. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /work WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham YouTube" class="text-2xl text-white false hover:te
xt-secondary-2" target="_blank" href="https://www.youtube.com/channel/UCiaEX0xIozhTf
IFgE0reE6w"><i class="fa-youtube fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham Instagram - open in a new tab" on https://www.birminghamal.gov/ and "City of Birmingham Instagram" on https://www.birminghamal.gov/work. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /work WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham Instagram" class="text-2xl text-white false hover:
text-secondary-2" target="_blank" href="https://instagram.com/cityofbirmingham"><i c
lass="fa-instagram fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Work" on https://www.birminghamal.gov/ and "Skip to main content" on https://www.birminghamal.gov/work. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /work WCAG 3.2.4

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/work#main-content">Skip
to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City of Birmingham X - target website may not be available" on https://www.birminghamal.gov/ and "City of Birmingham X" on https://www.birminghamal.gov/work. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /work WCAG 3.2.4

Element:

```
<a aria-label="City of Birmingham X" class="text-2xl text-white false hover:text-sec
ondary-2" target="_blank" href="http://twitter.com/cityofbhamal"><i class="fa-x-twit
ter fa-brands undefined"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

"Select Your Language" is visually at position 2 but receives focus at position 57 (drift: 55).

WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>Select Your Language</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Contact" is visually at position 6 but receives focus at position 61 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Contact</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Work" is visually at position 12 but receives focus at position 67 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Work</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "ACE: Academy of Civic Engagement" is visually at position 54 but receives focus at position 27 (drift: 27). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>ACE: Academy of Civic Engagement</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Search" is visually at position 8 but receives focus at position 63 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<input>Search</input>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Birmingham Landmarks" is visually at position 63 but receives focus at position 41 (drift: 22). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Birmingham Landmarks</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Play" is visually at position 13 but receives focus at position 68 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Play</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "ADA" is visually at position 3 but receives focus at position 58 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>ADA</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Taxes and efiling" is visually at position 65 but receives focus at position 35 (drift: 30). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Taxes and efiling</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "eServices" is visually at position 64 but receives focus at position 34 (drift: 30). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>eServices</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Learn More" is visually at position 16 but receives focus at position 71 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Learn More</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "News" is visually at position 14 but receives focus at position 69 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>News</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Subscribe to Our Newsletter" is visually at position 7 but receives focus at position 62 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Subscribe to Our Newsletter</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Events" is visually at position 15 but receives focus at position 70 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Events</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Birmingham City Guide" is visually at position 59 but receives focus at position 28 (drift: 31). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Birmingham City Guide</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Government" is visually at position 10 but receives focus at position 65 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Government</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Mayor's Office" is visually at position 57 but receives focus at position 24 (drift: 33). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Mayor's Office</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Careers at the City of Birmingham" is visually at position 62 but receives focus at position 33 (drift: 29). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Careers at the City of Birmingham</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "City Departments" is visually at position 44 but receives focus at position 22 (drift: 22). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>City Departments</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Live" is visually at position 11 but receives focus at position 66 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Live</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "311" is visually at position 4 but receives focus at position 59 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>311</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Birmingham Comprehensive Plan" is visually at position 55 but receives focus at position 31 (drift: 24). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Birmingham Comprehensive Plan</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Building Codes" is visually at position 60 but receives focus at position 32 (drift: 28). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Building Codes</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Birmingham City Council" is visually at position 53 but receives focus at position 23 (drift: 30). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Birmingham City Council</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Open Data" is visually at position 5 but receives focus at position 60 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Open Data</a>
```

SONDE FIX PLAN

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "#__next > header > div:nth-of-type(2) > div > a" is visually at position 9 but receives focus at position 64 (drift: 55). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Accessibility Menu" is visually at position 35 but receives focus at position 4 (drift: 31). WCAG 2.4.3

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 2.4.3

Element:

```
<div>Accessibility Menu</div>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Accessibility Menu" is visually at position 30 but receives focus at position 4 (drift: 26). WCAG 2.4.3

Page: /government/city-departments/birmingham-crossplex/about-crossplex WCAG 2.4.3

Element:

```
<div>Accessibility Menu</div>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Accessibility Menu" is visually at position 32 but receives focus at position 4 (drift: 28). WCAG 2.4.3

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 2.4.3

Element:

```
<div>Accessibility Menu</div>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Accessibility Menu" is visually at position 30 but receives focus at position 4 (drift: 26). WCAG 2.4.3

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

WCAG 2.4.3

Element:

```
<div>Accessibility Menu</div>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Accessibility Menu" is visually at position 20 but receives focus at position 4 (drift: 16). WCAG 2.4.3

Page: /terms-use WCAG 2.4.3

Element:

```
<div>Accessibility Menu</div>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Broken link: https://www.birminghamal.gov/node/855 returned status 404 Not Found after 1 attempts

Page: /work

Element:

```
<a href="https://www.birminghamal.gov/node/855">Comprehensive PlanA 20-year policy a
nd strategic guide for future decision makin</a>
```

MEDIUM Page requires horizontal scrolling at Phone SE (320px width, 15px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Page: /government/city-council/residents/311-birminghams-customer-service-center WCAG 1.4.10

Element:

```
<html lang="und">
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM

Interactive control "a.font-bold.mb-2" is only 25px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/city-departments/birmingham-crossplex/about-crossplex WCAG 2.5.8

Element:

```
<a.font-bold.mb-2>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.hover:underline.text-medium" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.5.8

Element:

```
<a.hover:underline.text-medium>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "button.flex.items-center" is only 24px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.5.8

Element:

```
<button.flex.items-center>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.px-3.py-1" is only 32px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 2.5.8

Element:

```
<a.px-3.py-1>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 95px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /government/mayors-office/strategic-plan-progress-birmingham WCAG 1.4.12

Element:

```
<a class="absolute overflow-hidden h-[1px] w-[1px] focus:static focus:w-auto focus:h
-auto focus:border-2 focus:border-black" tabindex="0" href="/government/mayors-offic
e/strategic-plan-progress-birmin
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /live WCAG Sonde responsive contract

Element:

```
<iframe title="reCAPTCHA" width="256" height="60" role="presentation" name="a-ugw4no
9g3v22" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-
origin allow-scripts allow-top-n
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /live WCAG Sonde responsive contract

Element:

```
<div class="grecaptcha-error"></div>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /live WCAG Sonde responsive contract

Element:

```
<div class="grecaptcha-badge" data-style="bottomright" style="width: 256px; height: 60px; display: block; transition: right 0.3s; position: fixed; bottom: 14px; right: -186px; box-shadow: gray 0px 0px
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.ctct-form-footer-link" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /live WCAG 2.5.8

Element:

```
<a.ctct-form-footer-link>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /live WCAG Sonde responsive contract

Element:

```
<div class="grecaptcha-logo"><iframe title="reCAPTCHA" width="256" height="60" role="presentation" name="a-ugw4no9g3v22" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-ori
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 15px at Phone SE (320px width). WCAG 1.4.10

Page: /live/about-birmingham WCAG 1.4.10

Element:

```
<g class="no-fill" fill="none" fill-rule="evenodd"><path d="M4.498 24.3v-.872H1.5v-1.37h2.716v-.872H1.5v-1.27h3v-.872H.542V24.3h3.955zm1.909 0v-3.695L9.183 24.3h.95v-5.256h-.95v3.695l-2.776-3.695H5.45
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.absolute.overflow-hidden" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /live/about-birmingham WCAG 2.5.8

Element:

```
<a.absolute.overflow-hidden>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 16px at Phone SE (320px width). WCAG 1.4.10

Page: /live/about-birmingham WCAG 1.4.10

Element:

```
<span class="uw-sl__e-icon"><svg width="26" height="27" role="presentation" aria-hidden="true" xmlns="http://www.w3.org/2000/svg"><g class="no-fill" fill="none" fill-rule="evenodd"><path d="M4.498 24.
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 16px at Phone SE (320px width). WCAG 1.4.10

Page: /live/about-birmingham WCAG 1.4.10

Element:

```
<svg width="26" height="27" role="presentation" aria-hidden="true" xmlns="http://www.w3.org/2000/svg"><g class="no-fill" fill="none" fill-rule="evenodd"><path d="M4.498 24.3v-.872H1.5v-1.37h2.716v-.87
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.hover:underline" is only 25px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /live/about-birmingham WCAG 2.5.8

Element:

```
<a.hover:underline>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 15px at Phone SE (320px width). WCAG 1.4.10

Page: /live/about-birmingham WCAG 1.4.10

Element:

```
<path d="M4.498 24.3v-.872H1.5v-1.37h2.716v-.872H1.5v-1.27h3v-.872H.542V24.3h3.955zm
1.909 0v-3.695L9.183 24.3h.95v-5.256h-.95v3.695l-2.776-3.695H5.45V24.3h.957zm7.21 0v
-4.383h1.682v-.873h-4.314v.873h1
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

LOW Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /government

Source:

https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29

MEDIUM

LOW Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /government/city-council/residents/311-birminghams-customer-service-center

Source:

https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29

MEDIUM

LOW Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /government/city-departments/birmingham-crossplex/about-crossplex

Source:

https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29

MEDIUM

LOW Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

Source:

https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29

MEDIUM

LOW Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

Source:

https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29

MEDIUM

LOW Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /government/mayors-office/strategic-plan-progress-birmingham

Source:

https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29

MEDIUM

LOW Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /live/about-birmingham

Source:

https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29

MEDIUM

LOW Console warning: Div for inline form "BOLD" is missing. Was inline code installed?

Page: /terms-use

Source:

https://static.ctctcdn.com/js/signup-form-widget/current/signup-form-widget.min.js:29

MEDIUM

LOW Deep focus region: nav "Sidebar navigation" has 16 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

WCAG 2.4.1

Element:

```
<nav role="nav">Sidebar navigation</nav>
```

SONDE FIX PLAN
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Link timeout: https://www.trafficpayment.com/SearchByInvoiceInfo.aspx?csdId=693 did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.trafficpayment.com/SearchByInvoiceInfo.aspx?csdId=693">Traffic
&amp;amp; Parking TicketsUse our online system to pay traffic and parking ticket</a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingha
m City Council</a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /government

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /government

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /government

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingha
m City Council</a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /government/city-council/residents/311-birminghams-customer-service-center

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Link timeout: https://www.alabama.gov/ did not respond within 5000ms after 8 attempts

Page: /government/city-council/residents/311-birminghams-customer-service-center

Element:

```
<a href="https://www.alabama.gov/">Local, State &amp;amp; Federal Resources</a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /government/city-council/residents/311-birminghams-customer-service-center

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /government/city-council/residents/311-birminghams-customer-service-center

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingha
m City Council</a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /government/city-departments/birmingham-crossplex/about-crossplex

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingha
m City Council</a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /government/city-departments/birmingham-crossplex/about-crossplex

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /government/city-departments/birmingham-crossplex/about-crossplex

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingham City Council</a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /government/city-departments/birmingham-police-department/about-birmingham-police-department

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingham City Council</a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /government/mayors-office/office-public-affairs/2023-forging-justice-commemoration

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /government/mayors-office/strategic-plan-progress-birmingham

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingha
m City Council</a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /government/mayors-office/strategic-plan-progress-birmingham

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /government/mayors-office/strategic-plan-progress-birmingham

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /live

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /live

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingha
m City Council</a>
```

LOW Broken link: https://www.constantcontact.com/legal/service-provider returned status 403 Forbidden after 1 attempts

Page: /live

Element:

```
<a href="https://www.constantcontact.com/legal/service-provider">Emails are serviced
by Constant Contact.</a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /live

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /live/about-birmingham

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /live/about-birmingham

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /live/about-birmingham

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingha
m City Council</a>
```

LOW Broken link: https://www.bhamfoodplus.com/ returned status 404 Not Found after 1 attempts

Page: /live/about-birmingham

Element:

```
<a href="https://www.bhamfoodplus.com/">BHAM Food Plus Culture Fest</a>
```

LOW Broken link: https://www.constantcontact.com/legal/service-provider returned status 403 Forbidden after 1 attempts

Page: /play

Element:

```
<a href="https://www.constantcontact.com/legal/service-provider">Emails are serviced by Constant Contact.</a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /play

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /play

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /play

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingham City Council</a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /terms-use

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingham City Council</a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /terms-use

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /terms-use

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efiling</a>
```

LOW Broken link: https://www.constantcontact.com/legal/service-provider returned status 403 Forbidden after 1 attempts

Page: /work

Element:

```
<a href="https://www.constantcontact.com/legal/service-provider">Emails are serviced by Constant Contact.</a>
```

LOW Broken link: http://twitter.com/cityofbhamal returned status 520 <none> after 2 attempts

Page: /work

Element:

```
<a href="http://twitter.com/cityofbhamal"></a>
```

LOW Link timeout: https://www.birminghamal.gov/departments/birmingham-city-council did not respond within 5000ms after 2 attempts

Page: /work

Element:

```
<a href="https://www.birminghamal.gov/departments/birmingham-city-council">Birmingham City Council</a>
```

LOW Broken link: https://birminghamal.hdlgov.com/ returned status 403 Forbidden after 1 attempts

Page: /work

Element:

```
<a href="https://birminghamal.hdlgov.com/">Taxes and efilingFile your taxes or renew your business license through our onli</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue