Sonde

Accessibility Health Check

https://burlingtonvt.gov

920



Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/burlingtonvt-gov/

5 pages **218** findings **4** critical **42** high **157** medium **15** low **43.6** avg/page
4,516 elements **144** with findings **96.8%** ECR **3m 13s** total **38.7s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Form elements must have labels: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element has no placeholder attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /1168/ICE-Updates-and-Press-Releases WCAG 4.1.2

Element:

```
<input name="EMAIL" type="email" value="" autocomplete="email" style="box-sizing: bo
rder-b...">
```

SONDE FIX PLAN

Ensure every form element has a label. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgba(0, 0, 0, 0), background: rgb(255, 255, 255). Text: "Select LanguageAbkhazAcehneseAcholiAfarAfrikaansAlbanianAlur"

WCAG 1.4.3

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.3

Element:

```
<div class="skiptranslate goog-te-gadget" dir="ltr" style="" role="region" aria-labe
l="Website Translation by Google Translate"><div id=":0.targetLanguage"><select clas
s="goog-te-combo" aria-label="Se
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

→

4.53:1 ✓ SUGGESTED

Select LanguageAbkhazAcehneseA...

#777676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgba(0, 0, 0, 0), background: rgb(255, 255, 255). Text: "Select LanguageAbkhazAcehneseAcholiAfarAfrikaansAlbanianAlur"

WCAG 1.4.3

Page: /AlertCenter.aspx WCAG 1.4.3

Element:

```
<div class="skiptranslate goog-te-gadget" dir="ltr" style="" role="region" aria-labe
l="Website Translation by Google Translate"><div id=":0.targetLanguage"><select clas
s="goog-te-combo" aria-label="Se
```

1.00:1 ✗ CURRENT → 4.53:1 ✓ SUGGESTED

Select LanguageAbkhazAcehneseA...

#ffffff on #ffffff → #777676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /AlertCenter.aspx WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /AlertCenter.aspx WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Identity/Account/Register WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Identity/Account/Register WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /1168/ICE-Updates-and-Press-Releases WCAG 4.1.2

Element:

```
<h2 class="subhead1" aria-hidden="true" tabindex="-1">
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Page: /1168/ICE-Updates-and-Press-Releases WCAG 4.1.2

Element:

```
<h2 class="subhead1" aria-hidden="true" tabindex="-1">
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.99 (foreground color: #ff0000, background color: #ffffff, font size: 10.5pt (14px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.3

Element:

```
<input name="EMAIL" type="email" value="" autocomplete="email" style="box-sizing: bo
rder-b...">
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.32 (foreground color: #ffffff, background color: #aaaaaa, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.3

Element:

```
<input name="subscribe" type="submit" value="Subscribe" style="box-sizing: border-b...">
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /1168/ICE-Updates-and-Press-Releases WCAG 4.1.2

Element:

```
<h2 class="subhead1" aria-hidden="true" tabindex="-1">
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /1168/ICE-Updates-and-Press-Releases WCAG 4.1.2

Element:

```
<h2 class="subhead1" aria-hidden="true" tabindex="-1">
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

Page: /1168/ICE-Updates-and-Press-Releases WCAG 4.1.2

Element:

```
<h2 class="subhead1" aria-hidden="true" tabindex="-1">
```

SONDE FIX PLAN
Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM — WCAG 4.1.2

Page: /1168/ICE-Updates-and-Press-Releases WCAG 4.1.2

Element:

```
<h2 class="subhead1" aria-hidden="true" tabindex="-1">
```

SONDE FIX PLAN
Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM — WCAG 4.1.2

Page: /1168/ICE-Updates-and-Press-Releases WCAG 4.1.2

Element:

```
<h2 class="subhead1" dir="RTL" aria-hidden="true" tabindex="-1">
```

SONDE FIX PLAN
Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] — WCAG 1.3.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.3.1

Element:

```
<ol class="semanticList layout1">
```

SONDE FIX PLAN
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have — WCAG 4.1.2

tabindex="-1" or be removed from the DOM

Page: /1168/ICE-Updates-and-Press-Releases WCAG 4.1.2

Element:

```
<h2 class="subhead1" aria-hidden="true" tabindex="-1">
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.01 (foreground color: #444444, background color: #0073cf, font size: 9.0pt (12px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.3

Element:

```
<a class="VIpgJd-ZVi9od-l4eHX-hSRGPd" href="https://translate.google.com" target="_b
lank" rel="noopener" aria-describedby="audioeye_new_window_message">
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (136.9px by 21px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.6px instead of at least 24px.

WCAG 2.5.8

Page: /AlertCenter.aspx WCAG 2.5.8

Element:

```
<select name="ctl00$ctl00$MainContent$ModuleContent$ctl00$ddlCategories" id="ctl00_c
tl00_MainContent_ModuleContent_ctl00_ddlCategories" aria-label="Select a Category" t
itle="Categories">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (144.9px by 22px, should be at

WCAG 2.5.8

least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.6px instead of at least 24px.

Page: /AlertCenter.aspx WCAG 2.5.8

Element:

```
<input name="ctl00$ctl00$MainContent$ModuleContent$ctl00$txtSearch" type="search" id
="txtSearch" placeholder="Word or Phrase">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (142px by 19.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20.8px instead of at least 24px.

WCAG 2.5.8

Page: /AlertCenter.aspx WCAG 2.5.8

Element:

```
<a class="notifyMe" href="/list.aspx?Mode=Subscribe#alertCenter">Notify Me</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (21px by 21px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21px instead of at least 24px.

WCAG 2.5.8

Page: /AlertCenter.aspx WCAG 2.5.8

Element:

```
<input type="image" id="alertsSearch" class="searchButton" title="Alert Center Searc
h" alt="Search Calendar or C..." src="/Common/images/Modul..." onkeypress="this.oncl
ick();" onclick="alertCenterSear...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.51 (foreground

WCAG 1.4.3

color: #3b842e, background color: #e0e0e0, font size: 11.4pt (15.2px), font weight: bold). Expected contrast ratio of 4.5:1

Page: /AlertCenter.aspx WCAG 1.4.3

Element:

```
<h3 id="moduleToolsHeader" role="heading" aria-level="2">Tools</h3>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum Current ratio: 3.51:1 (need 4.5:1). Change foreground from #3b842e to #29721a (ratio: 4.5:1).

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.51 (foreground color: #3b842e, background color: #e0e0e0, font size: 11.4pt (15.2px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /AlertCenter.aspx WCAG 1.4.3

Element:

```
<h3 id="moduleCategoriesHeader" role="heading" aria-level="2">Categories</h3>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum Current ratio: 3.51:1 (need 4.5:1). Change foreground from #3b842e to #29721a (ratio: 4.5:1).

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (142px by 19.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20.8px instead of at least 24px.

WCAG 2.5.8

Page: /AlertCenter.aspx WCAG 2.5.8

Element:

```
<a class="archLinkColor" href="#" onkeypress="this.onclick();" onclick="gotoArchives
(-1, -1); return false;">Show Archived</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (142px by 19.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20.8px instead of at least 24px.

WCAG 2.5.8

Page: /AlertCenter.aspx WCAG 2.5.8

Element:

```
<a class="RSS" href="/Rss.aspx">RSS</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (90.7px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /Search/Results WCAG 2.5.8

Element:

```
<a href="tel:8028626565">802-862-6565</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Documents must have <title> element to aid in navigation: Fix any of the following: Document does not have a non-empty <title> element

WCAG 2.4.2

Page: /Search/Results WCAG 2.4.2

Element:

```
<html>
```

SONDE FIX PLAN

Ensure each HTML document contains a non-empty <title> element. See: https://www.w3.org/WAI/WCAG22/Understanding/page-titled

HIGH

<html> element must have a lang attribute: Fix any of the following: The <html> element does not have a lang attribute

WCAG 3.1.1

Page: /Search/Results WCAG 3.1.1

Element:

```
<html>
```

SONDE FIX PLAN
Ensure every HTML document has a lang attribute. See: https://www.w3.org/WAI/WCAG22/Understanding/language-of-page Add a lang attribute to the <html> element with a valid BCP 47 language tag. Example: <html lang="en">.

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (107.5px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /Search/Results WCAG 2.5.8

Element:

```
<a href="mailto:mdow@burlingtonvt.gov">Email Matt Dow</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Console error: ReferenceError: $ is not defined at https://burlingtonvt.gov/Search/Results:272:2

Page: /Search/Results

Source: https://burlingtonvt.gov/Search/Results:271 MEDIUM

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Focus jumps backward from "Read on… About City Council - Ordinance Committee Meeting" to "Special Meeting of the Burlington City Council With Mayor Pr" (visual distance: 508px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Special Meeting of the Burlington City Council With Mayor Pr</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "View All News" to "MEETINGS" (visual distance: 1152px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>MEETINGS</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "حول Emma Mulvaney-Stanak رسالة من العمدة" to "March 25th Statement" (visual distance: 1830px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /1168/ICE-Updates-and-Press-Releases WCAG 2.4.3

Element:

```
<a>March 25th Statement</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Status of ICE Operations in Burlington Find up-to-date infor" to "#txtSearch" (visual distance: 1071px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /AlertCenter.aspx WCAG 2.4.3

Element:

```
<input></input>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Sign in" to "Sign up with Apple" (visual distance: 799px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /Identity/Account/Register WCAG 2.4.3

Element:

```
<button>Sign up with Apple</button>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Page requires horizontal scrolling at Modern phone (390px width, 189px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<html lang="und">
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH Page requires horizontal scrolling at Phone SE (320px width, 221px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<html lang="und">
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /1168/ICE-Updates-and-Press-Releases

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /AlertCenter.aspx

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /Identity/Account/Register

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 4 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 7 "navigation" landmarks but only 4 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.3.1

Element:

```
<!-- 7 navigation landmarks, 4 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /AlertCenter.aspx WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<section id="divInfoAdvc36bd157-3..." class="widget widgetInfoAdv..." data-modulewid
gettyp...="infoAdv" data-elementquerycla...="{"wide-narrow":"min-..." data-elementqu
erymat..."matchMultiColumn" dat...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="widgetBody cpGrid cpGrid1 ">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="cpToolbar user public" style="z-index: 1;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /

Element:

```
<nav class="widgetGraphicLinksNav">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<span class="cpBylineTextTS">Government Websites by <a href="https://connect.civicplus.com/referral">CivicPlus®</a></span>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div id="1_divAlertBar" class="alertToolbar cpToolbar" style="background: rgb(0, 100, 0); z-index: 2;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="tabbedWidget cpTabPanel showing" style="" id="tab35c806dd-6af6-422e-9a26
-11e96353e8d1_0" role="tabpanel" aria-labelledby="tabBtn35c806dd-6af6-422e-9a26-11e9
6353e8d1_0" tabindex="-1">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<ol class="tabbedWidget cpTabs  " role="tablist" aria-hidden="false" style="">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /1168/ICE-Updates-and-Press-Releases

Element:

```
<span class="cpBylineTextTS">Government Websites by <a href="https://connect.civicpl
us.com/referral">CivicPlus®</a></span>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /1168/ICE-Updates-and-Press-Releases

Element:

```
<nav class="widgetGraphicLinksNav">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /1168/ICE-Updates-and-Press-Releases

Element:

```
<div class="cpToolbar user public" style="z-index: 1;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /1168/ICE-Updates-and-Press-Releases

Element:

```
<div id="1_divAlertBar" class="alertToolbar cpToolbar" style="background: rgb(0, 10
0, 0); z-index: 2;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /AlertCenter.aspx

Element:

```
<span class="cpBylineTextTS">Government Websites by <a href="https://connect.civicpl
us.com/referral">CivicPlus®</a></span>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /AlertCenter.aspx

Element:

```
<nav class="widgetGraphicLinksNav">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /AlertCenter.aspx

Element:

```
<div id="1_divAlertBar" class="alertToolbar cpToolbar" style="background: rgb(0, 10
0, 0); z-index: 2;">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /AlertCenter.aspx

Element:

```
<h3 id="alertHeader_18"><a href="/AlertCenter.aspx?AID=bStatus-of-ICE-Operations-in-
Burlingtonb-18" id="alertTitle_18"><b role="emphasis">Status of ICE Operations in Bu
rlington</b> Find up-to-date inf...
```

SONDE FIX PLAN
Ensure the order of headings is semantically correct. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /AlertCenter.aspx

Element:

```
<div class="cpToolbar user public" style="z-index: 1;">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<div class="cp-search-result cp-search-result--WebPages">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<div class="cp-search-result cp-search-result--WebPages">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<div class="cp-search-result cp-search-result--WebPages">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<div class="cp-search-result cp-search-result--WebPages">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<div class="cp-search-result cp-search-result--WebPages">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<div class="cp-search-result cp-search-result--People">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<span class="perPage">
                        Show
                        <select id="paginationOption" aria-label="number of items pe
r page">
                                <option value="10" selected="">10</option>
                                <option value="25">25</option>
                                <option val...
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /Search/Results

Element:

```
<html>
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/
Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<div class="cp-search-result cp-search-result--People">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<div class="cp-search-result cp-search-result--WebPages">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<div class="cp-search-result cp-search-result--WebPages">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<p class="pagination" id="paginationSearchResults">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<p class="cp-search-status">
                        1 - 10 of 9896 results (0.02 seconds)
        </p>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<div class="cp-search-result cp-search-result--WebPages">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Search/Results

Element:

```
<h2 class="visuallyhidden">Search Results</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.governmentjobs.com/careers/burlingtonvt" target="_self" class
="fancyButton fancyButton48 ">
                <span>
                        <span><span class="text">Jobs</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://burlingtonvt.portal.civicclerk.com/" target="_self" class="fancyBut
ton fancyButton46 ">
                <span>
                        <span><span class="text">Agendas</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/314/Parking-in-Burlington" target="_self" class="fancyButton fancyButton49
">
                <span>
                        <span><span class="text">Parking</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/415/Pay" target="_self" class="fancyButton fancyButton47 ">
                <span>
                        <span><span class="text">Payments</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/862/Report-a-Concern" target="_self" class="fancyButton fancyButton51 ">
                <span>
                        <span><span class="text">See, Click, Fix</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Elections" target="_self" class="fancyButton fancyButton618 ">
                <span>
                        <span><span class="text">Elections</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.1

Element:

```
<a href="/862/Report-a-Concern" target="_self" class="fancyButton fancyButton51 ">
                <span>
                        <span><span class="text">See, Click, Fix</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.1

Element:

```
<a href="/1199/Mayor-Emma-Mulvaney-Stanak-Signs-Executi" target="_self" class="navMa
inItem secondaryNavItem cpComponent" data-type="SecondaryMainItem">Mayor Emma Mulvan
ey-Stanak Signs Executive Order<
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.1

Element:

```
<a href="/1198/February-3rd-Statement-and-Resources" target="_self" class="navMainIt
em secondaryNavItem cpComponent" data-type="SecondaryMainItem">February 3rd Statemen
t and Resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.1

Element:

```
<a href="/314/Parking-in-Burlington" target="_self" class="fancyButton fancyButton49
">
                <span>
                        <span><span class="text">Parking</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences

WCAG 1.4.1

may not identify this as a link.

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.1

Element:

```
<a href="https://burlingtonvt.portal.civicclerk.com/" target="_self" class="fancyBut
ton fancyButton46 ">
                <span>
                        <span><span class="text">Agendas</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.1

Element:

```
<a href="/1201/March-25th-Statement" target="_self" class="navMainItem secondaryNavI
tem cpComponent" data-type="SecondaryMainItem">March 25th Statement</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.1

Element:

```
<a href="/Elections" target="_self" class="fancyButton fancyButton618 ">
                <span>
                        <span><span class="text">Elections</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.1

Element:

```
<a href="https://www.governmentjobs.com/careers/burlingtonvt" target="_self" class
="fancyButton fancyButton48 ">
                <span>
                        <span><span class="text">Jobs</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.1

Element:

```
<a href="/1200/March-12th-Statement" target="_self" class="navMainItem secondaryNavI
tem cpComponent" data-type="SecondaryMainItem">March 12th Statement</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.1

Element:

```
<a href="/415/Pay" target="_self" class="fancyButton fancyButton47 ">
                <span>
                        <span><span class="text">Payments</span></span>
                </span>
        </a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(204, 204, 204)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /AlertCenter.aspx WCAG 1.4.1

Element:

```
<a href="/AlertCenter.aspx?CID=Emergency-Alerts-6">Emergency Alerts</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(204, 204, 204)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /AlertCenter.aspx WCAG 1.4.1

Element:

```
<a href="/AlertCenter.aspx?CID=Parks-8">Parks</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /AlertCenter.aspx WCAG 1.4.1

Element:

```
<a href="/314/Parking-in-Burlington" target="_self" class="fancyButton fancyButton49
">
                <span>
                        <span><span class="text">Parking</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(204, 204, 204)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /AlertCenter.aspx WCAG 1.4.1

Element:

```
<a href="/AlertCenter.aspx">All Categories<span class="ae-compliance-indent" style
="display:none;"></span></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /AlertCenter.aspx WCAG 1.4.1

Element:

```
<a class="RSS" href="/Rss.aspx">RSS</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /AlertCenter.aspx WCAG 1.4.1

Element:

```
<a class="archLinkColor" href="#" onkeypress="this.onclick();" onclick="gotoArchives
(-1, -1); return false;">Show Archived</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /AlertCenter.aspx WCAG 1.4.1

Element:

```
<a class="notifyMe" href="/list.aspx?Mode=Subscribe#alertCenter">Notify Me</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /AlertCenter.aspx WCAG 1.4.1

Element:

```
<a href="https://www.governmentjobs.com/careers/burlingtonvt" target="_self" class
="fancyButton fancyButton48 ">
                <span>
                        <span><span class="text">Jobs</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(204, 204, 204)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /AlertCenter.aspx WCAG 1.4.1

Element:

```
<a href="/AlertCenter.aspx?CID=Public-Notices-5">Public Notices</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 155), text: rgb(20, 20, 12)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /AlertCenter.aspx WCAG 1.4.1

Element:

```
<a href="https://burlingtonvt.portal.civicclerk.com/" target="_self" class="fancyBut
ton fancyButton46 ">
                <span>
                        <span><span class="text">Agendas</span></span>
                </span>
        </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(204, 0, 32), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Identity/Account/Register WCAG 1.4.1

Element:

```
<a id="signInLink" role="button" class="link-decorated" href="/Identity/Account/Logi
n?returnUrl=%2Fconnect%2Fauthorize%2Fcallback%3Fclient_id%3D6fc9d50b-da01-4901-8037-
ecbabcd60f65%26redirect_uri%3Dht
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

The same textbox functionality is identified as "1" on https://burlingtonvt.gov/ and "1168" on

MEDIUM https://burlingtonvt.gov/1168/ICE-Updates-and-Press-Releases. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /1168/ICE-Updates-and-Press-Releases WCAG 3.2.4

Element:

```
<input id="hdnPageID" name="hdnPageID" type="hidden" value="1168">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same textbox functionality is identified as "1" on https://burlingtonvt.gov/ and "1168" on https://burlingtonvt.gov/1168/ICE-Updates-and-Press-Releases. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /1168/ICE-Updates-and-Press-Releases WCAG 3.2.4

Element:

```
<input type="hidden" id="pagePageID" value="1168">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same textbox functionality is identified as "Home" on https://burlingtonvt.gov/ and "ICE Updates and Press Releases" on https://burlingtonvt.gov/1168/ICE-Updates-and-Press-Releases. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /1168/ICE-Updates-and-Press-Releases WCAG 3.2.4

Element:

```
<input id="pageMenuTitle" name="pageMenuTitle" type="hidden" value="ICE Updates and Press Releases">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "5605" on https://burlingtonvt.gov/ and "8343" on https://burlingtonvt.gov/1168/ICE-Updates-and-Press-Releases. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /1168/ICE-Updates-and-Press-Releases WCAG 3.2.4

Element:

```
<input id="hdnVersionID" name="hdnVersionID" type="hidden" value="8343">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "dd0612c2-40de-4cda-acf0-bbbcc14c113c" on https://burlingtonvt.gov/ and "e67a53d9-ecd4-4a8d-ac50-a163fa70f36a" on https://burlingtonvt.gov/1168/ICE-Updates-and-Press-Releases. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /1168/ICE-Updates-and-Press-Releases WCAG 3.2.4

Element:

```
<input type="hidden" id="hdnContentCollectionID" value="e67a53d9-ecd4-4a8d-ac50-a163
fa70f36a">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "3" on https://burlingtonvt.gov/ and "1" on https://burlingtonvt.gov/1168/ICE-Updates-and-Press-Releases. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /1168/ICE-Updates-and-Press-Releases WCAG 3.2.4

Element:

```
<input type="hidden" id="hdnStructureID" value="1">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "Skip To Main Content" on https://burlingtonvt.gov/ and "Home" on https://burlingtonvt.gov/1168/ICE-Updates-and-Press-Releases. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /1168/ICE-Updates-and-Press-Releases WCAG 3.2.4

Element:

```
<a class="breadCrumb" href="/">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "16" on https://burlingtonvt.gov/ and "1" on https://burlingtonvt.gov/1168/ICE-Updates-and-Press-Releases. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /1168/ICE-Updates-and-Press-Releases WCAG 3.2.4

Element:

```
<input type="hidden" id="hdnThemeID" value="1">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Public Notification" on https://burlingtonvt.gov/ and "Skip To Main Content" on https://burlingtonvt.gov/AlertCenter.aspx. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /AlertCenter.aspx WCAG 3.2.4

Element:

```
<a href="#mainWrapTS" class="audioeye-skip-link">Skip To Main Content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same textbox functionality is identified as "3" on https://burlingtonvt.gov/ and "2" on https://burlingtonvt.gov/AlertCenter.aspx. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /AlertCenter.aspx WCAG 3.2.4

Element:

```
<input type="hidden" id="hdnStructureID" value="2">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "dd0612c2-40de-4cda-acf0-bbbcc14c113c" on https://burlingtonvt.gov/ and "02f983b6-7689-4083-a6ae-95a7c95ecb35" on https://burlingtonvt.gov/AlertCenter.aspx. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /AlertCenter.aspx WCAG 3.2.4

Element:

```
<input type="hidden" id="hdnContentCollectionID" value="02f983b6-7689-4083-a6ae-95a7
c95ecb35">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "16" on https://burlingtonvt.gov/ and "17" on https://burlingtonvt.gov/AlertCenter.aspx. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /AlertCenter.aspx WCAG 3.2.4

Element:

```
<input type="hidden" id="hdnThemeID" value="17">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Main" is present on https://burlingtonvt.gov/ but missing on https://cpauthentication.civicplus.com/Identity/Account/Register?returnUrl=%2Fconnect%2Fauthorize%2Fcallback%3Fclient_id%3D6fc9d50b-da01-4901-8037-ecbabcd60f65%26redirect_uri%3Dhttps%253A%252F%252Fwww.burlingtonvt.gov%252FIdentityServer%252FSignInCallback%26response_type%3Dcode%2520id_token%2520token%26scope%3Dopenid%2520profile%2520email%26state%3D91dad5048fac4b38980f59eadea23293_%26nonce%3D91d5459380c9405b914137d49d5af104%26response_mode%3Dform_post%26acr_values%3DOrgBranding%253Ac6e8c260-3ca0-4472-a943-02549224eacb%26showcreateaccount%3Ddone. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Page: /Identity/Account/Register WCAG 3.2.3

Element:

```
<!-- missing: nav#mainNav -->
```

SONDE FIX PLAN

Ensure the "Main" navigation region appears on all comparable pages in the site set. Consistent naviga
content. Ensure the "Agendas .fancyButton46.fancyButton:link,.fancyButton46.fancyButton:visited, .fa
background-image: url('/ImageRepository/Document?documentID=80'); background-repeat: no-repe
background-size: 120px; transition: 0.6s cubic-bezier(0.68, -0.6, 0.32, 1.6);}
.fancyButton46.fancyButton:hover,.fancyButton46.fancyButton:focus,.fancyButton46.fancyButton:acti
background-repeat: no-repeat; background-position: center top; } .fancyButton46.fancyButton:link >
span,.fancyButton46.fancyButton:visited > span, .fancyButton46div.fancyButton > span{ } .fancyButto
span,.fancyButton46.fancyButton:focus > span,.fancyButton46.fancyButton:active > span,.fancyButto
.fancyButton46.fancyButton .text{ color: rgb(0, 0, 0); font-family: "Poppins"; padding-top: 9em; font-s
padding-top: 9em; background-image: url('/ImageRepository/Document?documentID=75'); backgrou
position: center 2.85em ; transition: 0.6s cubic-bezier(0.68, -0.6, 0.32, 1.6); background-size: 60px; } .
.text,.fancyButton46.fancyButton:focus .text,.fancyButton46.fancyButton:active .text,.fancyButton46.f
underline; background-repeat: no-repeat; background-position: center 1.85em ; } Jobs
.fancyButton48.fancyButton:link,.fancyButton48.fancyButton:visited, .fancyButton48div.fancyButton{
url('/ImageRepository/Document?documentID=76'); background-repeat: no-repeat; background-pos
120px; transition: 0.6s cubic-bezier(0.68, -0.6, 0.32, 1.6);}
.fancyButton48.fancyButton:hover,.fancyButton48.fancyButton:focus,.fancyButton48.fancyButton:acti
background-repeat: no-repeat; background-position: center top; } .fancyButton48.fancyButton:link >
span,.fancyButton48.fancyButton:visited > span, .fancyButton48div.fancyButton > span{ } .fancyButto
span,.fancyButton48.fancyButton:focus > span,.fancyButton48.fancyButton:active > span,.fancyButto
.fancyButton48.fancyButton .text{ color: rgb(0, 0, 0); font-family: "Poppins"; padding-top: 9em; font-s
padding-top: 9em; background-image: url('/ImageRepository/Document?documentID=81'); backgrou
position: center 2.85em ; transition: 0.6s cubic-bezier(0.68, -0.6, 0.32, 1.6); background-size: 60px; } .
.text,.fancyButton48.fancyButton:focus .text,.fancyButton48.fancyButton:active .text,.fancyButton48.f

underline; background-repeat: no-repeat; background-position: center 1.85em ; } Parking .fancyButton49.fancyButton:link,.fancyButton49.fancyButton:visited, .fancyButton49div.fancyButton{ url('/ImageRepository/Document?documentID=77'); background-repeat: no-repeat; background-pos 120px; transition: 0.6s cubic-bezier(0.68, -0.6, 0.32, 1.6);} .fancyButton49.fancyButton:hover,.fancyButton49.fancyButton:focus,.fancyButton49.fancyButton:acti background-repeat: no-repeat; background-position: center top; } .fancyButton49.fancyButton:link > span,.fancyButton49.fancyButton:visited > span, .fancyButton49div.fancyButton > span{ } .fancyButto span,.fancyButton49.fancyButton:focus > span,.fancyButton49.fancyButton:active > span,.fancyButtor .fancyButton49.fancyButton .text{ color: rgb(0, 0, 0); font-family: "Poppins"; padding-top: 9em; font-s padding-top: 9em; background-image: url('/ImageRepository/Document?documentID=82'); backgrou position: center 2.85em ; transition: 0.6s cubic-bezier(0.68, -0.6, 0.32, 1.6); background-size: 60px; } .t .text,.fancyButton49.fancyButton:focus .text,.fancyButton49.fancyButton:active .text,.fancyButton49.f underline; background-repeat: no-repeat; background-position: center 1.85em ; }" navigation region a site set. Consistent navigation helps users predict where to find content. Ensure the "Payments .fancyButton47.fancyButton:link,.fancyButton47.fancyButton:visited, .fancyButton47div.fancyButton{ b url('/ImageRepository/Document?documentID=78'); background-repeat: no-repeat; background-pos 120px; transition: 0.6s cubic-bezier(0.68, -0.6, 0.32, 1.6);} .fancyButton47.fancyButton:hover,.fancyButton47.fancyButton:focus,.fancyButton47.fancyButton:activ background-repeat: no-repeat; background-position: center top; } .fancyButton47.fancyButton:link > > span, .fancyButton47div.fancyButton > span{ } .fancyButton47.fancyButton:hover > span,.fancyButto span,.fancyButton47.fancyButton:active > span,.fancyButton47.fancyButton.hover > span{ } .fancyButt 0); font-family: "Poppins"; padding-top: 9em; font-style: normal; text-decoration: none; padding-top: url('/ImageRepository/Document?documentID=83'); background-repeat: no-repeat; background-pos cubic-bezier(0.68, -0.6, 0.32, 1.6); background-size: 60px; } .fancyButton47.fancyButton:hover .text,.fa .text,.fancyButton47.fancyButton:active .text,.fancyButton47.fancyButton.hover .text{ text-decoration repeat; background-position: center 1.85em ; } Elections .fancyButton618.fancyButton:link,.fancyButto .fancyButton618div.fancyButton{ background-image: url('/ImageRepository/Document?documentID= background-position: center 1em ; background-size: 120px; transition: 0.6s cubic-bezier(0.68, -0.6, 0. .fancyButton618.fancyButton:hover,.fancyButton618.fancyButton:focus,.fancyButton618.fancyButton:a background-repeat: no-repeat; background-position: center top; } .fancyButton618.fancyButton:link span,.fancyButton618.fancyButton:visited > span, .fancyButton618div.fancyButton > span{ } .fancyButt span,.fancyButton618.fancyButton:focus > span,.fancyButton618.fancyButton:active > span,.fancyButt .fancyButton618.fancyButton .text{ color: rgb(0, 0, 0); font-family: "Poppins"; padding-top: 9em; font- padding-top: 9em; background-image: url('/ImageRepository/Document?documentID=7610'); backgr position: center 2.85em ; transition: 0.6s cubic-bezier(0.68, -0.6, 0.32, 1.6); background-size: 60px; } .t .text,.fancyButton618.fancyButton:focus .text,.fancyButton618.fancyButton:active .text,.fancyButton61 decoration: underline; background-repeat: no-repeat; background-position: center 1.85em ; } See, Cli .fancyButton51.fancyButton:link,.fancyButton51.fancyButton:visited, .fancyButton51div.fancyButton{ ba url('/ImageRepository/Document?documentID=80'); background-repeat: no-repeat; background-pos 120px; transition: 0.6s cubic-bezier(0.68, -0.6, 0.32, 1.6);} .fancyButton51.fancyButton:hover,.fancyButton51.fancyButton:focus,.fancyButton51.fancyButton:active background-repeat: no-repeat; background-position: center top; } .fancyButton51.fancyButton:link > > span, .fancyButton51div.fancyButton > span{ } .fancyButton51.fancyButton:hover > span,.fancyButto span,.fancyButton51.fancyButton:active > span,.fancyButton51.fancyButton.hover > span{ } .fancyButt 0); font-family: "Poppins"; padding-top: 9em; font-style: normal; text-decoration: none; padding-top: url('/ImageRepository/Document?documentID=6237'); background-repeat: no-repeat; background-p cubic-bezier(0.68, -0.6, 0.32, 1.6); background-size: 60px; } .fancyButton51.fancyButton:hover .text,.fa .text,.fancyButton51.fancyButton:active .text,.fancyButton51.fancyButton.hover .text{ text-decoration: repeat; background-position: center 1.85em ; }" navigation region appears on all comparable pages in users predict where to find content. Ensure the "navigation" navigation region appears on all compara navigation helps users predict where to find content.

MEDIUM "Privacy Policy" is visually at position 13 but receives focus at position 7 (drift: 6). WCAG 2.4.3

Page: /Identity/Account/Register WCAG 2.4.3

Element:

```
<a>Privacy Policy</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Sign up with Facebook" is visually at position 3 but receives focus at position 14 (drift: 11). WCAG 2.4.3

Page: /Identity/Account/Register WCAG 2.4.3

Element:

```
<button>Sign up with Facebook</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Sign up with Google" is visually at position 5 but receives focus at position 15 (drift: 10). WCAG 2.4.3

Page: /Identity/Account/Register WCAG 2.4.3

Element:

```
<button>Sign up with Google</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Sign up with Microsoft" is visually at position 7 but receives focus at position 16 (drift: 9). WCAG 2.4.3

Page: /Identity/Account/Register WCAG 2.4.3

Element:

```
<button>Sign up with Microsoft</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "#Input_Email" is visually at position 1 but receives focus at position 17 (drift: 16). WCAG 2.4.3

Page: /Identity/Account/Register WCAG 2.4.3

Element:

```
<input></input>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Broken link: https://burlingtonvt.gov/MyAccount/ProfileCreate returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://burlingtonvt.gov/MyAccount/ProfileCreate">Create a Website Account
</a>
```

MEDIUM Broken link: https://burlingtonvt.gov/MyAccount returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://burlingtonvt.gov/MyAccount">Website Sign In</a>
```

MEDIUM Broken link: https://burlingtonvt.gov/MyAccount/ProfileCreate returned status 403 Forbidden after 1 attempts

Page: /1168/ICE-Updates-and-Press-Releases

Element:

```
<a href="https://burlingtonvt.gov/MyAccount/ProfileCreate">Create a Website Account
</a>
```

MEDIUM Broken link: https://burlingtonvt.gov/MyAccount returned status 403 Forbidden after 1 attempts

Page: /1168/ICE-Updates-and-Press-Releases

Element:

```
<a href="https://burlingtonvt.gov/MyAccount">Website Sign In</a>
```

MEDIUM Broken link: https://burlingtonvt.gov/DocumentCenter/View/11667 returned status 404 Not Found after 1 attempts

Page: /1168/ICE-Updates-and-Press-Releases

Element:

```
<a href="https://burlingtonvt.gov/DocumentCenter/View/11667">बर्लिङ्टनमा ICE सञ्चालनको बारेमा मेयर Emma Mulvaney-Stanak को सन्देश</a>
```

MEDIUM Broken link: https://burlingtonvt.gov/MyAccount returned status 403 Forbidden after 1 attempts

Page: /AlertCenter.aspx

Element:

```
<a href="https://burlingtonvt.gov/MyAccount">Website Sign In</a>
```

MEDIUM Broken link: https://burlingtonvt.gov/MyAccount/ProfileCreate returned status 403 Forbidden after 1 attempts

Page: /AlertCenter.aspx

Element:

```
<a href="https://burlingtonvt.gov/MyAccount/ProfileCreate">Create a Website Account </a>
```

MEDIUM Interactive control "button.cp-miniCalendar-arrow.cp-miniCalendar-arrow--left" is only 34px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<button.cp-miniCalendar-arrow.cp-miniCalendar-arrow--left>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#newsFlashReadOn3839" is only 23px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#newsFlashReadOn3839>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#newsFlashReadOn3814" is only 23px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#newsFlashReadOn3814>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#newsFlashReadOn3821" is only 23px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#newsFlashReadOn3821>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 91px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: WCAG 1.4.12

Element:

```
<a href="#cc9b263b9d-a7e2-4e23-b747-b6d686e76be0" target="_self" class="skipToConten
tLink">Skip to Main Content</a>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.skipToContentLink" is only 34px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<a.skipToContentLink>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.cp-miniCalendar-arrow.cp-miniCalendar-arrow--right" is only 34px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<button.cp-miniCalendar-arrow.cp-miniCalendar-arrow--right>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#newsFlashReadOn3818" is only 23px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#newsFlashReadOn3818>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#nav-open-btn" is only 1px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#nav-open-btn>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#signedOutToolbarCreateProfileButton" is only 14px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#signedOutToolbarCreateProfileButton>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 1034px at Phone SE (320px width). WCAG 1.4.10

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.10

Element:

```
<img class="bannerObject" width="1280px" style="position: absolute; left: 0px; margi
n: 0px; width: 1428.57px;" src="/ImageRepository/Document?documentID=69" data-is-del
ayed="false" alt="">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.breadCrumb" is only 14px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /1168/ICE-Updates-and-Press-Releases WCAG 2.5.8

Element:

```
<a.breadCrumb>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.skipToContentLink.ae-exclude" is only 34px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /1168/ICE-Updates-and-Press-Releases WCAG 2.5.8

Element:

```
<a.skipToContentLink.ae-exclude>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 14px at Phone SE (320px width). WCAG 1.4.10

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.10

Element:

```
<header class="widgetHeader" id="quickLinksHeadereba4703c-00b2-4bac-81b9-9ba5a4d05c9
c" role="presentation">
                <div class="">
                                        <h3 role="heading" aria-level="2"><a style
="" href="/QuickLinks.aspx?C
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 50px at Phone SE (320px width). WCAG 1.4.10

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.10

Element:

```
<span id="1_customAlert" class="customAlert">Public Notification</span>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 9px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /1168/ICE-Updates-and-Press-Releases WCAG Sonde responsive contract

Element:

```
<div style="box-sizing: border-box; clear: both; float: left; top: -1.4em; padding:
0em 0.5em; overflow: hidden; width: 100%; margin: 0px 47.358px;">
                        <br>
                </div>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#loggedOutToolbarSignInButton" is only 35px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /1168/ICE-Updates-and-Press-Releases WCAG 2.5.8

Element:

```
<#loggedOutToolbarSignInButton>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 14px at Phone SE (320px width). WCAG 1.4.10

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.10

Element:

```
<a style="" href="/QuickLinks.aspx?CID=16">Helpful Links</a>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Page requires horizontal scrolling at Tablet (768px width, 9px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Page: /1168/ICE-Updates-and-Press-Releases WCAG Sonde responsive contract

Element:

```
<html lang="und">
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM Element overflows viewport by 9px at Phone SE (320px width). WCAG 1.4.10

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.10

Element:

```
<div style="box-sizing: border-box; clear: both; float: left; top: -1.4em; padding:
0em 0.5em; overflow: hidden; width: 100%; margin: 0px 47.358px;">
                        <br>
                </div>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.audioeye-skip-link" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /1168/ICE-Updates-and-Press-Releases WCAG 2.5.8

Element:

```
<a.audioeye-skip-link>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#btnSearchIcon" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /1168/ICE-Updates-and-Press-Releases WCAG 2.5.8

Element:

```
<#btnSearchIcon>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 55px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.12

Element:

```
<div class="bannerObject external fixedBanner" id="bannerDivbanner1" style="min-heig
ht: 400px; top: 0px; left: -74.2857px; right: 0px; position: absolute; overflow: hid
den; z-index: -999999; padding:
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "#nav-open-btn" is only 26px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /1168/ICE-Updates-and-Press-Releases WCAG 2.5.8

Element:

```
<#nav-open-btn>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 14px at Phone SE (320px width). WCAG 1.4.10

Page: /1168/ICE-Updates-and-Press-Releases WCAG 1.4.10

Element:

```
<h3 role="heading" aria-level="2"><a style="" href="/QuickLinks.aspx?CID=16">Helpful
Links</a></h3>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 68px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /AlertCenter.aspx WCAG 1.4.12

Element:

```
<label id="moduleSearchInputLabel" for="txtSearch" class="screenRead">Enter Search T
erms</label>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 20px at Phone SE (320px width). WCAG 1.4.10

Page: /AlertCenter.aspx WCAG 1.4.10

Element:

```
<section class="search selfClear" aria-label="Sidebar Navigation">
                <div id="ctl00_ctl00_MainContent_ModuleContent_ctl00_divSideBar" cla
ss="sidebar">
                    <section aria-l
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 964px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /AlertCenter.aspx WCAG Sonde responsive contract

Element:

```
<img class="bannerObject" width="1280px" style="position: absolute; left: 0px; margi
n: 0px; width: 1428.57px;" src="/ImageRepository/Document?documentID=6264" data-is-d
elayed="false" alt="">
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Primary content surface "#mainWrapTS" is only 1402px wide at Ultrawide (3440px viewport). Sonde responsive contract expects ≥ 1548px on this tier. WCAG Sonde responsive contract

Page: /AlertCenter.aspx WCAG Sonde responsive contract

Element:

```
<#mainWrapTS>
```

SONDE FIX PLAN

Use `min(100%, var(--sonde-layout-shell-max))` or remove fixed `max-width` so the primary surface expands on large monitors.

MEDIUM Interactive control "h2.active" is only 26px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /AlertCenter.aspx WCAG 2.5.8

Element:

```
<h2.active>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 19px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /AlertCenter.aspx WCAG 1.4.12

Element:

```
<a class="nav-btn" id="nav-open-btn" href="#nav" aria-haspopup="true" role="menu">Menu</a>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 90px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /AlertCenter.aspx WCAG 1.4.12

Element:

```
<a href="#mainWrapTS" class="audioeye-skip-link">Skip To Main Content</a>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 91px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /AlertCenter.aspx WCAG 1.4.12

Element:

```
<a href="#contentarea" target="_self" class="skipToContentLink ae-exclude" role="presentation" aria-hidden="true" tabindex="-1">Skip to Main Content</a>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 9px at Phone SE (320px width). WCAG 1.4.10

Page: /AlertCenter.aspx WCAG 1.4.10

Element:

```
<input name="ctl00$ctl00$MainContent$ModuleContent$ctl00$txtSearch" type="search" id
="txtSearch" placeholder="Word or Phrase">
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#signedOutToolbarCreateProfileButton" is only 14px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /AlertCenter.aspx WCAG 2.5.8

Element:

```
<#signedOutToolbarCreateProfileButton>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 29px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /AlertCenter.aspx WCAG 1.4.12

Element:

```
<div data-cprole="structuralContainer" id="bannerContainerTS" class="noOverflowTS" s
tyle="padding-top: 80.4062px;">
<div data-cprole="banner" id="banner1"><div data-cprole="structuralContainer" id="ba
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 14px at Phone SE (320px width). WCAG 1.4.10

Page: /AlertCenter.aspx WCAG 1.4.10

Element:

```
<header class="widgetHeader" id="quickLinksHeader694192c1-2bea-478f-8454-d542016eee7
7" role="presentation">
                <div class="">
                                        <h3 role="heading" aria-level="2"><a style
="" href="/QuickLinks.aspx?C
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 20px at Phone SE (320px width). WCAG 1.4.10

Page: /AlertCenter.aspx WCAG 1.4.10

Element:

```
<div id="ctl00_ctl00_MainContent_ModuleContent_ctl00_divSideBar" class="sidebar">
                    <section aria-labelledby="moduleSearchHeader" class="section sea
rch">
                        <lab
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /Search/Results WCAG 2.5.8

Element:

```
<a>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#IconView_ConfirmPassword" is only 28px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /Identity/Account/Register WCAG 2.5.8

Element:

```
<#IconView_ConfirmPassword>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#Provider_Apple" is only 43px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /Identity/Account/Register WCAG 2.5.8

Element:

```
<#Provider_Apple>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#signInLink" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /Identity/Account/Register WCAG 2.5.8

Element:

```
<#signInLink>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.navbar-toggler" is only 35px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /Identity/Account/Register WCAG 2.5.8

Element:

```
<button.navbar-toggler>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#IconView_Password" is only 28px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) WCAG 2.5.8

on touch tiers.

Page: /Identity/Account/Register WCAG 2.5.8

Element:

```
<#IconView_Password>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#registerLocalSubmit" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /Identity/Account/Register WCAG 2.5.8

Element:

```
<#registerLocalSubmit>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element

Page: /AlertCenter.aspx

Element:

```
<h2 class="active" aria-label="Category Emergency A..." data-cp-toggle="collapse" ro
le="button" aria-expanded="true" aria-controls="ctl00_ctl00_MainCont..." style="curs
or: pointer;" tabindex="0" onkey...
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element

Page: /AlertCenter.aspx

Element:

```
<h2 class="active" aria-label="Category Public Noti..." data-cp-toggle="collapse" ro
le="button" aria-expanded="false" aria-controls="ctl00_ctl00_MainCont..." style="cur
sor: pointer;" tabindex="0" onke...
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

ARIA role should be appropriate for the element: Fix any of the following: ARIA role button is not allowed for given element

Page: /AlertCenter.aspx

Element:

```
<h2 class="active" aria-label="Category Parks with ..." data-cp-toggle="collapse" ro
le="button" aria-expanded="true" aria-controls="ctl00_ctl00_MainCont..." style="curs
or: pointer;" tabindex="0" onkey...
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Deep focus region: form "Create a New Account for VT-Burlington " has 13 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys.

WCAG 2.4.1

Page: /Identity/Account/Register WCAG 2.4.1

Element:

```
<form role="form">Create a New Account for VT-Burlington

</form>
```

SONDE FIX PLAN

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW

Broken link: https://twitter.com/btvparks returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://twitter.com/btvparks"></a>
```

LOW Link timeout: https://burlingtonvt.gov/CivicAlerts.aspx?AID=3814 did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://burlingtonvt.gov/CivicAlerts.aspx?AID=3814">Measurable Progress in Mayor Emma Mulvaney-Stanak's  Community Safety Strategy</a>
```

LOW Broken link: https://twitter.com/btvparks returned status 403 Forbidden after 1 attempts

Page: /1168/ICE-Updates-and-Press-Releases

Element:

```
<a href="https://twitter.com/btvparks"></a>
```

LOW Broken link: https://twitter.com/btvparks returned status 403 Forbidden after 1 attempts

Page: /AlertCenter.aspx

Element:

```
<a href="https://twitter.com/btvparks"></a>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66" disabled="true" clickable="false" aria-hidden="true"><circle class="VIpgJd-ZVi9od-aZ
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /1168/ICE-Updates-and-Press-Releases

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /1168/ICE-Updates-and-Press-Releases

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /AlertCenter.aspx

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /AlertCenter.aspx

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue