Sonde

Control de salud de accesibilidad

https://hennepin.us

938



Excellent

May 22, 2026
Proporcionado gratis por Sonde

https://daylight.sonde.life/usgov/hennepin-us/

9 pages **290** findings **15** critical **19** high **233** medium **23** low **32.2** avg/page
3,890 elements **57** with findings **98.5%** ECR **3m 54s** total **26.0s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: / WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

PLAN DE CORRECCIÓN SONDE

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /services WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

PLAN DE CORRECCIÓN SONDE

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /services/assistance WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

PLAN DE CORRECCIÓN SONDE

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Página: /services/business-support WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

PLAN DE CORRECCIÓN SONDE

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Página: /services/elections WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

PLAN DE CORRECCIÓN SONDE

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Página: /services/environment WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

PLAN DE CORRECCIÓN SONDE

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Página: /services/grants-funding-opportunities WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

PLAN DE CORRECCIÓN SONDE

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Página: /services/justice-corrections WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

PLAN DE CORRECCIÓN SONDE

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Página: /translation-help WCAG 1.3.1

Elemento:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

PLAN DE CORRECCIÓN SONDE

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "612-348-3000"

WCAG 1.4.3

Página: /services WCAG 1.4.3

Elemento:

```
<a class="text-ui-blue text-base md:text-xl font-medium bg-gradient-to-r from-ui-blue to-ui-blue bg-[length:0%_2px] bg-left-bottom bg-no-repeat transition-[background-size] duration-600 ease-in-out ho
```

1.00:1 ✗ ACTUAL

3.00:1 ✓ SUGERIDO



#0047e2 *sobre* #0047e2

#7ea9ff *sobre* #0047e2

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 3:1). Change foreground from #0047e2 to #7ea9ff (ratio: 3.0:1). Or change background from #0047e2 to #000000.

CRITICAL Insufficient color contrast: 1.86:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 0, 0), background: rgb(17, 60, 102). Text: "Facebook" WCAG 1.4.3

Página: /services WCAG 1.4.3

Elemento:

```
<span class="sr-only">Facebook</span>
```

1.86:1 ✗ ACTUAL

Facebook

#000000 *sobre* #113c66

4.52:1 ✓ SUGERIDO

Facebook

#a4a4a4 *sobre* #113c66

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.86:1 (need 4.5:1). Change foreground from #000000 to #a4a4a4 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "Learn about home repair loans" WCAG 1.4.3

Página: /services/grants-funding-opportunities WCAG 1.4.3

Elemento:

```
<a href="/services/grants-funding-opportunities/home-repair-maintenance-loans" class
="text-ui-blue text-xl font-medium relative inline-block bg-gradient-to-r from-ui-bl
ue to-ui-blue bg-[length:0%_2px]
```

1.00:1 ✗ ACTUAL

#0047e2 *sobre* #0047e2

3.00:1 ✓ SUGERIDO

Learn about home repair loans

#7ea9ff *sobre* #0047e2

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 3:1). Change foreground from #0047e2 to #7ea9ff (ratio: 3.0:1). Or change background from #0047e2 to #000000.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/assistance WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/business-support WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/elections WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/environment WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/grants-funding-opportunities WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /services/justice-corrections WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /translation-help WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services/assistance WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services/business-support WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services/elections WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least

WCAG 2.5.8

24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

Página: /services/environment WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services/grants-funding-opportunities WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /services/justice-corrections WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Página: /translation-help WCAG 2.5.8

Elemento:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Focus jumps backward from "Emergency short-term help" to "Food assistance" (visual distance: 555px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Página: /services/assistance WCAG 2.4.3

Elemento:

```
<a>Food assistance</a>
```

PLAN DE CORRECCIÓN SONDE

Reorder elements in the DOM to match the visual layout.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Página: / WCAG 1.3.1

Elemento:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Página: /services WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/assistance WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/business-support WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/elections WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/environment WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/grants-funding-opportunities WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /services/justice-corrections WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /translation-help WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 3 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

PLAN DE CORRECCIÓN SONDE

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/assistance

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

PLAN DE CORRECCIÓN SONDE

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/business-support

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

PLAN DE CORRECCIÓN SONDE

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/elections

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

PLAN DE CORRECCIÓN SONDE
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/environment

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

PLAN DE CORRECCIÓN SONDE
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/grants-funding-opportunities

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

PLAN DE CORRECCIÓN SONDE
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /services/justice-corrections

Elemento:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

PLAN DE CORRECCIÓN SONDE
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/assistance WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/business-support WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/elections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/environment WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/grants-funding-opportunities WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /services/justice-corrections WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /translation-help WCAG 1.4.1

Elemento:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Services" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Assistance" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/assistance. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/assistance WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Business support" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/business-support. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/business-support WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Elections" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/elections. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/elections WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Environment" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/environment. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/environment WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Grants and funding opportunities" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/grants-funding-opportunities. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/grants-funding-opportunities WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Justice and corrections" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/justice-corrections. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /services/justice-corrections WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "languageTranslation help" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/translation-help. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /translation-help WCAG 3.2.4

Elemento:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Interactive control "a.text-ui-blue.ml-2" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.text-ui-blue.ml-2>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.w-full.flex" is only 27px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.w-full.flex>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.text-ui-blue.hover:text-ui-blue-hover" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.text-ui-blue.hover:text-ui-blue-hover>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.px-3.py-2" is only 40px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.px-3.py-2>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.cursor-pointer.transition-all" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<button.cursor-pointer.transition-all>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.cursor-default.text-ui-blue" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<button.cursor-default.text-ui-blue>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /services/environment WCAG 1.4.12

Elemento:

```
<h2 class="sr-only">Navigation links</h2>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "button.ml-1.relative" is only 20px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<button.ml-1.relative>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /services/environment WCAG 1.4.12

Elemento:

```
<span class="sr-only">Facebook</span>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.ml-auto.text-xs" is only 24px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on WCAG 2.5.8

touch tiers.

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.ml-auto.text-xs>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a" is only 20px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.block.px-4" is only 40px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/environment WCAG 2.5.8

Elemento:

```
<a.block.px-4>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.focus:rounded-[4px].focus:outline-offset-8" is only 32px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/grants-funding-opportunities WCAG 2.5.8

Elemento:

```
<a.focus:rounded-[4px].focus:outline-offset-8>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.text-2xl.text-gray-700" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/grants-funding-opportunities WCAG 2.5.8

Elemento:

```
<button.text-2xl.text-gray-700>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.text-white.underline" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/grants-funding-opportunities WCAG 2.5.8

Elemento:

```
<button.text-white.underline>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.text-ui-blue.hover:text-ui-blue-hover" is only 24px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /services/justice-corrections WCAG 2.5.8

Elemento:

```
<a.text-ui-blue.hover:text-ui-blue-hover>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 41px at Tablet (768px width). WCAG Sonde responsive contract

Página: /translation-help WCAG Sonde responsive contract

Elemento:

```
<hr class="text-gray-300 w-[252px] h-[1px] my-2">
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM

Page requires horizontal scrolling at Tablet (768px width, 41px overflow). Content should reflow without horizontal scrolling.

WCAG Sonde responsive contract

Página: /translation-help WCAG Sonde responsive contract

Elemento:

```
<html lang="und">
```

PLAN DE CORRECCIÓN SONDE

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM

Interactive control "a.text-ui-blue.text-base" is only 21px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /translation-help WCAG 2.5.8

Elemento:

```
<a.text-ui-blue.text-base>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /

Elemento:

```
<input type="text" id="desktop-search" name="Search" aria-required="true" required
="" placeholder="Search by keyword or phrase" class="h-15 md:h-16 w-full bg-white pr
-36 pl-12 placeholder-gray-600 rou
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/assistance

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/business-support

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/elections

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/environment

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Link timeout: https://www.hennepincounty.gov/services/grants-funding-opportunities#main-content did not respond within 5000ms after 2 attempts

Página: /services/grants-funding-opportunities

Elemento:

```
<a href="https://www.hennepincounty.gov/services/grants-funding-opportunities#main-content">Skip to main content</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/grants-funding-opportunities

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /services/justice-corrections

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Link timeout: https://www.hennepincounty.gov/services/justice-corrections#main-content did not respond within 5000ms after 2 attempts

Página: /services/justice-corrections

Elemento:

```
<a href="https://www.hennepincounty.gov/services/justice-corrections#main-content">Skip to main content</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Página: /translation-help

Elemento:

```
<a href="https://twitter.com/Hennepin">X</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio | Reportar un problema de escaneo