Sonde

Accessibility Health Check

https://hennepin.us

938



Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/hennepin-us/

9 pages **290** findings **15** critical **19** high **233** medium **23** low **32.2** avg/page
3,890 elements **57** with findings **98.5%** ECR **3m 54s** total **26.0s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Page: /services WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Page: /services/assistance WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Page: /services/business-support WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Page: /services/elections WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Page: /services/environment WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label] WCAG 1.3.1

Page: /services/grants-funding-opportunities WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Page: /services/justice-corrections WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: button[aria-controls], input[tabindex], button[aria-label]

WCAG 1.3.1

Page: /translation-help WCAG 1.3.1

Element:

```
<ul class="flex items-center gap-6" role="menubar" aria-label="Site menu">
```

SONDE FIX PLAN

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "612-348-3000"

WCAG 1.4.3

Page: /services WCAG 1.4.3

Element:

```
<a class="text-ui-blue text-base md:text-xl font-medium bg-gradient-to-r from-ui-blu
e to-ui-blue bg-[length:0%_2px] bg-left-bottom bg-no-repeat transition-[background-s
ize] duration-600 ease-in-out ho
```

1.00:1 ✗ CURRENT

3.00:1 ✓ SUGGESTED



#0047e2 on #0047e2

#7ea9ff on #0047e2

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #0047e2 to #7ea9ff (ratio: 3.0:1). Or change background from #0047e2 to #000000.

CRITICAL Insufficient color contrast: 1.86:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 0, 0), background: rgb(17, 60, 102). Text: "Facebook" WCAG 1.4.3

Page: /services WCAG 1.4.3

Element:

```
<span class="sr-only">Facebook</span>
```

1.86:1 ✗ CURRENT

Facebook

#000000 on #113c66

4.52:1 ✓ SUGGESTED

Facebook

#a4a4a4 on #113c66

SONDE FIX PLAN

Current ratio: 1.86:1 (need 4.5:1). Change foreground from #000000 to #a4a4a4 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(0, 71, 226), background: rgb(0, 71, 226). Text: "Learn about home repair loans" WCAG 1.4.3

Page: /services/grants-funding-opportunities WCAG 1.4.3

Element:

```
<a href="/services/grants-funding-opportunities/home-repair-maintenance-loans" class
="text-ui-blue text-xl font-medium relative inline-block bg-gradient-to-r from-ui-bl
ue to-ui-blue bg-[length:0%_2px]
```

1.00:1 ✗ CURRENT

#0047e2 on #0047e2

3.00:1 ✓ SUGGESTED

Learn about home repair loans

#7ea9ff on #0047e2

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #0047e2 to #7ea9ff (ratio: 3.0:1). Or change background from #0047e2 to #000000.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/assistance WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/business-support WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/elections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/environment WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/grants-funding-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /services/justice-corrections WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /translation-help WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /services WCAG 2.5.8

Element:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /services/assistance WCAG 2.5.8

Element:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /services/business-support WCAG 2.5.8

Element:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /services/elections WCAG 2.5.8

Element:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least

WCAG 2.5.8

24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

Page: /services/environment WCAG 2.5.8

Element:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /services/grants-funding-opportunities WCAG 2.5.8

Element:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /services/justice-corrections WCAG 2.5.8

Element:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (20px by 20px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /translation-help WCAG 2.5.8

Element:

```
<button class="absolute top-4 right-4 text-gray-600 leading-none cursor-pointer focu
s:outline-3 focus:outline-offset-2 focus:outline-ui-blue focus:rounded-[4px]" aria-l
abel="Submit site search">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Focus jumps backward from "Emergency short-term help" to "Food assistance" (visual distance: 555px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: /services/assistance WCAG 2.4.3

Element:

```
<a>Food assistance</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /services WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /services/assistance WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /services/business-support WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /services/elections WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /services/environment WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /services/grants-funding-opportunities WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /services/justice-corrections WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /translation-help WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/assistance

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/business-support

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/elections

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/environment

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/grants-funding-opportunities

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /services/justice-corrections

Element:

```
<nav class="hidden md:block bg-white border-b border-gray-300 py-6">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/assistance WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/business-support WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/elections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/environment WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/grants-funding-opportunities WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /services/justice-corrections WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/justice-corrections">Justi
ce and corrections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="px-3 py-2 text-gray-700 font-medium rounded-lg hover:bg-blue-50 hover:text
-blue-700 focus:rounded-[4px] focus:outline-3 focus:outline-ui-blue" role="menuitem"
href="/services">Services</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/licenses-certificates">Lic
enses and certificates</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/business-support">Business
support</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/roads-bridges">Roads and b
ridges</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/property">Property</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/assistance">Assistance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/grants-funding-opportuniti
es">Grants and funding opportuni
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/elections">Elections</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(55, 65, 81), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /translation-help WCAG 1.4.1

Element:

```
<a class="block px-4 py-2 text-gray-700 hover:bg-blue-50 hover:text-blue-700 transit
ion-colors" role="menuitem" tabindex="-1" href="/services/environment">Environment</
a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Services" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /services WCAG 3.2.4

Element:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Assistance" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/assistance. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /services/assistance WCAG 3.2.4

Element:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Business support" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/business-support. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /services/business-support WCAG 3.2.4

Element:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Elections" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/elections. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /services/elections WCAG 3.2.4

Element:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Environment" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/environment. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /services/environment WCAG 3.2.4

Element:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Grants and funding opportunities" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/grants-funding-opportunities. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /services/grants-funding-opportunities WCAG 3.2.4

Element:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Justice and corrections" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/services/justice-corrections. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /services/justice-corrections WCAG 3.2.4

Element:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "languageTranslation help" on https://www.hennepincounty.gov/ and "Skip to main content" on https://www.hennepincounty.gov/translation-help. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /translation-help WCAG 3.2.4

Element:

```
<a href="#main-content" class=" absolute left-[-9999px] top-2 z-[999] p-4 bg-brand-n
avy text-white opacity-0 focus:left-2 focus:opacity-100 rounded shadow transition-al
l duration-200 ">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Interactive control "a.text-ui-blue.ml-2" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /services/environment WCAG 2.5.8

Element:

```
<a.text-ui-blue.ml-2>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.w-full.flex" is only 27px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /services/environment WCAG 2.5.8

Element:

```
<a.w-full.flex>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.text-ui-blue.hover:text-ui-blue-hover" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/environment WCAG 2.5.8

Element:

```
<a.text-ui-blue.hover:text-ui-blue-hover>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.px-3.py-2" is only 40px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/environment WCAG 2.5.8

Element:

```
<a.px-3.py-2>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.cursor-pointer.transition-all" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/environment WCAG 2.5.8

Element:

```
<button.cursor-pointer.transition-all>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.cursor-default.text-ui-blue" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/environment WCAG 2.5.8

Element:

```
<button.cursor-default.text-ui-blue>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /services/environment WCAG 1.4.12

Element:

```
<h2 class="sr-only">Navigation links</h2>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "button.ml-1.relative" is only 20px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/environment WCAG 2.5.8

Element:

```
<button.ml-1.relative>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /services/environment WCAG 1.4.12

Element:

```
<span class="sr-only">Facebook</span>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.ml-auto.text-xs" is only 24px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on WCAG 2.5.8

touch tiers.

Page: /services/environment WCAG 2.5.8

Element:

```
<a.ml-auto.text-xs>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a" is only 20px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/environment WCAG 2.5.8

Element:

```
<a>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.block.px-4" is only 40px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/environment WCAG 2.5.8

Element:

```
<a.block.px-4>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.focus:rounded-[4px].focus:outline-offset-8" is only 32px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/grants-funding-opportunities WCAG 2.5.8

Element:

```
<a.focus:rounded-[4px].focus:outline-offset-8>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.text-2xl.text-gray-700" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/grants-funding-opportunities WCAG 2.5.8

Element:

```
<button.text-2xl.text-gray-700>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.text-white.underline" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/grants-funding-opportunities WCAG 2.5.8

Element:

```
<button.text-white.underline>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.text-ui-blue.hover:text-ui-blue-hover" is only 24px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /services/justice-corrections WCAG 2.5.8

Element:

```
<a.text-ui-blue.hover:text-ui-blue-hover>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 41px at Tablet (768px width). WCAG Sonde responsive contract

Page: /translation-help WCAG Sonde responsive contract

Element:

```
<hr class="text-gray-300 w-[252px] h-[1px] my-2">
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Page requires horizontal scrolling at Tablet (768px width, 41px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Page: /translation-help WCAG Sonde responsive contract

Element:

```
<html lang="und">
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM Interactive control "a.text-ui-blue.text-base" is only 21px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /translation-help WCAG 2.5.8

Element:

```
<a.text-ui-blue.text-base>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Page: /

Element:

```
<input type="text" id="desktop-search" name="Search" aria-required="true" required
="" placeholder="Search by keyword or phrase" class="h-15 md:h-16 w-full bg-white pr
-36 pl-12 placeholder-gray-600 rou
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Page: /services

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Page: /services/assistance

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Page: /services/business-support

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Page: /services/elections

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Page: /services/environment

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Link timeout: https://www.hennepincounty.gov/services/grants-funding-opportunities#main-content did not respond within 5000ms after 2 attempts

Page: /services/grants-funding-opportunities

Element:

```
<a href="https://www.hennepincounty.gov/services/grants-funding-opportunities#main-content">Skip to main content</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Page: /services/grants-funding-opportunities

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Page: /services/justice-corrections

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

LOW Link timeout: https://www.hennepincounty.gov/services/justice-corrections#main-content did not respond within 5000ms after 2 attempts

Page: /services/justice-corrections

Element:

```
<a href="https://www.hennepincounty.gov/services/justice-corrections#main-content">Skip to main content</a>
```

LOW Broken link: https://twitter.com/Hennepin returned status 403 Forbidden after 1 attempts

Page: /translation-help

Element:

```
<a href="https://twitter.com/Hennepin">X</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue