Sonde

Accessibility Health Check

https://kingcounty.gov

947

0 1000

Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/kingcounty-gov/

4 pages **101** findings **4** critical **17** high **75** medium **5** low **25.3** avg/page
3,990 elements **52** with findings **98.7%** ECR **6m 14s** total **1m 34s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Trailhead Direct returns May 23"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<h3 class="hero-title">
                    Trailhead Direct returns May 23
                </h3>
```

1.00:1 ✗ CURRENT

3.03:1 ✓ SUGGESTED

Trailhead Direct returns May 2...

#ffffff on #ffffff

#959494 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Take transit to the Issaquah Alps and Mount Si trails on wee"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<p class="hero-text">
                        Take transit to the Issaquah Alps and Mount Si trails on wee
kends and holidays, Saturday, May 23 through Sunday, August 30. The 2026 season incl
udes servi
```

1.00:1 ✗ CURRENT

4.53:1 ✓ SUGGESTED

Take transit to the Issaquah A...

#ffffff on #ffffff

#777676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH <html> element must have a lang attribute: Fix any of the following: The <html> element does not have a lang attribute WCAG 3.1.1

Page: /en/404/404-folder-test-js WCAG 3.1.1

Element:

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7
b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">he...
```

SONDE FIX PLAN

Ensure every HTML document has a lang attribute. See: https://www.w3.org/WAI/WCAG22/Understanding/language-of-page Add a lang attribute to the <html> element with a valid BCP 47 language tag. Example: <html lang="en">.

HIGH Focus jumps backward from "Back to Top" to "Skip to main content" (visual distance: 5256px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Close official government website notice" to "Here's how you know" (visual distance: 499px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Here's how you know</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Close official government website notice" to "Here's how you know" (visual distance: 499px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en WCAG 2.4.3

Element:

```
<a>Here's how you know</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Close official government website notice" to "Here's how you know" (visual distance: 499px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/404 WCAG 2.4.3

Element:

```
<a>Here's how you know</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/404

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/404/404-folder-test-js

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /en WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /en WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /en/404 WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="note-text">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /

Element:

```
<h3 class="hero-title">
                    Trailhead Direct returns May 23
                </h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /en

Element:

```
<div class="note-text">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /en

Element:

```
<h3 class="hero-title">
                    Trailhead Direct returns May 23
                </h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /en/404

Element:

```
<div class="note-text">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /en/404/404-folder-test-js

Element:

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7
b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">he...
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/
Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /en/404/404-folder-test-js

Element:

```
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7
b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">C
areers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departmen
ts</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences WCAG 1.4.1

may not identify this as a link.

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King Co
unty TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-an
imal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">C
areers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://kingcounty.gov/ and "Translate" on https://kingcounty.gov/en. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /en WCAG 3.2.4

Element:

```
<a class="VIpgJd-ZVi9od-l4eHX-hSRGPd" href="https://translate.google.com" target="_blank"><img src="https://www.gstatic.com/images/branding/googlelogo/1x/googlelogo_color_42x16dp.png" width="37px" height="14px" style="padding-right: 3px" alt="Google Translate">Translate</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://kingcounty.gov/ and "powered by Translate" on https://kingcounty.gov/en/404. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /en/404 WCAG 3.2.4

Element:

```
<a class="body-small" href="https://translate.google.com" target="_blank">
                                        powered by
                                        <img src="https://www.gstatic.com/image
s/branding/googlelogo/1x/googlelogo_color_42x16dp.png" alt="Google Translate">
                                        Translate
                                    </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM "Search the site" is visually at position 7 but receives focus at position 83 (drift: 76). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Search the site</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Our offices will be closed and transit and service schedules" is visually at position 9 but receives focus at position 85 (drift: 76). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Our offices will be closed and transit and service schedules</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" is visually at position 4 but receives focus at position 80 (drift: 76). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Primary Menu" is visually at position 8 but receives focus at position 84 (drift: 76). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>Primary Menu</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "King County Calendar" is visually at position 5 but receives focus at position 81 (drift: 76). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>King County Calendar</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Close official government website notice" is visually at position 3 but receives focus at position 78 (drift: 75). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Close official government website notice</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "#languageMenuButton" is visually at position 6 but receives focus at position 82 (drift: 76). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button></button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Site set has only one navigation mechanism (navigation) across 2 comparable pages. WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Page: /en WCAG 2.4.5

SONDE FIX PLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page requires horizontal scrolling at Phone SE (320px width, 15px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<html lang="und">
```

SONDE FIX PLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM Content clipped by 71px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: WCAG 1.4.12

Element:

```
<h1 class="sr-only">Home</h1>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: WCAG 1.4.12

Element:

```
<div>
                            King County officials urge extra caution on rivers after
December flooding created new potential drowning hazards
                        </div>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 10px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<div><li style="width: 100%; display: inline-block;"><a href="/en/index/#0" tabindex
="-1">0</a></li></div>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 10px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<li style="width: 100%; display: inline-block;"><a href="/en/index/#0" tabindex="-
1">0</a></li>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 26px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: WCAG 1.4.12

Element:

```
<span class="sr-only">Language selector</span>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 10px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<a href="/en/index/#0" tabindex="-1">0</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: WCAG 1.4.12

Element:

```
<a href="#maincontent" class="sr-only sr-only-focusable">Skip to main content</a>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: WCAG 1.4.12

Element:

```
<div class="topic-card-footer">See current images from traffic cameras in unincorpor
ated King County.</div>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 30px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<div class="slick-slide" data-slick-index="13" aria-hidden="true" style="width: 25p
x;" tabindex="-1"><div><li style="width: 100%; display: inline-block;"><a href="/en/
index/#M" tabindex="-1">M</a></li
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 30px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<li style="width: 100%; display: inline-block;"><a href="/en/index/#M" tabindex="-1">M</a></li>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM

Content clipped by 54px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: WCAG 1.4.12

Element:

```
<p class="editorial-spotlight-card-text">
Disaster Recovery Center open through June 10 to help residents apply for federal as
sistance                </p>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: WCAG 1.4.12

Element:

```
<h2 class="sr-only">
            Topics
        </h2>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Interactive control "#HowToKnow" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<#HowToKnow>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 355px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<div class="slick-track" style="opacity: 1; width: 675px; transform: translate3d(0p
x, 0px, 0px); transition: transform 500ms;"><div class="slick-slide slick-current sl
ick-active" data-slick-index="0"
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Page requires horizontal scrolling at Modern phone (390px width, 15px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<html lang="und">
```

SONDE FIX PLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: WCAG 1.4.12

Element:

```
<h2 id="footerLinks" class="sr-only">Footer Links</h2>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "button.close" is only 40px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<button.close>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 10px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<div class="slick-slide" data-slick-index="15" aria-hidden="true" style="width: 25p
x;" tabindex="-1"><div><li style="width: 100%; display: inline-block;"><a href="/en/
index/#0" tabindex="-1">0</a></li
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 285px at Modern phone (390px width). WCAG Sonde responsive contract

Page: WCAG Sonde responsive contract

Element:

```
<div class="slick-track" style="opacity: 1; width: 675px; transform: translate3d(0p
x, 0px, 0px); transition: transform 500ms;"><div class="slick-slide slick-current sl
ick-active" data-slick-index="0"
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.sr-only.sr-only-focusable" is only 16px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<a.sr-only.sr-only-focusable>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 30px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<div><li style="width: 100%; display: inline-block;"><a href="/en/index/#M" tabindex
="-1">M</a></li></div>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 30px at Phone SE (320px width). WCAG 1.4.10

Page: WCAG 1.4.10

Element:

```
<a href="/en/index/#M" tabindex="-1">M</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

LOW Link timeout: https://kingcounty.gov/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7b*pathInfo%7d)&user=extranet%5cAnonymous&site=KCGov did not respond within 5000ms after 2 attempts

Page: /en/404/404-folder-test-js

Element:

```
<a href="https://kingcounty.gov/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a
+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue