Sonde

Accessibility Health Check

https://manchesternh.gov

935

0 1000

Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/manchesternh-gov/

3 pages **291** findings **1** critical **7** high **73** medium **210** low **97** avg/page
8,282 elements **118** with findings **98.6%** ECR **3m 20s** total **1m 7s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Business"

WCAG 1.4.3

Page: /Business-Center WCAG 1.4.3

Element:

```
<h1>Business</h1>
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

3.03:1 ✓ SUGGESTED

Business

#959494 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.65 (foreground color: #0000ff, background color: #a9a9a9, font size: 11.3pt (15px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<td class="EventSelectedDay EventTodayDay EventDay" align="center" valign="top">
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.88 (foreground color: #ffffff, background color: #25aa99, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a id="ctlEvents_Mod_3737_EventID_105224_EventDate_2026May14" href="https://www.manchesternh.gov/City-Of-Manchester/ModuleID/3737/ItemID/105224/mctl/EventDetails" style="color:White;">Manchester Devel...
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.93 (foreground color: #ffffff, background color: #ff6600, font size: 11.3pt (15px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a id="ctlEvents_Mod_3737_EventID_106465_EventDate_2026May11" href="https://www.manchesternh.gov/City-Of-Manchester/ModuleID/3737/ItemID/106465/mctl/EventDetails" style="color:White;">Highway Commissi...
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH Console warning: JQMIGRATE: jQuery.expr[":"] is now jQuery.expr.pseudos

Page: /

Source:

```
https://www.manchesternh.gov/Resources/libraries/jQuery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61
```

MEDIUM

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: JQMIGRATE: jQuery.fn.load() is deprecated

Page: /Business-Center

Source:

```
https://www.manchesternh.gov/Resources/libraries/jQuery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61
```

MEDIUM

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: JQMIGRATE: jQuery.fn.load() is deprecated

Page: /Business-Center/Area-Profile

Source:

```
https://www.manchesternh.gov/Resources/libraries/jQuery-Migrate/03_00_00/jquery-migrate.js?cdv=203:61
```

MEDIUM

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Focus jumps backward from "More News" to "AudaTours Manchester Audio Tour: Echoes of Innovation and Fa" (visual distance: 604px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>AudaTours Manchester Audio Tour: Echoes of Innovation and Fa</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Business-Center WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Business-Center WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Business-Center WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Business-Center/Area-Profile WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Business-Center/Area-Profile WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Business-Center/Area-Profile WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="row">
                <div class="col-xs-12">
                        <div class="ContainerHeader">
                                <h1><span id="dnn_ctr3737_dnnTITLE_titleLabel" class
="Head">Official City Events Calendar </span>


</h1>
                        </div>
        ...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /

Element:

```
<h5>Absentee Ballot</h5>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="container">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="DnnModule DnnModule-efforityWF_HTML DnnModule-10482">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /

Element:

```
<html lang="en-US" class=" js no-touch cssanimations csstransitions">
```

SONDE FIX PLAN
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="medium_text">Welcome To Manchester</div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<a class="weatherwidget-io" data-basecolor="#4074c7" data-font="Roboto" data-label_1
="MANCHESTER" data-label_2="WEATHER" data-lowcolor="#ffffff" data-mode="Current" dat
a-raincolor="#ffffff" data-theme...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="DnnModule DnnModule-DNN_Reports DnnModule-10490">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="DnnModule DnnModule-efforityWF_HTML DnnModule-8028">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="HomeBannerServices">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /Business-Center

Element:

```
<h4 class="widget_title">City Hall</h4>
```

SONDE FIX PLAN
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /Business-Center

Element:

```
<html lang="en-US" class=" js no-touch cssanimations csstransitions">
```

SONDE FIX PLAN
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Business-Center

Element:

```
<div class="CityWrap">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Business-Center

Element:

```
<div id="dnn_BannerPane" class="BannerPane">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /Business-Center/Area-Profile

Element:

```
<html lang="en-US" class=" js no-touch cssanimations csstransitions">
```

SONDE FIX PLAN
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Business-Center/Area-Profile

Element:

```
<div class="CityWrap">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /Business-Center/Area-Profile

Element:

```
<h4 class="FirstHeading">Location</h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /Business-Center/Area-Profile

Element:

```
<h4 class="widget_title">City Hall</h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center WCAG 1.4.1

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center WCAG 1.4.1

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Business-Center WCAG 1.4.1

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Business-Center WCAG 1.4.1

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Business-Center WCAG 1.4.1

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center WCAG 1.4.1

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center WCAG 1.4.1

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center/Area-Profile WCAG 1.4.1

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center/Area-Profile WCAG 1.4.1

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center/Area-Profile WCAG 1.4.1

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center/Area-Profile WCAG 1.4.1

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center/Area-Profile WCAG 1.4.1

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center/Area-Profile WCAG 1.4.1

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(68, 68, 68)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Business-Center/Area-Profile WCAG 1.4.1

Element:

```
<a href="/" aria-label="Home page">Home</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Departments" on https://www.manchesternh.gov/ and "Departments page" on https://www.manchesternh.gov/Business-Center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center WCAG 3.2.4

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Government" on https://www.manchesternh.gov/ and "Government page" on https://www.manchesternh.gov/Business-Center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center WCAG 3.2.4

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Of Manchester" on https://www.manchesternh.gov/ and "Manchester Development Corporation" on https://www.manchesternh.gov/Business-Center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center WCAG 3.2.4

Element:

```
<a href="https://www.mdcnh.org/">Manchester Development Corporation</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Contact Us" on https://www.manchesternh.gov/ and "Contact page" on https://www.manchesternh.gov/Business-Center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center WCAG 3.2.4

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Residents" on https://www.manchesternh.gov/ and "Residents page" on https://www.manchesternh.gov/Business-Center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center WCAG 3.2.4

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Visitors" on https://www.manchesternh.gov/ and "Visitors page" on https://www.manchesternh.gov/Business-Center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center WCAG 3.2.4

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Business Center" on https://www.manchesternh.gov/ and "Businesses page" on https://www.manchesternh.gov/Business-Center. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center WCAG 3.2.4

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Visitors" on https://www.manchesternh.gov/ and "Visitors page" on https://www.manchesternh.gov/Business-Center/Area-Profile. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center/Area-Profile WCAG 3.2.4

Element:

```
<a href="/Visitors" aria-label="Visitors page">Visitors</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Contact Us" on https://www.manchesternh.gov/ and "Contact page" on https://www.manchesternh.gov/Business-Center/Area-Profile. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center/Area-Profile WCAG 3.2.4

Element:

```
<a href="/Contact-Us" aria-label="Contact page">Contact Us</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "City Of Manchester" on https://www.manchesternh.gov/ and "Manchester Development Corporation" on https://www.manchesternh.gov/Business-Center/Area-Profile. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /Business-Center/Area-Profile WCAG 3.2.4

Element:

```
<a href="https://www.mdcnh.org/">Manchester Development Corporation</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Business Center" on https://www.manchesternh.gov/ and "Businesses page" on https://www.manchesternh.gov/Business-Center/Area-Profile. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /Business-Center/Area-Profile WCAG 3.2.4

Element:

```
<a href="/Business-Center" aria-label="Businesses page">Business</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Departments" on https://www.manchesternh.gov/ and "Departments page" on https://www.manchesternh.gov/Business-Center/Area-Profile. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /Business-Center/Area-Profile WCAG 3.2.4

Element:

```
<a href="/Departments" aria-label="Departments page">Departments</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Government" on https://www.manchesternh.gov/ and "Government page" on https://www.manchesternh.gov/Business-Center/Area-Profile. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center/Area-Profile WCAG 3.2.4

Element:

```
<a href="/Government" aria-label="Government page">Government</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Residents" on https://www.manchesternh.gov/ and "Residents page" on https://www.manchesternh.gov/Business-Center/Area-Profile. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /Business-Center/Area-Profile WCAG 3.2.4

Element:

```
<a href="/Residents" aria-label="Residents page">Residents</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Content clipped by 671px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /Business-Center/Area-Profile WCAG 1.4.12

Element:

```
<span id="unibox-controls-description" style="position:absolute;width:1px;height:1p
x;padding:0;margin:-1px;overflow:hidden;clip:rect(0,0,0,0);border:0" class="unibox-s
r-only" tabindex="-1">Use the up
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /Business-Center/Area-Profile WCAG 1.4.12

Element:

```
<div aria-live="polite" id="lc-aria-announcer-polite" tabindex="-1" style="height: 1
px; width: 1px; margin: -1px; overflow: hidden; white-space: nowrap; border: 0px; pa
dding: 0px; position: absolute;"
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Interactive control "a.SkinObject" is only 19px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /Business-Center/Area-Profile WCAG 2.5.8

Element:

```
<a.SkinObject>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /Business-Center/Area-Profile WCAG 1.4.12

Element:

```
<label for="searchBox" class="sr-only">Search</label>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a" is only 19px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /Business-Center/Area-Profile WCAG 2.5.8

Element:

```
<a>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

LOW Link timeout: https://www.manchesternh.gov/Departments did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.manchesternh.gov/Departments">Departments</a>
```

LOW Broken link: https://codelibrary.amlegal.com/codes/manchester/latest/overview returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of O
rdinances</a>
```

LOW Link timeout: https://www.manchesternh.gov/Contact-Us did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.manchesternh.gov/Contact-Us">Contact Us</a>
```

LOW Link timeout: https://www.manchesternh.gov/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.manchesternh.gov/">City Of Manchester</a>
```

LOW Link timeout: https://www.manchesternh.gov/Business-Center did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.manchesternh.gov/Business-Center">Business Center</a>
```

LOW Link timeout: https://www.manchesternh.gov/Contact-Us did not respond within 5000ms after 2 attempts

Page: /Business-Center

Element:

```
<a href="https://www.manchesternh.gov/Contact-Us">Contact Us</a>
```

LOW Link timeout: https://www.manchesternh.gov/Business-Center did not respond within 5000ms after 2 attempts

Page: /Business-Center

Element:

```
<a href="https://www.manchesternh.gov/Business-Center">Business Center</a>
```

LOW Broken link: https://codelibrary.amlegal.com/codes/manchester/latest/overview returned status 403 Forbidden after 1 attempts

Page: /Business-Center

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of O
rdinances</a>
```

LOW Link timeout: https://www.manchesternh.gov/ did not respond within 5000ms after 2 attempts

Page: /Business-Center

Element:

```
<a href="https://www.manchesternh.gov/">City Of Manchester</a>
```

LOW Link timeout: https://www.manchesternh.gov/Departments did not respond within 5000ms after 2 attempts

Page: /Business-Center

Element:

```
<a href="https://www.manchesternh.gov/Departments">Departments</a>
```

LOW Link timeout: https://www.manchesternh.gov/ did not respond within 5000ms after 2 attempts

Page: /Business-Center/Area-Profile

Element:

```
<a href="https://www.manchesternh.gov/">City Of Manchester</a>
```

LOW Link timeout: https://www.manchesternh.gov/Business-Center did not respond within 5000ms after 2 attempts

Page: /Business-Center/Area-Profile

Element:

```
<a href="https://www.manchesternh.gov/Business-Center">Business Center</a>
```

LOW Link timeout: https://www.manchesternh.gov/Departments did not respond within 5000ms after 2 attempts

Page: /Business-Center/Area-Profile

Element:

```
<a href="https://www.manchesternh.gov/Departments">Departments</a>
```

LOW Link timeout: https://www.manchesternh.gov/Contact-Us did not respond within 5000ms after 2 attempts

Page: /Business-Center/Area-Profile

Element:

```
<a href="https://www.manchesternh.gov/Contact-Us">Contact Us</a>
```

LOW Broken link: https://codelibrary.amlegal.com/codes/manchester/latest/overview returned status 403 Forbidden after 1 attempts

Page: /Business-Center/Area-Profile

Element:

```
<a href="https://codelibrary.amlegal.com/codes/manchester/latest/overview">Code of O
rdinances</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue