Sonde

Control de salud de accesibilidad

https://multco.us

947



Excellent

May 22, 2026
Proporcionado gratis por Sonde

https://daylight.sonde.life/usgov/multco-us/

3 pages **117** findings **3** critical **9** high **57** medium **48** low **39** avg/page
1,349 elements **70** with findings **94.8%** ECR **3m 43s** total **1m 14s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

CRITICAL Interactive element with role="link" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="link" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Home" WCAG 1.4.3

Página: /elected/auditors-office WCAG 1.4.3

Elemento:

```
<a class="group-menu__link nav-link group-menu__link--active active" href="/elected/auditors-office">Home</a>
```

1.00:1 ✗ ACTUAL

4.53:1 ✓ SUGERIDO

Home

#ffffff *sobre* #ffffff

#777676 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </span><span class="visually-hidden">X (Twitter)</span></a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px.

WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true"> </span><span class="visually-hidden">Facebook</span></a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px.

WCAG 2.5.8

Página: /elected/auditors-office WCAG 2.5.8

Elemento:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true"> </span><span class="visually-hidden">Facebook</span></a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px.

WCAG 2.5.8

Página: /elected/auditors-office WCAG 2.5.8

Elemento:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </span><span class="visually-hidden">X (Twitter)</span></a>
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </span><span class="visually-hidden">X (Twitter)</span></a>
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true"> </span><span class="visually-hidden">Facebook</span></a>
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH Missing Content-Security-Policy header

Página: /

PLAN DE CORRECCIÓN SONDE
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Página: /elected/auditors-office

PLAN DE CORRECCIÓN SONDE
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Página: /es/elected/oficina-del-auditor

PLAN DE CORRECCIÓN SONDE
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 7 "navigation" landmarks but only 6 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: / WCAG 1.3.1

Elemento:

```
<!-- 7 navigation landmarks, 6 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /elected/auditors-office WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /elected/auditors-office WCAG 1.3.1

Elemento:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /es/elected/oficina-del-auditor WCAG 1.3.1

Elemento:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /es/elected/oficina-del-auditor WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected/auditors-office WCAG 1.4.1

Elemento:

```
<a href="/info/current-audit-schedule" hreflang="en">Current Audit Schedule</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected/auditors-office WCAG 1.4.1

Elemento:

```
<a href="/info/invite-multnomah-county-auditor-jennifer-mcguirk-event" hreflang="e
n">Invite Multnomah County Auditor Jennifer McGuirk to an event</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected/auditors-office WCAG 1.4.1

Elemento:

```
<a href="/info/salary-commission" hreflang="en">Salary Commission</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected/auditors-office WCAG 1.4.1

Elemento:

```
<a href="/info/board-commissioners-audit-committee" hreflang="en">Board of Commissio
ners Audit Committee</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /elected/auditors-office WCAG 1.4.1

Elemento:

```
<a href="/info/audits-progress" hreflang="en">Audits in Progress</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /elected/auditors-office WCAG 1.4.1

Elemento:

```
<a href="/info/county-auditor-and-staff" hreflang="en">County Auditor and Staff</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /elected/auditors-office WCAG 1.4.1

Elemento:

```
<a href="/info/auditors-community-advisory-committee" hreflang="en">Auditor’s Commun
ity Advisory Committee</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /elected/auditors-office WCAG 1.4.1

Elemento:

```
<a href="/info/job-volunteer-and-internship-opportunities" hreflang="en">Job, Volunt
eer and Internship Opportunities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /elected/auditors-office WCAG 1.4.1

Elemento:

```
<a href="/info/county-auditors-responsibilities" hreflang="en">County Auditor's Responsibilities</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /elected/auditors-office WCAG 1.4.1

Elemento:

```
<a href="/info/audit-reports-special-reports-memos" hreflang="en">Audit reports, special reports, &amp;amp; memos</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /es/elected/oficina-del-auditor WCAG 1.4.1

Elemento:

```
<a href="/es/info/invita-la-auditora-del-condado-de-multnomah-jennifer-mcguirk-un-evento" hreflang="es">Invita a la auditora del condado de Multnomah, Jennifer McGuirk, a un evento</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /es/elected/oficina-del-auditor WCAG 1.4.1

Elemento:

```
<a href="/es/info/oportunidades-de-empleo-voluntariado-y-practicas-profesionales" hr
eflang="es">Oportunidades de empleo, voluntariado y prácticas profesionales</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /es/elected/oficina-del-auditor WCAG 1.4.1

Elemento:

```
<a href="/es/info/auditorias-en-curso" hreflang="es">Auditorías en curso</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /es/elected/oficina-del-auditor WCAG 1.4.1

Elemento:

```
<a href="/es/info/responsabilidades-del-auditor-del-condado" hreflang="es">Responsab
ilidades del auditor del condado</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /es/elected/oficina-del-auditor WCAG 1.4.1

Elemento:

```
<a href="/es/info/calendario-de-auditoria-actual" hreflang="es">Calendario de auditoría actual</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /es/elected/oficina-del-auditor WCAG 1.4.1

Elemento:

```
<a href="/es/info/comite-asesor-comunitario-del-auditor" hreflang="es">Comité Asesor Comunitario del Auditor</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /es/elected/oficina-del-auditor WCAG 1.4.1

Elemento:

```
<a href="/es/info/informes-de-auditoria-informes-especiales-y-memorandos" hreflang="es">Informes de auditoría, informes especiales y memorandos</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not

just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /es/elected/oficina-del-auditor WCAG 1.4.1

Elemento:

```
<a href="/es/info/comite-de-auditoria-de-la-junta-de-comisionados" hreflang="es">Com
ité de Auditoría de la Junta de Comisionados</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /es/elected/oficina-del-auditor WCAG 1.4.1

Elemento:

```
<a href="/es/info/comision-de-salarios" hreflang="es">Comisión de Salarios</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /es/elected/oficina-del-auditor WCAG 1.4.1

Elemento:

```
<a href="/es/info/auditor-del-condado-y-personal" hreflang="es">Auditor del condado
y personal</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Site set has only one navigation mechanism (navigation) across 2 comparable pages. WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Página: /elected/auditors-office WCAG 2.4.5

PLAN DE CORRECCIÓN SONDE
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Site set has only one navigation mechanism (navigation) across 3 comparable pages. WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Página: /es/elected/oficina-del-auditor WCAG 2.4.5

PLAN DE CORRECCIÓN SONDE
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Interactive control "a.card__heading-link.stretched-link" is only 23px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /elected/auditors-office WCAG 2.5.8

Elemento:

```
<a.card__heading-link.stretched-link>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Page requires horizontal scrolling at Modern phone (390px width, 5px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Página: /es/elected/oficina-del-auditor WCAG Sonde responsive contract

Elemento:

```
<html lang="und">
```

PLAN DE CORRECCIÓN SONDE
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM Content clipped by 33px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /es/elected/oficina-del-auditor WCAG 1.4.12

Elemento:

```
<a class="link link--text-block" href="/es/info/auditorias-de-desempeno">
  <span class="link__text link__text--text-block">Auditorías de desempeño</span>
</a>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.visually-hidden.focusable" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<a.visually-hidden.focusable>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 55px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /es/elected/oficina-del-auditor WCAG 1.4.12

Elemento:

```
<h2 class="visually-hidden" id="block-multnomah-gov-theme-mainnavbar-menu">Main navb
ar</h2>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.language-link.btn" is only 38px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<a.language-link.btn>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "button.navbar-toggler" is only 38px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<button.navbar-toggler>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.contact__link.contact__link--phone" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<a.contact__link.contact__link--phone>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 29px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Página: /es/elected/oficina-del-auditor WCAG 1.4.12

Elemento:

```
<span class="visually-hidden">con nosotros. Enlaces a redes sociales:</span>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Interactive control "a.contact__link.contact__link--email" is only 18px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<a.contact__link.contact__link--email>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Primary content surface "main" is only 1320px wide at Ultrawide (3440px viewport). Sonde responsive contract expects ≥ 1548px on this tier.

WCAG Sonde responsive contract

Página: /es/elected/oficina-del-auditor WCAG Sonde responsive contract

Elemento:

```
<main>
```

PLAN DE CORRECCIÓN SONDE

Use `min(100%, var(--sonde-layout-shell-max))` or remove fixed `max-width` so the primary surface expands on large monitors.

MEDIUM

Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Página: /es/elected/oficina-del-auditor WCAG 1.4.12

Elemento:

```
<a href="#main-content" class="visually-hidden focusable skip-link">
      Saltar al contenido principal
    </a>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Page requires horizontal scrolling at Phone SE (320px width, 5px overflow). Content should reflow without horizontal scrolling.

WCAG 1.4.10

Página: /es/elected/oficina-del-auditor WCAG 1.4.10

Elemento:

```
<html lang="und">
```

PLAN DE CORRECCIÓN SONDE

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM

Interactive control "a.contact__link.contact__link--additional-info" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<a.contact__link.contact__link--additional-info>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.link.link--text-arrow" is only 32px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<a.link.link--text-arrow>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.px-0.vertical-menu__link" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<a.px-0.vertical-menu__link>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.card__heading-link.stretched-link" is only 23px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /es/elected/oficina-del-auditor WCAG 2.5.8

Elemento:

```
<a.card__heading-link.stretched-link>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

LOW Link timeout: https://multco.us/info/about-board-meetings did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/info/about-board-meetings">About Board Meetings</a>
```

LOW Link timeout: https://multco.us/info/website-translation-tool-future-plans did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/info/website-translation-tool-future-plans">Web Translati
ons</a>
```

LOW Link timeout: https://multco.us/services/behavioral-health-crisis-services did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/services/behavioral-health-crisis-services">Behavioral He
alth Crisis Services</a>
```

LOW Link timeout: https://multco.us/profile/nathan-vasquez did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/profile/nathan-vasquez">Nathan Vasquez</a>
```

LOW Link timeout: https://multco.us/services/marriage-licenses did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/services/marriage-licenses">Marriage Licenses</a>
```

LOW Link timeout: https://multco.us/news/central-eastside-viaduct-lighting-project-transforms-key-gateways-long-awaited-safety did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/news/central-eastside-viaduct-lighting-project-transforms
-key-gateways-long-awaited-safety">Central Eastside Viaduct Lighting Project Transfo
rms Key Gateways with Long-Awai</a>
```

LOW Link timeout: https://multco.us/profile/chair-jessica-vega-pederson did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/profile/chair-jessica-vega-pederson">Chair Jessica Vega P
ederson</a>
```

LOW Link timeout: https://multco.us/profile/shannon-singleton did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/profile/shannon-singleton">Shannon Singleton</a>
```

LOW Link timeout: https://multco.us/profile/nicole-morrisey-odonnell did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/profile/nicole-morrisey-odonnell">Nicole Morrisey O'Donne
ll</a>
```

LOW Link timeout: http://multnomah.granicus.com/ViewPublisher.php?view_id=3 did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="http://multnomah.granicus.com/ViewPublisher.php?view_id=3">Board Meetings(l
ink is external)</a>
```

LOW Link timeout: https://multco.us/search did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/search">Search</a>
```

LOW Link timeout: https://www.youtube.com/MultCoBoard did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://www.youtube.com/MultCoBoard">Livestream Board Meetings(link is exte
rnal)</a>
```

LOW Link timeout: https://multco.us/info/contact-information-multnomah-county did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/info/contact-information-multnomah-county">Contact the Co
unty</a>
```

LOW Link timeout: https://multco.us/profile/julia-brim-edwards did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/profile/julia-brim-edwards">Julia Brim-Edwards</a>
```

LOW Link timeout: https://multco.us/programs/federal-impacts did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/programs/federal-impacts">Information and resources for t
he community in response to federal immigration e</a>
```

LOW Link timeout: https://multco.us/es did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/es">Español</a>
```

LOW Link timeout: https://multco.us/news/news-release-chair-jessica-vega-pederson-releases-proposed-fy-2026-27-executive-budget did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/news/news-release-chair-jessica-vega-pederson-releases-pr
oposed-fy-2026-27-executive-budget">NEWS RELEASE: Chair Jessica Vega Pederson releas
es proposed FY 2026-27 Executive</a>
```

LOW Link timeout: https://multco.us/services/restaurants did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/services/restaurants">Restaurants</a>
```

LOW Link timeout: https://multco.us/news/all?f%5B0%5D=offered_by_taxonomy_term_name%3ACommunications%20Office did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/news/all?f%5B0%5D=offered_by_taxonomy_term_name%3ACommunications%20Office">News</a>
```

LOW Link timeout: https://multco.us/services/county-ombudsperson did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/services/county-ombudsperson">County Ombudsperson</a>
```

LOW Link timeout: https://multco.us/profile/vince-jones-dixon did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/profile/vince-jones-dixon">Vince Jones-Dixon</a>
```

LOW Link timeout: https://multco.maps.arcgis.com/apps/instant/lookup/index.html?appid=3f014410c5fc47528e611c85b5c4b3d0 did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.maps.arcgis.com/apps/instant/lookup/index.html?appid=3f014410c5fc47528e611c85b5c4b3d0">Find your Multnomah County district(link is external)</a>
```

LOW Link timeout: https://multco.us/profile/meghan-moyer did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/profile/meghan-moyer">Meghan Moyer</a>
```

LOW Link timeout: https://multco.us/services/good-government-hotline did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/services/good-government-hotline">Good Government Hotline</a>
```

LOW Link timeout: https://multco.us/elected did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/elected">Elected</a>
```

LOW Link timeout: https://multco.us/services/pay-property-taxes did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/services/pay-property-taxes">Pay Property Taxes</a>
```

LOW Link timeout: https://multco.us/services/birth-and-death-certificates did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/services/birth-and-death-certificates">Birth and Death Certificates</a>
```

LOW Link timeout: https://multco.us/news/community-values-seniors-and-gives-support-when-it-matters-most did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/news/community-values-seniors-and-gives-support-when-it-matters-most">A community that values seniors and gives support when it matters most</a>
```

LOW Link timeout: https://multco.us/programs did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/programs">Programs</a>
```

LOW Link timeout: https://multco.us/services/public-records-requests did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/services/public-records-requests">Public Records Requests
</a>
```

LOW Link timeout: https://multco.us/news/all did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/news/all">View all news</a>
```

LOW Link timeout: https://multco.us/profile/jennifer-mcguirk did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/profile/jennifer-mcguirk">Jennifer McGuirk</a>
```

LOW Link timeout: https://multco.us/services/volunteer-county did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/services/volunteer-county">Volunteer</a>
```

LOW Link timeout: https://multco.us/info/about-multnomah-county did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/info/about-multnomah-county">About Multnomah County</a>
```

LOW Link timeout: https://multco.us/services/primary-care-clinics did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://multco.us/services/primary-care-clinics">Primary Care Clinics</a>
```

LOW Link timeout: http://multnomah.granicus.com/ViewPublisher.php?view_id=3 did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="http://multnomah.granicus.com/ViewPublisher.php?view_id=3">Board Meetings(link is external)</a>
```

LOW Link timeout: https://multco.us/info/about-multnomah-county did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="https://multco.us/info/about-multnomah-county">About Multnomah County</a>
```

LOW Link timeout: https://multco.us/info/contact-information-multnomah-county did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="https://multco.us/info/contact-information-multnomah-county">Contact the County</a>
```

LOW Link timeout: https://multco.us/services/volunteer-county did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="https://multco.us/services/volunteer-county">Volunteer</a>
```

LOW Link timeout: https://multco.us/services/good-government-hotline did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="https://multco.us/services/good-government-hotline">Good Government Hotline</a>
```

LOW Link timeout: https://multco.us/info/website-translation-tool-future-plans did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="https://multco.us/info/website-translation-tool-future-plans">Web Translati
ons</a>
```

LOW Link timeout: https://multco.us/elected did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="https://multco.us/elected">Elected</a>
```

LOW Link timeout: https://multco.us/programs did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="https://multco.us/programs">Programs</a>
```

LOW Link timeout: https://multco.us/news/all?f%5B0%5D=offered_by_taxonomy_term_name%3ACommunications%20Office did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="https://multco.us/news/all?f%5B0%5D=offered_by_taxonomy_term_name%3ACommuni
cations%20Office">News</a>
```

LOW Link timeout: https://multco.us/services/county-ombudsperson did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="https://multco.us/services/county-ombudsperson">County Ombudsperson</a>
```

LOW Link timeout: https://multco.us/search did not respond within 5000ms after 2 attempts

Página: /elected/auditors-office

Elemento:

```
<a href="https://multco.us/search">Search</a>
```

LOW Link timeout: http://multnomah.granicus.com/ViewPublisher.php?view_id=3 did not respond within 5000ms after 2 attempts

Página: /es/elected/oficina-del-auditor

Elemento:

```
<a href="http://multnomah.granicus.com/ViewPublisher.php?view_id=3">Reuniones de la junta directiva(link is external)</a>
```

LOW Link timeout: https://multco.us/es did not respond within 5000ms after 2 attempts

Página: /es/elected/oficina-del-auditor

Elemento:

```
<a href="https://multco.us/es"></a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio | Reportar un problema de escaneo