Sonde

Control de salud de accesibilidad

https://nyc.gov

937



Excellent

May 22, 2026
Proporcionado gratis por Sonde

https://daylight.sonde.life/usgov/nyc-gov/

18 pages **343** findings **57** critical **29** high **242** medium **15** low **19.1** avg/page
7,568 elements **37** with findings **99.5%** ECR **5m 30s** total **18.3s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

CRITICAL

Required ARIA attributes must be provided: Fix any of the following: Required ARIA attribute not present: aria-expanded

WCAG 4.1.2

Página: /main WCAG 4.1.2

Elemento:

```
<button class="cmp-language-navigation__action-button" id="open-language-modal" role
="combobox" aria-label="Language" aria-controls="global-language-modal" aria-haspopu
p="dialog" data-open-modal="">
```

PLAN DE CORRECCIÓN SONDE

Ensure elements with ARIA roles have all required ARIA attributes. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Bike Month"

WCAG 1.4.3

Página: /main WCAG 1.4.3

Elemento:

```
<span class="cmp-accordion__title">Bike Month</span>
```

1.00:1 ✗ ACTUAL

3.03:1 ✓ SUGERIDO

Bike Month

#ffffff *sobre* #ffffff

#959494 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "What's happening?"

WCAG 1.4.3

Página: /main WCAG 1.4.3

Elemento:

```
<span class="small-paragraph">What's happening?</span>
```

1.00:1 ✗ ACTUAL

4.53:1 ✓ SUGERIDO

What's happening?

#ffffff *sobre* #ffffff #777676 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE
Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Each spring, NYC DOT celebrates cycling by hosting events fo"

WCAG 1.4.3

Página: /main WCAG 1.4.3

Elemento:

```
<p>Each spring, NYC DOT celebrates cycling by hosting events for Bike Month. </
p>
```

1.00:1 ✗ ACTUAL

4.53:1 ✓ SUGERIDO

→ Each spring, NYC DOT celebrate...

#ffffff *sobre* #ffffff #777676 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE
Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.14:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(226, 243, 255). Text: "Find what you need on nyc.gov"

WCAG 1.4.3

Página: /main WCAG 1.4.3

Elemento:

```
<span class="main-heading--subhead">Find what you need on nyc.gov</span>
```

1.14:1 ✗ ACTUAL

3.00:1 ✓ SUGERIDO

Find what you need on nyc.gov → Find what you need on nyc.gov

#ffffff *sobre* #e2f3ff #8b8b8b *sobre* #e2f3ff

PLAN DE CORRECCIÓN SONDE
Current ratio: 1.14:1 (need 3:1). Change foreground from #ffffff to #8b8b8b (ratio: 3.0:1). Or change background from #e2f3ff to #ffffff.

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "May 15, 2026"

WCAG 1.4.3

Página: /main WCAG 1.4.3

Elemento:

```
<p class="cmp-teaser__pretitle">May 15, 2026</p>
```

1.00:1 ✗ ACTUAL

4.53:1 ✓ SUGERIDO

May 15, 2026

#ffffff *sobre* #ffffff

#777676 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.66:1 (required: 4.5:1 for normal text). Foreground: rgb(51, 51, 51), background: rgb(0, 0, 0). Text: "NYC.gov footer"

WCAG 1.4.3

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 1.4.3

Elemento:

```
<span id="nyc-footer" class="sr-only">NYC.gov footer</span>
```

1.66:1 ✗ ACTUAL

4.51:1 ✓ SUGERIDO

NYC.gov footer

NYC.gov footer

#333333 *sobre* #000000

#757474 *sobre* #000000

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.66:1 (need 4.5:1). Change foreground from #333333 to #757474 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.66:1 (required: 3:1 for large text). Foreground: rgb(51, 51, 51), background: rgb(0, 0, 0). Text: "More on NYC.gov"

WCAG 1.4.3

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 1.4.3

Elemento:

```
<h2 class="sr-only">More on NYC.gov</h2>
```

1.66:1 ✗ ACTUAL

3.01:1 ✓ SUGERIDO

More on NYC.gov → More on NYC.gov

#333333 *sobre* #000000 | #5a5959 *sobre* #000000

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.66:1 (need 3:1). Change foreground from #333333 to #5a5959 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgba(0, 0, 0, 0), background: rgb(255, 255, 255). Text: "Home"

WCAG 1.4.3

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 1.4.3

Elemento:

```
<a href="/">Home</a>
```

1.00:1 ✗ ACTUAL → 4.53:1 ✓ SUGERIDO

Home

#ffffff *sobre* #ffffff | #777676 *sobre* #ffffff

PLAN DE CORRECCIÓN SONDE

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1). Current ratio: 3.95:1 (need 4.5:1). Change foreground from #ffffff to #181717 (ratio: 4.5:1).

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Página: /main WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Página: /opendata/get-started WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /opendata/get-started/gallery/featured-projects WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /opendata/get-started/gallery/submit-a-project WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /opendata/get-started/user-guides WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /opendata/get-started/user-guides/open-data-101 WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /opendata/get-started/user-guides/open-data-apis WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /opendata/sample-page WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Insufficient color contrast: 2.85:1 (required: 3:1 for large text). Foreground: rgba(0, 0, 0, 0), background: rgb(108, 149, 255). Text: "English" WCAG 1.4.3

Página: /main WCAG 1.4.3

Elemento:

```
<span class="cmp-language-navigation__action-button--language" aria-hidden="true">English</span>
```

2.85:1 ✗ ACTUAL

English

#ffffff *sobre* #6c95ff

3.01:1 ✓ SUGERIDO

English

#4d4c4c *sobre* #6c95ff

PLAN DE CORRECCIÓN SONDE
Current ratio: 2.85:1 (need 3:1). Change foreground from #ffffff to #4d4c4c (ratio: 3.0:1).

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/freehtml

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/attend-a-class

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API warning: NoApiKeys https://developers.google.com/maps/documentation/javascript/error-messages#no-api-keys

Página: /opendata/get-started/gallery

Fuente: `https://maps.googleapis.com/maps-api-v3/api/js/65/1c/util.js:28` MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/gallery/featured-projects

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/gallery/non-featured-projects

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API warning: NoApiKeys https://developers.google.com/maps/documentation/javascript/error-messages#no-api-keys

Página: /opendata/get-started/gallery/submit-a-project

Fuente: `https://maps.googleapis.com/maps-api-v3/api/js/65/1c/util.js:28` MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/user-guides

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/user-guides/filtering-and-exporting-open-data

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API warning: NoApiKeys https://developers.google.com/maps/documentation/javascript/error-messages#no-api-keys

Página: /opendata/get-started/user-guides/open-data-101

Fuente: `https://maps.googleapis.com/maps-api-v3/api/js/65/1c/util.js:28` MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/user-guides/open-data-apis

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/get-started/what-is-open-data-

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

Página: /opendata/sample-page

Fuente: `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Focus jumps backward from "Play Watch the press conference" to "Play Watch the press conference" (visual distance: 653px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /main WCAG 2.4.3

Elemento:

```
<button>Play Watch the press conference</button>
```

PLAN DE CORRECCIÓN SONDE

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Seining and Shore Exploration" to "Family Day" (visual distance: 597px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /main WCAG 2.4.3

Elemento:

```
<a>Family Day</a>
```

PLAN DE CORRECCIÓN SONDE

Reorder elements in the DOM to match the visual layout.

HIGH Missing Content-Security-Policy header

Página: /main

PLAN DE CORRECCIÓN SONDE

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /main

Elemento:

```
<h3><span>Thursday,</span><span>May 21, 2026</span></h3>
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(5, 26, 219), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /main WCAG 1.4.1

Elemento:

```
<a href="https://www.schools.nyc.gov/calendar"><u>View the public school calendar</u></a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(5, 26, 219), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /main WCAG 1.4.1

Elemento:

```
<a href="https://www.nyc.gov/assets/dsny/forms/collection-schedule"><u>Check your collection schedule</u></a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(5, 26, 219), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /main WCAG 1.4.1

Elemento:

```
<a href="https://www.nyc.gov/html/dot/html/motorist/alternate-side-parking.shtml"><u>View the full year alternate side parking calendar</u></a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/freehtml. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/freehtml WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/freehtml. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/freehtml WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/attend-a-class. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/attend-a-class WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/attend-a-class. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/attend-a-class WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/gallery WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on

WCAG 3.2.3

https://www.nyc.gov/opendata/get-started/gallery. Navigation should appear consistently across pages in the same site set.

Página: /opendata/get-started/gallery WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/featured-projects. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Página: /opendata/get-started/gallery/featured-projects WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/featured-projects. Navigation should appear consistently across pages in the same site set. WCAG 3.2.3

Página: /opendata/get-started/gallery/featured-projects WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC- WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC- WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go

WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go

WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/non-featured-projects. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/gallery/non-featured-projects WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/non-featured-projects. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/gallery/non-featured-projects WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/submit-a-project.

WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Página: /opendata/get-started/gallery/submit-a-project WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/submit-a-project. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/gallery/submit-a-project WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/user-guides. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/user-guides WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/user-guides. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/user-guides WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/user-guides/filtering-and-exporting-open-data. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/user-guides/filtering-and-exporting-open-data WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/user-guides/filtering-and-exporting-open-data. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/user-guides/filtering-and-exporting-open-data WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/user-guides/open-data-101. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/user-guides/open-data-101 WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/user-guides/open-data-101. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/user-guides/open-data-101 WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/user-guides/open-data-apis. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/user-guides/open-data-apis WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/user-guides/open-data-apis. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/user-guides/open-data-apis WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/what-is-open-data-. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/get-started/what-is-open-data- WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/what-is-open-data-. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/get-started/what-is-open-data- WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/sample-page. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /opendata/sample-page WCAG 3.2.3

Elemento:

```
<!-- missing: nav#primary-navigation -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/sample-page. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /opendata/sample-page WCAG 3.2.4

Elemento:

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Broken link: https://www.nyc.gov/opendata/freehtml#main returned status 490 Unknown after 1 attempts

Página: /opendata/freehtml

Elemento:

```
<a href="https://www.nyc.gov/opendata/freehtml#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/attend-a-class#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/attend-a-class

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/attend-a-class#main">Skip Main Nav
igation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/gallery

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/gallery#main">Skip Main Navigation
</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/featured-projects#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/gallery/featured-projects

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/featured-projects#main">Sk
ip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/non-featured-projects#main returned status 490 Unknown after 2 attempts

Página: /opendata/get-started/gallery/non-featured-projects

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/non-featured-projects#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/submit-a-project#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/gallery/submit-a-project

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/submit-a-project#main">Ski
p Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/user-guides#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/user-guides

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/user-guides#main">Skip Main Naviga
tion</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/user-guides/filtering-and-exporting-open-data#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/user-guides/filtering-and-exporting-open-data

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/user-guides/filtering-and-exportin
g-open-data#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/user-guides/open-data-101#main returned status 490 Unknown after 2 attempts

Página: /opendata/get-started/user-guides/open-data-101

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/user-guides/open-data-101#main">Sk
ip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/user-guides/open-data-apis#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/user-guides/open-data-apis

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/user-guides/open-data-apis#main">S
kip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/what-is-open-data-#main returned status 490 Unknown after 1 attempts

Página: /opendata/get-started/what-is-open-data-

Elemento:

```
<a href="https://www.nyc.gov/opendata/get-started/what-is-open-data-#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/sample-page#main returned status 490 Unknown after 1 attempts

Página: /opendata/sample-page

Elemento:

```
<a href="https://www.nyc.gov/opendata/sample-page#main">Skip Main Navigation</a>
```

MEDIUM Interactive control "a.arrow-link.white-link" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 2.5.8

Elemento:

```
<a.arrow-link.white-link>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.sr-only.sr-only-focusable" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 2.5.8

Elemento:

```
<a.sr-only.sr-only-focusable>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.logo" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on WCAG 2.5.8

touch tiers.

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 2.5.8

Elemento:

```
<a.logo>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 94px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 1.4.12

Elemento:

```
<h2 class="sr-only">Primary Navigation</h2>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 233px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 1.4.12

Elemento:

```
<span class="sr-only">Learn more about Digital Accessibility from the Mayor's Office for People with Disabilities.</span>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "#search-collapse-button" is only 30px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 2.5.8

Elemento:

```
<#search-collapse-button>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#global-language" is only 30px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 2.5.8

Elemento:

```
<#global-language>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 47px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 1.4.12

Elemento:

```
<span id="nyc-footer" class="sr-only">NYC.gov footer</span>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 71px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 1.4.12

Elemento:

```
<a href="#main" class="sr-only sr-only-focusable">Skip Main Navigation</a>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 57px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 1.4.12

Elemento:

```
<h1 class="sr-only">NYC</h1>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/freehtml

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/attend-a-class

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/gallery

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/gallery/featured-projects

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/gallery/non-featured-projects

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/gallery/submit-a-project

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/user-guides

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/user-guides/filtering-and-exporting-open-data

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/user-guides/open-data-101

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/user-guides/open-data-apis

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/get-started/what-is-open-data-

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

Página: /opendata/sample-page

Elemento:

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

LOW Broken link: https://new.mta.info/ returned status 403 Forbidden after 1 attempts

Página: /main

Elemento:

```
<a href="https://new.mta.info/">Check transit alerts</a>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /opendata/get-started

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /opendata/get-started

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /opendata/get-started/gallery/featured-projects

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /opendata/get-started/gallery/featured-projects

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /opendata/get-started/gallery/submit-a-project

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /opendata/get-started/gallery/submit-a-project

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /opendata/get-started/user-guides

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /opendata/get-started/user-guides

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /opendata/get-started/user-guides/open-data-101

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /opendata/get-started/user-guides/open-data-101

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /opendata/get-started/user-guides/open-data-apis

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /opendata/get-started/user-guides/open-data-apis

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /opendata/sample-page

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /opendata/sample-page

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio | Reportar un problema de escaneo