Sonde

# Accessibility Health Check

https://nyc.gov

## 937




## Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/nyc-gov/

**18** pages **343** findings **57** critical **29** high **242** medium **15** low **19.1** avg/page
**7,568** elements **37** with findings **99.5%** ECR **5m 30s** total **18.3s** per page

# Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Required ARIA attributes must be provided: Fix any of the following: Required ARIA attribute not present: aria-expanded

WCAG 4.1.2

**Page:** /main WCAG 4.1.2

**Element:**

```
<button class="cmp-language-navigation__action-button" id="open-language-modal" role
="combobox" aria-label="Language" aria-controls="global-language-modal" aria-haspopu
p="dialog" data-open-modal="">
```

**SONDE FIX PLAN**

Ensure elements with ARIA roles have all required ARIA attributes. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Bike Month"

WCAG 1.4.3

**Page:** /main WCAG 1.4.3

**Element:**

```
<span class="cmp-accordion__title">Bike Month</span>
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

3.03:1 ✓ SUGGESTED

Bike Month

#959494 on #ffffff

**SONDE FIX PLAN**

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "What's happening?"

WCAG 1.4.3

**Page:** /main WCAG 1.4.3

**Element:**

```
<span class="small-paragraph">What's happening?</span>
```

1.00:1 ✗ CURRENT

4.53:1 ✓ SUGGESTED

What's happening?

#ffffff on #ffffff

#777676 on #ffffff

**SONDE FIX PLAN**

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Each spring, NYC DOT celebrates cycling by hosting events fo"

WCAG 1.4.3

**Page:** /main WCAG 1.4.3

**Element:**

```
<p>Each spring, NYC DOT celebrates cycling by hosting events for Bike Month. </
p>
```

1.00:1 ✗ CURRENT

4.53:1 ✓ SUGGESTED

Each spring, NYC DOT celebrate...

#ffffff on #ffffff

#777676 on #ffffff

**SONDE FIX PLAN**

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.14:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(226, 243, 255). Text: "Find what you need on nyc.gov"

WCAG 1.4.3

**Page:** /main WCAG 1.4.3

**Element:**

```
<span class="main-heading--subhead">Find what you need on nyc.gov</span>
```

1.14:1 ✗ CURRENT

3.00:1 ✓ SUGGESTED

Find what you need on nyc.gov

Find what you need on nyc.gov

#ffffff on #e2f3ff

#8b8b8b on #e2f3ff

**SONDE FIX PLAN**

Current ratio: 1.14:1 (need 3:1). Change foreground from #ffffff to #8b8b8b (ratio: 3.0:1). Or change background from #e2f3ff to #ffffff.

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "May 15, 2026"

WCAG 1.4.3

**Page:** /main WCAG 1.4.3

**Element:**

```
<p class="cmp-teaser__pretitle">May 15, 2026</p>
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

→

4.53:1 ✓ SUGGESTED

May 15, 2026

#777676 on #ffffff

**SONDE FIX PLAN**

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.66:1 (required: 4.5:1 for normal text). Foreground: rgb(51, 51, 51), background: rgb(0, 0, 0). Text: "NYC.gov footer"

WCAG 1.4.3

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 1.4.3

**Element:**

```
<span id="nyc-footer" class="sr-only">NYC.gov footer</span>
```

1.66:1 ✗ CURRENT

NYC.gov footer

#333333 on #000000

→

4.51:1 ✓ SUGGESTED

NYC.gov footer

#757474 on #000000

**SONDE FIX PLAN**

Current ratio: 1.66:1 (need 4.5:1). Change foreground from #333333 to #757474 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.66:1 (required: 3:1 for large text). Foreground: rgb(51, 51, 51), background: rgb(0, 0, 0). Text: "More on NYC.gov"

WCAG 1.4.3

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces


WCAG 1.4.3

**Element:**

```
<h2 class="sr-only">More on NYC.gov</h2>
```

1.66:1 ✗ CURRENT

3.01:1 ✓ SUGGESTED




#333333 on #000000 → #5a5959 on #000000

**SONDE FIX PLAN**

Current ratio: 1.66:1 (need 3:1). Change foreground from #333333 to #5a5959 (ratio: 3.0:1).

---

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgba(0, 0, 0, 0), background: rgb(255, 255, 255). Text: "Home"

WCAG 1.4.3

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 1.4.3

**Element:**

```
<a href="/">Home</a>
```

1.00:1 ✗ CURRENT → 4.53:1 ✓ SUGGESTED




#ffffff on #ffffff → #777676 on #ffffff

**SONDE FIX PLAN**

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1). Current ratio: 3.95:1 (need 4.5:1). Change foreground from #ffffff to #181717 (ratio: 4.5:1).

---

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

**Page:** /main WCAG 1.1.1

**Element:**

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

---

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

**Page:** /opendata/get-started WCAG 1.1.1

**Element:**

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**Page:** /opendata/get-started/gallery/featured-projects WCAG 1.1.1

**Element:**

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**Page:** /opendata/get-started/gallery/submit-a-project WCAG 1.1.1

**Element:**

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**Page:** /opendata/get-started/user-guides WCAG 1.1.1

**Element:**

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**Page:** /opendata/get-started/user-guides/open-data-101 WCAG 1.1.1

**Element:**

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

---

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**Page:** /opendata/get-started/user-guides/open-data-apis WCAG 1.1.1

**Element:**

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

---

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**Page:** /opendata/sample-page WCAG 1.1.1

**Element:**

```
<!-- a11y: role="image" -->
```

**SONDE FIX PLAN**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

---

HIGH Insufficient color contrast: 2.85:1 (required: 3:1 for large text). Foreground: rgba(0, 0, 0, 0), background: rgb(108, 149, 255). Text: "English" WCAG 1.4.3

**Page:** /main WCAG 1.4.3

**Element:**

```
<span class="cmp-language-navigation__action-button--language" aria-hidden="true">English</span>
```

2.85:1 ✗ CURRENT

English

#ffffff on #6c95ff

3.01:1 ✓ SUGGESTED

English

#4d4c4c on #6c95ff

**SONDE FIX PLAN**
Current ratio: 2.85:1 (need 3:1). Change foreground from #ffffff to #4d4c4c (ratio: 3.0:1).

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/freehtml

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/attend-a-class

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API warning: NoApiKeys https://developers.google.com/maps/documentation/javascript/error-messages#no-api-keys

**Page:** /opendata/get-started/gallery

**Source:** `https://maps.googleapis.com/maps-api-v3/api/js/65/1c/util.js:28` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/gallery/featured-projects

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/gallery/non-featured-projects

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API warning: NoApiKeys https://developers.google.com/maps/documentation/javascript/error-messages#no-api-keys

**Page:** /opendata/get-started/gallery/submit-a-project

**Source:** `https://maps.googleapis.com/maps-api-v3/api/js/65/1c/util.js:28` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/user-guides

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/user-guides/filtering-and-exporting-open-data

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Google Maps JavaScript API warning: NoApiKeys https://developers.google.com/maps/documentation/javascript/error-messages#no-api-keys

**Page:** /opendata/get-started/user-guides/open-data-101

**Source:** `https://maps.googleapis.com/maps-api-v3/api/js/65/1c/util.js:28` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/user-guides/open-data-apis

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/get-started/what-is-open-data-

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Console warning: Google Maps JavaScript API has been loaded directly without loading=async. This can result in suboptimal performance. For best-practice loading patterns please see https://goo.gle/js-api-loading

**Page:** /opendata/sample-page

**Source:** `https://maps.googleapis.com/maps/api/js?v=3.exp&sensor=false:332` MEDIUM

**SONDE FIX PLAN**

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Focus jumps backward from "Play Watch the press conference" to "Play Watch the press conference" (visual distance: 653px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

**Page:** /main WCAG 2.4.3

**Element:**

```
<button>Play Watch the press conference</button>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Seining and Shore Exploration" to "Family Day" (visual distance: 597px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

**Page:** /main WCAG 2.4.3

**Element:**

```
<a>Family Day</a>
```

**SONDE FIX PLAN**

Reorder elements in the DOM to match the visual layout.

HIGH Missing Content-Security-Policy header

**Page:** /main

**SONDE FIX PLAN**

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

**Page:** /main

**Element:**

```
<h3><span>Thursday,</span><span>May 21, 2026</span></h3>
```

**SONDE FIX PLAN**

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(5, 26, 219), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** /main WCAG 1.4.1

**Element:**

```
<a href="https://www.schools.nyc.gov/calendar"><u>View the public school calendar</u></a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(5, 26, 219), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** /main WCAG 1.4.1

**Element:**

```
<a href="https://www.nyc.gov/assets/dsny/forms/collection-schedule"><u>Check your collection schedule</u></a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(5, 26, 219), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**Page:** /main WCAG 1.4.1

**Element:**

```
<a href="https://www.nyc.gov/html/dot/html/motorist/alternate-side-parking.shtml"><u>View the full year alternate side parking calendar</u></a>
```

**SONDE FIX PLAN**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/freehtml. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/freehtml WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/freehtml. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/freehtml WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/attend-a-class. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started/attend-a-class WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/attend-a-class. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/attend-a-class WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/gallery WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on

WCAG 3.2.3

https://www.nyc.gov/opendata/get-started/gallery. Navigation should appear consistently across pages in the same site set.

**Page:** /opendata/get-started/gallery WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/featured-projects. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

**Page:** /opendata/get-started/gallery/featured-projects WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/featured-projects. Navigation should appear consistently across pages in the same site set. WCAG 3.2.3

**Page:** /opendata/get-started/gallery/featured-projects WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC- WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC- WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/non-featured-projects. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started/gallery/non-featured-projects WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/non-featured-projects. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/gallery/non-featured-projects WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/gallery/submit-a-project. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/gallery/submit-a-project WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/gallery/submit-a-project. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started/gallery/submit-a-project WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/user-guides. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/user-guides WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/user-guides. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started/user-guides WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/user-guides/filtering-and-exporting-open-data. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/user-guides/filtering-and-exporting-open-data WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all

MEDIUM services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/user-guides/filtering-and-exporting-open-data. Navigation should appear consistently across pages in the same site set. WCAG 3.2.3

**Page:** /opendata/get-started/user-guides/filtering-and-exporting-open-data WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/user-guides/open-data-101. Navigation should appear consistently across pages in the same site set. WCAG 3.2.3

**Page:** /opendata/get-started/user-guides/open-data-101 WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/user-guides/open-data- WCAG 3.2.4

101. Components with the same function should use consistent names within the same locale.

**Page:** /opendata/get-started/user-guides/open-data-101 WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/user-guides/open-data-apis. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/user-guides/open-data-apis WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/user-guides/open-data-apis. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started/user-guides/open-data-apis WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/get-started/what-is-open-data-. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/get-started/what-is-open-data- WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/get-started/what-is-open-data-. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/get-started/what-is-open-data- WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" is present on https://www.nyc.gov/main but missing on https://www.nyc.gov/opendata/sample-page. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

**Page:** /opendata/sample-page WCAG 3.2.3

**Element:**

```
<!-- missing: nav#primary-navigation -->
```

**SONDE FIX PLAN**

Ensure the "Services Parking or camera tickets Noise complaint Get rid of waste Illegal parking complaint Apartment maintenance complaint Birth certificates Rent increase help SNAP benefits View all services Close Back Events Your government Understanding local government Agency directory Office of the Mayor Close Back nyc.gov home" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "NYC" on https://www.nyc.gov/main and "nycgo.com" on https://www.nyc.gov/opendata/sample-page. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

**Page:** /opendata/sample-page WCAG 3.2.4

**Element:**

```
<a href="http://www.nycgo.com/" title="" class="arrow-link white-link small"><strong
>nycgo.com</strong></a>
```

**SONDE FIX PLAN**

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Broken link: https://www.nyc.gov/opendata/freehtml#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/freehtml

**Element:**

```
<a href="https://www.nyc.gov/opendata/freehtml#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/attend-a-class#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/attend-a-class

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/attend-a-class#main">Skip Main Nav
igation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/gallery

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/gallery#main">Skip Main Navigation
</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/featured-projects#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/gallery/featured-projects

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/featured-projects#main">Sk
ip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Investig
ating-NYC-s-Privately-Owned-Public-Spaces#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/featured-projects/New-York
-City-Jail-Population-Tracker#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Spatial-
Equity-NYC-#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/featured-projects/Where-do
es-NYC-Garbage-Go#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/non-featured-projects#main returned status 490 Unknown after 2 attempts

**Page:** /opendata/get-started/gallery/non-featured-projects

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/non-featured-projects#mai
n">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/gallery/submit-a-project#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/gallery/submit-a-project

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/gallery/submit-a-project#main">Ski
p Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/user-guides#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/user-guides

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/user-guides#main">Skip Main Naviga
tion</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/user-guides/filtering-and-exporting-open-data#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/user-guides/filtering-and-exporting-open-data

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/user-guides/filtering-and-exportin
g-open-data#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/user-guides/open-data-101#main returned status 490 Unknown after 2 attempts

**Page:** /opendata/get-started/user-guides/open-data-101

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/user-guides/open-data-101#main">Sk
ip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/user-guides/open-data-apis#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/user-guides/open-data-apis

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/user-guides/open-data-apis#main">S
kip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/get-started/what-is-open-data-#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/get-started/what-is-open-data-

**Element:**

```
<a href="https://www.nyc.gov/opendata/get-started/what-is-open-data-#main">Skip Main Navigation</a>
```

MEDIUM Broken link: https://www.nyc.gov/opendata/sample-page#main returned status 490 Unknown after 1 attempts

**Page:** /opendata/sample-page

**Element:**

```
<a href="https://www.nyc.gov/opendata/sample-page#main">Skip Main Navigation</a>
```

MEDIUM Interactive control "a.arrow-link.white-link" is only 17px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 2.5.8

**Element:**

```
<a.arrow-link.white-link>
```

**SONDE FIX PLAN**

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.sr-only.sr-only-focusable" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 2.5.8

**Element:**

```
<a.sr-only.sr-only-focusable>
```

**SONDE FIX PLAN**

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.logo" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on WCAG 2.5.8

touch tiers.

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

WCAG 2.5.8

**Element:**

```
<a.logo>
```

**SONDE FIX PLAN**
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 94px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 1.4.12

**Element:**

```
<h2 class="sr-only">Primary Navigation</h2>
```

**SONDE FIX PLAN**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 233px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 1.4.12

**Element:**

```
<span class="sr-only">Learn more about Digital Accessibility from the Mayor's Office for People with Disabilities.</span>
```

**SONDE FIX PLAN**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "#search-collapse-button" is only 30px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 2.5.8

**Element:**

```
<#search-collapse-button>
```

**SONDE FIX PLAN**
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#global-language" is only 30px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 2.5.8

**Element:**

```
<#global-language>
```

**SONDE FIX PLAN**
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Content clipped by 47px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 1.4.12

**Element:**

```
<span id="nyc-footer" class="sr-only">NYC.gov footer</span>
```

**SONDE FIX PLAN**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 71px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 1.4.12

**Element:**

```
<a href="#main" class="sr-only sr-only-focusable">Skip Main Navigation</a>
```

**SONDE FIX PLAN**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 57px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

WCAG 1.4.12

**Element:**

```
<h1 class="sr-only">NYC</h1>
```

**SONDE FIX PLAN**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/freehtml

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/attend-a-class

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/gallery

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/gallery/featured-projects

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/gallery/featured-projects/Investigating-NYC-s-Privately-Owned-Public-Spaces

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/gallery/featured-projects/New-York-City-Jail-Population-Tracker

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/gallery/featured-projects/Spatial-Equity-NYC-

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/gallery/featured-projects/Where-does-NYC-Garbage-Go

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/gallery/non-featured-projects

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/gallery/submit-a-project

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/user-guides

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/user-guides/filtering-and-exporting-open-data

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/user-guides/open-data-101

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/user-guides/open-data-apis

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/get-started/what-is-open-data-

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

MEDIUM Stuck loading state: loading indicator CSS class on <input> persists after page readiness

**Page:** /opendata/sample-page

**Element:**

```
<input type="text" name="search-terms" placeholder="Search" id="search-terms" class
="input-search input-black filter-item placeholder">
```

LOW Broken link: https://new.mta.info/ returned status 403 Forbidden after 1 attempts

**Page:** /main

**Element:**

```
<a href="https://new.mta.info/">Check transit alerts</a>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** /opendata/get-started

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**Page:** /opendata/get-started

**Element:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**Page:** /opendata/get-started/gallery/featured-projects

**Element:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** /opendata/get-started/gallery/featured-projects

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**Page:** /opendata/get-started/gallery/submit-a-project

**Element:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** /opendata/get-started/gallery/submit-a-project

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**Page:** /opendata/get-started/user-guides

**Element:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** /opendata/get-started/user-guides

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**Page:** /opendata/get-started/user-guides/open-data-101

**Element:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** /opendata/get-started/user-guides/open-data-101

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** /opendata/get-started/user-guides/open-data-apis

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**Page:** /opendata/get-started/user-guides/open-data-apis

**Element:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**Page:** /opendata/sample-page

**Element:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**Page:** /opendata/sample-page

**Element:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

## Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

| TIER | WEIGHT | EXAMPLES |
|---|---|---|
| Critical | 10 | Keyboard traps, missing page language |
| High | 3 | Missing alt text, insufficient contrast |
| Medium | 1 | Heading hierarchy, unclear link purpose |
| Low | 0.25 | Best-practice suggestions |

*The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.*

### Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue