Sonde

Accessibility Health Check

https://www.sandiego.gov

858



Strong

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/sandiego-gov/

8 pages **669** findings **15** critical **125** high **447** medium **82** low **83.6** avg/page
13,273 elements **139** with findings **99%** ECR **3m 17s** total **24.6s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL

Insufficient color contrast: 1.01:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(254, 254, 254). Text: "Feedback"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<div data-aut="feedback" class="kampyle_button-text" style="line-height: normal; fon
t-size: 14px;">Feedback</div>
```

1.01:1 ✗ CURRENT

Feedback

#ffffff on #fefefe

4.50:1 ✓ SUGGESTED

Feedback

#767676 on #fefefe

SONDE FIX PLAN

Current ratio: 1.01:1 (need 4.5:1). Change foreground from #ffffff to #767676 (ratio: 4.5:1). Or change background from #fefefe to #ffffff.

CRITICAL

Insufficient color contrast: 1.31:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(221, 226, 229). Text: "Human Relations Commission"

WCAG 1.4.3

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.3

Element:

```
<p class="h1 main__heading" style="background: transparent !important;">Human Relati
ons Commission</p>
```

1.31:1 ✗ CURRENT

Human Relations Commission

#ffffff on #dde2e5

3.02:1 ✓ SUGGESTED

Human Relations Commission

#818080 on #dde2e5

SONDE FIX PLAN

Current ratio: 1.31:1 (need 3:1). Change foreground from #ffffff to #818080 (ratio: 3.0:1). Or change background from #dde2e5 to #ffffff.

CRITICAL

Insufficient color contrast: 1.01:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(254, 254, 254). Text: "Feedback"

WCAG 1.4.3

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.3

Element:

```
<div data-aut="feedback" class="kampyle_button-text" style="line-height: normal; fon
t-size: 14px;">Feedback</div>
```

1.01:1 ✗ CURRENT

4.50:1 ✓ SUGGESTED



#ffffff on #fefefe

#767676 on #fefefe

SONDE FIX PLAN

Current ratio: 1.01:1 (need 4.5:1). Change foreground from #ffffff to #767676 (ratio: 4.5:1). Or change background from #fefefe to #ffffff.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /fire/cert-san-diego WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /fire/save-a-life-today WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /fire/victim-resources WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /fire/wildland-fire-safety WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /oes/emergencypreparedness WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /oes/emergencypreparedness WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /oes/emergencypreparedness WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /oes/emergencypreparedness WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /oes/emergencypreparedness WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /oes/emergencypreparedness WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /oes/emergencypreparedness WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /oes/emergencypreparedness WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /oes/see-something-say-something WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /oes/see-something-say-something WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (231.2px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd5" data-drupal-link-system-path="node/224204" aria-label="Co
uncilmember Marni von Wilpert (District 5)" data-uw-rm-brl="PR" data-uw-original-hre
f="/citycouncil/cd5">Councilmemb...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (213.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd8" data-drupal-link-system-path="node/224190" aria-label="Co
uncilmember Vivian Moreno (District 8)" data-uw-rm-brl="PR" data-uw-original-href="/
citycouncil/cd8">Councilmember V...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a a with no valid role attribute.

WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<a id="main-content" tabindex="-1" aria-label="Open this option" data-uw-rm-empty-ct
rl=""></a>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an explicit ARIA role

(e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (151.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City Attorney Heather Ferbert" data-uw-rm-brl="PR" data-uw-original-href="/city-attorney">City Attorney Heather Ferbert<...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (233.3px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd3" data-drupal-link-system-path="node/224203" aria-label="Councilmember Stephen Whitburn (District 3)" data-uw-rm-brl="PR" data-uw-original-href="/citycouncil/cd3">Councilmembe...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (141.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of Mayor Todd Gloria" data-uw-rm-brl="PR" data-uw-original-href="/mayor">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (237.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd6" data-drupal-link-system-path="node/224218" aria-label="Co
uncil President Pro Tem Kent Lee (District 6)" data-uw-rm-brl="PR" data-uw-original-
href="/citycouncil/cd6">Council ...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (230.6px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd2" data-drupal-link-system-path="node/224188" aria-label="Co
uncilmember Jennifer Campbell (District 2)" data-uw-rm-brl="PR" data-uw-original-hre
f="/citycouncil/cd2">Councilmemb...
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (209.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd7" data-drupal-link-system-path="node/224205" aria-label="Co
uncilmember Raul Campillo (District 7)" data-uw-rm-brl="PR" data-uw-original-href="/
citycouncil/cd7">Councilmember R...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (218.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd9" data-drupal-link-system-path="node/224206" aria-label="Co
uncilmember Sean Elo-Rivera (District 9)" data-uw-rm-brl="PR" data-uw-original-href
="/citycouncil/cd9">Councilmember...
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (230.6px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd2" data-drupal-link-system-path="node/224188" aria-label="Co
uncilmember Jennifer Campbell (District 2)">Councilmember Jennifer Campbell (Distric
t 2)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (209.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd7" data-drupal-link-system-path="node/224205" aria-label="Co
uncilmember Raul Campillo (District 7)">Councilmember Raul Campillo (District 7)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (213.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd8" data-drupal-link-system-path="node/224190" aria-label="Co
uncilmember Vivian Moreno (District 8)">Councilmember Vivian Moreno (District 8)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (237.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd6" data-drupal-link-system-path="node/224218" aria-label="Co
uncil President Pro Tem Kent Lee (District 6)">Council President Pro Tem Kent Lee (D
istrict 6)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (231.2px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd5" data-drupal-link-system-path="node/224204" aria-label="Co
uncilmember Marni von Wilpert (District 5)">Councilmember Marni von Wilpert (Distric
t 5)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (141.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (218.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd9" data-drupal-link-system-path="node/224206" aria-label="Co
uncilmember Sean Elo-Rivera (District 9)">Councilmember Sean Elo-Rivera (District 9)
</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (233.3px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd3" data-drupal-link-system-path="node/224203" aria-label="Co
uncilmember Stephen Whitburn (District 3)">Councilmember Stephen Whitburn (District
3)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (151.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City
Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (231.2px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /fire/cert-san-diego WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd5" data-drupal-link-system-path="node/224204" aria-label="Co
uncilmember Marni von Wilpert (District 5)">Councilmember Marni von Wilpert (Distric
t 5)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (218.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/cert-san-diego WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd9" data-drupal-link-system-path="node/224206" aria-label="Co
uncilmember Sean Elo-Rivera (District 9)">Councilmember Sean Elo-Rivera (District 9)
</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (141.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/cert-san-diego WCAG 2.5.8

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (151.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/cert-san-diego WCAG 2.5.8

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City
Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (209.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/cert-san-diego WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd7" data-drupal-link-system-path="node/224205" aria-label="Co
uncilmember Raul Campillo (District 7)">Councilmember Raul Campillo (District 7)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (233.3px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/cert-san-diego WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd3" data-drupal-link-system-path="node/224203" aria-label="Co
uncilmember Stephen Whitburn (District 3)">Councilmember Stephen Whitburn (District
3)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (230.6px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/cert-san-diego WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd2" data-drupal-link-system-path="node/224188" aria-label="Co
uncilmember Jennifer Campbell (District 2)">Councilmember Jennifer Campbell (Distric
t 2)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (213.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/cert-san-diego WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd8" data-drupal-link-system-path="node/224190" aria-label="Co
uncilmember Vivian Moreno (District 8)">Councilmember Vivian Moreno (District 8)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (237.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /fire/cert-san-diego WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd6" data-drupal-link-system-path="node/224218" aria-label="Co
uncil President Pro Tem Kent Lee (District 6)">Council President Pro Tem Kent Lee (D
istrict 6)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (141.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/save-a-life-today WCAG 2.5.8

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (237.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /fire/save-a-life-today WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd6" data-drupal-link-system-path="node/224218" aria-label="Co
uncil President Pro Tem Kent Lee (District 6)">Council President Pro Tem Kent Lee (D
istrict 6)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (209.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/save-a-life-today WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd7" data-drupal-link-system-path="node/224205" aria-label="Co
uncilmember Raul Campillo (District 7)">Councilmember Raul Campillo (District 7)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (231.2px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /fire/save-a-life-today WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd5" data-drupal-link-system-path="node/224204" aria-label="Co
uncilmember Marni von Wilpert (District 5)">Councilmember Marni von Wilpert (Distric
t 5)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (218.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/save-a-life-today WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd9" data-drupal-link-system-path="node/224206" aria-label="Co
uncilmember Sean Elo-Rivera (District 9)">Councilmember Sean Elo-Rivera (District 9)
</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (213.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/save-a-life-today WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd8" data-drupal-link-system-path="node/224190" aria-label="Co
uncilmember Vivian Moreno (District 8)">Councilmember Vivian Moreno (District 8)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (151.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/save-a-life-today WCAG 2.5.8

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City
Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (230.6px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/save-a-life-today WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd2" data-drupal-link-system-path="node/224188" aria-label="Co
uncilmember Jennifer Campbell (District 2)">Councilmember Jennifer Campbell (Distric
t 2)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (233.3px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/save-a-life-today WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd3" data-drupal-link-system-path="node/224203" aria-label="Co
uncilmember Stephen Whitburn (District 3)">Councilmember Stephen Whitburn (District
3)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (231.2px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /fire/victim-resources WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd5" data-drupal-link-system-path="node/224204" aria-label="Co
uncilmember Marni von Wilpert (District 5)">Councilmember Marni von Wilpert (Distric
t 5)</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (151.5px by 15px, should be at

WCAG 2.5.8

least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

Page: /fire/victim-resources WCAG 2.5.8

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (233.3px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/victim-resources WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd3" data-drupal-link-system-path="node/224203" aria-label="Councilmember Stephen Whitburn (District 3)">Councilmember Stephen Whitburn (District 3)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (141.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/victim-resources WCAG 2.5.8

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of Mayor Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (237.7px by 15px, should be at

WCAG 2.5.8

least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

Page: /fire/victim-resources WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd6" data-drupal-link-system-path="node/224218" aria-label="Co
uncil President Pro Tem Kent Lee (District 6)">Council President Pro Tem Kent Lee (D
istrict 6)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (213.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/victim-resources WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd8" data-drupal-link-system-path="node/224190" aria-label="Co
uncilmember Vivian Moreno (District 8)">Councilmember Vivian Moreno (District 8)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (209.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/victim-resources WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd7" data-drupal-link-system-path="node/224205" aria-label="Co
uncilmember Raul Campillo (District 7)">Councilmember Raul Campillo (District 7)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (218.4px by 15px, should be at

WCAG 2.5.8

least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

Page: /fire/victim-resources WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd9" data-drupal-link-system-path="node/224206" aria-label="Co
uncilmember Sean Elo-Rivera (District 9)">Councilmember Sean Elo-Rivera (District 9)
</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (230.6px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/victim-resources WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd2" data-drupal-link-system-path="node/224188" aria-label="Co
uncilmember Jennifer Campbell (District 2)">Councilmember Jennifer Campbell (Distric
t 2)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (230.6px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/wildland-fire-safety WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd2" data-drupal-link-system-path="node/224188" aria-label="Co
uncilmember Jennifer Campbell (District 2)">Councilmember Jennifer Campbell (Distric
t 2)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (233.3px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/wildland-fire-safety WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd3" data-drupal-link-system-path="node/224203" aria-label="Co
uncilmember Stephen Whitburn (District 3)">Councilmember Stephen Whitburn (District
3)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (213.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/wildland-fire-safety WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd8" data-drupal-link-system-path="node/224190" aria-label="Co
uncilmember Vivian Moreno (District 8)">Councilmember Vivian Moreno (District 8)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (231.2px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /fire/wildland-fire-safety WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd5" data-drupal-link-system-path="node/224204" aria-label="Co
uncilmember Marni von Wilpert (District 5)">Councilmember Marni von Wilpert (Distric
t 5)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (237.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /fire/wildland-fire-safety WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd6" data-drupal-link-system-path="node/224218" aria-label="Co
uncil President Pro Tem Kent Lee (District 6)">Council President Pro Tem Kent Lee (D
istrict 6)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (209.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/wildland-fire-safety WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd7" data-drupal-link-system-path="node/224205" aria-label="Co
uncilmember Raul Campillo (District 7)">Councilmember Raul Campillo (District 7)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (151.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/wildland-fire-safety WCAG 2.5.8

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City
Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (218.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /fire/wildland-fire-safety WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd9" data-drupal-link-system-path="node/224206" aria-label="Co
uncilmember Sean Elo-Rivera (District 9)">Councilmember Sean Elo-Rivera (District 9)
</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (141.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /fire/wildland-fire-safety WCAG 2.5.8

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (213.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /oes/emergencypreparedness WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd8" data-drupal-link-system-path="node/224190" aria-label="Co
uncilmember Vivian Moreno (District 8)">Councilmember Vivian Moreno (District 8)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (209.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /oes/emergencypreparedness WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd7" data-drupal-link-system-path="node/224205" aria-label="Co
uncilmember Raul Campillo (District 7)">Councilmember Raul Campillo (District 7)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (231.2px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /oes/emergencypreparedness WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd5" data-drupal-link-system-path="node/224204" aria-label="Co
uncilmember Marni von Wilpert (District 5)">Councilmember Marni von Wilpert (Distric
t 5)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (233.3px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /oes/emergencypreparedness WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd3" data-drupal-link-system-path="node/224203" aria-label="Co
uncilmember Stephen Whitburn (District 3)">Councilmember Stephen Whitburn (District
3)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (237.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /oes/emergencypreparedness WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd6" data-drupal-link-system-path="node/224218" aria-label="Co
uncil President Pro Tem Kent Lee (District 6)">Council President Pro Tem Kent Lee (D
istrict 6)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (230.6px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /oes/emergencypreparedness WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd2" data-drupal-link-system-path="node/224188" aria-label="Co
uncilmember Jennifer Campbell (District 2)">Councilmember Jennifer Campbell (Distric
t 2)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (151.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /oes/emergencypreparedness WCAG 2.5.8

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City
Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (141.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /oes/emergencypreparedness WCAG 2.5.8

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (218.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /oes/emergencypreparedness WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd9" data-drupal-link-system-path="node/224206" aria-label="Co
uncilmember Sean Elo-Rivera (District 9)">Councilmember Sean Elo-Rivera (District 9)
</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (218.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd9" data-drupal-link-system-path="node/224206" aria-label="Co
uncilmember Sean Elo-Rivera (District 9)">Councilmember Sean Elo-Rivera (District 9)
</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (237.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd6" data-drupal-link-system-path="node/224218" aria-label="Co
uncil President Pro Tem Kent Lee (District 6)">Council President Pro Tem Kent Lee (D
istrict 6)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (230.6px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd2" data-drupal-link-system-path="node/224188" aria-label="Co
uncilmember Jennifer Campbell (District 2)">Councilmember Jennifer Campbell (Distric
t 2)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (209.7px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd7" data-drupal-link-system-path="node/224205" aria-label="Co
uncilmember Raul Campillo (District 7)">Councilmember Raul Campillo (District 7)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (233.3px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.8px instead of at least 24px.

WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd3" data-drupal-link-system-path="node/224203" aria-label="Co
uncilmember Stephen Whitburn (District 3)">Councilmember Stephen Whitburn (District
3)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (151.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City
Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (213.4px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px.

WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd8" data-drupal-link-system-path="node/224190" aria-label="Co
uncilmember Vivian Moreno (District 8)">Councilmember Vivian Moreno (District 8)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (231.2px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.2px instead of at least 24px.

WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a href="/citycouncil/cd5" data-drupal-link-system-path="node/224204" aria-label="Co
uncilmember Marni von Wilpert (District 5)">Councilmember Marni von Wilpert (Distric
t 5)</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (141.5px by 15px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px.

WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Console error: TypeError: Cannot read properties of null (reading 'style') at https://www.sandiego.gov/:2145:994

Page: /

Source: https://www.sandiego.gov/:2144 MEDIUM

Console error: TypeError: Cannot read properties of null (reading 'querySelector') at i.handleTouch (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9O9qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOlOQo2gi4YYB55nWph-jHEJBazwXXK1QQuOsCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEe

P6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:2096) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:5887 at NodeList.forEach (<anonymous>) at i.init (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:5828) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:8778 at NodeList.forEach (<anonymous>) at Object.attach (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:8654) at https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:12:427 at Array.forEach (<anonymous>) at Drupal.attachBehaviors (https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-

HIGH

WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:353)

Page: /blog/stopping-hate-crimes-and-incidents-0

Source:

```
https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7Ophmip0kQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:11
```

MEDIUM

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

Console error: TypeError: Cannot read properties of null (reading 'querySelector') at i.handleTouch (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:2096) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:5887 at NodeList.forEach (<anonymous>) at i.init (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRl

HIGH

zGA4R0x6bgW:10:5828) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:8778 at NodeList.forEach (<anonymous>) at Object.attach (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:8654) at https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:427 at Array.forEach (<anonymous>) at Drupal.attachBehaviors (https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:353)

Page: /fire/cert-san-diego

Source:

```
https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:11
```

MEDIUM

Console error: TypeError: Cannot read properties of null (reading 'querySelector') at i.handleTouch

(https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFl4FBgQx0DnuGbRG3A1Qvx15h0uUl5dRwMOlOQo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dl5VlpoR5xY7OphmipOkQWlSFleEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:2096) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFl4FBgQx0DnuGbRG3A1Qvx15h0uUl5dRwMOlOQo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dl5VlpoR5xY7OphmipOkQWlSFleEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:5887 at NodeList.forEach (<anonymous>) at i.init (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFl4FBgQx0DnuGbRG3A1Qvx15h0uUl5dRwMOlOQo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dl5VlpoR5xY7OphmipOkQWlSFleEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:5828) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?

HIGH scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFl4FBgQx0DnuGbRG3A1Qvx15h0uUl5dRwMOlOQo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dl5VlpoR5xY7OphmipOkQWlSFleEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:8778 at NodeList.forEach (<anonymous>) at Object.attach (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFl4FBgQx0DnuGbRG3A1Qvx15h0uUl5dRwMOlOQo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dl5VlpoR5xY7OphmipOkQWlSFleEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:8654) at https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFl4FBgQx0DnuGbRG3A1Qvx15h0uUl5dRwMOlOQo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dl5VlpoR5xY7OphmipOkQWlSFleEe

P6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:427 at Array.forEach (<anonymous>) at Drupal.attachBehaviors (https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:353)

Page: /fire/save-a-life-today

Source:

```
https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:11
```

MEDIUM

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

Console error: TypeError: Cannot read properties of null (reading 'querySelector') at i.handleTouch (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:2096) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:5887 at NodeList.forEach (<anonymous>) at i.init (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?

scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9O9qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:5828) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9O9qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:8778 at NodeList.forEach (<anonymous>) at Object.attach (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9O9qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:8654) at https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9O9qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:427 at Array.forEach (<anonymous>) at Drupal.attachBehaviors (https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9O9qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:353)

HIGH

Page: /fire/victim-resources

Source:

```
https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:11
```

MEDIUM

HIGH

Console error: TypeError: Cannot read properties of null (reading 'querySelector') at i.handleTouch (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:2096) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:5887 at NodeList.forEach (<anonymous>) at i.init (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:5828) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:8778 at NodeList.forEach (<anonymous>) at Object.attach (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFIeEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:8654) at https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?

scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9O9qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:427 at Array.forEach (<anonymous>) at Drupal.attachBehaviors (https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9O9qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:353)

Page: /fire/wildland-fire-safety

Source:

```
https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:11
```

MEDIUM

Console error: TypeError: Cannot read properties of null (reading 'querySelector') at i.handleTouch (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:2096) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:5887 at NodeList.forEach (<anonymous>) at i.init (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD8ORCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9

UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:5828) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?

HIGH scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:8778 at NodeList.forEach (<anonymous>) at Object.attach (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:10:8654) at https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:427 at Array.forEach (<anonymous>) at Drupal.attachBehaviors (https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:353)

Page: /oes/emergencypreparedness

Source:

```
https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7Ophmip0kQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:11
```

MEDIUM

HIGH

Console error: TypeError: Cannot read properties of null (reading 'querySelector') at i.handleTouch (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFleEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:2096) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFleEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:5887 at NodeList.forEach (<anonymous>) at i.init (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFleEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:5828) at https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFleEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:8778 at NodeList.forEach (<anonymous>) at Object.attach (https://www.sandiego.gov/sites/default/files/js/js_AbS_HAAFLe8NBilTjyZYz8z6zpcaPKDLhD80RCY2MOg.js?scope=footer&delta=10&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UlRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UleMuUjsyOUGhHRs_dI5VIpoR5xY7OphmipOkQWISFleEeeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRIzGA4R0x6bgW:10:8654) at https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?

scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9O9qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:427 at Array.forEach (<anonymous>) at Drupal.attachBehaviors (https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx9O9qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:12:353)

Page: /oes/see-something-say-something

Source:

```
https://www.sandiego.gov/sites/default/files/js/js_DVmWAdyqB1aT8elGP64BLY9GioCZF0OVlAh5ZXdSk3A.js?scope=footer&delta=0&language=en&theme=sand&include=eJxtkOtuwzAIhV8oa6S9UIRt4tLZUAFZkzx909qbpnb_zsf1AJihT8QXjC46XuyURXLBCRjK5hRtgLeSKmyU5J-MK-WMOvUhrsBWwHFI4FBgQx0DnuGbRG3A1Qvx15h0uUI5dRwMOI0Qo2gi4YYB55nWph-jHEJBazwXXK1QQu0sCx81v71UIeMuUjsyOUGhHRs_dl5VIpoR5xY7OphmipOkQWlSFleEeP6EFw6Nnz66r78eD_2jqCJkabAY6g22Bvui4ePF_ASpEo9v7zRyvB2rJiio_rxp8DBVzFCRlzGA4R0x6bgW:11
```

MEDIUM

HIGH Focus jumps backward from "View All Meetings" to "North Park Farmers Market 2026" (visual distance: 801px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>North Park Farmers Market 2026</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "CityTV: Watch Live Coverage of City Council and Other Public" to "Mayor" (visual distance: 512px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Mayor</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Contact the City" to "Feedback" (visual distance: 595px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>Feedback</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Contact the City" to "Feedback" (visual distance: 580px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.4.3

Element:

```
<button>Feedback</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Contact the City" to "Feedback" (visual distance: 581px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /fire/cert-san-diego WCAG 2.4.3

Element:

```
<button>Feedback</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Contact the City" to "Feedback" (visual distance: 601px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /fire/save-a-life-today WCAG 2.4.3

Element:

```
<button>Feedback</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Contact the City" to "Feedback" (visual distance: 601px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /fire/victim-resources WCAG 2.4.3

Element:

```
<button>Feedback</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Contact the City" to "Feedback" (visual distance: 601px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /fire/wildland-fire-safety WCAG 2.4.3

Element:

```
<button>Feedback</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "PDF document: businesses" to "PDF document: disabilities or special needs" (visual distance: 608px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /oes/emergencypreparedness WCAG 2.4.3

Element:

```
<a>PDF document: disabilities or special needs</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Contact the City" to "Feedback" (visual distance: 580px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /oes/emergencypreparedness WCAG 2.4.3

Element:

```
<button>Feedback</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Contact the City" to "Feedback" (visual distance: 580px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /oes/see-something-say-something WCAG 2.4.3

Element:

```
<button>Feedback</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /fire/cert-san-diego WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /fire/save-a-life-today WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /fire/victim-resources WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /fire/wildland-fire-safety WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /oes/emergencypreparedness WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /oes/see-something-say-something WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf" data-drupal-link-system-path="node/250480" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Golf" data-uw-rm-brl="PR" data-uw-original-href="/park-and-recreat
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf/torreypines" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Torrey Pines Golf Course" data-uw-rm-brl="PR" data-uw-original-href="/park-and-recreation/golf/to
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/specialevents-filming" data-aria-hidden-tabindex="" tabindex="-1" aria-lab
el="Special Events &amp;amp; Filming" data-uw-rm-brl="PR" data-uw-original-href="/specia
levents-filming">Special Events
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional" data-drupal-link-system-path="node/252
491" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Regional Parks" data-uw-
rm-brl="PR" data-uw-original-hre
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers" data-drupal-link-system-path="node/250482" da
ta-aria-hidden-tabindex="" tabindex="-1" aria-label="Recreation Centers" data-uw-rm-
brl="PR" data-uw-original-href="
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/leisure/beaches-and-bays" data-drupal-link-system-path="node/254369" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Beaches &amp;amp; Bays" data-uw-rm-brl="PR" data-uw-original-href="/le
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabindex="-1" aria-label="LeisureExplore | Play | Events" data-uw-rm-brl="PR" data-uw-original-href="#">
                <strong class=
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional/balboa" data-aria-hidden-tabindex="" ta
bindex="-1" aria-label="Balboa Park" data-uw-rm-brl="PR" data-uw-original-href="/par
k-and-recreation/parks/regional/
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers/map" data-drupal-link-system-path="node/25040
6" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Community Parks" data-uw-r
m-brl="PR" data-uw-original-href=
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/permits" data-drupal-link-system-path="node/2504
22" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Book an Event" data-uw-rm
-brl="PR" data-uw-original-href=
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.1

Element:

```
<a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabindex="-1" aria-label="LeisureExplore | Play | Events">
                <strong class="text-upper text-white">Leisure</strong><br><s
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.1

Element:

```
<a href="/leisure/beaches-and-bays" data-drupal-link-system-path="node/254369" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Beaches &amp;amp; Bays">Beaches &amp;amp; Bays</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers" data-drupal-link-system-path="node/250482" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Recreation Centers">Recreation Centers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf/torreypines" data-aria-hidden-tabindex="" tabinde
x="-1" aria-label="Torrey Pines Golf Course">Torrey Pines Golf Course</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/permits" data-drupal-link-system-path="node/2504
22" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Book an Event">Book an Ev
ent</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional" data-drupal-link-system-path="node/252
491" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Regional Parks">Regional
Parks</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.1

Element:

```
<a href="/specialevents-filming" data-aria-hidden-tabindex="" tabindex="-1" aria-lab
el="Special Events &amp;amp; Filming">Special Events &amp;amp; Filming</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf" data-drupal-link-system-path="node/250480" data-
aria-hidden-tabindex="" tabindex="-1" aria-label="Golf">Golf</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers/map" data-drupal-link-system-path="node/25040
6" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Community Parks">Community
Parks</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional/balboa" data-aria-hidden-tabindex="" ta
bindex="-1" aria-label="Balboa Park">Balboa Park</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/cert-san-diego WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers" data-drupal-link-system-path="node/250482" da
ta-aria-hidden-tabindex="" tabindex="-1" aria-label="Recreation Centers">Recreation
Centers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/cert-san-diego WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf" data-drupal-link-system-path="node/250480" data-
aria-hidden-tabindex="" tabindex="-1" aria-label="Golf">Golf</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/cert-san-diego WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional/balboa" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Balboa Park">Balboa Park</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/cert-san-diego WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional" data-drupal-link-system-path="node/252491" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Regional Parks">Regional Parks</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/cert-san-diego WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers/map" data-drupal-link-system-path="node/250406" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Community Parks">Community Parks</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/cert-san-diego WCAG 1.4.1

Element:

```
<a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabindex="-1" aria-label="LeisureExplore | Play | Events">
                <strong class="text-upper text-white">Leisure</strong><br><s
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/cert-san-diego WCAG 1.4.1

Element:

```
<a href="/specialevents-filming" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Special Events &amp;amp; Filming">Special Events &amp;amp; Filming</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/cert-san-diego WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf/torreypines" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Torrey Pines Golf Course">Torrey Pines Golf Course</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/cert-san-diego WCAG 1.4.1

Element:

```
<a href="/leisure/beaches-and-bays" data-drupal-link-system-path="node/254369" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Beaches &amp;amp; Bays">Beaches &amp;amp; Bays</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/cert-san-diego WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/permits" data-drupal-link-system-path="node/250422" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Book an Event">Book an Event</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/save-a-life-today WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional" data-drupal-link-system-path="node/252491" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Regional Parks">Regional Parks</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/save-a-life-today WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers" data-drupal-link-system-path="node/250482" da
ta-aria-hidden-tabindex="" tabindex="-1" aria-label="Recreation Centers">Recreation
Centers</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/save-a-life-today WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers/map" data-drupal-link-system-path="node/25040
6" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Community Parks">Community
Parks</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/save-a-life-today WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf/torreypines" data-aria-hidden-tabindex="" tabinde
x="-1" aria-label="Torrey Pines Golf Course">Torrey Pines Golf Course</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/save-a-life-today WCAG 1.4.1

Element:

```
<a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabindex="-1" aria-label="LeisureExplore | Play | Events">
                <strong class="text-upper text-white">Leisure</strong><br><s
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/save-a-life-today WCAG 1.4.1

Element:

```
<a href="/specialevents-filming" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Special Events &amp;amp; Filming">Special Events &amp;amp; Filming</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/save-a-life-today WCAG 1.4.1

Element:

```
<a href="/leisure/beaches-and-bays" data-drupal-link-system-path="node/254369" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Beaches &amp;amp; Bays">Beaches &amp;amp; Bays</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/save-a-life-today WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf" data-drupal-link-system-path="node/250480" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Golf">Golf</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/save-a-life-today WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional/balboa" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Balboa Park">Balboa Park</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/save-a-life-today WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/permits" data-drupal-link-system-path="node/250422" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Book an Event">Book an Event</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/victim-resources WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers/map" data-drupal-link-system-path="node/25040
6" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Community Parks">Community
Parks</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/victim-resources WCAG 1.4.1

Element:

```
<a href="/leisure/beaches-and-bays" data-drupal-link-system-path="node/254369" data-
aria-hidden-tabindex="" tabindex="-1" aria-label="Beaches &amp; Bays">Beaches &amp;
Bays</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/victim-resources WCAG 1.4.1

Element:

```
<a href="/specialevents-filming" data-aria-hidden-tabindex="" tabindex="-1" aria-lab
el="Special Events &amp; Filming">Special Events &amp; Filming</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/victim-resources WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional" data-drupal-link-system-path="node/252
491" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Regional Parks">Regional
Parks</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/victim-resources WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf" data-drupal-link-system-path="node/250480" data-
aria-hidden-tabindex="" tabindex="-1" aria-label="Golf">Golf</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/victim-resources WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional/balboa" data-aria-hidden-tabindex="" ta
bindex="-1" aria-label="Balboa Park">Balboa Park</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/victim-resources WCAG 1.4.1

Element:

```
<a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabindex="-1" aria-
label="LeisureExplore | Play | Events">
                <strong class="text-upper text-white">Leisure</strong><br><s
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/victim-resources WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers" data-drupal-link-system-path="node/250482" da
ta-aria-hidden-tabindex="" tabindex="-1" aria-label="Recreation Centers">Recreation
Centers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/victim-resources WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf/torreypines" data-aria-hidden-tabindex="" tabinde
x="-1" aria-label="Torrey Pines Golf Course">Torrey Pines Golf Course</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/victim-resources WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/permits" data-drupal-link-system-path="node/250422" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Book an Event">Book an Event</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/wildland-fire-safety WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers/map" data-drupal-link-system-path="node/250406" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Community Parks">Community Parks</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/wildland-fire-safety WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers" data-drupal-link-system-path="node/250482" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Recreation Centers">Recreation Centers</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/wildland-fire-safety WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/permits" data-drupal-link-system-path="node/250422" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Book an Event">Book an Event</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/wildland-fire-safety WCAG 1.4.1

Element:

```
<a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabindex="-1" aria-label="LeisureExplore | Play | Events">
                <strong class="text-upper text-white">Leisure</strong><br><s
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/wildland-fire-safety WCAG 1.4.1

Element:

```
<a href="/leisure/beaches-and-bays" data-drupal-link-system-path="node/254369" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Beaches &amp;amp; Bays">Beaches &amp;amp; Bays</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/wildland-fire-safety WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional" data-drupal-link-system-path="node/252491" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Regional Parks">Regional Parks</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/wildland-fire-safety WCAG 1.4.1

Element:

```
<a href="/specialevents-filming" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Special Events &amp;amp; Filming">Special Events &amp;amp; Filming</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/wildland-fire-safety WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf" data-drupal-link-system-path="node/250480" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Golf">Golf</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /fire/wildland-fire-safety WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf/torreypines" data-aria-hidden-tabindex="" tabinde
x="-1" aria-label="Torrey Pines Golf Course">Torrey Pines Golf Course</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /fire/wildland-fire-safety WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional/balboa" data-aria-hidden-tabindex="" ta
bindex="-1" aria-label="Balboa Park">Balboa Park</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/emergencypreparedness WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers/map" data-drupal-link-system-path="node/25040
6" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Community Parks">Community
Parks</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/emergencypreparedness WCAG 1.4.1

Element:

```
<a href="/specialevents-filming" data-aria-hidden-tabindex="" tabindex="-1" aria-lab
el="Special Events &amp;amp; Filming">Special Events &amp;amp; Filming</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/emergencypreparedness WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional/balboa" data-aria-hidden-tabindex="" ta
bindex="-1" aria-label="Balboa Park">Balboa Park</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/emergencypreparedness WCAG 1.4.1

Element:

```
<a href="/leisure/beaches-and-bays" data-drupal-link-system-path="node/254369" data-
aria-hidden-tabindex="" tabindex="-1" aria-label="Beaches &amp;amp; Bays">Beaches &amp;
Bays</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/emergencypreparedness WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf" data-drupal-link-system-path="node/250480" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Golf">Golf</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/emergencypreparedness WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/permits" data-drupal-link-system-path="node/250422" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Book an Event">Book an Event</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/emergencypreparedness WCAG 1.4.1

Element:

```
<a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabindex="-1" aria-label="LeisureExplore | Play | Events">
                <strong class="text-upper text-white">Leisure</strong><br><s
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/emergencypreparedness WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf/torreypines" data-aria-hidden-tabindex="" tabinde
x="-1" aria-label="Torrey Pines Golf Course">Torrey Pines Golf Course</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /oes/emergencypreparedness WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers" data-drupal-link-system-path="node/250482" da
ta-aria-hidden-tabindex="" tabindex="-1" aria-label="Recreation Centers">Recreation
Centers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /oes/emergencypreparedness WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional" data-drupal-link-system-path="node/252
491" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Regional Parks">Regional
Parks</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /oes/see-something-say-something WCAG 1.4.1

Element:

```
<a href="/leisure/beaches-and-bays" data-drupal-link-system-path="node/254369" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Beaches &amp; Bays">Beaches &amp; Bays</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/see-something-say-something WCAG 1.4.1

Element:

```
<a href="/specialevents-filming" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Special Events &amp; Filming">Special Events &amp; Filming</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/see-something-say-something WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional/balboa" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Balboa Park">Balboa Park</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/see-something-say-something WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf" data-drupal-link-system-path="node/250480" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Golf">Golf</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/see-something-say-something WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/permits" data-drupal-link-system-path="node/250422" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Book an Event">Book an Event</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/see-something-say-something WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/parks/regional" data-drupal-link-system-path="node/252491" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Regional Parks">Regional Parks</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /oes/see-something-say-something WCAG 1.4.1

Element:

```
<a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabindex="-1" aria-
label="LeisureExplore | Play | Events">
                <strong class="text-upper text-white">Leisure</strong><br><s
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /oes/see-something-say-something WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers" data-drupal-link-system-path="node/250482" da
ta-aria-hidden-tabindex="" tabindex="-1" aria-label="Recreation Centers">Recreation
Centers</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /oes/see-something-say-something WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/centers/map" data-drupal-link-system-path="node/25040
6" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Community Parks">Community
Parks</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(55, 66, 74)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /oes/see-something-say-something WCAG 1.4.1

Element:

```
<a href="/park-and-recreation/golf/torreypines" data-aria-hidden-tabindex="" tabinde
x="-1" aria-label="Torrey Pines Golf Course">Torrey Pines Golf Course</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "More Leisure" on https://www.sandiego.gov/ and "Leisure" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/leisure" class="tbm-link level-1 tbm-toggle" title="Explore | Play | Event
s" aria-expanded="false" data-once="tbm-chevrons" aria-label="Leisure"><i class="ico
n-chevron-down hide-on-mobile"></i>
                        Leisure
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Resident Resources" on https://www.sandiego.gov/ and "Resident Resources" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/resident-resources" class="tbm-link level-1 tbm-toggle" title="Pay Now | P
arking | Help" aria-expanded="false" data-once="tbm-chevrons" aria-label="Resident R
esources"><i class="icon-chevron-down hide-on-mobile"></i>
                        Resident Resources
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "Disclaimers" on https://www.sandiego.gov/ and "Translation Disclaimer" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/disclaimers#translations" target="_blank" data-aria-hidden-tabindex="" tab
index="-1" aria-label="Translation Disclaimer">Translation Disclaimer</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "YouTube - open in a new tab" on https://www.sandiego.gov/ and "YouTube" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a class="icon--youtube" href="http://www.youtube.com/user/TheCityofSanDiego" title
="YouTube" aria-label="YouTube" data-extlink="" target="_blank" rel="noopener norefe
rrer"><i class="icon-youtube"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook - open in a new tab" on https://www.sandiego.gov/ and "Facebook" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a class="icon--facebook" href="https://www.facebook.com/CityofSanDiego" title="Face
book" aria-label="Facebook" data-extlink="" target="_blank" rel="noopener noreferre
r"><i class="icon-facebook"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Attorney" on https://www.sandiego.gov/ and "City Attorney Heather Ferbert" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City
Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "LinkedIn - open in a new tab" on https://www.sandiego.gov/ and "LinkedIn" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a class="icon--linkedin" href="https://www.linkedin.com/company/cityofsandiego" tit
le="LinkedIn" aria-label="LinkedIn" data-extlink="" target="_blank" rel="noopener no
referrer"><i class="icon-linkedin"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

The same link functionality is identified as "More City Hall" on https://www.sandiego.gov/ and "City Hall" on

MEDIUM https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/city-hall" class="tbm-link level-1 tbm-toggle" title="City Officials | Departments" aria-expanded="false" data-once="tbm-chevrons" aria-label="City Hall"><i class="icon-chevron-down hide-on-mobile"></i>
                        City Hall
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Nextdoor - open in a new tab" on https://www.sandiego.gov/ and "Nextdoor" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a class="icon--nextdoor" href="https://nextdoor.com/city/feed/748155/?i=wkjkutqnzmjazcaegxre" title="Nextdoor" aria-label="Nextdoor" data-extlink="" target="_blank" rel="noopener noreferrer"><i class="icon-nextdoor"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "More Doing Business" on https://www.sandiego.gov/ and "Doing Business" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/doing-business" class="tbm-link level-1 tbm-toggle" title="Fix | Plan | Bu
ild" aria-expanded="false" data-once="tbm-chevrons" aria-label="Doing Business"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        Doing Business
                                  </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.sandiego.gov/ and "Home" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/" data-drupal-link-system-path="&lt;front&gt;" data-aria-hidden-tabindex
="" tabindex="-1" aria-label="Home">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Independent Budget Analyst" on https://www.sandiego.gov/ and "Office of the Independent Budget Analyst" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/iba" data-drupal-link-system-path="node/224127" aria-label="Office of the
Independent Budget Analyst">Office of the Independent Budget Analyst</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Employment" on https://www.sandiego.gov/ and "Personnel Department" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/empopp" data-drupal-link-system-path="node/224144" aria-label="Personnel Department">Personnel Department</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Mayor Todd Gloria" on https://www.sandiego.gov/ and "Office of Mayor Todd Gloria" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of Mayor Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Clerk" on https://www.sandiego.gov/ and "Office of the City Clerk" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/city-clerk" data-drupal-link-system-path="node/224123" aria-label="Office of the City Clerk">Office of the City Clerk</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Instagram - open in a new tab" on https://www.sandiego.gov/ and "Instagram" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a class="icon--instagram" href="https://www.instagram.com/cityofsandiego/" title="Instagram" aria-label="Instagram" data-extlink="" target="_blank" rel="noopener noreferrer"><i class="icon-instagram"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Renovations & Remodels" on https://www.sandiego.gov/ and "Track Your Project" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/development-services" data-drupal-link-system-path="node/224183" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Track Your Project">Track Your Project</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Submit button" on https://www.sandiego.gov/ and "Search" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<input data-drupal-selector="edit-submit-search-site" type="submit" id="edit-submit-search-site" value="Search" class="button js-form-submit form-submit">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Partly Cloudy 65° - target website may not be available" on https://www.sandiego.gov/ and "Partly Cloudy 65°" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="https://forecast.weather.gov/MapClick.php?lat=32.718814&amp;lon=-117.162222" title="Partly Cloudy" rel="noopener" class="ext" data-extlink="" target="_blank" aria-label="Partly Cloudy 65°">
    <i class="icon-cloud-sun" title="Partly Cloudy" aria-hidden="true"></i>
    <span class="visuallyhidden">Partly Cloudy</span>
            65°
    </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Public Safety" on https://www.sandiego.gov/ and "Public Safety" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/public-safety" class="tbm-link level-1 tbm-toggle" title="Police | Fire | Lifeguards" aria-expanded="false" data-once="tbm-chevrons" aria-label="Public Safety"><i class="icon-chevron-down hide-on-mobile"></i>
                        Public Safety
                                </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Library Website" on https://www.sandiego.gov/ and "Library" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/public-library" class="tbm-link level-1 tbm-toggle" title="Learn | Connect | Discover" aria-expanded="false" data-once="tbm-chevrons" aria-label="Library"><i class="icon-chevron-down hide-on-mobile"></i>
                        Library
                                  </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Auditor" on https://www.sandiego.gov/ and "Office of the City Auditor" on https://www.sandiego.gov/blog/stopping-hate-crimes-and-incidents-0. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 3.2.4

Element:

```
<a href="/auditor" data-drupal-link-system-path="node/224217" aria-label="Office of the City Auditor">Office of the City Auditor</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Disclaimers" on https://www.sandiego.gov/ and "Translation Disclaimer" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/disclaimers#translations" target="_blank" data-aria-hidden-tabindex="" tab
index="-1" aria-label="Translation Disclaimer">Translation Disclaimer</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Renovations & Remodels" on https://www.sandiego.gov/ and "Track Your Project" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/development-services" data-drupal-link-system-path="node/224183" data-aria
-hidden-tabindex="" tabindex="-1" aria-label="Track Your Project">Track Your Project
</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.sandiego.gov/ and "Home" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/" data-drupal-link-system-path="&lt;front&gt;" data-aria-hidden-tabindex
="" tabindex="-1" aria-label="Home">Home</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

The same link functionality is identified as "Mayor Todd Gloria" on https://www.sandiego.gov/ and "Office of Mayor Todd Gloria" on

WCAG 3.2.4

MEDIUM https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "More Resident Resources" on https://www.sandiego.gov/ and "Resident Resources" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/resident-resources" class="tbm-link level-1 tbm-toggle" title="Pay Now | P
arking | Help" aria-expanded="false" data-once="tbm-chevrons" aria-label="Resident R
esources"><i class="icon-chevron-down hide-on-mobile"></i>
                        Resident Resources
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Fire-Rescue Website" on https://www.sandiego.gov/ and "Fire-Rescue Home" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/fire" aria-label="Fire-Rescue Home">Fire-Rescue Home</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "LinkedIn - open in a new tab" on https://www.sandiego.gov/ and "LinkedIn" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a class="icon--linkedin" href="https://www.linkedin.com/company/cityofsandiego" tit
le="LinkedIn" aria-label="LinkedIn" data-extlink="" target="_blank" rel="noopener no
referrer"><i class="icon-linkedin"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook - open in a new tab" on https://www.sandiego.gov/ and "Facebook" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a class="icon--facebook" href="https://www.facebook.com/CityofSanDiego" title="Face
book" aria-label="Facebook" data-extlink="" target="_blank" rel="noopener noreferre
r"><i class="icon-facebook"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Nextdoor - open in a new tab" on https://www.sandiego.gov/ and "Nextdoor" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a class="icon--nextdoor" href="https://nextdoor.com/city/feed/748155/?i=wkjkutqnzmj
azcaegxre" title="Nextdoor" aria-label="Nextdoor" data-extlink="" target="_blank" re
l="noopener noreferrer"><i class="icon-nextdoor"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Library Website" on https://www.sandiego.gov/ and "Library" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/public-library" class="tbm-link level-1 tbm-toggle" title="Learn | Connect
| Discover" aria-expanded="false" data-once="tbm-chevrons" aria-label="Library"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        Library
                                  </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "YouTube - open in a new tab" on https://www.sandiego.gov/ and "YouTube" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a class="icon--youtube" href="http://www.youtube.com/user/TheCityofSanDiego" title
="YouTube" aria-label="YouTube" data-extlink="" target="_blank" rel="noopener norefe
rrer"><i class="icon-youtube"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Public Safety" on https://www.sandiego.gov/ and "Public Safety" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/public-safety" class="tbm-link level-1 tbm-toggle" title="Police | Fire |
Lifeguards" aria-expanded="false" data-once="tbm-chevrons" aria-label="Public Safet
y"><i class="icon-chevron-down hide-on-mobile"></i>
                        Public Safety
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Leisure" on https://www.sandiego.gov/ and "Leisure" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/leisure" class="tbm-link level-1 tbm-toggle" title="Explore | Play | Event
s" aria-expanded="false" data-once="tbm-chevrons" aria-label="Leisure"><i class="ico
n-chevron-down hide-on-mobile"></i>
                        Leisure
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Auditor" on https://www.sandiego.gov/ and "Office of the City Auditor" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/auditor" data-drupal-link-system-path="node/224217" aria-label="Office of the City Auditor">Office of the City Auditor</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Attorney" on https://www.sandiego.gov/ and "City Attorney Heather Ferbert" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Instagram - open in a new tab" on https://www.sandiego.gov/ and "Instagram" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a class="icon--instagram" href="https://www.instagram.com/cityofsandiego/" title="Instagram" aria-label="Instagram" data-extlink="" target="_blank" rel="noopener noreferrer"><i class="icon-instagram"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More City Hall" on https://www.sandiego.gov/ and "City Hall" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/city-hall" class="tbm-link level-1 tbm-toggle" title="City Officials | Dep
artments" aria-expanded="false" data-once="tbm-chevrons" aria-label="City Hall"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        City Hall
                                 </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Independent Budget Analyst" on https://www.sandiego.gov/ and "Office of the Independent Budget Analyst" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/iba" data-drupal-link-system-path="node/224127" aria-label="Office of the
Independent Budget Analyst">Office of the Independent Budget Analyst</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Partly Cloudy 65° - target website may not be available" on https://www.sandiego.gov/ and "Partly Cloudy 65°" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="https://forecast.weather.gov/MapClick.php?lat=32.718814&amp;lon=-117.16222
2" title="Partly Cloudy" rel="noopener" class="ext" data-extlink="" target="_blank"
aria-label="Partly Cloudy 65°">
    <i class="icon-cloud-sun" title="Partly Cloudy" aria-hidden="true"></i>
    <span class="visuallyhidden">Partly Cloudy</span>
           65°
    </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Employment" on https://www.sandiego.gov/ and "Personnel Department" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/empopp" data-drupal-link-system-path="node/224144" aria-label="Personnel D
epartment">Personnel Department</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Doing Business" on https://www.sandiego.gov/ and "Doing Business" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/doing-business" class="tbm-link level-1 tbm-toggle" title="Fix | Plan | Bu
ild" aria-expanded="false" data-once="tbm-chevrons" aria-label="Doing Business"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        Doing Business
                                  </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Submit button" on https://www.sandiego.gov/ and "Search" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<input data-drupal-selector="edit-submit-search-site" type="submit" id="edit-submit-search-site" value="Search" class="button js-form-submit form-submit">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Clerk" on https://www.sandiego.gov/ and "Office of the City Clerk" on https://www.sandiego.gov/fire/cert-san-diego. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/cert-san-diego WCAG 3.2.4

Element:

```
<a href="/city-clerk" data-drupal-link-system-path="node/224123" aria-label="Office of the City Clerk">Office of the City Clerk</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Renovations & Remodels" on https://www.sandiego.gov/ and "Track Your Project" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/development-services" data-drupal-link-system-path="node/224183" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Track Your Project">Track Your Project</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Public Safety" on https://www.sandiego.gov/ and "Public Safety" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/public-safety" class="tbm-link level-1 tbm-toggle" title="Police | Fire | Lifeguards" aria-expanded="false" data-once="tbm-chevrons" aria-label="Public Safety"><i class="icon-chevron-down hide-on-mobile"></i>
                        Public Safety
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Employment" on https://www.sandiego.gov/ and "Personnel Department" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/empopp" data-drupal-link-system-path="node/224144" aria-label="Personnel Department">Personnel Department</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Disclaimers" on https://www.sandiego.gov/ and "Translation Disclaimer" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/disclaimers#translations" target="_blank" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Translation Disclaimer">Translation Disclaimer</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Instagram - open in a new tab" on https://www.sandiego.gov/ and "Instagram" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a class="icon--instagram" href="https://www.instagram.com/cityofsandiego/" title="I
nstagram" aria-label="Instagram" data-extlink="" target="_blank" rel="noopener noref
errer"><i class="icon-instagram"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.sandiego.gov/ and "Home" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/" data-drupal-link-system-path="&lt;front&gt;" data-aria-hidden-tabindex
="" tabindex="-1" aria-label="Home">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Submit button" on https://www.sandiego.gov/ and "Search" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<input data-drupal-selector="edit-submit-search-site" type="submit" id="edit-submit-search-site" value="Search" class="button js-form-submit form-submit">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More City Hall" on https://www.sandiego.gov/ and "City Hall" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/city-hall" class="tbm-link level-1 tbm-toggle" title="City Officials | Departments" aria-expanded="false" data-once="tbm-chevrons" aria-label="City Hall"><i class="icon-chevron-down hide-on-mobile"></i>
                        City Hall
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Attorney" on https://www.sandiego.gov/ and "City Attorney Heather Ferbert" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "YouTube - open in a new tab" on https://www.sandiego.gov/ and "YouTube" on

WCAG 3.2.4

https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a class="icon--youtube" href="http://www.youtube.com/user/TheCityofSanDiego" title
="YouTube" aria-label="YouTube" data-extlink="" target="_blank" rel="noopener norefe
rrer"><i class="icon-youtube"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Partly Cloudy 65° - target website may not be available" on https://www.sandiego.gov/ and "Partly Cloudy 65°" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="https://forecast.weather.gov/MapClick.php?lat=32.718814&amp;lon=-117.16222
2" title="Partly Cloudy" rel="noopener" class="ext" data-extlink="" target="_blank"
aria-label="Partly Cloudy 65°">
    <i class="icon-cloud-sun" title="Partly Cloudy" aria-hidden="true"></i>
    <span class="visuallyhidden">Partly Cloudy</span>
            65°
    </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Mayor Todd Gloria" on https://www.sandiego.gov/ and "Office of Mayor Todd Gloria" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Doing Business" on https://www.sandiego.gov/ and "Doing Business" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/doing-business" class="tbm-link level-1 tbm-toggle" title="Fix | Plan | Bu
ild" aria-expanded="false" data-once="tbm-chevrons" aria-label="Doing Business"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        Doing Business
                                 </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Clerk" on https://www.sandiego.gov/ and "Office of the City Clerk" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/city-clerk" data-drupal-link-system-path="node/224123" aria-label="Office
of the City Clerk">Office of the City Clerk</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Auditor" on https://www.sandiego.gov/ and "Office of the City Auditor" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/auditor" data-drupal-link-system-path="node/224217" aria-label="Office of the City Auditor">Office of the City Auditor</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Resident Resources" on https://www.sandiego.gov/ and "Resident Resources" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/resident-resources" class="tbm-link level-1 tbm-toggle" title="Pay Now | Parking | Help" aria-expanded="false" data-once="tbm-chevrons" aria-label="Resident Resources"><i class="icon-chevron-down hide-on-mobile"></i>
                        Resident Resources
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Library Website" on https://www.sandiego.gov/ and "Library" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/public-library" class="tbm-link level-1 tbm-toggle" title="Learn | Connect | Discover" aria-expanded="false" data-once="tbm-chevrons" aria-label="Library"><i class="icon-chevron-down hide-on-mobile"></i>
                        Library
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "LinkedIn - open in a new tab" on https://www.sandiego.gov/ and "LinkedIn" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a class="icon--linkedin" href="https://www.linkedin.com/company/cityofsandiego" tit
le="LinkedIn" aria-label="LinkedIn" data-extlink="" target="_blank" rel="noopener no
referrer"><i class="icon-linkedin"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Nextdoor - open in a new tab" on https://www.sandiego.gov/ and "Nextdoor" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a class="icon--nextdoor" href="https://nextdoor.com/city/feed/748155/?i=wkjkutqnzmj
azcaegxre" title="Nextdoor" aria-label="Nextdoor" data-extlink="" target="_blank" re
l="noopener noreferrer"><i class="icon-nextdoor"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Leisure" on https://www.sandiego.gov/ and "Leisure" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/leisure" class="tbm-link level-1 tbm-toggle" title="Explore | Play | Event
s" aria-expanded="false" data-once="tbm-chevrons" aria-label="Leisure"><i class="ico
n-chevron-down hide-on-mobile"></i>
                        Leisure
                                 </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Fire-Rescue Website" on https://www.sandiego.gov/ and "Fire-Rescue Home" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/fire" aria-label="Fire-Rescue Home">Fire-Rescue Home</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Independent Budget Analyst" on https://www.sandiego.gov/ and "Office of the Independent Budget Analyst" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a href="/iba" data-drupal-link-system-path="node/224127" aria-label="Office of the Independent Budget Analyst">Office of the Independent Budget Analyst</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook - open in a new tab" on https://www.sandiego.gov/ and "Facebook" on https://www.sandiego.gov/fire/save-a-life-today. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/save-a-life-today WCAG 3.2.4

Element:

```
<a class="icon--facebook" href="https://www.facebook.com/CityofSanDiego" title="Face
book" aria-label="Facebook" data-extlink="" target="_blank" rel="noopener noreferre
r"><i class="icon-facebook"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Renovations & Remodels" on https://www.sandiego.gov/ and "Track Your Project" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/development-services" data-drupal-link-system-path="node/224183" data-aria
-hidden-tabindex="" tabindex="-1" aria-label="Track Your Project">Track Your Project
</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook - open in a new tab" on https://www.sandiego.gov/ and "Facebook" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a class="icon--facebook" href="https://www.facebook.com/CityofSanDiego" title="Face
book" aria-label="Facebook" data-extlink="" target="_blank" rel="noopener noreferre
r"><i class="icon-facebook"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "LinkedIn - open in a new tab" on https://www.sandiego.gov/ and "LinkedIn" on

WCAG 3.2.4

https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a class="icon--linkedin" href="https://www.linkedin.com/company/cityofsandiego" tit
le="LinkedIn" aria-label="LinkedIn" data-extlink="" target="_blank" rel="noopener no
referrer"><i class="icon-linkedin"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Clerk" on https://www.sandiego.gov/ and "Office of the City Clerk" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/city-clerk" data-drupal-link-system-path="node/224123" aria-label="Office
of the City Clerk">Office of the City Clerk</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Auditor" on https://www.sandiego.gov/ and "Office of the City Auditor" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/auditor" data-drupal-link-system-path="node/224217" aria-label="Office of
the City Auditor">Office of the City Auditor</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.sandiego.gov/ and "Home" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/" data-drupal-link-system-path="&lt;front&gt;" data-aria-hidden-tabindex
="" tabindex="-1" aria-label="Home">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Attorney" on https://www.sandiego.gov/ and "City Attorney Heather Ferbert" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City
Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Resident Resources" on https://www.sandiego.gov/ and "Resident Resources" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/resident-resources" class="tbm-link level-1 tbm-toggle" title="Pay Now | P
arking | Help" aria-expanded="false" data-once="tbm-chevrons" aria-label="Resident R
esources"><i class="icon-chevron-down hide-on-mobile"></i>
                        Resident Resources
                                 </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "YouTube - open in a new tab" on https://www.sandiego.gov/ and "YouTube" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a class="icon--youtube" href="http://www.youtube.com/user/TheCityofSanDiego" title
="YouTube" aria-label="YouTube" data-extlink="" target="_blank" rel="noopener norefe
rrer"><i class="icon-youtube"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Library Website" on https://www.sandiego.gov/ and "Library" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/public-library" class="tbm-link level-1 tbm-toggle" title="Learn | Connect
| Discover" aria-expanded="false" data-once="tbm-chevrons" aria-label="Library"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        Library
                                  </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Disclaimers" on https://www.sandiego.gov/ and "Translation Disclaimer" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/disclaimers#translations" target="_blank" data-aria-hidden-tabindex="" tab
index="-1" aria-label="Translation Disclaimer">Translation Disclaimer</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Mayor Todd Gloria" on https://www.sandiego.gov/ and "Office of Mayor Todd Gloria" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Independent Budget Analyst" on https://www.sandiego.gov/ and "Office of the Independent Budget Analyst" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/iba" data-drupal-link-system-path="node/224127" aria-label="Office of the
Independent Budget Analyst">Office of the Independent Budget Analyst</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Doing Business" on https://www.sandiego.gov/ and "Doing Business" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/doing-business" class="tbm-link level-1 tbm-toggle" title="Fix | Plan | Bu
ild" aria-expanded="false" data-once="tbm-chevrons" aria-label="Doing Business"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        Doing Business
                                 </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Submit button" on https://www.sandiego.gov/ and "Search" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<input data-drupal-selector="edit-submit-search-site" type="submit" id="edit-submit-
search-site" value="Search" class="button js-form-submit form-submit">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Instagram - open in a new tab" on https://www.sandiego.gov/ and "Instagram" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a class="icon--instagram" href="https://www.instagram.com/cityofsandiego/" title="I
nstagram" aria-label="Instagram" data-extlink="" target="_blank" rel="noopener noref
errer"><i class="icon-instagram"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More City Hall" on https://www.sandiego.gov/ and "City Hall" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/city-hall" class="tbm-link level-1 tbm-toggle" title="City Officials | Dep
artments" aria-expanded="false" data-once="tbm-chevrons" aria-label="City Hall"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        City Hall
                                  </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Leisure" on https://www.sandiego.gov/ and "Leisure" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/leisure" class="tbm-link level-1 tbm-toggle" title="Explore | Play | Event
s" aria-expanded="false" data-once="tbm-chevrons" aria-label="Leisure"><i class="ico
n-chevron-down hide-on-mobile"></i>
                        Leisure
                                  </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Fire-Rescue Website" on https://www.sandiego.gov/ and "Fire-Rescue Home" on

WCAG 3.2.4

https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/fire" aria-label="Fire-Rescue Home">Fire-Rescue Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Public Safety" on https://www.sandiego.gov/ and "Public Safety" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/public-safety" class="tbm-link level-1 tbm-toggle" title="Police | Fire |
Lifeguards" aria-expanded="false" data-once="tbm-chevrons" aria-label="Public Safet
y"><i class="icon-chevron-down hide-on-mobile"></i>
                        Public Safety
                                  </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Nextdoor - open in a new tab" on https://www.sandiego.gov/ and "Nextdoor" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a class="icon--nextdoor" href="https://nextdoor.com/city/feed/748155/?i=wkjkutqnzmj
azcaegxre" title="Nextdoor" aria-label="Nextdoor" data-extlink="" target="_blank" re
l="noopener noreferrer"><i class="icon-nextdoor"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "City Employment" on https://www.sandiego.gov/ and "Personnel Department" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="/empopp" data-drupal-link-system-path="node/224144" aria-label="Personnel D
epartment">Personnel Department</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Partly Cloudy 65° - target website may not be available" on https://www.sandiego.gov/ and "Partly Cloudy 65°" on https://www.sandiego.gov/fire/victim-resources. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/victim-resources WCAG 3.2.4

Element:

```
<a href="https://forecast.weather.gov/MapClick.php?lat=32.718814&amp;lon=-117.16222
2" title="Partly Cloudy" rel="noopener" class="ext" data-extlink="" target="_blank"
aria-label="Partly Cloudy 65°">
    <i class="icon-cloud-sun" title="Partly Cloudy" aria-hidden="true"></i>
    <span class="visuallyhidden">Partly Cloudy</span>
            65°
    </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Attorney" on https://www.sandiego.gov/ and "City Attorney Heather Ferbert" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Resident Resources" on https://www.sandiego.gov/ and "Resident Resources" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/resident-resources" class="tbm-link level-1 tbm-toggle" title="Pay Now | Parking | Help" aria-expanded="false" data-once="tbm-chevrons" aria-label="Resident Resources"><i class="icon-chevron-down hide-on-mobile"></i>
                        Resident Resources
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Library Website" on https://www.sandiego.gov/ and "Library" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/public-library" class="tbm-link level-1 tbm-toggle" title="Learn | Connect | Discover" aria-expanded="false" data-once="tbm-chevrons" aria-label="Library"><i class="icon-chevron-down hide-on-mobile"></i>
                        Library
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Partly Cloudy 65° - target website may not be available" on https://www.sandiego.gov/ and "Partly Cloudy 65°" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="https://forecast.weather.gov/MapClick.php?lat=32.718814&amp;lon=-117.162222" title="Partly Cloudy" rel="noopener" class="ext" data-extlink="" target="_blank" aria-label="Partly Cloudy 65°">
    <i class="icon-cloud-sun" title="Partly Cloudy" aria-hidden="true"></i>
    <span class="visuallyhidden">Partly Cloudy</span>
            65°
    </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Public Safety" on https://www.sandiego.gov/ and "Public Safety" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/public-safety" class="tbm-link level-1 tbm-toggle" title="Police | Fire | Lifeguards" aria-expanded="false" data-once="tbm-chevrons" aria-label="Public Safety"><i class="icon-chevron-down hide-on-mobile"></i>
                        Public Safety
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Auditor" on https://www.sandiego.gov/ and "Office of the City Auditor" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/auditor" data-drupal-link-system-path="node/224217" aria-label="Office of the City Auditor">Office of the City Auditor</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook - open in a new tab" on https://www.sandiego.gov/ and "Facebook" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a class="icon--facebook" href="https://www.facebook.com/CityofSanDiego" title="Facebook" aria-label="Facebook" data-extlink="" target="_blank" rel="noopener noreferrer"><i class="icon-facebook"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Renovations & Remodels" on https://www.sandiego.gov/ and "Track Your Project" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/development-services" data-drupal-link-system-path="node/224183" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Track Your Project">Track Your Project</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "LinkedIn - open in a new tab" on https://www.sandiego.gov/ and "LinkedIn" on

WCAG 3.2.4

https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a class="icon--linkedin" href="https://www.linkedin.com/company/cityofsandiego" tit
le="LinkedIn" aria-label="LinkedIn" data-extlink="" target="_blank" rel="noopener no
referrer"><i class="icon-linkedin"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.sandiego.gov/ and "Home" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/" data-drupal-link-system-path="&lt;front&gt;" data-aria-hidden-tabindex
="" tabindex="-1" aria-label="Home">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Fire-Rescue Website" on https://www.sandiego.gov/ and "Fire-Rescue Home" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/fire" aria-label="Fire-Rescue Home">Fire-Rescue Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Instagram - open in a new tab" on https://www.sandiego.gov/ and "Instagram" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a class="icon--instagram" href="https://www.instagram.com/cityofsandiego/" title="I
nstagram" aria-label="Instagram" data-extlink="" target="_blank" rel="noopener noref
errer"><i class="icon-instagram"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Submit button" on https://www.sandiego.gov/ and "Search" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<input data-drupal-selector="edit-submit-search-site" type="submit" id="edit-submit-
search-site" value="Search" class="button js-form-submit form-submit">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Nextdoor - open in a new tab" on https://www.sandiego.gov/ and "Nextdoor" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a class="icon--nextdoor" href="https://nextdoor.com/city/feed/748155/?i=wkjkutqnzmj
azcaegxre" title="Nextdoor" aria-label="Nextdoor" data-extlink="" target="_blank" re
l="noopener noreferrer"><i class="icon-nextdoor"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Independent Budget Analyst" on https://www.sandiego.gov/ and "Office of the Independent Budget Analyst" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/iba" data-drupal-link-system-path="node/224127" aria-label="Office of the Independent Budget Analyst">Office of the Independent Budget Analyst</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Disclaimers" on https://www.sandiego.gov/ and "Translation Disclaimer" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/disclaimers#translations" target="_blank" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Translation Disclaimer">Translation Disclaimer</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Leisure" on https://www.sandiego.gov/ and "Leisure" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/leisure" class="tbm-link level-1 tbm-toggle" title="Explore | Play | Event
s" aria-expanded="false" data-once="tbm-chevrons" aria-label="Leisure"><i class="ico
n-chevron-down hide-on-mobile"></i>
                        Leisure
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Employment" on https://www.sandiego.gov/ and "Personnel Department" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/empopp" data-drupal-link-system-path="node/224144" aria-label="Personnel D
epartment">Personnel Department</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Doing Business" on https://www.sandiego.gov/ and "Doing Business" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/doing-business" class="tbm-link level-1 tbm-toggle" title="Fix | Plan | Bu
ild" aria-expanded="false" data-once="tbm-chevrons" aria-label="Doing Business"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        Doing Business
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Mayor Todd Gloria" on https://www.sandiego.gov/ and "Office of Mayor Todd Gloria" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Clerk" on https://www.sandiego.gov/ and "Office of the City Clerk" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/city-clerk" data-drupal-link-system-path="node/224123" aria-label="Office
of the City Clerk">Office of the City Clerk</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More City Hall" on https://www.sandiego.gov/ and "City Hall" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a href="/city-hall" class="tbm-link level-1 tbm-toggle" title="City Officials | Dep
artments" aria-expanded="false" data-once="tbm-chevrons" aria-label="City Hall"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        City Hall
                                 </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "YouTube - open in a new tab" on https://www.sandiego.gov/ and "YouTube" on https://www.sandiego.gov/fire/wildland-fire-safety. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /fire/wildland-fire-safety WCAG 3.2.4

Element:

```
<a class="icon--youtube" href="http://www.youtube.com/user/TheCityofSanDiego" title
="YouTube" aria-label="YouTube" data-extlink="" target="_blank" rel="noopener norefe
rrer"><i class="icon-youtube"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More City Hall" on https://www.sandiego.gov/ and "City Hall" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/city-hall" class="tbm-link level-1 tbm-toggle" title="City Officials | Dep
artments" aria-expanded="false" data-once="tbm-chevrons" aria-label="City Hall"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        City Hall
                                  </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Clerk" on https://www.sandiego.gov/ and "Office of the City Clerk" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/city-clerk" data-drupal-link-system-path="node/224123" aria-label="Office of the City Clerk">Office of the City Clerk</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Get Emergency Alerts" on https://www.sandiego.gov/ and "Stay Informed" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/oes/informed" target="_self" aria-label="Stay Informed">Stay Informed</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Office of Emergency Services" on https://www.sandiego.gov/ and "Office of Emergency Services Home" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/oes" aria-label="Office of Emergency Services Home">Office of Emergency Services Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Disclaimers" on https://www.sandiego.gov/ and "Translation Disclaimer" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/disclaimers#translations" target="_blank" data-aria-hidden-tabindex="" tab
index="-1" aria-label="Translation Disclaimer">Translation Disclaimer</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Mayor Todd Gloria" on https://www.sandiego.gov/ and "Office of Mayor Todd Gloria" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Attorney" on https://www.sandiego.gov/ and "City Attorney Heather Ferbert" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City
Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Doing Business" on https://www.sandiego.gov/ and "Doing Business" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/doing-business" class="tbm-link level-1 tbm-toggle" title="Fix | Plan | Bu
ild" aria-expanded="false" data-once="tbm-chevrons" aria-label="Doing Business"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        Doing Business
                                  </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Library Website" on https://www.sandiego.gov/ and "Library" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/public-library" class="tbm-link level-1 tbm-toggle" title="Learn | Connect
| Discover" aria-expanded="false" data-once="tbm-chevrons" aria-label="Library"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        Library
                                  </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.sandiego.gov/ and "Home" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/" data-drupal-link-system-path="&lt;front&gt;" data-aria-hidden-tabindex
="" tabindex="-1" aria-label="Home">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Leisure" on https://www.sandiego.gov/ and "Leisure" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/leisure" class="tbm-link level-1 tbm-toggle" title="Explore | Play | Event
s" aria-expanded="false" data-once="tbm-chevrons" aria-label="Leisure"><i class="ico
n-chevron-down hide-on-mobile"></i>
                        Leisure
                                 </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Submit button" on https://www.sandiego.gov/ and "Search" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<input data-drupal-selector="edit-submit-search-site" type="submit" id="edit-submit-search-site" value="Search" class="button js-form-submit form-submit">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Public Safety" on https://www.sandiego.gov/ and "Public Safety" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/public-safety" class="tbm-link level-1 tbm-toggle" title="Police | Fire | Lifeguards" aria-expanded="false" data-once="tbm-chevrons" aria-label="Public Safety"><i class="icon-chevron-down hide-on-mobile"></i>
                        Public Safety
                                </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Instagram - open in a new tab" on https://www.sandiego.gov/ and "Instagram" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a class="icon--instagram" href="https://www.instagram.com/cityofsandiego/" title="Instagram" aria-label="Instagram" data-extlink="" target="_blank" rel="noopener noreferrer"><i class="icon-instagram"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Renovations & Remodels" on https://www.sandiego.gov/ and "Track Your Project" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/development-services" data-drupal-link-system-path="node/224183" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Track Your Project">Track Your Project</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Employment" on https://www.sandiego.gov/ and "Personnel Department" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/empopp" data-drupal-link-system-path="node/224144" aria-label="Personnel Department">Personnel Department</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Auditor" on https://www.sandiego.gov/ and "Office of the City Auditor" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/auditor" data-drupal-link-system-path="node/224217" aria-label="Office of the City Auditor">Office of the City Auditor</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Partly Cloudy 65° - target website may not be available" on https://www.sandiego.gov/ and "Partly Cloudy 65°" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="https://forecast.weather.gov/MapClick.php?lat=32.718814&amp;lon=-117.16222
2" title="Partly Cloudy" rel="noopener" class="ext" data-extlink="" target="_blank"
aria-label="Partly Cloudy 65°">
    <i class="icon-cloud-sun" title="Partly Cloudy" aria-hidden="true"></i>
    <span class="visuallyhidden">Partly Cloudy</span>
            65°
    </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Resident Resources" on https://www.sandiego.gov/ and "Resident Resources" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/resident-resources" class="tbm-link level-1 tbm-toggle" title="Pay Now | P
arking | Help" aria-expanded="false" data-once="tbm-chevrons" aria-label="Resident R
esources"><i class="icon-chevron-down hide-on-mobile"></i>
                        Resident Resources
                                </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Independent Budget Analyst" on https://www.sandiego.gov/ and "Office of the Independent Budget Analyst" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/iba" data-drupal-link-system-path="node/224127" aria-label="Office of the Independent Budget Analyst">Office of the Independent Budget Analyst</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook - open in a new tab" on https://www.sandiego.gov/ and "Facebook" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a class="icon--facebook" href="https://www.facebook.com/CityofSanDiego" title="Facebook" aria-label="Facebook" data-extlink="" target="_blank" rel="noopener noreferrer"><i class="icon-facebook"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "YouTube - open in a new tab" on https://www.sandiego.gov/ and "YouTube" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a class="icon--youtube" href="http://www.youtube.com/user/TheCityofSanDiego" title
="YouTube" aria-label="YouTube" data-extlink="" target="_blank" rel="noopener norefe
rrer"><i class="icon-youtube"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.sandiego.gov/oes/see-something-say-something and "Report Suspicious Activity" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a href="/oes/see-something-say-something" target="_self" aria-label="Report Suspici
ous Activity">Report Suspicious Activity</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Nextdoor - open in a new tab" on https://www.sandiego.gov/ and "Nextdoor" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a class="icon--nextdoor" href="https://nextdoor.com/city/feed/748155/?i=wkjkutqnzmj
azcaegxre" title="Nextdoor" aria-label="Nextdoor" data-extlink="" target="_blank" re
l="noopener noreferrer"><i class="icon-nextdoor"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "LinkedIn - open in a new tab" on https://www.sandiego.gov/ and "LinkedIn" on https://www.sandiego.gov/oes/emergencypreparedness. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/emergencypreparedness WCAG 3.2.4

Element:

```
<a class="icon--linkedin" href="https://www.linkedin.com/company/cityofsandiego" tit
le="LinkedIn" aria-label="LinkedIn" data-extlink="" target="_blank" rel="noopener no
referrer"><i class="icon-linkedin"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Mayor Todd Gloria" on https://www.sandiego.gov/ and "Office of Mayor Todd Gloria" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/mayor" data-drupal-link-system-path="node/15167" aria-label="Office of May
or Todd Gloria">Office of Mayor Todd Gloria</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

The same link functionality is identified as "More Resident Resources" on https://www.sandiego.gov/ and "Resident Resources" on

MEDIUM https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/resident-resources" class="tbm-link level-1 tbm-toggle" title="Pay Now | P
arking | Help" aria-expanded="false" data-once="tbm-chevrons" aria-label="Resident R
esources"><i class="icon-chevron-down hide-on-mobile"></i>
                        Resident Resources
                                  </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Library Website" on https://www.sandiego.gov/ and "Library" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/public-library" class="tbm-link level-1 tbm-toggle" title="Learn | Connect
| Discover" aria-expanded="false" data-once="tbm-chevrons" aria-label="Library"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        Library
                                  </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM The same link functionality is identified as "Independent Budget Analyst" on https://www.sandiego.gov/ and "Office of the Independent Budget Analyst" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale. WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/iba" data-drupal-link-system-path="node/224127" aria-label="Office of the Independent Budget Analyst">Office of the Independent Budget Analyst</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Employment" on https://www.sandiego.gov/ and "Personnel Department" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/empopp" data-drupal-link-system-path="node/224144" aria-label="Personnel Department">Personnel Department</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Clerk" on https://www.sandiego.gov/ and "Office of the City Clerk" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/city-clerk" data-drupal-link-system-path="node/224123" aria-label="Office of the City Clerk">Office of the City Clerk</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Doing Business" on https://www.sandiego.gov/ and "Doing Business" on https://www.sandiego.gov/oes/see-something-say-something.

WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/doing-business" class="tbm-link level-1 tbm-toggle" title="Fix | Plan | Build" aria-expanded="false" data-once="tbm-chevrons" aria-label="Doing Business"><i class="icon-chevron-down hide-on-mobile"></i>
                        Doing Business
                                  </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Facebook - open in a new tab" on https://www.sandiego.gov/ and "Facebook" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a class="icon--facebook" href="https://www.facebook.com/CityofSanDiego" title="Facebook" aria-label="Facebook" data-extlink="" target="_blank" rel="noopener noreferrer"><i class="icon-facebook"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.sandiego.gov/ and "Home" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/" data-drupal-link-system-path="&lt;front&gt;" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Home">Home</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Office of Emergency Services" on https://www.sandiego.gov/ and "Office of Emergency Services Home" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/oes" aria-label="Office of Emergency Services Home">Office of Emergency Services Home</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Get Emergency Alerts" on https://www.sandiego.gov/ and "Stay Informed" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/oes/informed" target="_self" aria-label="Stay Informed">Stay Informed</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More City Hall" on https://www.sandiego.gov/ and "City Hall" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/city-hall" class="tbm-link level-1 tbm-toggle" title="City Officials | Dep
artments" aria-expanded="false" data-once="tbm-chevrons" aria-label="City Hall"><i c
lass="icon-chevron-down hide-on-mobile"></i>
                        City Hall
                                  </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Instagram - open in a new tab" on https://www.sandiego.gov/ and "Instagram" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a class="icon--instagram" href="https://www.instagram.com/cityofsandiego/" title="I
nstagram" aria-label="Instagram" data-extlink="" target="_blank" rel="noopener noref
errer"><i class="icon-instagram"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as "Submit button" on https://www.sandiego.gov/ and "Search" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<input data-drupal-selector="edit-submit-search-site" type="submit" id="edit-submit-
search-site" value="Search" class="button js-form-submit form-submit">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Leisure" on https://www.sandiego.gov/ and "Leisure" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/leisure" class="tbm-link level-1 tbm-toggle" title="Explore | Play | Event
s" aria-expanded="false" data-once="tbm-chevrons" aria-label="Leisure"><i class="ico
n-chevron-down hide-on-mobile"></i>
                        Leisure
                                  </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "LinkedIn - open in a new tab" on https://www.sandiego.gov/ and "LinkedIn" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a class="icon--linkedin" href="https://www.linkedin.com/company/cityofsandiego" tit
le="LinkedIn" aria-label="LinkedIn" data-extlink="" target="_blank" rel="noopener no
referrer"><i class="icon-linkedin"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Nextdoor - open in a new tab" on https://www.sandiego.gov/ and "Nextdoor" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a class="icon--nextdoor" href="https://nextdoor.com/city/feed/748155/?i=wkjkutqnzmj
azcaegxre" title="Nextdoor" aria-label="Nextdoor" data-extlink="" target="_blank" re
l="noopener noreferrer"><i class="icon-nextdoor"></i></a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Disclaimers" on https://www.sandiego.gov/ and "Translation Disclaimer" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/disclaimers#translations" target="_blank" data-aria-hidden-tabindex="" tab
index="-1" aria-label="Translation Disclaimer">Translation Disclaimer</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Partly Cloudy 65° - target website may not be available" on https://www.sandiego.gov/ and "Partly Cloudy 65°" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="https://forecast.weather.gov/MapClick.php?lat=32.718814&amp;lon=-117.16222
2" title="Partly Cloudy" rel="noopener" class="ext" data-extlink="" target="_blank"
aria-label="Partly Cloudy 65°">
    <i class="icon-cloud-sun" title="Partly Cloudy" aria-hidden="true"></i>
    <span class="visuallyhidden">Partly Cloudy</span>
           65°
    </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "More Public Safety" on https://www.sandiego.gov/ and "Public Safety" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/public-safety" class="tbm-link level-1 tbm-toggle" title="Police | Fire |
Lifeguards" aria-expanded="false" data-once="tbm-chevrons" aria-label="Public Safet
y"><i class="icon-chevron-down hide-on-mobile"></i>
                        Public Safety
                                  </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "YouTube - open in a new tab" on https://www.sandiego.gov/ and "YouTube" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a class="icon--youtube" href="http://www.youtube.com/user/TheCityofSanDiego" title
="YouTube" aria-label="YouTube" data-extlink="" target="_blank" rel="noopener norefe
rrer"><i class="icon-youtube"></i></a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Auditor" on https://www.sandiego.gov/ and "Office of the City Auditor" on https://www.sandiego.gov/oes/see-something-say-something.

WCAG 3.2.4

Components with the same function should use consistent names within the same locale.

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/auditor" data-drupal-link-system-path="node/224217" aria-label="Office of the City Auditor">Office of the City Auditor</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Renovations & Remodels" on https://www.sandiego.gov/ and "Track Your Project" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/development-services" data-drupal-link-system-path="node/224183" data-aria-hidden-tabindex="" tabindex="-1" aria-label="Track Your Project">Track Your Project</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "City Attorney" on https://www.sandiego.gov/ and "City Attorney Heather Ferbert" on https://www.sandiego.gov/oes/see-something-say-something. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /oes/see-something-say-something WCAG 3.2.4

Element:

```
<a href="/city-attorney" data-drupal-link-system-path="node/224219" aria-label="City Attorney Heather Ferbert">City Attorney Heather Ferbert</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM Broken link: https://www.sandiego.gov/RentalTaxPayment returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://www.sandiego.gov/RentalTaxPayment">Pay Now</a>
```

MEDIUM Broken link: https://www.sandiego.gov/FICAInvoicePayment returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://www.sandiego.gov/FICAInvoicePayment">Pay Now</a>
```

MEDIUM Broken link: https://www.sandiego.gov/fire/safety/speakers/presentations returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://www.sandiego.gov/fire/safety/speakers/presentations">Request Now</a
>
```

MEDIUM Broken link: https://www.sandiego.gov/social-calls returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://www.sandiego.gov/social-calls">Request Now</a>
```

MEDIUM Broken link: https://www.sandiego.gov/ohs/emergencynotification/ returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://www.sandiego.gov/ohs/emergencynotification/">Register Now</a>
```

MEDIUM Broken link: https://www.sandiego.gov/BusinessTaxPayment returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://www.sandiego.gov/BusinessTaxPayment">Pay Now</a>
```

MEDIUM Element overflows viewport by 80px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<strong class="text-upper text-white">Leisure</strong>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Primary content surface "main" is only 1200px wide at Ultrawide (3440px viewport). Sonde responsive contract expects ≥ 1548px on this tier. WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<main>
```

SONDE FIX PLAN

Use `min(100%, var(--sonde-layout-shell-max))` or remove fixed `max-width` so the primary surface expands on large monitors.

MEDIUM Content clipped by 80px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.12

Element:

```
<h2 class="visually-hidden" id="block-footer-menu">Footer Menu</h2>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 52px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.12

Element:

```
<span class="visuallyhidden">Partly Cloudy</span>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 300px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<div class="accordion__heading">
            <h2 class="l-margin-bn accordion__heading-title">
              <a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabin
dex="-1" aria-label="
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 16px at Phone SE (320px width). WCAG 1.4.10

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.10

Element:

```
<svg width="26" height="27" role="presentation" aria-hidden="true" xmlns="http://ww
w.w3.org/2000/svg"><g class="no-fill" fill="none" fill-rule="evenodd"><path d="M4.49
8 24.3v-.872H1.5v-1.37h2.716v-.87
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 300px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<div class="off-canvas off-canvas-main-menu position-right hide-for-large is-transit
ion-push is-closed" id="offCanvas" data-off-canvas="10fjgr-off-canvas" data-content-
scroll="true" data-close-on-clic
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.ext" is only 26px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a.ext>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#togglenav" is only 2px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<#togglenav>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 15px at Phone SE (320px width). WCAG 1.4.10

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.10

Element:

```
<g class="no-fill" fill="none" fill-rule="evenodd"><path d="M4.498 24.3v-.872H1.5v-1.37h2.716v-.872H1.5v-1.27h3v-.872H.542V24.3h3.955zm1.909 0v-3.695L9.183 24.3h.95v-5.256h-.95v3.695l-2.776-3.695H5.45
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 15px at Phone SE (320px width). WCAG 1.4.10

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.10

Element:

```
<path d="M4.498 24.3v-.872H1.5v-1.37h2.716v-.872H1.5v-1.27h3v-.872H.542V24.3h3.955zm
1.909 0v-3.695L9.183 24.3h.95v-5.256h-.95v3.695l-2.776-3.695H5.45V24.3h.957zm7.21 0v
-4.383h1.682v-.873h-4.314v.873h1
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 300px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<li>
                                                                    <a hre
f="/" data-drupal-link-system-path="&lt;front&gt;" data-aria-hidden-tabindex="" tabi
ndex="-1" aria-label="Home"
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.visually-hidden.focusable" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a.visually-hidden.focusable>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 16px at Phone SE (320px width). WCAG 1.4.10

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.10

Element:

```
<span class="uw-sl__e-icon"><svg width="26" height="27" role="presentation" aria-hid
den="true" xmlns="http://www.w3.org/2000/svg"><g class="no-fill" fill="none" fill-ru
le="evenodd"><path d="M4.498 24.
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 300px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabindex="-1" aria-label="LeisureExplore | Play | Events">
                <strong class="text-upper text-white">Leisure</strong><br><s
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 300px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<h2 class="l-margin-bn accordion__heading-title">
              <a class="accordion__link" href="#" data-aria-hidden-tabindex="" tabindex="-1" aria-label="LeisureExplore | Play | Events">
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.accordion__link" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a.accordion__link>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.site-logo" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.5.8

Element:

```
<a.site-logo>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 143px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.12

Element:

```
<p class="visually-hidden">City of San Diego Official Website</p>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 300px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<li class="menu-item--expanded accordion">
          <div class="accordion__heading">
            <h2 class="l-margin-bn accordion__heading-title">
              <a class="accordion__link" href="#" da
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 95px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 1.4.12

Element:

```
<a href="#main-content" class="visually-hidden focusable" aria-label="Skip to main c
ontent">
      Skip to main content
    </a>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 300px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<a href="/" data-drupal-link-system-path="&lt;front&gt;" data-aria-hidden-tabindex
="" tabindex="-1" aria-label="Home">Home</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 300px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<nav aria-labelledby="block-mainnavigation-menu" id="block-mainnavigation" class="bl
ock block-menu navigation menu--main">
  <div class="menu-wrapper">
    <span class="fine-print">Menu</span>
    <la
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 300px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG Sonde responsive contract

Element:

```
<ul class="offcanvas-menu accordions js-toggle-accordion">
                                    <li>
                                                                        <a hre
f="/" data-drupa
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.icon--youtube" is only 24px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /fire/cert-san-diego WCAG 2.5.8

Element:

```
<a.icon--youtube>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Page requires horizontal scrolling at Tablet (768px width, 10px overflow). Content should reflow without horizontal scrolling. WCAG Sonde responsive contract

Page: /fire/save-a-life-today WCAG Sonde responsive contract

Element:

```
<html lang="und">
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

MEDIUM Interactive control "a.icon--instagram" is only 24px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /fire/save-a-life-today WCAG 2.5.8

Element:

```
<a.icon--instagram>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.icon--instagram" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /fire/victim-resources WCAG 2.5.8

Element:

```
<a.icon--instagram>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.icon--twitter" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a.icon--twitter>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.icon--facebook" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a.icon--facebook>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.icon--youtube" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /oes/see-something-say-something WCAG 2.5.8

Element:

```
<a.icon--youtube>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

LOW Deep focus region: navigation "block-footer-menu" has 19 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /blog/stopping-hate-crimes-and-incidents-0 WCAG 2.4.1

Element:

```
<nav role="navigation">block-footer-menu</nav>
```

SONDE FIX PLAN

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://twitter.com/MayorToddGloria returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://twitter.com/MayorToddGloria"></a>
```

LOW Link timeout: https://www.sandiego.gov/public-library/news-events/onebook did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.sandiego.gov/public-library/news-events/onebook">One Book, One San Diego</a>
```

LOW Link timeout: https://www.sandiego.gov/ebsco did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.sandiego.gov/ebsco">Digital Magazines</a>
```

LOW Link timeout: https://www.sandiego.gov/bibliocommons did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.sandiego.gov/bibliocommons">Browse the Catalog</a>
```

LOW Broken link: https://sandiego.events.mylibrary.digital/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://sandiego.events.mylibrary.digital/">Event Calendar</a>
```

LOW Broken link: https://sdpdalarmpermits.sandiego.gov/ returned status 404 Not Found after 1 attempts

Page: /

Element:

```
<a href="https://sdpdalarmpermits.sandiego.gov/">Register Now</a>
```

LOW Link timeout: http://duncan.imageenforcement.com/ImageOnlySites/SanDiegoImages did not respond within 5000ms after 8 attempts

Page: /

Element:

```
<a href="http://duncan.imageenforcement.com/ImageOnlySites/SanDiegoImages">Check Sta
tus</a>
```

LOW Broken link: https://www.linkedin.com/in/toddgloria/ returned status 999 <none> after 1 attempts

Page: /

Element:

```
<a href="https://www.linkedin.com/in/toddgloria/"></a>
```

LOW Broken link: https://twitter.com/CityofSanDiego returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://twitter.com/CityofSanDiego"></a>
```

LOW Link timeout: https://www.sandiego.gov/public-library/news-events/onebook did not respond within 5000ms after 2 attempts

Page: /blog/stopping-hate-crimes-and-incidents-0

Element:

```
<a href="https://www.sandiego.gov/public-library/news-events/onebook">One Book, One San Diego</a>
```

LOW Broken link: https://twitter.com/MayorToddGloria returned status 403 Forbidden after 1 attempts

Page: /blog/stopping-hate-crimes-and-incidents-0

Element:

```
<a href="https://twitter.com/MayorToddGloria"></a>
```

LOW Broken link: https://www.linkedin.com/in/toddgloria/ returned status 999 <none> after 1 attempts

Page: /blog/stopping-hate-crimes-and-incidents-0

Element:

```
<a href="https://www.linkedin.com/in/toddgloria/"></a>
```

LOW Link timeout: https://www.sandiego.gov/ebsco did not respond within 5000ms after 2 attempts

Page: /blog/stopping-hate-crimes-and-incidents-0

Element:

```
<a href="https://www.sandiego.gov/ebsco">Digital Magazines</a>
```

LOW Broken link: https://sandiego.events.mylibrary.digital/ returned status 403 Forbidden after 1 attempts

Page: /blog/stopping-hate-crimes-and-incidents-0

Element:

```
<a href="https://sandiego.events.mylibrary.digital/">Event Calendar</a>
```

LOW Link timeout: https://www.sandiego.gov/bibliocommons did not respond within 5000ms after 2 attempts

Page: /blog/stopping-hate-crimes-and-incidents-0

Element:

```
<a href="https://www.sandiego.gov/bibliocommons">Browse the Catalog</a>
```

LOW Broken link: https://twitter.com/CityofSanDiego returned status 403 Forbidden after 1 attempts

Page: /blog/stopping-hate-crimes-and-incidents-0

Element:

```
<a href="https://twitter.com/CityofSanDiego"></a>
```

LOW Broken link: https://twitter.com/CityofSanDiego returned status 403 Forbidden after 1 attempts

Page: /fire/cert-san-diego

Element:

```
<a href="https://twitter.com/CityofSanDiego"></a>
```

LOW Broken link: https://sandiego.events.mylibrary.digital/ returned status 403 Forbidden after 1 attempts

Page: /fire/cert-san-diego

Element:

```
<a href="https://sandiego.events.mylibrary.digital/">Event Calendar</a>
```

LOW Link timeout: https://www.sandiego.gov/ebsco did not respond within 5000ms after 2 attempts

Page: /fire/cert-san-diego

Element:

```
<a href="https://www.sandiego.gov/ebsco">Digital Magazines</a>
```

LOW Broken link: https://twitter.com/MayorToddGloria returned status 403 Forbidden after 1 attempts

Page: /fire/cert-san-diego

Element:

```
<a href="https://twitter.com/MayorToddGloria"></a>
```

LOW Link timeout: https://www.sandiego.gov/public-library/news-events/onebook did not respond within 5000ms after 2 attempts

Page: /fire/cert-san-diego

Element:

```
<a href="https://www.sandiego.gov/public-library/news-events/onebook">One Book, One San Diego</a>
```

LOW Broken link: https://www.linkedin.com/in/toddgloria/ returned status 999 <none> after 1 attempts

Page: /fire/cert-san-diego

Element:

```
<a href="https://www.linkedin.com/in/toddgloria/"></a>
```

LOW Link timeout: https://www.sandiego.gov/bibliocommons did not respond within 5000ms after 2 attempts

Page: /fire/cert-san-diego

Element:

```
<a href="https://www.sandiego.gov/bibliocommons">Browse the Catalog</a>
```

LOW Broken link: https://www.linkedin.com/in/toddgloria/ returned status 999 <none> after 1 attempts

Page: /fire/save-a-life-today

Element:

```
<a href="https://www.linkedin.com/in/toddgloria/"></a>
```

LOW Broken link: https://twitter.com/CityofSanDiego returned status 403 Forbidden after 1 attempts

Page: /fire/save-a-life-today

Element:

```
<a href="https://twitter.com/CityofSanDiego"></a>
```

LOW Broken link: https://sandiego.events.mylibrary.digital/ returned status 403 Forbidden after 1 attempts

Page: /fire/save-a-life-today

Element:

```
<a href="https://sandiego.events.mylibrary.digital/">Event Calendar</a>
```

LOW Link timeout: https://www.sandiego.gov/ebsco did not respond within 5000ms after 2 attempts

Page: /fire/save-a-life-today

Element:

```
<a href="https://www.sandiego.gov/ebsco">Digital Magazines</a>
```

LOW Broken link: https://twitter.com/MayorToddGloria returned status 403 Forbidden after 1 attempts

Page: /fire/save-a-life-today

Element:

```
<a href="https://twitter.com/MayorToddGloria"></a>
```

LOW Link timeout: https://www.sandiego.gov/bibliocommons did not respond within 5000ms after 2 attempts

Page: /fire/save-a-life-today

Element:

```
<a href="https://www.sandiego.gov/bibliocommons">Browse the Catalog</a>
```

LOW Link timeout: https://www.sandiego.gov/public-library/news-events/onebook did not respond within 5000ms after 2 attempts

Page: /fire/save-a-life-today

Element:

```
<a href="https://www.sandiego.gov/public-library/news-events/onebook">One Book, One San Diego</a>
```

LOW Broken link: https://twitter.com/MayorToddGloria returned status 403 Forbidden after 1 attempts

Page: /fire/victim-resources

Element:

```
<a href="https://twitter.com/MayorToddGloria"></a>
```

LOW Broken link: https://twitter.com/CityofSanDiego returned status 403 Forbidden after 1 attempts

Page: /fire/victim-resources

Element:

```
<a href="https://twitter.com/CityofSanDiego"></a>
```

LOW Broken link: https://sandiego.events.mylibrary.digital/ returned status 403 Forbidden after 1 attempts

Page: /fire/victim-resources

Element:

```
<a href="https://sandiego.events.mylibrary.digital/">Event Calendar</a>
```

LOW Link timeout: https://www.sandiego.gov/public-library/news-events/onebook did not respond within 5000ms after 2 attempts

Page: /fire/victim-resources

Element:

```
<a href="https://www.sandiego.gov/public-library/news-events/onebook">One Book, One San Diego</a>
```

LOW Broken link: https://www.linkedin.com/in/toddgloria/ returned status 999 <none> after 1 attempts

Page: /fire/victim-resources

Element:

```
<a href="https://www.linkedin.com/in/toddgloria/"></a>
```

LOW Link timeout: https://www.sandiego.gov/bibliocommons did not respond within 5000ms after 2 attempts

Page: /fire/victim-resources

Element:

```
<a href="https://www.sandiego.gov/bibliocommons">Browse the Catalog</a>
```

LOW Link timeout: https://www.sandiego.gov/ebsco did not respond within 5000ms after 2 attempts

Page: /fire/victim-resources

Element:

```
<a href="https://www.sandiego.gov/ebsco">Digital Magazines</a>
```

LOW Broken link: https://twitter.com/CityofSanDiego returned status 403 Forbidden after 1 attempts

Page: /fire/wildland-fire-safety

Element:

```
<a href="https://twitter.com/CityofSanDiego"></a>
```

LOW Broken link: https://www.linkedin.com/in/toddgloria/ returned status 999 <none> after 1 attempts

Page: /fire/wildland-fire-safety

Element:

```
<a href="https://www.linkedin.com/in/toddgloria/"></a>
```

LOW Link timeout: https://www.sandiego.gov/public-library/news-events/onebook did not respond within 5000ms after 2 attempts

Page: /fire/wildland-fire-safety

Element:

```
<a href="https://www.sandiego.gov/public-library/news-events/onebook">One Book, One San Diego</a>
```

LOW Link timeout: https://www.sandiego.gov/bibliocommons did not respond within 5000ms after 2 attempts

Page: /fire/wildland-fire-safety

Element:

```
<a href="https://www.sandiego.gov/bibliocommons">Browse the Catalog</a>
```

LOW Link timeout: https://www.sandiego.gov/ebsco did not respond within 5000ms after 2 attempts

Page: /fire/wildland-fire-safety

Element:

```
<a href="https://www.sandiego.gov/ebsco">Digital Magazines</a>
```

LOW Broken link: https://sandiego.events.mylibrary.digital/ returned status 403 Forbidden after 1 attempts

Page: /fire/wildland-fire-safety

Element:

```
<a href="https://sandiego.events.mylibrary.digital/">Event Calendar</a>
```

LOW Broken link: https://twitter.com/MayorToddGloria returned status 403 Forbidden after 1 attempts

Page: /fire/wildland-fire-safety

Element:

```
<a href="https://twitter.com/MayorToddGloria"></a>
```

LOW Link timeout: https://www.sandiego.gov/public-library/news-events/onebook did not respond within 5000ms after 2 attempts

Page: /oes/emergencypreparedness

Element:

```
<a href="https://www.sandiego.gov/public-library/news-events/onebook">One Book, One San Diego</a>
```

LOW Broken link: https://www.linkedin.com/in/toddgloria/ returned status 999 <none> after 1 attempts

Page: /oes/emergencypreparedness

Element:

```
<a href="https://www.linkedin.com/in/toddgloria/"></a>
```

LOW Broken link: https://twitter.com/CityofSanDiego returned status 403 Forbidden after 1 attempts

Page: /oes/emergencypreparedness

Element:

```
<a href="https://twitter.com/CityofSanDiego"></a>
```

LOW Broken link: https://twitter.com/MayorToddGloria returned status 403 Forbidden after 1 attempts

Page: /oes/emergencypreparedness

Element:

```
<a href="https://twitter.com/MayorToddGloria"></a>
```

LOW Link timeout: https://www.sandiego.gov/ebsco did not respond within 5000ms after 2 attempts

Page: /oes/emergencypreparedness

Element:

```
<a href="https://www.sandiego.gov/ebsco">Digital Magazines</a>
```

LOW Link timeout: https://www.sandiego.gov/bibliocommons did not respond within 5000ms after 2 attempts

Page: /oes/emergencypreparedness

Element:

```
<a href="https://www.sandiego.gov/bibliocommons">Browse the Catalog</a>
```

LOW Broken link: https://sandiego.events.mylibrary.digital/ returned status 403 Forbidden after 1 attempts

Page: /oes/emergencypreparedness

Element:

```
<a href="https://sandiego.events.mylibrary.digital/">Event Calendar</a>
```

LOW Broken link: https://twitter.com/CityofSanDiego returned status 403 Forbidden after 1 attempts

Page: /oes/see-something-say-something

Element:

```
<a href="https://twitter.com/CityofSanDiego"></a>
```

LOW Broken link: https://sandiego.events.mylibrary.digital/ returned status 403 Forbidden after 1 attempts

Page: /oes/see-something-say-something

Element:

```
<a href="https://sandiego.events.mylibrary.digital/">Event Calendar</a>
```

LOW Link timeout: https://www.sandiego.gov/public-library/news-events/onebook did not respond within 5000ms after 2 attempts

Page: /oes/see-something-say-something

Element:

```
<a href="https://www.sandiego.gov/public-library/news-events/onebook">One Book, One San Diego</a>
```

LOW Link timeout: https://www.sandiego.gov/ebsco did not respond within 5000ms after 2 attempts

Page: /oes/see-something-say-something

Element:

```
<a href="https://www.sandiego.gov/ebsco">Digital Magazines</a>
```

LOW Link timeout: https://www.sandiego.gov/bibliocommons did not respond within 5000ms after 2 attempts

Page: /oes/see-something-say-something

Element:

```
<a href="https://www.sandiego.gov/bibliocommons">Browse the Catalog</a>
```

LOW Broken link: https://twitter.com/MayorToddGloria returned status 403 Forbidden after 1 attempts

Page: /oes/see-something-say-something

Element:

```
<a href="https://twitter.com/MayorToddGloria"></a>
```

LOW Broken link: https://www.linkedin.com/in/toddgloria/ returned status 999 <none> after 1 attempts

Page: /oes/see-something-say-something

Element:

```
<a href="https://www.linkedin.com/in/toddgloria/"></a>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /blog/stopping-hate-crimes-and-incidents-0

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /blog/stopping-hate-crimes-and-incidents-0

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /fire/cert-san-diego

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /fire/cert-san-diego

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /fire/save-a-life-today

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /fire/save-a-life-today

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /fire/victim-resources

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /fire/victim-resources

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /fire/wildland-fire-safety

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /fire/wildland-fire-safety

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /oes/emergencypreparedness

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /oes/emergencypreparedness

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /oes/see-something-say-something

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /oes/see-something-say-something

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue