Sonde

접근성 상태 확인

https://billingsmt.gov

875



Strong

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usgov/billingsmt-gov/ (https://daylight.sonde.life/usgov/billingsmt-gov/)

5 페이지 | **265** 검출 결과 | **8** critical | **104** high | **139** medium | **14** low | **53.0** 평균/페이지 | **4,990** 요소 | **147** 검출 결과 있음 | **97.1%** ECR | **3m 32s** 총합 | **42.5s** 페이지당

주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

페이지: / (https://billingsmt.gov/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="textbox" -->
```

SONDE 수정 계획
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="textbox" -->
```

SONDE 수정 계획
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="textbox" -->
```

SONDE 수정 계획
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="textbox" -->
```

SONDE 수정 계획
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="textbox" -->
```

SONDE 수정 계획
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: li[tabindex] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol role="menu" id="secondaryMenusecondaryNav" data-parent="27" class="rootNavMenu accordionNav">
```

SONDE 수정 계획
Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: li[tabindex] WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol role="menu" id="secondaryMenusecondaryNav" data-parent="1828" class="rootNavMenu accordionNav">
```

SONDE 수정 계획
Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: li[tabindex] WCAG 1.3.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol role="menu" id="secondaryMenusecondaryNav" data-parent="1834" class="rootNavMenu accordionNav">
```

SONDE 수정 계획
Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: / (https://billingsmt.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: / (https://billingsmt.gov/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="2">2</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: / (https://billingsmt.gov/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="3">3</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation" WCAG 4.1.2

페이지: / (https://billingsmt.gov/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<iframe src="https://www.facebook..." width="500" height="1000" style="border:none;overflow..." scrolling="no" frame
border="0" allowfullscreen="true" allow="autoplay; clipboard-...">
```

SONDE 수정 계획

Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: / (https://billingsmt.gov/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="5">5</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: / (https://billingsmt.gov/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="4">4</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: / (https://billingsmt.gov/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="1">1</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="4">4</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="3">3</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="2">2</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="1">1</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation" WCAG 4.1.2

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<iframe src="https://www.facebook..." width="500" height="1000" style="border:none;overflow..." scrolling="no" frame
border="0" allowfullscreen="true" allow="autoplay; clipboard-...">
```

SONDE 수정 계획
Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="5">5</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem1785" data-pageid="1785">
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (99.7px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.6px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://billingsmtpublicworks.gov/248/Payments-Utility-Account-Services" target="_self">Water Account</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="1">1</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (96px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="/201/Parking-Tickets" target="_self">Parking Ticket</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (78.1px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://mt-billings3.civicplus.com/2503/Sign-Permit-Information" target="_blank" rel="noopener" aria-label
="Sign Permit Opens in new window">Sign Permit</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem65" data-pageid="65">
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (191.7px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://www.yellowstonecountymt.gov/treasurer/" target="_self">Mailing Address for Tax Bills</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (61.9px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://www.yellowstonecountymt.gov/elections/" target="_blank" rel="noopener" aria-label="Elections Opens in new window">Elections</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem3041" data-pageid="3041">
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (128.7px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.6px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://www.billingsmtpublicworks.gov/183/Garbage-Collection" target="_self">Garbage Collection</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="2">2</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (98.9px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="/202/Payment-Information" target="_self">Traffic Citation</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (142.3px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.6px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://www.billingsparks.org/" target="_blank" rel="noopener" aria-label="Recreation Programs Opens in new window">Recreation Programs</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (117.5px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="/981/Business-Licenses" target="_self">Business License</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (206px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://billingsmtpublicworks.gov/248/Payments-Utility-Account-Services" target="_self">Mailing Address for Utility Bills</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (89.2px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://mt-billings3.civicplus.com/2509/Fence-Permit-Information" target="_blank" rel="noopener" aria-label="Fence Permit Opens in new window">Fence Permit</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (90.5px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22.6px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://www.ci.billings.mt.us/1820/Photo-Gallery" target="_self">Photo Gallery</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (133.3px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.8px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="/156/Ordinances" target="_self">Code of Ordinances</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem64" data-pageid="64">
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (68.3px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://www.google.com/maps/@45.7819194,-108.5636845,12z" target="_blank" rel="noopener" aria-label="Direct
ions Opens in new window">Directions</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (130.1px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://www.billingsmtpublicworks.gov/FormCenter/PUBLISHED-FORMS-5/Street-Light-Reporting-48" target="_blan
k" rel="noopener" aria-label="Street Light Outage Opens in new window">Street Light ...
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
                                                    <li class="megaMenuItem level2" role="none" data-pag
eid="1880">
                                                    <a href="http://www.billingsparks.org/facilities/res
erve-a-shelter/" target="_blank" rel="noop...
```

SONDE 수정 계획

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (127.6px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://ci.billings.mt.us/2297/Reporting-Contact" target="_blank" rel="noopener" aria-label="Suspicious Act
ivity Opens in new window">Suspicious Activity</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (137.4px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.8px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://www.ci.billings.mt.us/114/Community-Development" target="_self">Community Projects</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (77.5px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="/475/Budgets-Financial-Reports" target="_self">City Budget</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList layout3">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (102.9px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="/67/Building" target="_self">Building Permit</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem104" data-pageid="104">
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem2760" data-pageid="2760">
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem3042" data-pageid="3042">
```

SONDE 수정 계획

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (142.8px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://doj.mt.gov/enforcement/concealed-weapons/" target="_self">Concealed Carry Law</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList layout3">
```

SONDE 수정 계획

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList">
```

SONDE 수정 계획

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem107" data-pageid="107">
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (91.6px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 23.8px instead of at least 24px. WCAG 2.5.8

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://www.billings..." target="_self" class="docaccess-activated" data-docaccess-url="https://www.billing
s..." data-url-hash="947e236c56300a98d047..." data-url-status="enabled">
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem2417" data-pageid="2417">
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="2">2</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem1831" data-pageid="1831">
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem1830" data-pageid="1830">
                <div class="accordionNavItem">
                        <a href="/981/Business-Licenses" target="_self" class="navMainItem seco...
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList layout3">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem1832" data-pageid="1832">
```

SONDE 수정 계획
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="1">1</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem2515" data-pageid="2515">
```

SONDE 수정 계획

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem1833" data-pageid="1833">
```

SONDE 수정 계획

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem1829" data-pageid="1829">
                <div class="accordionNavItem">
                        <a href="/67/Building" target="_self" class="navMainItem secondaryNavIt...
```

SONDE 수정 계획

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem1835" data-pageid="1835">
```

SONDE 수정 계획

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="1">1</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem1837" data-pageid="1837">
```

SONDE 수정 계획

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item parent element has a role that is not role="list" WCAG 1.3.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<li class="topMenuItem sideNavLi hasAccordionChildren" id="SideItem1836" data-pageid="1836">
```

SONDE 수정 계획

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (22.8px by 30.4px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.6px instead of at least 24px. WCAG 2.5.8

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="#slide" onclick="return false;" class="pagingItems" data-index="2">2</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=none] WCAG 1.3.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ol class="semanticList layout3">
```

SONDE 수정 계획

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Focus jumps backward from "Administrator's Report" to "Report a Concern" (visual distance: 558px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: / (https://billingsmt.gov/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Report a Concern</a>
```

SONDE 수정 계획

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "View All Events" to "Facebook" (visual distance: 873px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: / (https://billingsmt.gov/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Facebook</a>
```

SONDE 수정 계획

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Administrator's Report" to "Report a Concern" (visual distance: 841px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Report a Concern</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "View All Events" to "Facebook" (visual distance: 873px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Facebook</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Neighborhood Task Forces" to "Online Payments" (visual distance: 421px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Online Payments</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Warrants" to "Notifications" (visual distance: 561px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Notifications</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Transportation" to "Traffic Advisory" (visual distance: 561px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Traffic Advisory</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Employment" to "Agendas & Minutes" (visual distance: 608px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Agendas & Minutes</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Report a Concern" to "Previous" (visual distance: 321px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Previous</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Traffic Advisory" to "Volunteers Opens in new window" (visual distance: 467px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Volunteers Opens in new window</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "City of Billings Employee Portal" to "Quick Links" (visual distance: 436px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Quick Links</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Parks & Recreation" to "Administrator's Report" (visual distance: 561px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Administrator's Report</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Water Quality Reports" to "Administration" (visual distance: 1299px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Administration</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Traffic Citation" to "Read..." (visual distance: 1028px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Read...</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Traffic Advisory" to "Volunteers Opens in new window" (visual distance: 467px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Volunteers Opens in new window</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Parks & Recreation" to "Administrator's Report" (visual distance: 561px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Administrator's Report</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Sign Permit Opens in new window" to "Building Permit" (visual distance: 461px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Building Permit</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "City of Billings Employee Portal" to "Quick Links" (visual distance: 436px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Quick Links</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Parks & Recreation" to "Administrator's Report" (visual distance: 561px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Administrator's Report</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "City of Billings Employee Portal" to "Quick Links" (visual distance: 436px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Quick Links</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Traffic Advisory" to "Volunteers Opens in new window" (visual distance: 467px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Volunteers Opens in new window</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH strict-transport-security header has invalid or weak value: max-age=86400

페이지: / (https://billingsmt.gov/)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH strict-transport-security header has invalid or weak value: max-age=86400

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://billingsmt.gov/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 11 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: / (https://billingsmt.gov/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 11 navigation landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 11 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 11 navigation landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 12 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 12 navigation landmarks, 1 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 12 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 12 navigation landmarks, 1 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 12 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 12 navigation landmarks, 1 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://billingsmt.gov/)

요소:

```
<div class="fr-view">


        <h1 class="headline" style="text-align: center;"><a href="https://cityview.billingsmt.gov/Portal/">Click Her
e For Permits</a></h1>
    </div>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://billingsmt.gov/)

요소:

```
<span class="cpBylineTextTS">Government Websites by <a href="https://connect.civicplus.com/referral">CivicPlus®</a>
</span>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://billingsmt.gov/)

요소:

```
<ol class="tabbedWidget cpTabs  " role="tablist" aria-hidden="false" style="">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://billingsmt.gov/)

요소:

```
<div class="tabbedWidget cpTabPanel showing" style="" id="tab8d3f3fbe-b3c0-4784-b07d-5cc78cb09990_0" role="tabpanel"
aria-labelledby="tabBtn8d3f3fbe-b3c0-4784-b07d-5cc78cb09990_0" tabindex="-1">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://billingsmt.gov/)

요소:

```
<ol class="tabbedWidget cpTabs  " role="tablist" aria-hidden="false" style="">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

페이지: / (https://billingsmt.gov/)

요소:

```
<h3>Magic City Spotlight</h3>
```

SONDE 수정 계획
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: / (https://billingsmt.gov/)

요소:

```
<nav data-cprole="nav" id="mainNav" class="siteNav mainNav" role="navigation">
```

SONDE 수정 계획
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://billingsmt.gov/)

요소:

```
<div class="tabbedWidget cpTabPanel showing" style="" id="tab1b972691-28aa-429e-a856-e6a0d17dd6ed_0" role="tabpanel"
aria-labelledby="tabBtn1b972691-28aa-429e-a856-e6a0d17dd6ed_0" tabindex="-1">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://billingsmt.gov/)

요소:

```
<div class="cpToolbar user public" style="z-index: 1;">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<nav data-cprole="nav" id="mainNav" class="siteNav mainNav" role="navigation">
```

SONDE 수정 계획
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<h3>Magic City Spotlight</h3>
```

SONDE 수정 계획
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<ol class="tabbedWidget cpTabs  " role="tablist" aria-hidden="false" style="">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<div class="fr-view">


        <h1 class="headline" style="text-align: center;"><a href="https://cityview.billingsmt.gov/Portal/">Click Her
e For Permits</a></h1>
    </div>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<div class="cpToolbar user public" style="z-index: 1;">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<ol class="tabbedWidget cpTabs  " role="tablist" aria-hidden="false" style="">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<div class="tabbedWidget cpTabPanel showing" style="" id="tab1b972691-28aa-429e-a856-e6a0d17dd6ed_0" role="tabpanel"
aria-labelledby="tabBtn1b972691-28aa-429e-a856-e6a0d17dd6ed_0" tabindex="-1">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<span class="cpBylineTextTS">Government Websites by <a href="https://connect.civicplus.com/referral">CivicPlus®</a>
</span>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<div class="tabbedWidget cpTabPanel showing" style="" id="tab8d3f3fbe-b3c0-4784-b07d-5cc78cb09990_0" role="tabpanel"
aria-labelledby="tabBtn8d3f3fbe-b3c0-4784-b07d-5cc78cb09990_0" tabindex="-1">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

요소:

```
<h3>Contact Us</h3>
```

SONDE 수정 계획

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

요소:

```
<span class="cpBylineTextTS">Government Websites by <a href="https://connect.civicplus.com/referral">CivicPlus®</a>
</span>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

요소:

```
<nav data-cprole="nav" id="mainNav" class="siteNav mainNav" role="navigation">
```

SONDE 수정 계획
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

요소:

```
<aside data-cprole="contentContainer" id="contentContainer2">   <div id="cc6f792e7b-0b1c-407b-8483-6e4e6f41eb55" dat
a-containerid="6f792e7b-0b1c-407b-8483-6e4e6f41eb55" class="pageContent cpGrid cpGrid2...
```

SONDE 수정 계획
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

요소:

```
<div class="cpToolbar user public" style="z-index: 1;">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

요소:

```
<nav data-cprole="nav" id="mainNav" class="siteNav mainNav" role="navigation">
```

SONDE 수정 계획
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

요소:

```
<aside data-cprole="contentContainer" id="contentContainer2">   <div id="cc6f792e7b-0b1c-407b-8483-6e4e6f41eb55" dat
a-containerid="6f792e7b-0b1c-407b-8483-6e4e6f41eb55" class="pageContent cpGrid cpGrid2...
```

SONDE 수정 계획
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

요소:

```
<span class="cpBylineTextTS">Government Websites by <a href="https://connect.civicplus.com/referral">CivicPlus®</a>
</span>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

요소:

```
<div class="cpToolbar user public" style="z-index: 1;">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

요소:

```
<h3>Contact Us</h3>
```

SONDE 수정 계획
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

요소:

```
<aside data-cprole="contentContainer" id="contentContainer2">   <div id="cc6f792e7b-0b1c-407b-8483-6e4e6f41eb55" dat
a-containerid="6f792e7b-0b1c-407b-8483-6e4e6f41eb55" class="pageContent cpGrid cpGrid2...
```

SONDE 수정 계획
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

요소:

```
<h3>Contact Us</h3>
```

SONDE 수정 계획

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

요소:

```
<div class="cpToolbar user public" style="z-index: 1;">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

요소:

```
<nav data-cprole="nav" id="mainNav" class="siteNav mainNav" role="navigation">
```

SONDE 수정 계획

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

요소:

```
<span class="cpBylineTextTS">Government Websites by <a href="https://connect.civicplus.com/referral">CivicPlus®</a>
</span>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://billingsmt.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/115/Municipal-Court" target="_self" class="fancyButton fancyButton377 ">
                <span>
                        <span><span class="text">Court</span></span>
                </span>
        </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://billingsmt.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://billingsmt.gov/Blog.aspx?CID=2" target="_self" class="fancyButton fancyButton530 ">
                <span>
                        <span><span class="text">Code Enforcement Blog</span></span>
                </span>
        </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://billingsmt.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/1905/Online-Payments" target="_self" class="fancyButton fancyButton383 ">
                <span>
                        <span><span class="text">Online Payments</span></span>
                </span>
        </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/115/Municipal-Court" target="_self" class="fancyButton fancyButton377 ">
                <span>
                        <span><span class="text">Court</span></span>
                </span>
        </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://billingsmt.gov/Blog.aspx?CID=2" target="_self" class="fancyButton fancyButton530 ">
                <span>
                        <span><span class="text">Code Enforcement Blog</span></span>
                </span>
        </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/1905/Online-Payments" target="_self" class="fancyButton fancyButton383 ">
                <span>
                        <span><span class="text">Online Payments</span></span>
                </span>
        </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/65/Boards-Commissions" target="_self" class="navMainItem secondaryNavItem cpComponent" data-type="Secondar
yMainItem">Boards &amp;amp; Commissions</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="" class="breadCrumb" aria-current="page">How Do I...?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/107/City-Council" target="_self" class="navMainItem secondaryNavItem cpComponent" data-type="SecondaryMain
Item">City Council</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/104/City-Clerk" target="_self" class="navMainItem secondaryNavItem cpComponent" data-type="SecondaryMainIt
em">City Clerk</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/978/Public-Safety" target="_self" class="fancyButton fancyButton380 ">
                <span>
                        <span><span class="text">Public Safety</span></span>
                </span>
        </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://billingslibrary.org/ " target="_self" class="fancyButton fancyButton378 ">
                <span>
                        <span><span class="text">Library</span></span>
                </span>
        </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://city-of-billings-map-library-billings.hub.arcgis.com/" target="_blank" class="fancyButton fancyButt
on379 " aria-label="Maps Opens in new window" rel="noopener">
                <span>
                        <span><spa
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/64/Administration" target="_self" class="navMainItem secondaryNavItem cpComponent" data-type="SecondaryMai
nItem">Administration</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="breadCrumb" href="/">billingsmt.gov</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/115/Municipal-Court" target="_self" class="fancyButton fancyButton377 ">
                <span>
                        <span><span class="text">Court</span></span>
                </span>
        </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/115/Municipal-Court" target="_self" class="fancyButton fancyButton377 ">
                <span>
                        <span><span class="text">Court</span></span>
                </span>
        </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/65/Boards-Commissions" target="_self" class="navMainItem secondaryNavItem cpComponent" data-type="Secondar
yMainItem">Boards &amp;amp; Commissions</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/67/Building" target="_self" class="navMainItem secondaryNavItem cpComponent" data-type="SecondaryMainIte
m">Building Permit</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://billingslibrary.org/ " target="_self" class="fancyButton fancyButton378 ">
                <span>
                        <span><span class="text">Library</span></span>
                </span>
        </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="breadCrumb" href="/1775/How-Do-I">How Do I...?</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="breadCrumb" href="/">billingsmt.gov</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/981/Business-Licenses" target="_self" class="navMainItem secondaryNavItem cpComponent" data-type="Secondar
yMainItem">Business License</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/978/Public-Safety" target="_self" class="fancyButton fancyButton380 ">
                <span>
                        <span><span class="text">Public Safety</span></span>
                </span>
        </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://city-of-billings-map-library-billings.hub.arcgis.com/" target="_blank" class="fancyButton fancyButt
on379 " aria-label="Maps Opens in new window" rel="noopener">
                <span>
                        <span><spa
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://city-of-billings-map-library-billings.hub.arcgis.com/" target="_blank" class="fancyButton fancyButt
on379 " aria-label="Maps Opens in new window" rel="noopener">
                <span>
                        <span><spa
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/DocumentCenter/View/38509/Can-you-give-us-a-hand_201409301651114566" target="_blank" class="navMainItem se
condaryNavItem cpComponent docaccess-activated" data-type="SecondaryMainItem" aria-l
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="breadCrumb" href="/">billingsmt.gov</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="breadCrumb" href="/1775/How-Do-I">How Do I...?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/978/Public-Safety" target="_self" class="fancyButton fancyButton380 ">
                <span>
                        <span><span class="text">Public Safety</span></span>
                </span>
        </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/469/Employment" target="_blank" class="navMainItem secondaryNavItem cpComponent" data-type="SecondaryMainI
tem" aria-label="Firefighter Opens in new window" rel="noopener">Firefighter</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/115/Municipal-Court" target="_self" class="fancyButton fancyButton377 ">
                <span>
                        <span><span class="text">Court</span></span>
                </span>
        </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(10, 45, 83), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://billingslibrary.org/ " target="_self" class="fancyButton fancyButton378 ">
                <span>
                        <span><span class="text">Library</span></span>
                </span>
        </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 35)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.ci.billings.mt.us/DocumentCenter/View/38687/Billings-Police-Officer-Application-Packet-July-201
9" target="_blank" class="navMainItem secondaryNavItem cpComponent docaccess-activat
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM "MET" is visually at position 56 but receives focus at position 109 (drift: 53). WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>MET</a>
```

SONDE 수정 계획

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "City Clerk" is visually at position 26 but receives focus at position 101 (drift: 75). WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>City Clerk</a>
```

SONDE 수정 계획
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Boards & Commissions" is visually at position 24 but receives focus at position 99 (drift: 75). WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Boards & Commissions</a>
```

SONDE 수정 계획
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Public Record Request" is visually at position 51 but receives focus at position 108 (drift: 57). WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Public Record Request</a>
```

SONDE 수정 계획
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "City Council" is visually at position 30 but receives focus at position 103 (drift: 73). WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>City Council</a>
```

SONDE 수정 계획
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Departments" is visually at position 38 but receives focus at position 105 (drift: 67). WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Departments</a>
```

SONDE 수정 계획
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Recycling" is visually at position 96 but receives focus at position 52 (drift: 44). WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Recycling</a>
```

SONDE 수정 계획
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "Frequently Asked Questions Opens in new window" is visually at position 45 but receives focus at position 107 (drift: 62). WCAG 2.4.3

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Frequently Asked Questions Opens in new window</a>
```

SONDE 수정 계획
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Broken link: https://billingsmt.gov/sitemap returned status 404 Not Found after 1 attempts

페이지: / (https://billingsmt.gov/)

요소:

```
<a href="https://billingsmt.gov/sitemap">Site Map</a>
```

MEDIUM Broken link: https://billingsmt.gov/DocumentCenter/View/38509/Can-you-give-us-a-hand_201409301651114566 returned status 404 Not Found after 1 attempts

페이지: / (https://billingsmt.gov/)

요소:

```
<a href="https://billingsmt.gov/DocumentCenter/View/38509/Can-you-give-us-a-hand_201409301651114566">Volunteers</a>
```

MEDIUM Broken link: https://billingsmt.gov/DocumentCenter/View/38509/Can-you-give-us-a-hand_201409301651114566 returned status 404 Not Found after 1 attempts

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<a href="https://billingsmt.gov/DocumentCenter/View/38509/Can-you-give-us-a-hand_201409301651114566">Volunteers</a>
```

MEDIUM Broken link: https://billingsmt.gov/sitemap returned status 404 Not Found after 1 attempts

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<a href="https://billingsmt.gov/sitemap">Site Map</a>
```

MEDIUM Broken link: https://billingsmt.gov/sitemap returned status 404 Not Found after 1 attempts

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

요소:

```
<a href="https://billingsmt.gov/sitemap">Site Map</a>
```

MEDIUM Broken link: https://mt-billings3.civicplus.com/2509/Fence-Permit-Information returned status 404 Not Found after 1 attempts

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

요소:

```
<a href="https://mt-billings3.civicplus.com/2509/Fence-Permit-Information">Fence Permit</a>
```

MEDIUM Broken link: https://billingsmt.gov/DocumentCenter/View/38509/Can-you-give-us-a-hand_201409301651114566 returned status 404 Not Found after 1 attempts

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

요소:

```
<a href="https://billingsmt.gov/DocumentCenter/View/38509/Can-you-give-us-a-hand_201409301651114566">Volunteers</a>
```

MEDIUM Broken link: https://billingsmt.gov/sitemap returned status 404 Not Found after 1 attempts

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

요소:

```
<a href="https://billingsmt.gov/sitemap">Site Map</a>
```

MEDIUM Broken link: https://www.ci.billings.mt.us/DocumentCenter/View/38687/Billings-Police-Officer-Application-Packet-July-2019 returned status 404 Not Found after 1 attempts

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

요소:

```
<a href="https://www.ci.billings.mt.us/DocumentCenter/View/38687/Billings-Police-Officer-Application-Packet-July-2019">Police Officer</a>
```

MEDIUM Broken link: https://billingsmt.gov/sitemap returned status 404 Not Found after 1 attempts

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

요소:

```
<a href="https://billingsmt.gov/sitemap">Site Map</a>
```

MEDIUM Element overflows viewport by 50px at 320px width. WCAG 1.4.10

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div id="graphicLinkWidgetd3daa6a4-d30e-4b8f-b88c-e8b14b29f435" class="widget widgetGraphicLinks skin14 widgetOption
Set4 wide" data-elementqueryclasses="{&quot;wide-narrow&quot;:&quot;min-width:25em&q
```

SONDE 수정 계획

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 50px at 320px width. WCAG 1.4.10

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="widgetBody cpGrid cpGrid2 ">
                <nav class="widgetGraphicLinksNav" aria-labelledby="GraphicLinkHeaderText">
                                <div class="row wide">
                                        <!--
--><div class="col col1 first "><ul class="s
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 50px at 320px width. WCAG 1.4.10

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="widgetCarousel-item widgetCarousel-item--50 col" style="padding: 0px 0em;">

<div data-widget-id="d3daa6a4-d30e-4b8f-b88c-e8b14b29f435" data-widget-controller-path="/GraphicLinks/Widge
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 324px at 320px width. WCAG 1.4.10

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<img alt="" class="bannerObject" src="/ImageRepository/Document?documentID=48173" width="968.1874229346486px" style
="position: absolute; left: 0px; margin: 0px; width: 968.187px;">
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 19px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<a class="nav-btn" id="nav-open-btn" href="#nav" aria-haspopup="true" role="menu">Menu</a>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 28px at 320px width. WCAG 1.4.10

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<span><span class="text">Public Safety</span></span>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 154px at 320px width. WCAG 1.4.10

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="widgetCarousel-group" data-group="2" style="width: 50%;">
                        <div class="widgetCarousel-item widgetCarousel-item--33 col" style="padding: 0px 0em;">

<div data-widget-id="0f80c1e6-0a93
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 28px at 320px width. WCAG 1.4.10

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<span class="text">Public Safety</span>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 91px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<a href="#ccb29c20c6-457c-4b74-9a42-0ee46db053d2" target="_self" class="skipToContentLink">Skip to Main Content</a>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 154px at 320px width. WCAG 1.4.10

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="widgetCarousel-slider" style="margin-left: 100%; margin-right: 100%; transition: left 2s; left: -100%; w
idth: 200%;">


<div class="widgetCarousel-group" data-group="1" style="width: 50%;"
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 15px at 320px width. WCAG 1.4.10

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="widgetCarousel-item widgetCarousel-item--33 col" style="padding: 0px 0em;">

<div data-widget-id="0f80c1e6-0a93-407d-ba45-382cb6fcba52" data-widget-controller-path="/GraphicLinks/Widge
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 15px at 320px width. WCAG 1.4.10

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div data-widget-id="0f80c1e6-0a93-407d-ba45-382cb6fcba52" data-widget-controller-path="/GraphicLinks/Widget">



<div id="graphicLinkWidget0f80c1e6-0a93-407d-ba45-382cb6fcba52" class="widget widgetG
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 15px at 320px width. WCAG 1.4.10

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div id="graphicLinkWidget0f80c1e6-0a93-407d-ba45-382cb6fcba52" class="widget widgetGraphicLinks skin14 widgetOption
Set30 wide" data-elementqueryclasses="{&amp;quot;wide-narrow&amp;quot;:&amp;quot;min-width:20em&
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 15px at 320px width. WCAG 1.4.10

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="widgetHeader">
                <div class="">
                                </div>
        </div>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

LOW Deep focus region: nav "Administration " has 14 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/bypass-blocks)

요소:

```
<nav role="nav">Administration




</nav>
```

SONDE 수정 계획
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Deep focus region: menu "Administration " has 14 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/bypass-blocks)

요소:

```
<ol role="menu">Administration




</ol>
```

SONDE 수정 계획
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Deep focus region: nav "Pages" has 75 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I) WCAG 2.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/bypass-blocks)

요소:

```
<nav role="nav">Pages</nav>
```

SONDE 수정 계획
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Link timeout: https://comm7tv.vod.castus.tv/vod/?live=ch1&nav=live did not respond within 5000ms after 2 attempts

페이지: / (https://billingsmt.gov/)

요소:

```
<a href="https://comm7tv.vod.castus.tv/vod/?live=ch1&amp;nav=live">Watch Meetings Online</a>
```

LOW Broken link: https://cityview.billingsmt.gov/Portal/ returned status 500 Internal Server Error after 1 attempts

페이지: / (https://billingsmt.gov/)

요소:

```
<a href="https://cityview.billingsmt.gov/Portal/">Click Here For Permits</a>
```

LOW Link timeout: https://comm7tv.vod.castus.tv/vod/?live=ch1&nav=live did not respond within 5000ms after 2 attempts

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<a href="https://comm7tv.vod.castus.tv/vod/?live=ch1&amp;nav=live">Watch Meetings Online</a>
```

LOW Broken link: https://cityview.billingsmt.gov/Portal/ returned status 500 Internal Server Error after 1 attempts

페이지: /1/billingsmtgov (https://billingsmt.gov/1/billingsmtgov)

요소:

```
<a href="https://cityview.billingsmt.gov/Portal/">Click Here For Permits</a>
```

LOW Link timeout: https://comm7tv.vod.castus.tv/vod/?live=ch1&nav=live did not respond within 5000ms after 2 attempts

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

요소:

```
<a href="https://comm7tv.vod.castus.tv/vod/?live=ch1&amp;nav=live">Watch Meetings Online</a>
```

LOW Broken link: https://ci.billings.mt.us/DocumentCenter/View/35993/Website-Privacy-Policy--9-14-2017 returned status 404 Not Found after 1 attempts

페이지: /1775/How-Do-I (https://billingsmt.gov/1775/How-Do-I)

요소:

```
<a href="https://ci.billings.mt.us/DocumentCenter/View/35993/Website-Privacy-Policy--9-14-2017">Privacy Policy</a>
```

LOW Broken link: https://mt-billings3.civicplus.com/2509/Fence-Permit-Information returned status 404 Not Found after 1 attempts

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

요소:

```
<a href="https://mt-billings3.civicplus.com/2509/Fence-Permit-Information">Fence Permit</a>
```

LOW Broken link: https://ci.billings.mt.us/DocumentCenter/View/35993/Website-Privacy-Policy--9-14-2017 returned status 404 Not Found after 1 attempts

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

요소:

```
<a href="https://ci.billings.mt.us/DocumentCenter/View/35993/Website-Privacy-Policy--9-14-2017">Privacy Policy</a>
```

LOW Link timeout: https://comm7tv.vod.castus.tv/vod/?live=ch1&nav=live did not respond within 5000ms after 2 attempts

페이지: /1828/Apply-For-A (https://billingsmt.gov/1828/Apply-For-A)

요소:

```
<a href="https://comm7tv.vod.castus.tv/vod/?live=ch1&amp;nav=live">Watch Meetings Online</a>
```

LOW Broken link: https://ci.billings.mt.us/DocumentCenter/View/35993/Website-Privacy-Policy--9-14-2017 returned status 404 Not Found after 1 attempts

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

요소:

```
<a href="https://ci.billings.mt.us/DocumentCenter/View/35993/Website-Privacy-Policy--9-14-2017">Privacy Policy</a>
```

LOW Link timeout: https://comm7tv.vod.castus.tv/vod/?live=ch1&nav=live did not respond within 5000ms after 2 attempts

페이지: /1834/Become-a (https://billingsmt.gov/1834/Become-a)

요소:

```
<a href="https://comm7tv.vod.castus.tv/vod/?live=ch1&amp;nav=live">Watch Meetings Online</a>
```

방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

등급	가중치	예시
치명적	10	키보드 트랩
높음	3	대체 텍스트 누락
중간	1	제목 계층
낮음	0.25	모범 사례

Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.

미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usgov/billingsmt-gov/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=billingsmt-gov)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usgov/billingsmt-gov/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=billingsmt-gov)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=billingsmt-gov)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+City+of+Billings&utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=billingsmt-gov)