Sonde

접근성 상태 확인

https://www.dsm.city

845



Strong

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usgov/dsm-city/ (https://daylight.sonde.life/usgov/dsm-city/)

7 페이지 | **306** 검출 결과 | **66** critical | **48** high | **148** medium | **44** low | **43.7** 평균/페이지 | **14,236** 요소 | **99** 검출 결과 있음 | **99.3%** ECR | **3m 6s** 총합 | **26.5s** 페이지당

주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

CRITICAL

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

페이지: / (https://www.dsm.city/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to March 30, 2026" data-navlink="" tabindex="0" id="fc-dom-4" class="fc-daygrid-day-number">30</a>
```

SONDE 수정 계획

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum) Current ratio: 1.98:1 (need 4.5:1). Change foreground from #b8b8b8 to #777676 (ratio: 4.5:1).

CRITICAL

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

페이지: / (https://www.dsm.city/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to March 31, 2026" data-navlink="" tabindex="0" id="fc-dom-6" class="fc-daygrid-day-number">31</a>
```

SONDE 수정 계획

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum) Current ratio: 1.98:1 (need 4.5:1). Change foreground from #b8b8b8 to #777676 (ratio: 4.5:1).

CRITICAL

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

페이지: / (https://www.dsm.city/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to March 29, 2026" data-navlink="" tabindex="0" id="fc-dom-2" class="fc-daygrid-day-number">29</a>
```

SONDE 수정 계획

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum) Current ratio: 1.98:1 (need 4.5:1). Change foreground from #b8b8b8 to #777676 (ratio: 4.5:1).

CRITICAL

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to March 29, 2026" data-navlink="" tabindex="0" id="fc-dom-2" class="fc-daygrid-day-number">29</a>
```

SONDE 수정 계획

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum) Current ratio: 1.98:1 (need 4.5:1). Change foreground from #b8b8b8 to #777676 (ratio: 4.5:1).

CRITICAL

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to March 31, 2026" data-navlink="" tabindex="0" id="fc-dom-6" class="fc-daygrid-day-number">31</a>
```

SONDE 수정 계획

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum) Current ratio: 1.98:1 (need 4.5:1). Change foreground from #b8b8b8 to #777676 (ratio: 4.5:1).

CRITICAL

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 1.98 (foreground color: #b8b8b8, background color: #ffffff, font size: 10.5pt (14px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to March 30, 2026" data-navlink="" tabindex="0" id="fc-dom-4" class="fc-daygrid-day-number">30</a>
```

SONDE 수정 계획

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum) Current ratio: 1.98:1 (need 4.5:1). Change foreground from #b8b8b8 to #777676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Your Government"


WCAG 1.4.3

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<h2 class="title">Your Government</h2>
```



SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page" WCAG 1.4.3

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span class="sr-only">share this page</span>
```

2.08:1 ✗ 현재

share this page

#021d71 배경 #ac1a2f

→

4.51:1 ✓ 제안됨

share this page

#b6ceff 배경 #ac1a2f

SONDE 수정 계획

Current ratio: 2.08:1 (need 4.5:1). Change foreground from #021d71 to #b6ceff (ratio: 4.5:1). Current ratio: 2.53:1 (need 4.5:1). Change foreground from #1d3557 to #f1f7ff (ratio: 4.5:1). Current ratio: 1.81:1 (need 4.5:1). Change foreground from #1d3557 to #b6d4fe (ratio: 4.5:1). Current ratio: 1.70:1 (need 4.5:1). Change foreground from #1d3557 to #5b769c (ratio: 4.5:1). Current ratio: 3.89:1 (need 4.5:1). Change foreground from #1d3557 to #132a4c (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "T.M. Franklin Cownie City Administration Building – City Hal" WCAG 1.4.3

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a href="https://maps.app.goo.gl/WUZmG1JUF8yGFTm18" target="_blank" rel="noopener noreferrer">

                                                                <strong>T.M. Franklin Cownie City Ad
ministration Building – City Hall</strong> <br>1
```

1.00:1 ✗ 현재

#ffffff 배경 #ffffff

→

4.53:1 ✓ 제안됨

T.M. Franklin Cownie City Admi...

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Telephone: (515) 283-4500" WCAG 1.4.3

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span class="finfolink">Telephone: <a href="tel:5152834500" rel="noreferrer noopener">(515) 283-4500</a></span>
```

1.00:1 ✗ 현재

#ffffff 배경 #ffffff

→

4.53:1 ✓ 제안됨

Telephone: (515) 283-4500

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Council Meetings" WCAG 1.4.3

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a href="government/city_council/meetings/index.php" class="link" rel="noreferrer noopener">
                                                                    Council Meetings</a>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

Council Meetings

☐ #ffffff 배경 ☐ #ffffff

■ #777676 배경 ☐ #ffffff

SONDE 수정 계획
Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "T.M. Franklin Cownie City Administration Building – City Hal" WCAG 1.4.3

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<strong>T.M. Franklin Cownie City Administration Building – City Hall</strong>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

T.M. Franklin Cownie City Admi...

☐ #ffffff 배경 ☐ #ffffff

■ #777676 배경 ☐ #ffffff

SONDE 수정 계획
Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Reach out to your City government right from the palm of you" WCAG 1.4.3

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<small>Reach out to your City government right from the palm of your hand.</small>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

Reach out to your City governm...

☐ #ffffff 배경 ☐ #ffffff

■ #777676 배경 ☐ #ffffff

SONDE 수정 계획
Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "City Council" WCAG 1.4.3

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<h3 class="title">City Council</h3>
```

1.00:1 ✗ 현재 → 3.03:1 ✓ 제안됨

City Council

#ffffff 배경 #ffffff → #959494 배경 #ffffff

SONDE 수정 계획
Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "21" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to April 21, 2026" data-navlink="" tabindex="0" id="fc-dom-48" class="fc-daygrid-day-number">21</a>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

21

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획
Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 2.19:1 (required: 3:1 for large text). Foreground: rgb(111, 184, 224), background: rgb(255, 255, 255). Text: "your City" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<strong>your City</strong>
```

2.19:1 ✗ 현재 → 3.00:1 ✓ 제안됨

your City → your City

#6fb8e0 배경 #ffffff → #549dc4 배경 #ffffff

SONDE 수정 계획
Current ratio: 2.19:1 (need 3:1). Change foreground from #6fb8e0 to #549dc4 (ratio: 3.0:1). Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.98:1 (required: 4.5:1 for normal text). Foreground: rgb(184, 184, 184), background: rgb(255, 255, 255). Text: "29" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to March 29, 2026" data-navlink="" tabindex="0" id="fc-dom-87" class="fc-daygrid-day-number">29</a>
```

1.98:1 ✗ 현재

29

→

4.53:1 ✓ 제안됨

29

#b8b8b8 배경 #ffffff

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.98:1 (need 4.5:1). Change foreground from #b8b8b8 to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "20" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to April 20, 2026" data-navlink="" tabindex="0" id="fc-dom-46" class="fc-daygrid-day-number">20</a>
```

1.00:1 ✗ 현재

→

4.53:1 ✓ 제안됨

20

#ffffff 배경 #ffffff

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "14" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to April 14, 2026" data-navlink="" tabindex="0" id="fc-dom-34" class="fc-daygrid-day-number">14</a>
```

1.00:1 ✗ 현재

→

4.53:1 ✓ 제안됨

14

#ffffff 배경 #ffffff

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "23" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to April 23, 2026" data-navlink="" tabindex="0" id="fc-dom-52" class="fc-daygrid-day-number">23</a>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

23

#ffffff 배경 #ffffff

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Telephone: (515) 283-4500" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span class="finfolink">Telephone: <a href="tel:5152834500" rel="noreferrer noopener">(515) 283-4500</a></span>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

Telephone: (515) 283-4500

#ffffff 배경 #ffffff

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.98:1 (required: 4.5:1 for normal text). Foreground: rgb(184, 184, 184), background: rgb(255, 255, 255). Text: "30" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to March 30, 2026" data-navlink="" tabindex="0" id="fc-dom-89" class="fc-daygrid-day-number">30</a>
```

1.98:1 ✗ 현재 → 4.53:1 ✓ 제안됨

30 → 30

#b8b8b8 배경 #ffffff

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.98:1 (need 4.5:1). Change foreground from #b8b8b8 to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Sign up for email updates and get the latest information fro" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<h2 class="title">Sign up for email updates and get the latest information from <span><strong>your City</strong></span> right to <span><strong>your inbox</strong></span></h2>
```

1.00:1 ✗ 현재

3.03:1 ✓ 제안됨



#ffffff 배경 #ffffff

#959494 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1). Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "28" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to April 28, 2026" data-navlink="" tabindex="0" id="fc-dom-147" class="fc-daygrid-day-number">28</a>
```

1.00:1 ✗ 현재

4.53:1 ✓ 제안됨



#ffffff 배경 #ffffff

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span class="sr-only">share this page</span>
```

2.08:1 ✗ 현재

4.51:1 ✓ 제안됨



#021d71 배경 #ac1a2f

#b6ceff 배경 #ac1a2f

SONDE 수정 계획

Current ratio: 2.08:1 (need 4.5:1). Change foreground from #021d71 to #b6ceff (ratio: 4.5:1). Current ratio: 2.53:1 (need 4.5:1). Change foreground from #1d3557 to #f1f7ff (ratio: 4.5:1). Current ratio: 1.81:1 (need 4.5:1). Change foreground from #1d3557 to #b6d4fe (ratio: 4.5:1). Current ratio: 1.70:1 (need 4.5:1). Change foreground from #1d3557 to #5b769c (ratio: 4.5:1). Current ratio: 3.89:1 (need 4.5:1). Change foreground from #1d3557 to #132a4c (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "T.M. Franklin Cownie City Administration Building – City Hal" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a href="https://maps.app.goo.gl/WUZmG1JUF8yGFTm18" target="_blank" rel="noopener noreferrer">

                                                                                <strong>T.M. Franklin Cownie City Ad
ministration Building – City Hall</strong> <br>1
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

T.M. Franklin Cownie City Admi…

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "18" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to April 18, 2026" data-navlink="" tabindex="0" id="fc-dom-127" class="fc-daygrid-day-number">18</a>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

18

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Council Meetings" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a href="government/city_council/meetings/index.php" class="link" rel="noreferrer noopener">

                                                                        Council Meetings</a>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

Council Meetings

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "28" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to April 28, 2026" data-navlink="" tabindex="0" id="fc-dom-62" class="fc-daygrid-day-number">28</a>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

28

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.98:1 (required: 4.5:1 for normal text). Foreground: rgb(184, 184, 184), background: rgb(255, 255, 255). Text: "31" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to March 31, 2026" data-navlink="" tabindex="0" id="fc-dom-91" class="fc-daygrid-day-number">31</a>
```

1.98:1 ✗ 현재 → 4.53:1 ✓ 제안됨

31 → 31

#b8b8b8 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.98:1 (need 4.5:1). Change foreground from #b8b8b8 to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "15" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to April 15, 2026" data-navlink="" tabindex="0" id="fc-dom-36" class="fc-daygrid-day-number">15</a>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

15

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "22" WCAG 1.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a title="Go to April 22, 2026" data-navlink="" tabindex="0" id="fc-dom-50" class="fc-daygrid-day-number">22</a>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

22

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Telephone: (515) 283-4500" WCAG 1.4.3

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span class="finfolink">Telephone: <a href="tel:5152834500" rel="noreferrer noopener">(515) 283-4500</a></span>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

Telephone: (515) 283-4500

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "T.M. Franklin Cownie City Administration Building – City Hal" WCAG 1.4.3

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<strong>T.M. Franklin Cownie City Administration Building – City Hall</strong>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

T.M. Franklin Cownie City Admi…

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Your Government" WCAG 1.4.3

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<h2 class="title">Your Government</h2>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

Your Government

#ffffff 배경 #ffffff | #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Reach out to your City government right from the palm of you" WCAG 1.4.3

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<small>Reach out to your City government right from the palm of your hand.</small>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

Reach out to your City governm…

#ffffff 배경 #ffffff | #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "T.M. Franklin Cownie City Administration Building – City Hal" WCAG 1.4.3

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a href="https://maps.app.goo.gl/WUZmG1JUF8yGFTm18" target="_blank" rel="noopener noreferrer">

                                                    <strong>T.M. Franklin Cownie City Ad
ministration Building – City Hall</strong> <br>1
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

T.M. Franklin Cownie City Admi…

#ffffff 배경 #ffffff | #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Council Meetings" WCAG 1.4.3

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a href="government/city_council/meetings/index.php" class="link" rel="noreferrer noopener">
                                                                    Council Meetings</a>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

Council Meetings

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "myDSMmobile" WCAG 1.4.3

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<h3>myDSMmobile</h3>
```

1.00:1 ✗ 현재 → 3.03:1 ✓ 제안됨

myDSMmobile

#ffffff 배경 #ffffff → #959494 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL Insufficient color contrast: 2.08:1 (required: 4.5:1 for normal text). Foreground: rgb(2, 29, 113), background: rgb(172, 26, 47). Text: "share this page" WCAG 1.4.3

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span class="sr-only">share this page</span>
```

2.08:1 ✗ 현재 → 4.51:1 ✓ 제안됨

share this page → share this page

#021d71 배경 #ac1a2f → #b6ceff 배경 #ac1a2f

SONDE 수정 계획

Current ratio: 2.08:1 (need 4.5:1). Change foreground from #021d71 to #b6ceff (ratio: 4.5:1). Current ratio: 2.53:1 (need 4.5:1). Change foreground from #1d3557 to #f1f7ff (ratio: 4.5:1). Current ratio: 1.81:1 (need 4.5:1). Change foreground from #1d3557 to #b6d4fe (ratio: 4.5:1). Current ratio: 1.70:1 (need 4.5:1). Change foreground from #1d3557 to #5b769c (ratio: 4.5:1). Current ratio: 3.89:1 (need 4.5:1). Change foreground from #1d3557 to #132a4c (ratio: 4.5:1).

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: / (https://www.dsm.city/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: / (https://www.dsm.city/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: / (https://www.dsm.city/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: / (https://www.dsm.city/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- a11y: role="heading" -->
```

SONDE 수정 계획
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- a11y: role="heading" -->
```

SONDE 수정 계획
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: / (https://www.dsm.city/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns3-item4" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: / (https://www.dsm.city/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns4-item2" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: / (https://www.dsm.city/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns2-item8" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: / (https://www.dsm.city/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns3-item5" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: / (https://www.dsm.city/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns2-item7" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: / (https://www.dsm.city/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns2-item6" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: / (https://www.dsm.city/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns2-item5" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: / (https://www.dsm.city/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns4-item1" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: / (https://www.dsm.city/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns3-item3" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns4-item2" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns4-item1" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns2-item5" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns2-item6" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns2-item7" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns3-item5" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns3-item4" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns2-item8" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM WCAG 4.1.2

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<li class="tiny-item tns-item" id="tns3-item3" aria-hidden="true" tabindex="-1">
```

SONDE 수정 계획

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Console error: SyntaxError: Unexpected token ')'

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

소스: `https://www.dsm.city/government/city_council/index.php:818` MEDIUM

SONDE 수정 계획

Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Console error: SyntaxError: Unexpected token ')'

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

소스: `https://www.dsm.city/government/city_council/meetings/index.php:816` MEDIUM

SONDE 수정 계획

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console error: SyntaxError: Unexpected token ')'

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

소스: `https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php:1049` MEDIUM

SONDE 수정 계획

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console error: SyntaxError: Unexpected token ')'

페이지: /moving/ (https://www.dsm.city/moving/)

소스: `https://www.dsm.city/moving/:819` MEDIUM

SONDE 수정 계획

Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Focus jumps backward from "Accessibility Menu" to "Skip To Main Content" (visual distance: 594px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: / (https://www.dsm.city/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip To Main Content</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip To Main Content" (visual distance: 585px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip To Main Content</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip To Main Content" (visual distance: 582px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip To Main Content</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip To Main Content" (visual distance: 591px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip To Main Content</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip To Main Content" (visual distance: 582px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip To Main Content</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Accessibility Menu" to "Skip To Main Content" (visual distance: 585px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip To Main Content</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: / (https://www.dsm.city/)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /government/index.php (https://www.dsm.city/government/index.php)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /index.php (https://www.dsm.city/index.php)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 main landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "main" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 main landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "main" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 main landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "main" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 main landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "main" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "complementary" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 4 complementary landmarks, 1 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "main" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 main landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "main" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

요소:

```
<main id="main" style="word-break: break-word; zoom: 1.2 !important;" data-userway-s4-zoom-styled="true">
```

SONDE 수정 계획
Ensure the document has at most one main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

요소:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

SONDE 수정 계획
Ensure the main landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<main id="main" style="word-break: break-word; zoom: 1.2 !important;" data-userway-s4-zoom-styled="true">
```

SONDE 수정 계획
Ensure the document has at most one main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

SONDE 수정 계획
Ensure the main landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

페이지: /government/index.php (https://www.dsm.city/government/index.php)

요소:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

SONDE 수정 계획
Ensure the main landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

페이지: /government/index.php (https://www.dsm.city/government/index.php)

요소:

```
<main id="main">
```

SONDE 수정 계획
Ensure the document has at most one main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

요소:

```
<aside id="contact-wrap">
```

SONDE 수정 계획
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

요소:

```
<main id="main">
```

SONDE 수정 계획
Ensure the document has at most one main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

요소:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

SONDE 수정 계획
Ensure the main landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should not have more than one main landmark: Fix any of the following: Document has more than one main landmark

페이지: /moving/ (https://www.dsm.city/moving/)

요소:

```
<main id="main" style="word-break: break-word; zoom: 1.2 !important;" data-userway-s4-zoom-styled="true">
```

SONDE 수정 계획
Ensure the document has at most one main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

페이지: /moving/ (https://www.dsm.city/moving/)

요소:

```
<h3 class="card-title text-reset mb-0" id="cardTitle0"><a id="clerk"></a>City Clerk's Office <span class="badge badge-success badge-pill float-right h5">Moved In</span></h3>
```

SONDE 수정 계획
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Main landmark should not be contained in another landmark: Fix any of the following: The main landmark is contained in another landmark.

페이지: /moving/ (https://www.dsm.city/moving/)

요소:

```
<main id="freeform-main" class="has-edit-buttons yes-has-edit-buttons">
```

SONDE 수정 계획
Ensure the main landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /moving/ (https://www.dsm.city/moving/)

요소:

```
<a href="moving/index.php#main" id="skip" tabindex="0" class="rz-btn" rel="noreferrer noopener" style="cursor: pointer; zoom: 1.2 !important;" data-userway-s4-zoom-styled="true">Skip to main content</...
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.dsm.city/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noref
errer noopener">Volunteer</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.dsm.city/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" ta
rget="_self" rel="noreferrer noopener">Vision Zero</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.dsm.city/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer n
oopener">ReflectDSM</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.dsm.city/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferre
r noopener">Transportation Safety Committee</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.dsm.city/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.dsm.city/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.dsm.city/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.dsm.city/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.dsm.city/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferr
er noopener">Facilities</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.dsm.city/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_
self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="n
oreferrer noopener">Reports &amp;amp; Documents</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Pr
ojects Map</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noref
errer noopener">Volunteer</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer n
oopener">ReflectDSM</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferr
er noopener">Facilities</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" ta
rget="_self" rel="noreferrer noopener">Vision Zero</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Projects Map</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferrer noopener">Facilities</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noref
errer noopener">Volunteer</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer n
oopener">ReflectDSM</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Pr
ojects Map</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_
self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="noreferrer noopener">Reports &amp;amp; Documents</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer noopener">Proclamations</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer noopener">Parking Tickets</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferr
er noopener">Facilities</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noref
errer noopener">Volunteer</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" ta
rget="_self" rel="noreferrer noopener">Vision Zero</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/city_council/proclamations.php" target="_self" rel="noreferrer n
oopener">Proclamations</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="government/strategic_plans/reflectdsm.php" target="_self" rel="noreferrer noopener">ReflectDSM</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="boards_commissions/transportation_safety.php" target="_self" rel="noreferrer noopener">Transportation Safety Committee</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/development_services/planning_urban_design/index.php" target="_self" rel="noreferrer noopener">Planning &amp;amp; Urban Design</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/parks_recreation/volunteer/index.php" target="_self" rel="noreferrer noopener">Volunteer</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_manager/facilities/index.php" target="_self" rel="noreferr
er noopener">Facilities</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/city_clerk/parking_tickets.php" target="_self" rel="noreferrer
noopener">Parking Tickets</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="https://maps.dsm.city/projects/" target="_new" rel="noreferrer noopener">Pr
ojects Map</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/community_impact/reports___documents.php" target="_self" rel="n
oreferrer noopener">Reports &amp;amp; Documents</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(29, 53, 87), text: rgb(26, 26, 26)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="menuA level2 menuHidden" href="departments/engineering/traffic_transportation/traffic_safety/index.php" target="_self" rel="noreferrer noopener">Vision Zero</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Clicking "share this page" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: / (https://www.dsm.city/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button type="button" class="share-btn floating-share-btn" data-toggle="modal" data-target="#shareModal"><span class="sr-only">share this page</span></button>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "#tab1 > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > div > button:nth-of-type(2)" inserts 28 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: / (https://www.dsm.city/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button type="button" title="Next month" aria-pressed="false" class="fc-next-button fc-button fc-button-primary"><span class="fc-icon fc-icon-chevron-right"></span></button>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "share this page" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button type="button" class="share-btn floating-share-btn" data-toggle="modal" data-target="#shareModal"><span class="sr-only">share this page</span></button>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "share this page" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button type="button" class="share-btn floating-share-btn" data-toggle="modal" data-target="#shareModal"><span class
="sr-only">share this page</span></button>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "share this page" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button type="button" class="share-btn floating-share-btn" data-toggle="modal" data-target="#shareModal"><span class
="sr-only">share this page</span></button>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Go" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /government/index.php (https://www.dsm.city/government/index.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button>Go</button>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "share this page" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button type="button" class="share-btn floating-share-btn" data-toggle="modal" data-target="#shareModal"><span class
="sr-only">share this page</span></button>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "share this page" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button type="button" class="share-btn floating-share-btn" data-toggle="modal" data-target="#shareModal"><span class="sr-only">share this page</span></button>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "#tab1 > div > div:nth-of-type(1) > div:nth-of-type(1) > div:nth-of-type(1) > div > button:nth-of-type(2)" inserts 28 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /index.php (https://www.dsm.city/index.php) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button type="button" title="Next month" aria-pressed="false" class="fc-next-button fc-button fc-button-primary"><span class="fc-icon fc-icon-chevron-right"></span></button>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "share this page" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /moving/ (https://www.dsm.city/moving/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button type="button" class="share-btn floating-share-btn" data-toggle="modal" data-target="#shareModal"><span class="sr-only">share this page</span></button>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Element overflows viewport by 43px at 320px width. WCAG 1.4.10

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="uwaw-dictionary-tooltip"></div>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<span class="sz-feedback-rating-icon-label-text sz-feedback-visually-hidden">1/5</span>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 20px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<span class="sr-only">share this page</span>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 26px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<label class="fa fa-search sr-only" for="search-input" name="q" id="searchLabel">Search</label>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 7px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<section id="slider" class="tiny-slider-wrap has-edit-buttons yes-has-edit-buttons" aria-label="Page Banner">




            <div class="center-center">
                    <div class="rz-btns-container">

                                        <script langu
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 888px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<label class="sz-feedback-label-note sz-feedback-visually-hidden" for="sz-feedback-textarea">Please leave your feedback regarding the webpage here.</label>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 57px at 320px width. WCAG 1.4.10

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<span class="ico" style="background-image:url('set_site_up/qlinks/police-qik.png?t=202508281700310');"></span>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 52px at 320px width. WCAG 1.4.10

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<a href="./departments/police/index.php" class="qlinkBx" rel="noreferrer noopener">
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 44px at 320px width. WCAG 1.4.10

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<h2 class="title" style="height: 43.1875px;">Police</h2>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 130px at 320px width. WCAG 1.4.10

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<li class="tiny-item tns-item" id="tns2-item5" aria-hidden="true" tabindex="-1">


                        <a href="./departments/human_resources/ca
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 348px at 320px width. WCAG 1.4.10

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<ul class="tiny-carousel  tns-slider tns-carousel tns-subpixel tns-calc tns-horizontal" data-tiny-items="6" id="tns
2" style="transition-duration: 0s; transform: translate3d(0%, 0px, 0px);">
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 57px at 320px width. WCAG 1.4.10

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<li class="tiny-item tns-item" id="tns2-item4" aria-hidden="true" tabindex="-1">


                            <a href="./departments/police/index.php"
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 36px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<h3 class="title">Des Moines Public Works Announces Tiny Trees Second Chance Giveaway</h3>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 57px at 320px width. WCAG 1.4.10

페이지: /index.php (https://www.dsm.city/index.php) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="qIco"><span class="ico" style="background-image:url('set_site_up/qlinks/police-qik.png?t=20250828170031
0');"></span></div>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

LOW Table header text should not be empty: Fix any of the following: Element does not have text that is visible to screen readers

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<th colspan="1">
```

SONDE 수정 계획
Ensure table headers have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Table header text should not be empty: Fix any of the following: Element does not have text that is visible to screen readers

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<th colspan="1">
```

SONDE 수정 계획
Ensure table headers have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Table header text should not be empty: Fix any of the following: Element does not have text that is visible to screen readers

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<th colspan="1">
```

SONDE 수정 계획
Ensure table headers have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Table header text should not be empty: Fix any of the following: Element does not have text that is visible to screen readers

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<th colspan="1">
```

SONDE 수정 계획
Ensure table headers have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Table header text should not be empty: Fix any of the following: Element does not have text that is visible to screen readers

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<th colspan="1">
```

SONDE 수정 계획
Ensure table headers have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Table header text should not be empty: Fix any of the following: Element does not have text that is visible to screen readers

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<th colspan="1">
```

SONDE 수정 계획
Ensure table headers have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Table header text should not be empty: Fix any of the following: Element does not have text that is visible to screen readers

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<th colspan="1">
```

SONDE 수정 계획
Ensure table headers have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Table header text should not be empty: Fix any of the following: Element does not have text that is visible to screen readers

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<th colspan="1">
```

SONDE 수정 계획
Ensure table headers have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

페이지: /government/index.php (https://www.dsm.city/government/index.php)

요소:

```
<h2 class="tile-title" id="page-title0"></h2>
```

SONDE 수정 계획
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

요소:

```
<h3 id="contact-name"></h3>
```

SONDE 수정 계획
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Broken link: https://desmoines.rja.revize.com/forms/427 returned status 500 Internal Server Error after 1 attempts

페이지: / (https://www.dsm.city/)

요소:

```
<a href="https://desmoines.rja.revize.com/forms/427">Public Record Request</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/ returned status 403 Forbidden after 1 attempts

페이지: / (https://www.dsm.city/)

요소:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/">share on twitter</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

페이지: / (https://www.dsm.city/)

요소:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog</a>
```

LOW Invalid mailto link format: mailto:connieboesen@dmgov.org;cityclerk@dmgov.org

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

요소:

```
<a href="mailto:connieboesen@dmgov.org;cityclerk@dmgov.org">connieboesen@dmgov.org</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/government/city_council/index.php returned status 403 Forbidden after 1 attempts

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

요소:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/government/city_council/index.php">share on tw
itter</a>
```

LOW Broken link: https://desmoines.rja.revize.com/forms/427 returned status 500 Internal Server Error after 1 attempts

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

요소:

```
<a href="https://desmoines.rja.revize.com/forms/427">Public Record Request</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

페이지: /government/city_council/index.php (https://www.dsm.city/government/city_council/index.php)

요소:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog</a>
```

LOW Broken link: https://desmoines.rja.revize.com/forms/427 returned status 500 Internal Server Error after 1 attempts

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<a href="https://desmoines.rja.revize.com/forms/427">Public Record Request</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

페이지: /government/index.php (https://www.dsm.city/government/index.php)

요소:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog</a>
```

LOW Broken link: https://desmoines.rja.revize.com/forms/427 returned status 500 Internal Server Error after 1 attempts

페이지: /government/index.php (https://www.dsm.city/government/index.php)

요소:

```
<a href="https://desmoines.rja.revize.com/forms/427">Public Record Request</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/government/index.php returned status 403 Forbidden after 1 attempts

페이지: /government/index.php (https://www.dsm.city/government/index.php)

요소:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/government/index.php">share on twitter</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php returned status 403 Forbidden after 1 attempts

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

요소:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/government/strategic_efforts/citywide_housing_
strategy.php">share on twitter</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

요소:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog</a>
```

LOW Broken link: https://desmoines.rja.revize.com/forms/427 returned status 500 Internal Server Error after 1 attempts

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

요소:

```
<a href="https://desmoines.rja.revize.com/forms/427">Public Record Request</a>
```

LOW Broken link: https://desmoines.rja.revize.com/forms/427 returned status 500 Internal Server Error after 1 attempts

페이지: /index.php (https://www.dsm.city/index.php)

요소:

```
<a href="https://desmoines.rja.revize.com/forms/427">Public Record Request</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/index.php returned status 403 Forbidden after 1 attempts

페이지: /index.php (https://www.dsm.city/index.php)

요소:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/index.php">share on twitter</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

페이지: /index.php (https://www.dsm.city/index.php)

요소:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog</a>
```

LOW Broken link: https://catalog.dmpl.org/?browseCategory=new_books_everyone returned status 403 Forbidden after 1 attempts

페이지: /moving/ (https://www.dsm.city/moving/)

요소:

```
<a href="https://catalog.dmpl.org/?browseCategory=new_books_everyone">Browse Catalog</a>
```

LOW Broken link: https://desmoines.rja.revize.com/forms/427 returned status 500 Internal Server Error after 1 attempts

페이지: /moving/ (https://www.dsm.city/moving/)

요소:

```
<a href="https://desmoines.rja.revize.com/forms/427">Public Record Request</a>
```

LOW Broken link: https://www.twitter.com/intent/tweet?url=http://www.dsm.city/moving/ returned status 403 Forbidden after 1 attempts

페이지: /moving/ (https://www.dsm.city/moving/)

요소:

```
<a href="https://www.twitter.com/intent/tweet?url=http://www.dsm.city/moving/">share on twitter</a>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

페이지: / (https://www.dsm.city/)

요소:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

페이지: / (https://www.dsm.city/)

요소:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

페이지: /government/city_council/meetings/index.php (https://www.dsm.city/government/city_council/meetings/index.php)

요소:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

페이지: /government/index.php (https://www.dsm.city/government/index.php)

요소:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

페이지: /government/index.php (https://www.dsm.city/government/index.php)

요소:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

요소:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

페이지: /government/strategic_efforts/citywide_housing_strategy.php (https://www.dsm.city/government/strategic_efforts/citywide_housing_strategy.php)

요소:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

페이지: /index.php (https://www.dsm.city/index.php)

요소:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

페이지: /index.php (https://www.dsm.city/index.php)

요소:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

페이지: /moving/ (https://www.dsm.city/moving/)

요소:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

페이지: /moving/ (https://www.dsm.city/moving/)

요소:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

등급	가중치	예시
치명적	10	키보드 트랩
높음	3	대체 텍스트 누락
중간	1	제목 계층
낮음	0.25	모범 사례

Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.

미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usgov/dsm-city/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=dsm-city)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usgov/dsm-city/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=dsm-city)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=dsm-city)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+City+of+Des+Moines&utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=dsm-city)