Sonde

# 접근성 상태 확인

https://kingcounty.gov

## 943




**Excellent**

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usgov/kingcounty-gov/ (https://daylight.sonde.life/usgov/kingcounty-gov/)

**12** 페이지 | **292** 검출 결과 | **18** critical | **50** high | **209** medium | **15** low | **24.3** 평균/페이지 | **12,527** 요소 | **85** 검출 결과 있음 | **99.3%** ECR | **3m 9s** 총합 | **15.8s** 페이지당

## 주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "expand_more" WCAG 1.4.3

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

**요소:**

```
<span tabindex="0" id="heroScrollTo" class="material-icons scroll-down-arrow" translate="no">expand_more</span>
```

1.00:1 ✗ 현재 → 3.03:1 ✓ 제안됨

expand_more

#ffffff 배경 #ffffff → #959494 배경 #ffffff

**SONDE 수정 계획**
Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "King County Disaster Recovery Center runs April 28 - June 10" WCAG 1.4.3

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

**요소:**

```
<h3 class="hero-title">
                    King County Disaster Recovery Center runs April 28 - June 10
                </h3>
```

1.00:1 ✗ 현재 → 3.03:1 ✓ 제안됨

King County Disaster Recovery ...

#ffffff 배경 #ffffff → #959494 배경 #ffffff

**SONDE 수정 계획**
Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "King County's Disaster Recovery Center is now available to h" WCAG 1.4.3

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

**요소:**

```
<p class="hero-text">
                    King County's Disaster Recovery Center is now available to help residents impacted by Decemb
er's flooding with applications for federal disaster assistanc
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

King County's Disaster Recover...

#ffffff 배경 #ffffff → #777676 배경 #ffffff

**SONDE 수정 계획**
Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.72:1 (required: 4.5:1 for normal text). Foreground: rgb(68, 68, 68), background: rgb(24, 112, 137). Text: "Translate" WCAG 1.4.3

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

**요소:**

```
<a class="VIpgJd-ZVi9od-l4eHX-hSRGPd" href="https://translate.google.com" target="_blank"><img src="https://www.gstatic.com/images/branding/googlelogo/1x/googlelogo_color_42x16dp.png" width="37px" hei
```

1.72:1 ✗ 현재

Translate

#444444 배경 #187089

4.52:1 ✓ 제안됨

Translate

#e6e6e5 배경 #187089

**SONDE 수정 계획**

Current ratio: 1.72:1 (need 4.5:1). Change foreground from #444444 to #e6e6e5 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.02:1 (required: 4.5:1 for normal text). Foreground: rgb(102, 102, 102), background: rgb(24, 112, 137). Text: "Select LanguageAbkhazAcehneseAcholiAfarAfrikaansAlbanianAlur" WCAG 1.4.3

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

**요소:**

```
<div class="skiptranslate goog-te-gadget" dir="ltr" style=""><div id=":0.targetLanguage"><select class="goog-te-combo" aria-label="Language Translate Widget"><option value="">Select Language</option><
```

1.02:1 ✗ 현재

Select LanguageAbkhazAcehneseA...

#666666 배경 #187089

4.52:1 ✓ 제안됨

Select LanguageAbkhazAcehneseA...

#e6e6e5 배경 #187089

**SONDE 수정 계획**

Current ratio: 1.02:1 (need 4.5:1). Change foreground from #666666 to #e6e6e5 (ratio: 4.5:1). Or change background from #187089 to #000000.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- a11y: role="heading" -->
```

**SONDE 수정 계획**
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- a11y: role="heading" -->
```

**SONDE 수정 계획**
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

**요소:**

```
<!-- a11y: role="image" -->
```

**SONDE 수정 계획**
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- a11y: role="heading" -->
```

**SONDE 수정 계획**
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH <html> element must have a lang attribute: Fix any of the following: The <html> element does not have a lang attribute WCAG 3.1.1

**페이지:** /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

WCAG 3.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/language-of-page)

**요소:**

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7b*pathInfo%7d)&amp;user=extrane
t%5cAnonymous&amp;site=KCGov">he...
```

**SONDE 수정 계획**

Ensure every HTML document has a lang attribute. See: https://www.w3.org/WAI/WCAG22/Understanding/language-of-page (https://www.w3.org/WAI/WCAG22/Understanding/language-of-page) Add a lang attribute to the <html> element with a valid BCP 47 language tag. Example: <html lang="en">.

HIGH <html> element must have a lang attribute: Fix any of the following: The <html> element does not have a lang attribute WCAG 3.1.1

**페이지:** /en/categories (https://kingcounty.gov/en/categories) WCAG 3.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/language-of-page)

**요소:**

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&a
mp;site=KCGov">here</a>.</h2>

...
```

**SONDE 수정 계획**

Ensure every HTML document has a lang attribute. See: https://www.w3.org/WAI/WCAG22/Understanding/language-of-page (https://www.w3.org/WAI/WCAG22/Understanding/language-of-page) Add a lang attribute to the <html> element with a valid BCP 47 language tag. Example: <html lang="en">.

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<li class="page-item"><button class="page-link">2</button></li>
```

**SONDE 수정 계획**

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.97 (foreground color: #007bff, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

**요소:**

```
<button id="next" class="page-link">Next</button>
```

**SONDE 수정 계획**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum) Current ratio: 3.98:1 (need 4.5:1). Change foreground from #007bff to #0072ee (ratio: 4.5:1).

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: span WCAG 1.3.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<ul id="cat-pagination" class="pagination" style="justify-content: center; padding-top: 20px;">
```

**SONDE 수정 계획**

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<li class="page-item disabled"><button class="page-link active">1</button></li>
```

**SONDE 수정 계획**

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<li class="page-item"><button class="page-link">3</button></li>
```

**SONDE 수정 계획**

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.97 (foreground color: #007bff, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

**요소:**

```
<button id="next" class="page-link">Next</button>
```

**SONDE 수정 계획**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum) Current ratio: 3.98:1 (need 4.5:1). Change foreground from #007bff to #0072ee (ratio: 4.5:1).

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<li class="page-item"><button class="page-link">2</button></li>
```

**SONDE 수정 계획**

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<li class="page-item"><button class="page-link">11</button></li>
```

**SONDE 수정 계획**

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.97 (foreground color: #007bff, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

**요소:**

```
<button class="page-link">11</button>
```

**SONDE 수정 계획**

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: span WCAG 1.3.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<ul id="cat-pagination" class="pagination" style="justify-content: center; padding-top: 20px;">
```

**SONDE 수정 계획**
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<li class="page-item disabled"><button class="page-link active">1</button></li>
```

**SONDE 수정 계획**
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<li class="page-item disabled"><button disabled="" class="disabled page-link">...</button></li>
```

**SONDE 수정 계획**
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<li class="page-item"><button class="page-link">3</button></li>
```

**SONDE 수정 계획**
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Console error: Uncaught TypeError: Cannot read properties of null (reading 'addEventListener')

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

**소스:** `https://cds.kingcounty.gov/index.js:40` MEDIUM

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

HIGH Focus jumps backward from "Close official government website notice" to "Here's how you know" (visual distance: 499px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

**페이지:** / (https://kingcounty.gov/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

**요소:**

```
<a>Here's how you know</a>
```

**SONDE 수정 계획**
Reorder elements in the DOM to match the visual layout.

---

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

**페이지:** /en (https://kingcounty.gov/en) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

**요소:**

```
<a></a>
```

**SONDE 수정 계획**
Reorder elements in the DOM to match the visual layout.

---

HIGH Focus jumps backward from "Universal Design bookletDigital 182026" to "Local Nav Category +" (visual distance: 882px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

**요소:**

```
<a>Local Nav Category +</a>
```

**SONDE 수정 계획**
Reorder elements in the DOM to match the visual layout.

---

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

**요소:**

```
<a></a>
```

**SONDE 수정 계획**
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

**요소:**

```
<a></a>
```

**SONDE 수정 계획**
Reorder elements in the DOM to match the visual layout.

---

HIGH Page has no detectable navigation mechanisms (no <nav>, search, sitemap link, breadcrumbs, or table of contents). Users need multiple ways to locate content. WCAG 2.4.5

**페이지:** /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

---

HIGH Page has no detectable navigation mechanisms (no <nav>, search, sitemap link, breadcrumbs, or table of contents). Users need multiple ways to locate content. WCAG 2.4.5

**페이지:** /en/categories (https://kingcounty.gov/en/categories) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

---

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** / (https://kingcounty.gov/)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** /en (https://kingcounty.gov/en)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** /en/404 (https://kingcounty.gov/en/404)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** /en/categories (https://kingcounty.gov/en/categories)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

**SONDE 수정 계획**
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** / (https://kingcounty.gov/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 2 navigation landmarks, 1 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 2 navigation landmarks, 1 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** /en (https://kingcounty.gov/en) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 3 navigation landmarks, 2 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "complementary" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 3 complementary landmarks, 1 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 3 navigation landmarks, 2 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 2 complementary landmarks, 0 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 3 navigation landmarks, 2 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 3 navigation landmarks, 2 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 2 complementary landmarks, 0 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 3 navigation landmarks, 2 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 2 complementary landmarks, 0 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 3 navigation landmarks, 2 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 3 navigation landmarks, 2 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 2 complementary landmarks, 0 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 3 navigation landmarks, 2 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

**페이지:** / (https://kingcounty.gov/)

**요소:**

```
<h3 class="hero-title">
                    King County Disaster Recovery Center runs April 28 - June 10
                </h3>
```

**SONDE 수정 계획**
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**페이지:** / (https://kingcounty.gov/)

**요소:**

```
<div class="note-text">
```

**SONDE 수정 계획**
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

**페이지:** /en (https://kingcounty.gov/en)

**요소:**

```
<h3 class="hero-title">
                    King County Disaster Recovery Center runs April 28 - June 10
                </h3>
```

**SONDE 수정 계획**
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**페이지:** /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

**요소:**

```
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>
```

**SONDE 수정 계획**
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

**페이지:** /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

**요소:**

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">he...
```

**SONDE 수정 계획**
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

**요소:**

```
<aside class="col-md-12 col-lg-4 right-rail">
```

**SONDE 수정 계획**
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar)

**요소:**

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

**SONDE 수정 계획**
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

**페이지:** /en/categories (https://kingcounty.gov/en/categories)

**요소:**

```
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>
```

**SONDE 수정 계획**
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

**페이지:** /en/categories (https://kingcounty.gov/en/categories)

**요소:**

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>

...
```

**SONDE 수정 계획**
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

**요소:**

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

**SONDE 수정 계획**
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

**요소:**

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

**SONDE 수정 계획**
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

**요소:**

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

**SONDE 수정 계획**
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

**요소:**

```
<h3>Building and fire codes</h3>
```

**SONDE 수정 계획**
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employe
e resources</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal S
ervices (RASKC)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal S
ervices (RASKC)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal S
ervices (RASKC)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employe
e resources</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

**SONDE 수정 계획**

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Insufficient color contrast: 3.98:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 123, 255), background: rgb(255, 255, 255). Text: "11" WCAG 1.4.3

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

**요소:**

```
<button class="page-link">11</button>
```

3.98:1 ✗ 현재

11

#007bff 배경 #ffffff

→

4.52:1 ✓ 제안됨

11

#0072ee 배경 #ffffff

**SONDE 수정 계획**

Current ratio: 3.98:1 (need 4.5:1). Change foreground from #007bff to #0072ee (ratio: 4.5:1).

MEDIUM Navigation region "footerLinks" (present on kingcounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

**페이지:** /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

**요소:**

```
<!-- missing: nav -->
```

**SONDE 수정 계획**

Ensure the "footerLinks" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "footerLinks" (present on kingcounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

**페이지:** /en/categories (https://kingcounty.gov/en/categories)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

**요소:**

```
<!-- missing: nav -->
```

**SONDE 수정 계획**
Ensure the "footerLinks" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** / (https://kingcounty.gov/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en (https://kingcounty.gov/en) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/404 (https://kingcounty.gov/en/404) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "chevron_right" inserts 28 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button type="button" class="btn btn-secondary" id="next-btn" title="Next week"><span class="material-icons" style
="vertical-align: middle;">chevron_right</span></button>
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "chevron_left" inserts 18 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button type="button" class="btn btn-secondary" id="previous-btn" title="Previous week"><span class="material-icons"
style="vertical-align: middle;">chevron_left</span></button>
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Month" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button type="button" class="btn btn-primary " id="cal-month-btn">Month</button>
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

**페이지:** /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

**요소:**

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

**SONDE 수정 계획**
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Broken link: https://kingcounty.gov/en/404/404-folder-test-js/-/media/4eda65354f6449a3b72b426b0b0cb398.ashx returned status 404 Not Found after 1 attempts

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

**요소:**

```
<a href="https://kingcounty.gov/en/404/404-folder-test-js/-/media/4eda65354f6449a3b72b426b0b0cb398.ashx">508 Overvie
w</a>
```

MEDIUM Broken link: https://kingcounty.gov/en/sitecore returned status 404 Not Found after 1 attempts

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

**요소:**

```
<a href="https://kingcounty.gov/en/sitecore">OPTIONAL LINK</a>
```

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** / (https://kingcounty.gov/) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** /en (https://kingcounty.gov/en) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Element overflows viewport by 1057px at 320px width. WCAG 1.4.10

**페이지:** () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

**요소:**

```
<div class="slick-track" style="opacity: 1; width: 1377px; transform: translate3d(0px, 0px, 0px);"><div class="slick
-slide slick-current slick-active" data-slick-index="0" aria-hidden="false" style="w
```

**SONDE 수정 계획**
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 37px at 320px width. WCAG 1.4.10

**페이지:** () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

**요소:**

```
<li style="width: 100%; display: inline-block;"><a href="/en/index/#F" tabindex="0">F</a></li>
```

**SONDE 수정 계획**
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 71px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** () WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<h1 class="sr-only">Home</h1>
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 37px at 320px width. WCAG 1.4.10

**페이지:** () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

**요소:**

```
<div><li style="width: 100%; display: inline-block;"><a href="/en/index/#F" tabindex="0">F</a></li></div>
```

**SONDE 수정 계획**
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 37px at 320px width. WCAG 1.4.10

**페이지:** () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

**요소:**

```
<a href="/en/index/#F" tabindex="0">F</a>
```

**SONDE 수정 계획**
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 37px at 320px width. WCAG 1.4.10

**페이지:** () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

**요소:**

```
<div class="slick-slide slick-active" data-slick-index="6" aria-hidden="false" style="width: 51px;"><div><li style
="width: 100%; display: inline-block;"><a href="/en/index/#F" tabindex="0">F</a></li><
```

**SONDE 수정 계획**
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<div class="topic-card-footer">Add text for your Topic 1 description and embed a URL to the Topic Detail Page here.
</div>
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<h2 class="sr-only">
            Topic Cards
        </h2>
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 200px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<div class="row filter-row smooth-transition" id="filterRow"><div class="container"><div class="kc-form calendar-fil
ters"><div class="kc-form-element button clear-button-row"><input type="submit" name
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 26px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<span class="sr-only">Language selector</span>
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<h2 id="footerLinks" class="sr-only">Footer Links</h2>
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<a href="#maincontent" class="sr-only sr-only-focusable">Skip to main content</a>
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Page requires horizontal scrolling at 320px width (1px overflow). Content should reflow without horizontal scrolling at this width. WCAG 1.4.10

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

**요소:**

```
<html>
```

**SONDE 수정 계획**
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

---

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

**페이지:** /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

**요소:**

```
<h2></h2>
```

**SONDE 수정 계획**
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

---

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

**요소:**

```
<h2></h2>
```

**SONDE 수정 계획**
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

---

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

**페이지:** /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

**요소:**

```
<h2></h2>
```

**SONDE 수정 계획**
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

---

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**페이지:** / (https://kingcounty.gov/)

**요소:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**페이지:** / (https://kingcounty.gov/)

**요소:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**페이지:** /en (https://kingcounty.gov/en)

**요소:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**페이지:** /en (https://kingcounty.gov/en)

**요소:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**페이지:** /en/404 (https://kingcounty.gov/en/404)

**요소:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**페이지:** /en/404 (https://kingcounty.gov/en/404)

**요소:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar)

**요소:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**페이지:** /en/calendar (https://kingcounty.gov/en/calendar)

**요소:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

**요소:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**페이지:** /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

**요소:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

**요소:**

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

**페이지:** /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

**요소:**

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

## 방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

| 등급 | 가중치 | 예시 |
|---|---|---|
| 치명적 | 10 | 키보드 트랩 |
| 높음 | 3 | 대체 텍스트 누락 |
| 중간 | 1 | 제목 계층 |
| 낮음 | 0.25 | 모범 사례 |

*Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.*

### 미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usgov/kingcounty-gov/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=kingcounty-gov)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usgov/kingcounty-gov/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=kingcounty-gov)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=kingcounty-gov)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+King+County+%28WA%29&utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=kingcounty-gov)