Sonde

접근성 상태 확인

https://mecknc.gov

957



Excellent

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usgov/mecknc-gov/ (https://daylight.sonde.life/usgov/mecknc-gov/)

---

8 페이지 | **205** 검출 결과 | **0** critical | **37** high | **152** medium | **16** low | **25.6** 평균/페이지 | **5,131** 요소 | **63** 검출 결과 있음 | **98.8%** ECR | **3m 8s** 총합 | **23.5s** 페이지당

주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: / (https://news.mecknc.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: / (https://www.mecknc.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=presentation] WCAG 1.3.1

페이지: / (https://news.mecknc.gov/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ul class="usa-pagination__list pager__items js-pager__items">
```

SONDE 수정 계획
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

페이지: / (https://news.mecknc.gov/)

요소:

```
<div class="reciteme-button" tabindex="1">
```

SONDE 수정 계획
Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: / (https://news.mecknc.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: / (https://www.mecknc.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

페이지: / (https://www.mecknc.gov/)

요소:

```
<div class="reciteme-button" tabindex="1">
```

SONDE 수정 계획

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: / (https://www.mecknc.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

페이지: /About (https://www.mecknc.gov/About)

요소:

```
<div class="reciteme-button" tabindex="1">
```

SONDE 수정 계획

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

요소:

```
<div class="reciteme-button" tabindex="1">
```

SONDE 수정 계획

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

페이지: /Departments (https://www.mecknc.gov/Departments)

요소:

```
<div class="reciteme-button" tabindex="1">
```

SONDE 수정 계획

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획
Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

요소:

```
<div class="reciteme-button" tabindex="1">
```

SONDE 수정 계획
Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획
Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

요소:

```
<div class="reciteme-button" tabindex="1">
```

SONDE 수정 계획
Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE 수정 계획

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content) Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

요소:

```
<div class="reciteme-button" tabindex="1">
```

SONDE 수정 계획

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: / (https://news.mecknc.gov/)

SONDE 수정 계획

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

페이지: / (https://www.mecknc.gov/)

SONDE 수정 계획

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /About (https://www.mecknc.gov/About)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /Departments (https://www.mecknc.gov/Departments)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://news.mecknc.gov/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://news.mecknc.gov/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.mecknc.gov/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.mecknc.gov/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /About (https://www.mecknc.gov/About) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /About (https://www.mecknc.gov/About) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

페이지: / (https://www.mecknc.gov/)

요소:

```
<h6 class="meckco-latest-news--item-title   ">New Sound, Same Fun: Meck Sounds Music Series Announced for 2026</h6>
```

SONDE 수정 계획
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Page should contain a level-one heading: Fix all of the following: Page must have a level-one heading

페이지: / (https://www.mecknc.gov/)

요소:

```
<html lang="en" dir="ltr" prefix="og: https://ogp.me/ns#" class="js fontawesome-i2svg-active fontawesome-i2svg-complete">
```

SONDE 수정 계획
Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

페이지: /About (https://www.mecknc.gov/About)

요소:

```
<h3 class=" meckco-heading-3  meckco-highlight primary-color-teal ">Mecklenburg Board of County Commissioners Commun
ity Vision</h3>
```

SONDE 수정 계획

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

요소:

```
<h5 class="serviceHeader   ">Our Look and Feel Visual Guidelines</h5>
```

SONDE 수정 계획

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://news.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://news.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://news.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://news.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://news.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://news.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://news.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://news.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://news.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://news.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.mecknc.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /About (https://www.mecknc.gov/About) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

페이지: / (https://news.mecknc.gov/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip to main content</a>
```

SONDE 수정 계획

Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM "div:nth-of-type(4)" is visually at position 11 but receives focus at position 1 (drift: 10). WCAG 2.4.3

페이지: / (https://www.mecknc.gov/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<div></div>
```

SONDE 수정 계획

Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

페이지: / (https://www.mecknc.gov/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip to main content</a>
```

SONDE 수정 계획
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM "div:nth-of-type(4)" is visually at position 12 but receives focus at position 1 (drift: 11). WCAG 2.4.3

페이지: /About (https://www.mecknc.gov/About) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<div></div>
```

SONDE 수정 계획
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

페이지: /About (https://www.mecknc.gov/About) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip to main content</a>
```

SONDE 수정 계획
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip to main content</a>
```

SONDE 수정 계획
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

페이지: /Departments (https://www.mecknc.gov/Departments) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip to main content</a>
```

SONDE 수정 계획
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip to main content</a>
```

SONDE 수정 계획
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip to main content</a>
```

SONDE 수정 계획
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM "div:nth-of-type(4)" is visually at position 12 but receives focus at position 1 (drift: 11). WCAG 2.4.3

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<div></div>
```

SONDE 수정 계획
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip to main content</a>
```

SONDE 수정 계획
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM Element overflows viewport by 206px at 320px width. WCAG 1.4.10

페이지: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div><li class="meckco-card" style="width: 100%; display: inline-block;">
                <div class="meckco-card-outer-wrapper--program">
<a class="meckco-card__link-outer" href="https://calendar.m
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 238px at 320px width. WCAG 1.4.10

페이지: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="slick-slide" data-slick-index="1" role="group" aria-label="slide 2" aria-hidden="true"><div><li class="m
eckco-card" style="width: 100%; display: inline-block;">
                <div clas
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 206px at 320px width. WCAG 1.4.10

페이지: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="meckco-card-outer-wrapper--program">
<a class="meckco-card__link-outer" href="https://calendar.mecknc.gov/event/womens-advisory-board-meeting-24" tabinde
x="-1">
    <div class="usa-card__c
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 206px at 320px width. WCAG 1.4.10

페이지: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<header class="usa-card__header meckco-card__header">
        <time datetime="1777325400">
          Monday, April 27, 2026
        </time>
        <div class="usa-card__heading meckco-body-text-lead"
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 206px at 320px width. WCAG 1.4.10

페이지: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<li class="meckco-card" style="width: 100%; display: inline-block;">
                <div class="meckco-card-outer-wrapper--program">
<a class="meckco-card__link-outer" href="https://calendar.mecknc
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 6px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: () WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<div class="image-text--image"><div><div><img src="/sites/g/files/otddlp126/files/styles/568x414/public/acquiadam/20
22-08/mc-img-www-hero-woman-using-computer.png?h=92704f59&amp;itok=yXyANMl8" alt="Af
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 206px at 320px width. WCAG 1.4.10

페이지: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="usa-card__container meckco-card__container bg-meckco-color-faded-purple">
          <header class="usa-card__header meckco-card__header">
        <time datetime="1777325400">
          Mon
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 19684px at 320px width. WCAG 1.4.10

페이지: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="slick-track" style="opacity: 1; width: 20000px; transform: translate3d(0px, 0px, 0px);"><div class="slic
k-slide slick-current slick-active" data-slick-index="0" role="group" aria-label="sl
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 182px at 320px width. WCAG 1.4.10

페이지: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="usa-card__heading meckco-body-text-lead">
          Women's Advisory Board Meeting
        </div>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 126px at 320px width. WCAG 1.4.10

페이지: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<time datetime="1777325400">
          Monday, April 27, 2026
        </time>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 206px at 320px width. WCAG 1.4.10

페이지: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<a class="meckco-card__link-outer" href="https://calendar.mecknc.gov/event/womens-advisory-board-meeting-24" tabinde
x="-1">
    <div class="usa-card__container meckco-card__container bg-meckco-color-f
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Page requires horizontal scrolling at 320px width (12px overflow). Content should reflow without horizontal scrolling at this width. WCAG 1.4.10

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<html>
```

SONDE 수정 계획
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

MEDIUM Content clipped by 95px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<a href="#main-content" class="visually-hidden focusable">
      Skip to main content
    </a>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 55px at 320px width. WCAG 1.4.10

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<li class="usa-breadcrumb__list-item usa-current" aria-current="page">
                                Privacy &amp;amp; Legal Notices
                            </li>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 25px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<label for="edit-search-api-fulltext" class="visually-hidden">Search</label>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

LOW Deep focus region: nav "Footer navigation" has 15 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

WCAG 2.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/bypass-blocks)

요소:

```
<nav role="nav">Footer navigation</nav>
```

SONDE 수정 계획
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

페이지: / (https://news.mecknc.gov/)

요소:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

페이지: / (https://www.mecknc.gov/)

요소:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

페이지: /About (https://www.mecknc.gov/About)

요소:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

페이지: /Accessibility-Toolbar (https://www.mecknc.gov/Accessibility-Toolbar)

요소:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

페이지: /Departments (https://www.mecknc.gov/Departments)

요소:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

페이지: /Need-a-Speaker (https://www.mecknc.gov/Need-a-Speaker)

요소:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

페이지: /Policies/Privacy-and-Legal-Notices (https://www.mecknc.gov/Policies/Privacy-and-Legal-Notices)

요소:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returned status 403 Forbidden after 1 attempts

페이지: /brand-guidelines (https://www.mecknc.gov/brand-guidelines)

요소:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

등급	가중치	예시
치명적	10	키보드 트랩
높음	3	대체 텍스트 누락
중간	1	제목 계층
낮음	0.25	모범 사례

Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.

미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usgov/mecknc-gov/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=mecknc-gov)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usgov/mecknc-gov/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=mecknc-gov)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=mecknc-gov)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+Mecklenburg+County+%28NC%29&utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=mecknc-gov)