Sonde

접근성 상태 확인

https://minnehahacounty.org

910



Excellent

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usgov/minnehahacounty-org/ (https://daylight.sonde.life/usgov/minnehahacounty-org/)

---

9 페이지 | **381** 검출 결과 | **10** critical | **116** high | **206** medium | **49** low | **42.3** 평균/페이지 | **4,222** 요소 | **185** 검출 결과 있음 | **95.6%** ECR | **3m 22s** 총합 | **22.4s** 페이지당

주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

CRITICAL Insufficient color contrast: 1.37:1 (required: 4.5:1 for normal text). Foreground: rgba(0, 0, 0, 0.26), background: rgb(220, 220, 220). Text: "View Today" WCAG 1.4.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<button class="MuiButtonBase-root MuiButton-root MuiButton-contained MuiButton-containedDefault MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-colorDefault Mui-disabled MuiButton-root Mu
```

1.37:1 ✗ 현재

View Today

#bdbdbd 배경 #dcdcdc

→

4.50:1 ✓ 제안됨

View Today

#626161 배경 #dcdcdc

SONDE 수정 계획

Current ratio: 1.37:1 (need 4.5:1). Change foreground from #bdbdbd to #626161 (ratio: 4.5:1). Or change background from #dcdcdc to #ffffff.

CRITICAL Insufficient color contrast: 1.19:1 (required: 4.5:1 for normal text). Foreground: rgb(34, 34, 34), background: rgb(13, 17, 23). Text: "Search this site" WCAG 1.4.3

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<label for="q" class="visually-hidden">Search this site</label>
```

1.19:1 ✗ 현재

Search this site

#222222 배경 #0d1117

→

4.53:1 ✓ 제안됨

Search this site

#7c7c7b 배경 #0d1117

SONDE 수정 계획

Current ratio: 1.19:1 (need 4.5:1). Change foreground from #222222 to #7c7c7b (ratio: 4.5:1). Or change background from #0d1117 to #000000.

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-269" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-266" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-247" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-274" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-211" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-220" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-221" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-296" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-275" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-286" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-292" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-215" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid clerk-simple-18ua6wv" id="eventLis
tRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE 수정 계획

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-271" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid clerk-simple-18ua6wv" id="eventLis
tRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE 수정 계획

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-194" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-214" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-236" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-257" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-219 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-246 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-258" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-196" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-212" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-226" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-235" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-264 clerk-simple-206" role="progressbar"><span aria-
live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-284" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-263" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-259" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-290" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid clerk-simple-18ua6wv" id="eventLis
tRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE 수정 계획

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid clerk-simple-18ua6wv" id="eventLis
tRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE 수정 계획

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-224" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-228 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-238" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-245" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid clerk-simple-18ua6wv" id="eventLis
tRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE 수정 계획

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid clerk-simple-18ua6wv" id="eventLis
tRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE 수정 계획

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-255 clerk-simple-206" role="progressbar"><span aria-
live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-298" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-248" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-281" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-195" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-209" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-293" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-244" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-254" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid clerk-simple-18ua6wv" id="eventLis
tRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE 수정 계획

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-289" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-213" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-223" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-294" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-229" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-295" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-283" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid clerk-simple-18ua6wv" id="eventLis
tRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE 수정 계획

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-250" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-222" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-230" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid clerk-simple-18ua6wv" id="eventLis
tRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE 수정 계획

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-280" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-277" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-299" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-249" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-217" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-197" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-208" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-233" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-241" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-273 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-287" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-297" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-262" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-265" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-193" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-210 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-231" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-237 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-300" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-218" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-227" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-253" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-260" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-278" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-282 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-272" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40px; height: 40px;...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-285" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-276" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-267" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-256" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 48px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-239" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 136px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-240" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 96px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-242" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-251" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 256px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-268" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-301" role="progressbar"><span aria-live="polite" ari
a-busy="true"><span class="react-loading-skeleton" style="width: 80px;"></span><br>...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-291 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid clerk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event on undefined, undefined">
```

SONDE 수정 계획

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-232" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE 수정 계획

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

HIGH

Console error: TypeError: Cannot read properties of undefined (reading 'style') at Spry.Widget.TabbedPanels.showPanel (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:384:18) at Spry.Widget.TabbedPanels.attachBehaviors (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:398:7) at new Spry.Widget.TabbedPanels (https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:75:7) at https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:401:11 at https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:434:3

페이지: / (https://minnehahacounty.gov/)

소스: `https://minnehahacounty.gov/SpryAssets/SpryTabbedPanelsbk26.js:383` MEDIUM

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

HIGH

Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 542px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

페이지: / (https://minnehahacounty.gov/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Agendas, Minutes & Video</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "Choose date" to "Announcement" (visual distance: 414px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<div>Announcement</div>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH

Focus jumps backward from "For the Record" to "South Dakota Vital Records Request (Birth, Death and Marriag" (visual distance: 425px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>South Dakota Vital Records Request (Birth, Death and Marriag</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 542px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Agendas, Minutes & Video</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "#container > div:nth-of-type(2) > p:nth-of-type(5) > a" to "Mortgage Foreclosure Results" (visual distance: 807px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Mortgage Foreclosure Results</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "#container > div:nth-of-type(2) > p:nth-of-type(5) > a" to "Contact Form" (visual distance: 724px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Contact Form</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 542px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Agendas, Minutes & Video</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://minnehahacounty.gov/)

요소:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://minnehahacounty.gov/)

요소:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://minnehahacounty.gov/)

요소:

```
<div id="mclogo">
        <img src="Images/common/mha_logo_horz_RGBDarkGlow2.png" alt="Minnehaha County Logo">
        </div>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://minnehahacounty.gov/)

요소:

```
<div id="endLink">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://minnehahacounty.gov/)

요소:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://minnehahacounty.gov/)

요소:

```
<div id="seal">
<img src="Images/common/mha_seal_transparent.png" alt="Minnehaha County Official Seal"></div>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://minnehahacounty.gov/)

요소:

```
<h1 class="visually-hidden">Minnehaha County, South Dakota Official Website</h1>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://minnehahacounty.gov/)

요소:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

페이지: / (https://minnehahacounty.gov/)

요소:

```
<html lang="en" class=" js ">
```

SONDE 수정 계획

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<div id="seal">
<img src="../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal"></div>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Aside should not be contained in another landmark: Fix any of the following: The complementary landmark is contained in another landmark.

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<aside aria-label="Filter to events from a specific date range">
```

SONDE 수정 계획

Ensure the complementary landmark or aside is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM ARIA role should be appropriate for the element: Fix any of the following: ARIA role toolbar is not allowed for given element

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<section class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row MuiGrid2-spacing-xs-1 prmbl-grid clerk-si
mple-kbfj7k" role="toolbar" aria-label="Filters, Search, and Jump to Today button">
```

SONDE 수정 계획

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<div class="column">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-185 prmbl-typography clerk-simple-1ivutjb" id="ev
entListRow-undefined-title" aria-label="Event Name">
```

SONDE 수정 계획

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Aside should not be contained in another landmark: Fix any of the following: The complementary landmark is contained in another landmark.

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<aside aria-label="Navigate to events from a specific date">
```

SONDE 수정 계획
Ensure the complementary landmark or aside is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<div id="endLink">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<div class="prmbl-buttonGroup clerk-simple-15 clerk-simple-20 clerk-simple-16">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<div class="column">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<div id="seal">
<img src="../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal"></div>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<div id="endLink">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

요소:

```
<div id="seal">
<img src="../../../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal"></div>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

요소:

```
<div id="endLink">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

요소:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

요소:

```
<div class="column">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

요소:

```
<div id="seal">
<img src="../../../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal"></div>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

요소:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

요소:

```
<div id="endLink">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

요소:

```
<div class="column">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<div id="endLink">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<div class="column">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<div id="seal">
<img src="../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal"></div>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

요소:

```
<div id="seal">
<img src="../../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal"></div>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

요소:

```
<div class="column">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

요소:

```
<div id="endLink">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

요소:

```
<div id="hlink">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<div id="endLink">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<div id="seal">
<img src="../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal"></div>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<div class="column">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<div class="column">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<div id="seal">
<img src="../../Images/common/mha_seal_transparent.png" alt="Minnehaha County Seal"></div>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<div id="endLink">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://minnehahacounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://minnehahacounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</
a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://minnehahacounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards
and Commissions</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://minnehahacounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://minnehahacounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://minnehahacounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://minnehahacounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://minnehahacounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://minnehahacounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://minnehahacounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</
a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</
a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards
and Commissions</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</
a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav -->
```

SONDE 수정 계획
Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav -->
```

SONDE 수정 계획
Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav#cbp-hrmenu -->
```

SONDE 수정 계획
Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav#cbp-hrmenu -->
```

SONDE 수정 계획
Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav#cbp-hrmenu -->
```

SONDE 수정 계획

Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Primary Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav#cbp-hrmenu -->
```

SONDE 수정 계획

Ensure the "Primary Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav -->
```

SONDE 수정 계획

Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "quickLinksHeading" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav -->
```

SONDE 수정 계획

Ensure the "quickLinksHeading" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "21" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "2" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "6" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "22" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "12" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "24" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "7" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "17" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "14" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "4" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "3" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "16" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "10" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "13" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "15" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "26" inserts 18 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root Mui-selected MuiPickersDay-dayWithMargin clerk-simple-54 clerk-
simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-selected="true" tit
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "20" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "8" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "9" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "27" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "23" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin clerk-simple-53 clerk-simple-1bd1qg
v" tabindex="-1" type="button" role="gridcell" aria-selected="false" aria-disabled="
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Content clipped by 8px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<div class="MuiCollapse-root" style="min-height: 80px;"><div class="MuiCollapse-wrapper"><div class="MuiCollapse-wra
pperInner"><div class="MuiGrid2-root MuiGrid2-direction-xs-row prmbl-grid clerk-simp
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 7px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<legend class="clerk-simple-14lo706"><span>Search</span></legend>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 40px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<div class="MuiGrid2-root MuiGrid2-direction-xs-row prmbl-grid clerk-simple-68 clerk-simple-124fws5" id="Announcemen
tWrapper" role="region" aria-label="Announcement"><p class="MuiTypography-root MuiTy
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 78px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<a class="skip-main" href="#main-content">Skip to main content</a>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 19px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<label for="q" class="visually-hidden">Search this site</label>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Stuck loading state: loading indicator CSS class on persists after page readiness

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<div class="clerk-simple-76 prmbl-autocomplete__placeholder clerk-simple-1jqq78o-placeholder" id="react-select-2-pla
ceholder">Type or select an event category to filter...</div>
```

LOW ARIA role should be appropriate for the element: Fix any of the following: ARIA role region is not allowed for given element

페이지: / (https://minnehahacounty.gov/)

요소:

```
<main id="importantNotice" role="region" aria-label="Important Notices" tabindex="-1">
```

SONDE 수정 계획
Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Broken link: http://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

페이지: / (https://minnehahacounty.gov/)

요소:

```
<a href="http://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

페이지: / (https://minnehahacounty.gov/)

요소:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

페이지: / (https://minnehahacounty.gov/)

요소:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: http://www.911metro.org/ returned status 403 Forbidden after 1 attempts

페이지: / (https://minnehahacounty.gov/)

요소:

```
<a href="http://www.911metro.org/">Metro Communications</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

페이지: / (https://minnehahacounty.gov/)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a
>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

페이지: / (https://minnehahacounty.gov/)

요소:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=
13236">Assessed Values</a>
```

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

페이지: / (https://minnehahacounty.gov/)

요소:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

페이지: / (https://minnehahacounty.gov/)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Applicati
on</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=
13236">Assessed Values</a>
```

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a
>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

페이지: /commission/meetingInfo/meetingInfo.php (https://minnehahacounty.gov/commission/meetingInfo/meetingInfo.php)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Applicati
on</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a
>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Applicati
on</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

페이지: /dept/rd/forms/forms.php (https://minnehahacounty.gov/dept/rd/forms/forms.php)

요소:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

페이지: /dept/so/divisions/em/history/history.php (https://minnehahacounty.gov/dept/so/divisions/em/history/history.php)

요소:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

요소:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Broken link: https://ujs.sd.gov/uploads/docs/VirtualCourtsFAQ.pdf returned status 404 Not Found after 1 attempts

페이지: /dept/so/divisions/jail/courtroomJ/courtroomJ.php (https://minnehahacounty.gov/dept/so/divisions/jail/courtroomJ/courtroomJ.php)

요소:

```
<a href="https://ujs.sd.gov/uploads/docs/VirtualCourtsFAQ.pdf">FAQ link</a>
```

LOW Broken link: http://www.nws.noaa.gov/com/weatherreadynation/ returned status 403 Forbidden after 1 attempts

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<a href="http://www.nws.noaa.gov/com/weatherreadynation/"></a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Broken link: https://twitter.com/MinnehahaCounty returned status 403 Forbidden after 1 attempts

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<a href="https://twitter.com/MinnehahaCounty"></a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 2 attempts

페이지: /dept/so/mortgageForeclosures/mortgageForeclosures.php (https://minnehahacounty.gov/dept/so/mortgageForeclosures/mortgageForeclosures.php)

요소:

```
<a href="http://www.gotwarrants.org/">Got Warrants</a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 2 attempts

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

요소:

```
<a href="http://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://twitter.com/MinnehahaCounty returned status 403 Forbidden after 1 attempts

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

요소:

```
<a href="https://twitter.com/MinnehahaCounty"></a>
```

LOW Link timeout: https://www.gotwarrants.org/index.php/gotwarrants-org/report-a-tip-to-the-warrant-division/ did not respond within 5000ms after 3 attempts

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

요소:

```
<a href="https://www.gotwarrants.org/index.php/gotwarrants-org/report-a-tip-to-the-warrant-division/">Contact Form</
a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

요소:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Broken link: http://www.nws.noaa.gov/com/weatherreadynation/ returned status 403 Forbidden after 1 attempts

페이지: /dept/so/mostWanted/mostWanted.php (https://minnehahacounty.gov/dept/so/mostWanted/mostWanted.php)

요소:

```
<a href="http://www.nws.noaa.gov/com/weatherreadynation/"></a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 2 attempts

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<a href="http://www.gotwarrants.org/">Gotwarrants.org</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Link timeout: https://www.siouxlandmuseums.com/index.php/home-page/museum-board/ did not respond within 5000ms after 3 attempts

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<a href="https://www.siouxlandmuseums.com/index.php/home-page/museum-board/">Museum Board</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.siouxfalls.gov/government/boards-commissions/library-bd-trustees returned status 403 Forbidden after 1 attempts

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<a href="https://www.siouxfalls.gov/government/boards-commissions/library-bd-trustees">Library Board of Trustees</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

페이지: /residents/boardsCommissions/boardsCommissions.php (https://minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php)

요소:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Broken link: https://siouxlandlib.org/ returned status 403 Forbidden after 1 attempts

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returned status 404 Not Found after 1 attempts

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a
>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms after 5 attempts

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms after 2 attempts

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<a href="http://www.gotwarrants.org/">Gotwarrants.org</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returned status 404 Not Found after 1 attempts

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Applicati
on</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returned status 403 Forbidden after 1 attempts

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=
13236">Assessed Values</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returned status 404 Not Found after 1 attempts

페이지: /residents/mediaReleases/mediaReleases.php (https://minnehahacounty.gov/residents/mediaReleases/mediaReleases.php)

요소:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

등급	가중치	예시
치명적	10	키보드 트랩
높음	3	대체 텍스트 누락
중간	1	제목 계층
낮음	0.25	모범 사례

Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.

미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usgov/minnehahacounty-org/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=minnehahacounty-org)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usgov/minnehahacounty-org/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=minnehahacounty-org)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=minnehahacounty-org)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+Minnehaha+County+%28SD%29&utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=minnehahacounty-org)