Sonde

# 접근성 상태 확인

https://multco.us

## 962




**Excellent**

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usgov/multco-us/ (https://daylight.sonde.life/usgov/multco-us/)

**10** 페이지 | **162** 검출 결과 | **10** critical | **30** high | **100** medium | **22** low | **16.2** 평균/페이지 | **3,856** 요소 | **37** 검출 결과 있음 | **99%** ECR | **3m 6s** 총합 | **18.6s** 페이지당

# 주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

CRITICAL Interactive element with role="link" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

**페이지:** / (https://multco.us/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="link" -->
```

**SONDE 수정 계획**
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

---

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Hogar" WCAG 1.4.3

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

**요소:**

```
<a class="group-menu__link nav-link group-menu__link--active active" href="/es/elected/jessica-vega-pederson">Hogar
</a>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

Hogar

#ffffff 배경 #ffffff → #777676 배경 #ffffff

**SONDE 수정 계획**
Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

---

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** / (https://multco.us/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

**SONDE 수정 계획**
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

---

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** / (https://multco.us/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

**SONDE 수정 계획**
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </span><span class="visually-hidden">X (Twitter)</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </span><span class="visually-hidden">X (Twitter)</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

**요소:**

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true"></span><span class="visually-hidden">Facebook</span></a>
```

**SONDE 수정 계획**

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH Missing Content-Security-Policy header

**페이지:** / (https://multco.us/)

**SONDE 수정 계획**

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

**SONDE 수정 계획**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

**페이지:** /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

**SONDE 수정 계획**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

**페이지:** /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

**SONDE 수정 계획**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

**SONDE 수정 계획**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

**페이지:** /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

**SONDE 수정 계획**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

**SONDE 수정 계획**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

**페이지:** /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

**SONDE 수정 계획**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

**페이지:** /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

**SONDE 수정 계획**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

**SONDE 수정 계획**
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

MEDIUM Page has 7 "navigation" landmarks but only 6 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** / (https://multco.us/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 7 navigation landmarks, 6 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

---

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 8 navigation landmarks, 7 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

---

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

---

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 8 navigation landmarks, 7 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 8 navigation landmarks, 7 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 8 navigation landmarks, 7 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 8 navigation landmarks, 7 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 8 navigation landmarks, 7 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 8 navigation landmarks, 7 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 8 navigation landmarks, 7 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

**요소:**

```
<!-- a11y: role="generic" -->
```

**SONDE 수정 계획**
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

**요소:**

```
<!-- 8 navigation landmarks, 7 labeled -->
```

**SONDE 수정 계획**
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/audit-reports-special-reports-memos" hreflang="en">Audit reports, special reports, &amp;amp; memos</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/county-auditor-and-staff" hreflang="en">County Auditor and Staff</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/audits-progress" hreflang="en">Audits in Progress</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/county-auditors-responsibilities" hreflang="en">County Auditor's Responsibilities</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/salary-commission" hreflang="en">Salary Commission</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/job-volunteer-and-internship-opportunities" hreflang="en">Job, Volunteer and Internship Opportunities
</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/current-audit-schedule" hreflang="en">Current Audit Schedule</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/auditors-community-advisory-committee" hreflang="en">Auditor’s Community Advisory Committee</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/board-commissioners-audit-committee" hreflang="en">Board of Commissioners Audit Committee</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/invite-multnomah-county-auditor-jennifer-mcguirk-event" hreflang="en">Invite Multnomah County Auditor Jennifer McGuirk to an event</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/news-headlines-and-media-coverage" hreflang="en">News Headlines and Media Coverage</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/news/board-proclaims-may-2024-asian-asian-american-native-hawaiian-and-pacific-islander-heritage" hreflang="en">Board proclaims May 2024 as Asian, Asian American, Native Hawaiian and Pacific
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/news/news-release-multnomah-county-chair-jessica-vega-pederson-shares-next-steps-work-open-24-hour" hreflang="en">NEWS RELEASE: Multnomah County Chair Jessica Vega Pederson shares next steps
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/official-statements" hreflang="en">Official Statements</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/news/news-release-chair-vega-pederson-mayor-wheeler-share-homelessness-response-action-plan" hreflang="e
n">NEWS RELEASE: Chair Vega Pederson, Mayor Wheeler share Homelessness Response Action
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/weekly-updates" hreflang="en">Weekly Updates</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/news/silos-substance-use-disorder-service-providers-create-frustration-among-experts-call-creation" hrefla
ng="en">Silos in substance use disorder service providers create frustration among e
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/info/important-documents" hreflang="en">Important Documents</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/es/info/oportunidades-de-empleo-voluntariado-y-practicas-profesionales" hreflang="es">Oportunidades de emp
leo, voluntariado y prácticas profesionales</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/es/info/comision-de-salarios" hreflang="es">Comisión de Salarios</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/es/info/comite-de-auditoria-de-la-junta-de-comisionados" hreflang="es">Comité de Auditoría de la Junta de
Comisionados</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/es/info/auditor-del-condado-y-personal" hreflang="es">Auditor del condado y personal</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/es/info/responsabilidades-del-auditor-del-condado" hreflang="es">Responsabilidades del auditor del condado
</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/es/info/invita-la-auditora-del-condado-de-multnomah-jennifer-mcguirk-un-evento" hreflang="es">Invita a la
auditora del condado de Multnomah, Jennifer McGuirk, a un evento</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/es/info/informes-de-auditoria-informes-especiales-y-memorandos" hreflang="es">Informes de auditoría, infor
mes especiales y memorandos</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/es/info/comite-asesor-comunitario-del-auditor" hreflang="es">Comité Asesor Comunitario del Auditor</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/es/info/auditorias-en-curso" hreflang="es">Auditorías en curso</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

**요소:**

```
<a href="/es/info/calendario-de-auditoria-actual" hreflang="es">Calendario de auditoría actual</a>
```

**SONDE 수정 계획**
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** / (https://multco.us/) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

**SONDE 수정 계획**
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Content clipped by 29px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<span class="visually-hidden">con nosotros. Enlaces a redes sociales:</span>
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 33px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<a class="link link--text-block" href="/es/info/suscribete-al-boletin-informativo-de-la-presidenta-vega-pederson">
  <span class="link__text link__text--text-block">Suscríbete al boletín mensual de JV
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 48px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<h2 class="visually-hidden" id="block-multnomah-gov-theme-mainnavbar-menu">Main navbar</h2>
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

**요소:**

```
<a href="#main-content" class="visually-hidden focusable skip-link">
      Skip to main content
    </a>
```

**SONDE 수정 계획**
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Page requires horizontal scrolling at 320px width (20px overflow). Content should reflow without horizontal scrolling at this width. WCAG 1.4.10

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

**요소:**

```
<html>
```

**SONDE 수정 계획**
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

**페이지:** / (https://multco.us/)

**요소:**

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

**페이지:** / (https://multco.us/)

**요소:**

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

**요소:**

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

**페이지:** /elected/auditors-office (https://multco.us/elected/auditors-office)

**요소:**

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

**페이지:** /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

**요소:**

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

**페이지:** /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

**요소:**

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Link timeout: https://multco.us/services/board-documents did not respond within 5000ms after 2 attempts

**페이지:** /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

**요소:**

```
<a href="https://multco.us/services/board-documents">Search ordinances, board resolutions, orders and proclamations
</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

**페이지:** /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

**요소:**

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

**페이지:** /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

**요소:**

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

**요소:**

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

**페이지:** /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

**요소:**

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

**페이지:** /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

**요소:**

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

**페이지:** /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

**요소:**

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

**요소:**

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

**페이지:** /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

**요소:**

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

**페이지:** /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

**요소:**

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Link timeout: https://multco.us/es/services/documentos-de-la-junta did not respond within 5000ms after 2 attempts

**페이지:** /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

**요소:**

```
<a href="https://multco.us/es/services/documentos-de-la-junta">Buscar ordenanzas, resoluciones de la junta, órdenes y proclamaciones</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

**페이지:** /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

**요소:**

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

**페이지:** /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

**요소:**

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

**페이지:** /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

**요소:**

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

**요소:**

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

**페이지:** /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

**요소:**

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

## 방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

| 등급 | 가중치 | 예시 |
|---|---|---|
| 치명적 | 10 | 키보드 트랩 |
| 높음 | 3 | 대체 텍스트 누락 |
| 중간 | 1 | 제목 계층 |
| 낮음 | 0.25 | 모범 사례 |

*Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.*

### 미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usgov/multco-us/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=multco-us)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usgov/multco-us/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=multco-us)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=multco-us)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+Multnomah+County+%28OR%29&utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=multco-us)