Sonde

Barrierefreiheits-Gesundheitscheck

https://sandiegocounty.gov

977

0 1000

Excellent

April 28, 2026
Kostenlos bereitgestellt von Sonde

https://daylight.sonde.life/usgov/sandiegocounty-gov/ (https://daylight.sonde.life/usgov/sandiegocounty-gov/)

1 Seiten | **8** Befunde | **0** critical | **5** high | **3** medium | **0** low | **8.0** Ø/Seite | **34** Elemente | **6** mit Befunden | **82.4%** ECR | **1m 14s** Gesamt | **1m 14s** pro Seite

Top-Befunde

Direkten Link kopieren · Diskussion eröffnen

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: / (chrome-error://chromewebdata/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Insufficient color contrast: 2.38:1 (required: 4.5:1 for normal text). Foreground: rgb(143, 143, 143), background: rgb(221, 221, 221). Text: "The webpage at https://sandiegocounty.gov/ might be temporar" WCAG 1.4.3

Seite: / (chrome-error://chromewebdata/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<div id="sub-frame-error-details">The webpage at <strong>https://sandiegocounty.gov/</strong> might be temporarily d
own or it may have moved permanently to a new web address.</div>
```

2.38:1 ✗ AKTUELL — The webpage at https://sandieg...

#8f8f8f auf #dddddd

4.54:1 ✓ VORGESCHLAGEN — The webpage at https://sandieg...

#626161 auf #dddddd

SONDE FEHLERBEHEBUNGSPLAN
Current ratio: 2.38:1 (need 4.5:1). Change foreground from #8f8f8f to #626161 (ratio: 4.5:1).

HIGH Insufficient color contrast: 2.38:1 (required: 4.5:1 for normal text). Foreground: rgb(143, 143, 143), background: rgb(221, 221, 221). Text: "https://sandiegocounty.gov/" WCAG 1.4.3

Seite: / (chrome-error://chromewebdata/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<strong>https://sandiegocounty.gov/</strong>
```

2.38:1 ✗ AKTUELL — https://sandiegocounty.gov/

#8f8f8f auf #dddddd

4.54:1 ✓ VORGESCHLAGEN — https://sandiegocounty.gov/

#626161 auf #dddddd

SONDE FEHLERBEHEBUNGSPLAN
Current ratio: 2.38:1 (need 4.5:1). Change foreground from #8f8f8f to #626161 (ratio: 4.5:1).

HIGH Page has no detectable navigation mechanisms (no <nav>, search, sitemap link, breadcrumbs, or table of contents). Users need multiple ways to locate content. WCAG 2.4.5

Seite: / (chrome-error://chromewebdata/) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: / (chrome-error://chromewebdata/)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Seite: / (chrome-error://chromewebdata/)

Element:

```
<html dir="ltr" lang="en">
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Zooming and scaling must not be disabled: Fix any of the following: user-scalable=no on <meta> tag disables zooming on mobile devices WCAG 1.4.4

Seite: / (chrome-error://chromewebdata/) WCAG 1.4.4 (https://www.w3.org/WAI/WCAG22/Understanding/resize-text)

Element:

```
<meta name="viewport" content="width=device-width, initial-scale=1.0,
                               maximum-scale=1.0, user-scalable=no">
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure <meta name="viewport"> does not disable text scaling and zooming. See: https://www.w3.org/WAI/WCAG22/Understanding/resize-text (https://www.w3.org/WAI/WCAG22/Understanding/resize-text)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Seite: / (chrome-error://chromewebdata/)

Element:

```
<div id="main-content">
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

Methodik

Der Sonde Score ist ein universeller Compliance-Index von 0–1000 — wie ein Bonitätsscore für Barrierefreiheit. Jeder Befund wird nach seiner Auswirkung gewichtet. Die Rohstrafe wird pro Seite normalisiert, um die Vergleichbarkeit zu gewährleisten. Eine harmonische Kurve stellt sicher, dass jede Seite eine aussagekräftige Bewertung erhält.

```
Score = round(1000 × S / (S + P/N))
```

wobei S = Empfindlichkeit (750), P = Σ(Gewicht × Anzahl), N = gescannte Seiten

STUFE	GEWICHT	BEISPIELE
Kritisch	10	Tastaturfallen
Hoch	3	Fehlender Alternativtext
Mittel	1	Überschriftenstruktur
Niedrig	0.25	Best-Practice-Probleme

Der Sonde Score ist ein lebendiger Standard (v0.1). Er wird offen entwickelt, weil Barrierefreiheit zu wichtig für Entscheidungen hinter verschlossenen Türen ist. Ihre Expertise macht ihn besser.

Mission Control

Prüfen Sie die Rohdaten der Befunde, verfolgen Sie Änderungen zwischen Scans und tragen Sie zu Sondes offener Methodik bei.

- Befunde ansehen (https://github.com/sondeinc/daylight/blob/main/public/usgov/sandiegocounty-gov/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=sandiegocounty-gov)
- Änderungen verfolgen (https://github.com/sondeinc/daylight/commits/main/public/usgov/sandiegocounty-gov/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=sandiegocounty-gov)
- Site vorschlagen (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=sandiegocounty-gov)
- Problem melden (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+San+Diego+County&utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_co gov)