Sonde

Accessibility Health Check

https://sandiegocounty.gov

977



Excellent

April 28, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/sandiegocounty-gov/ (https://daylight.sonde.life/usgov/sandiegocounty-gov/)

1 pages | **8** findings | **0** critical | **5** high | **3** medium | **0** low | **8.0** avg/page | **34** elements | **6** with findings | **82.4%** ECR | **1m 14s** total | **1m 14s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / (chrome-error://chromewebdata/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Insufficient color contrast: 2.38:1 (required: 4.5:1 for normal text). Foreground: rgb(143, 143, 143), background: rgb(221, 221, 221). Text: "The webpage at https://sandiegocounty.gov/ might be temporar" WCAG 1.4.3

Page: / (chrome-error://chromewebdata/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<div id="sub-frame-error-details">The webpage at <strong>https://sandiegocounty.gov/</strong> might be temporarily d
own or it may have moved permanently to a new web address.</div>
```

2.38:1 ✗ CURRENT — The webpage at https://sandieg... — #8f8f8f on #dddddd

→

4.54:1 ✓ SUGGESTED — The webpage at https://sandieg... — #626161 on #dddddd

SONDE FIX PLAN
Current ratio: 2.38:1 (need 4.5:1). Change foreground from #8f8f8f to #626161 (ratio: 4.5:1).

HIGH Insufficient color contrast: 2.38:1 (required: 4.5:1 for normal text). Foreground: rgb(143, 143, 143), background: rgb(221, 221, 221). Text: "https://sandiegocounty.gov/" WCAG 1.4.3

Page: / (chrome-error://chromewebdata/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<strong>https://sandiegocounty.gov/</strong>
```

2.38:1 ✗ CURRENT — https://sandiegocounty.gov/ — #8f8f8f on #dddddd

→

4.54:1 ✓ SUGGESTED — https://sandiegocounty.gov/ — #626161 on #dddddd

SONDE FIX PLAN
Current ratio: 2.38:1 (need 4.5:1). Change foreground from #8f8f8f to #626161 (ratio: 4.5:1).

HIGH Page has no detectable navigation mechanisms (no <nav>, search, sitemap link, breadcrumbs, or table of contents). Users need multiple ways to locate content. WCAG 2.4.5

Page: / (chrome-error://chromewebdata/) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FIX PLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

HIGH Missing Strict-Transport-Security header (HSTS)

Page: / (chrome-error://chromewebdata/)

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: / (chrome-error://chromewebdata/)

Element:

```
<html dir="ltr" lang="en">
```

SONDE FIX PLAN
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Zooming and scaling must not be disabled: Fix any of the following: user-scalable=no on <meta> tag disables zooming on mobile devices WCAG 1.4.4

Page: / (chrome-error://chromewebdata/) WCAG 1.4.4 (https://www.w3.org/WAI/WCAG22/Understanding/resize-text)

Element:

```
<meta name="viewport" content="width=device-width, initial-scale=1.0,
                               maximum-scale=1.0, user-scalable=no">
```

SONDE FIX PLAN
Ensure <meta name="viewport"> does not disable text scaling and zooming. See: https://www.w3.org/WAI/WCAG22/Understanding/resize-text (https://www.w3.org/WAI/WCAG22/Understanding/resize-text)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: / (chrome-error://chromewebdata/)

Element:

```
<div id="main-content">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

- View Findings Data (https://github.com/sondeinc/daylight/blob/main/public/usgov/sandiegocounty-gov/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=sandiegocounty-gov)
- Track Changes (https://github.com/sondeinc/daylight/commits/main/public/usgov/sandiegocounty-gov/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=sandiegocounty-gov)
- Nominate a Site (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=sandiegocounty-gov)
- Report a Scanning Issue (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+San+Diego+County&utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_c gov)