Sonde

Accessibility Health Check

https://miamidade.gov

942

0 1000

Excellent

April 7, 2026
Provided free by Sonde

https://daylight.sonde.life/section508/miamidade-gov/

Sonde

Accessibility Health Check

https://miamidade.gov

April 7, 2026 · Provided free by Sonde · **Download PDF**

942



Excellent

Executive Summary

13 pages	**459** findings	**13** critical	**43** high	**318** medium	**85** low	**35.3** avg/page	**10,248** elements	**101** with findings	**99%** ECR	**5m 44s** t

Top Findings

CRITICAL	Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "ACCESS FORBIDDEN"	WCAG WCAG 1.4.3
CRITICAL	Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Access to this page is denied. Try another browser or a diff"	WCAG WCAG 1.4.3
CRITICAL	Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "403"	WCAG WCAG 1.4.3
CRITICAL	Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Welcome to Miami-Dade 311"	WCAG WCAG 1.4.3
CRITICAL	Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "The Miami-Dade County 311 Contact Center offers convenient a"	WCAG WCAG 1.4.3
HIGH	Documents must have <title> element to aid in navigation: Fix any of the following: Document does not have a non-empty <title> element	WCAG wcag2a
HIGH	Documents must have <title> element to aid in navigation: Fix any of the following: Document does not have a non-empty <title> element	WCAG wcag2a
HIGH	Insufficient color contrast: 2.68:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(158, 158, 158). Text: "Filters"	WCAG WCAG 1.4.3
HIGH	Console error: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25	
HIGH	Console error: An error occurred while loading scripts: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25	
HIGH	Console error: An error occurred while loading scripts: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25	
HIGH	Console error: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25	
HIGH	Console error: An error occurred while loading scripts: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25	

HIGH Console error: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25

HIGH Console error: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25

HIGH Console error: An error occurred while loading scripts: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25

HIGH Console error: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25

HIGH Console error: An error occurred while loading scripts: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25

HIGH Console error: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25

HIGH Console error: An error occurred while loading scripts: TypeError: Cannot read properties of undefined (reading 'src') at https://www.miamidade.gov/global/navigation/service-index.page:680:33 at new At (https://www.miamidade.gov/resources/components/search-index/js/polyfills.4eba05f77585da50.js:1:120363) at loadScript (https://www.miamidade.gov/global/navigation/service-index.page:678:12) at https://www.miamidade.gov/global/navigation/service-index.page:721:25

Methodology ▸

This report is a health check, not a verdict. Every website has room to improve.

Disclaimer: This report presents the results of automated accessibility analysis and is provided free of charge, as-is, without warranty of any kind. Findings are generated by software, not by human accessibility experts, and may contain errors or omissions. Scores reflect algorithmic analysis under a published methodology open to public review—they are not legal determinations of compliance. Nothing in this report constitutes legal advice. Sonde assumes no liability for decisions made based on these results.

Generated by **Sonde** · April 7, 2026