Sonde

Accessibility Health Check

https://ally.com

907

Excellent

April 11, 2026
Provided free by Sonde

https://daylight.sonde.life/section508/ally-com/

6 pages | **318** findings | **11** critical | **26** high | **270** medium | **11** low | **53.0** avg/page | **3,360** elements | **121** with findings | **96.4%** ECR | **5m 6s** total | **51.1s** per page

Top Findings

CRITICAL

Elements must only use supported ARIA attributes: Fix all of the following: ARIA attribute is not allowed: aria-modal="false"

WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<div class="userConsent__banner" id="cx_banner_container" role="region" aria-modal
="false" aria-label="Cookie Preferences" tabindex="-1">
```

SONDE FIX PLAN

Ensure an element's role supports its ARIA attributes. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "You've got an ally in every corner."

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<strong data-testid="RichTextTestId_mark_bold">You've got an ally in every corner.</
strong>
```

1.00:1 ✗ CURRENT

3.03:1 ✓ SUGGESTED

You've got an ally in every co...

#ffffff on #ffffff

#949494 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #949494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Ally Bank"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<p data-testid="RichTextTestId_block_p" class="Text_body-md__aYHxV -mt-0 -mb-xxs -color-gray-white">Ally Bank </p>
```

1.00:1 ✗ CURRENT

4.54:1 ✓ SUGGESTED

Ally Bank

#ffffff on #ffffff

#767676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #767676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Spending"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a class="Link_link__JHJ4m Link_-dark__6RmSy Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="explore-Checking" href="https://www.ally.com/bank/interest-checking-account/" target="_s
```

1.00:1 ✗ CURRENT

4.54:1 ✓ SUGGESTED

Spending

#ffffff on #ffffff

#767676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #767676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Spending"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<a class="Link_link__JHJ4m Link_-dark__6RmSy Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="explore-Checking" href="https://www.ally.com/bank/interest-checking-account/" target="_s
```

1.00:1 ✗ CURRENT

4.54:1 ✓ SUGGESTED



#ffffff on #ffffff

#767676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #767676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Ally Bank"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<p data-testid="RichTextTestId_block_p" class="Text_body-md__aYHxV -mt-0 -mb-xxs -color-gray-white">Ally Bank </p>
```

1.00:1 ✗ CURRENT

4.54:1 ✓ SUGGESTED



#ffffff on #ffffff

#767676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #767676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "You've got an ally in every corner." WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<strong data-testid="RichTextTestId_mark_bold">You've got an ally in every corner.</strong>
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

3.03:1 ✓ SUGGESTED

You've got an ally in every co...

#949494 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #949494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "a cell phone" WCAG 1.4.3

Page: /security/our-approach WCAG 1.4.3

Element:

```
<title>a cell phone</title>
```

1.00:1 ✗ CURRENT

#ffffff on #ffffff

4.54:1 ✓ SUGGESTED

a cell phone

#767676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #767676 (ratio: 4.5:1).

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- ally: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- ally: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.1.1

Element:

```
<!-- ally: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/our-approach WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/our-approach WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/our-approach WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/our-approach WCAG 1.1.1

Element:

```
<!-- ally: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/personal-security WCAG 1.1.1

Element:

```
<!-- ally: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/personal-security WCAG 1.1.1

Element:

```
<!-- ally: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /security/personal-security WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /ventures WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /ventures WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH "role=text" should have no focusable descendants: Fix any of the following: Element has focusable descendants

Page: /

Element:

```
<p class="userConsent__disclaimerText" role="text">
```

SONDE FIX PLAN
Ensure role="text" is used on elements with no focusable descendants. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH Focus jumps backward from "Skip to main content" to "Ally Logo, go to ally.com" (visual distance: 451px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Ally Logo, go to ally.com</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Decline Cookies" to "Skip to login" (visual distance: 845px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>Skip to login</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally Logo, go to ally.com" (visual distance: 451px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 2.4.3

Element:

```
<a>Ally Logo, go to ally.com</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Internet Crime Complaint Center (IC3)" to "public service announcement" (visual distance: 410px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 2.4.3

Element:

```
<a>public service announcement</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally Logo, go to ally.com" (visual distance: 451px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /security/our-approach WCAG 2.4.3

Element:

```
<a>Ally Logo, go to ally.com</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally Logo, go to ally.com" (visual distance: 451px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /security/personal-security WCAG 2.4.3

Element:

```
<a>Ally Logo, go to ally.com</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH x-content-type-options header has invalid or weak value: nosniff nosniff

Page: /

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- ally: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- ally: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/our-approach WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/our-approach WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/our-approach WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/our-approach WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/our-approach WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/personal-security WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/personal-security WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/personal-security WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/personal-security WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /security/personal-security WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /ventures WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM

Page should contain a level-one heading: Fix all of the following: Page must have a level-one heading

Page: /

Element:

```
<html lang="en" class="__className_55a2cd">
```

SONDE FIX PLAN

Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialIm
pact" href="https://www.ally.com/about/social-impact/" target="_self" data-has-query
-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="contactUsTopNav" href="https://www.ally.com/contact-us/" target="_self" data-ha
s-query-params="false" allytm-cl
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="helpTopNav" href="https://www.ally.com/help/" target="_self" data-has-query-par
ams="false" allytm-click-tagged=
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" data-has-query
-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCen
ter" href="https://media.ally.com/" target="_self" data-has-query-params="false" all
ytm-click-tagged="true">Media Ce
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompa
ny" href="https://www.ally.com/about/company-structure/" target="_self" data-has-que
ry-params="false" allytm-click-t
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" data-has-query-params="false" allytm-click-tagged="true">
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="aboutUsTopNav" href="https://www.ally.com/about/" target="_self" data-has-query-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-supplier
s" href="https://www.ally.com/about/suppliers/" target="_self" data-has-query-params
="false" allytm-click-tagged="tr
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" href="htt
p://www.ally.com/search" target="_self" data-has-query-params="false" allytm-click-t
agged="true">Search</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialIm
pact" href="https://www.ally.com/about/social-impact/" target="_self" data-has-query
-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompa
ny" href="https://www.ally.com/about/company-structure/" target="_self" data-has-que
ry-params="false" allytm-click-t
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-supplier
s" href="https://www.ally.com/about/suppliers/" target="_self" data-has-query-params
="false" allytm-click-tagged="tr
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" data-has-query
-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="contactUsTopNav" href="https://www.ally.com/contact-us/" target="_self" data-ha
s-query-params="false" allytm-cl
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="helpTopNav" href="https://www.ally.com/help/" target="_self" data-has-query-par
ams="false" allytm-click-tagged=
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="aboutUsTopNav" href="https://www.ally.com/about/" target="_self" data-has-query-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" href="http://www.ally.com/search" target="_self" data-has-query-params="false" allytm-click-tagged="true">Search</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCen
ter" href="https://media.ally.com/" target="_self" data-has-query-params="false" all
ytm-click-tagged="true">Media Ce
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers"
href="https://www.ally.com/about/careers/" target="_self" data-has-query-params="fal
se" allytm-click-tagged="true">
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/our-approach WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="contactUsTopNav" href="https://www.ally.com/contact-us/" target="_self" data-ha
s-query-params="false" allytm-cl
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/our-approach WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-supplier
s" href="https://www.ally.com/about/suppliers/" target="_self" data-has-query-params
="false" allytm-click-tagged="tr
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/our-approach WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompa
ny" href="https://www.ally.com/about/company-structure/" target="_self" data-has-que
ry-params="false" allytm-click-t
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/our-approach WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" href="htt
p://www.ally.com/search" target="_self" data-has-query-params="false" allytm-click-t
agged="true">Search</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/our-approach WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" data-has-query-params="false" allytm-click-tagged="true">
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/our-approach WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="helpTopNav" href="https://www.ally.com/help/" target="_self" data-has-query-params="false" allytm-click-tagged=
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/our-approach WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" data-has-query
-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/our-approach WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCen
ter" href="https://media.ally.com/" target="_self" data-has-query-params="false" all
ytm-click-tagged="true">Media Ce
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/our-approach WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="aboutUsTopNav" href="https://www.ally.com/about/" target="_self" data-has-query
-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/our-approach WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialIm
pact" href="https://www.ally.com/about/social-impact/" target="_self" data-has-query
-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/personal-security WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" href="http://www.ally.com/search" target="_self" data-has-query-params="false" allytm-click-tagged="true">Search</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/personal-security WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCenter" href="https://media.ally.com/" target="_self" data-has-query-params="false" allytm-click-tagged="true">Media Ce
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/personal-security WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompa
ny" href="https://www.ally.com/about/company-structure/" target="_self" data-has-que
ry-params="false" allytm-click-t
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/personal-security WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="helpTopNav" href="https://www.ally.com/help/" target="_self" data-has-query-par
ams="false" allytm-click-tagged=
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/personal-security WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" data-has-query-params="false" allytm-click-tagged="true">
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/personal-security WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="aboutUsTopNav" href="https://www.ally.com/about/" target="_self" data-has-query-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/personal-security WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" data-has-query-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/personal-security WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-suppliers" href="https://www.ally.com/about/suppliers/" target="_self" data-has-query-params="false" allytm-click-tagged="tr
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/personal-security WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allyt
mln="contactUsTopNav" href="https://www.ally.com/contact-us/" target="_self" data-ha
s-query-params="false" allytm-cl
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /security/personal-security WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" data-has-query
-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompa
ny" href="https://www.ally.com/about/company-structure/" target="_self" data-has-que
ry-params="false" allytm-click-t
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-conversa
tionally" href="https://www.ally.com/stories/" target="_self" data-has-query-params
="false" allytm-click-tagged="tru
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" data-has-query-params="false" allytm-click-tagged="true">
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-corporateFinance" href="https://www.ally.com/corporate-finance/" target="_self" data-has-query-params="false" allytm-click-t
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" data-has-query
-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCen
ter" href="https://media.ally.com/" target="_self" data-has-query-params="false" all
ytm-click-tagged="true">Media Ce
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" data-has-query-params="false" allytm-click-tag
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-suppliers" href="https://www.ally.com/about/suppliers/" target="_self" data-has-query-params="false" allytm-click-tagged="tr
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-dealerServices" href="https://www.ally.com/dealer/" target="_self" data-has-query-params="false" allytm-click-tagged="true">
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-allyVentures" href="https://www.ally.com/ventures/" target="_self" data-has-query-params="false" allytm-click-tagged="true">
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation region "Top Menu" (present on www.ally.com) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: /ventures WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Top Menu"] -->
```

SONDE FIX PLAN

Ensure the "Top Menu" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Auto Menu" data-allytmln="autoMenu" allytm-click-tagged="true">Auto </button>
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="SIPC"
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 5 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &amp;amp; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Accept" inserts 19 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="userConsent__btn" allytmln="Banner - Accept" allytm-click-tagged="tru
e" aria-label="Accept Cookies">Accept</button>
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Credit Cards" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false"
aria-label="Open Credit Cards Menu" data-allytmln="creditCardsMenu" allytm-click-tag
ged="true">Credit Cards</button
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inli
ne__GtMVe" data-allytmln="SIPC"
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 5 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &amp;amp; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Auto Menu" data-allytmln="autoMenu" allytm-click-tagged="true">Auto
</button>
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 5 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &amp;amp; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Auto Menu" data-allytmln="autoMenu" allytm-click-tagged="true">Auto </button>
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Credit Cards" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Credit Cards Menu" data-allytmln="creditCardsMenu" allytm-click-tagged="true">Credit Cards</button
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /security/how-to-detect-fraud-and-identity-theft WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="SIPC"
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Credit Cards" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /security/our-approach WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Credit Cards Menu" data-allytmln="creditCardsMenu" allytm-click-tagged="true">Credit Cards</button
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /security/our-approach WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="SIPC"
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 5 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /security/our-approach WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &amp;amp; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /security/our-approach WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Auto Menu" data-allytmln="autoMenu" allytm-click-tagged="true">Auto </button>
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "Credit Cards" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /security/personal-security WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Credit Cards Menu" data-allytmln="creditCardsMenu" allytm-click-tagged="true">Credit Cards</button
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /security/personal-security WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="SIPC"
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /security/personal-security WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Auto Menu" data-allytmln="autoMenu" allytm-click-tagged="true">Auto </button>
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "Investing & Retirement" inserts 5 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /security/personal-security WCAG 4.1.3

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &amp;amp; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "Visit Modelshop" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /ventures WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="VisitModelshop" href="##" target="_self" aria
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /ventures WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inli
ne__GtMVe" data-allytmln="SIPC"
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "Visit Greenlight" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /ventures WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="visitGreenlig
ht" href="##" target="_self" ari
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "Visit Car IQ" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /ventures WCAG 4.1.3

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2
UXm Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="visitCarIq" h
ref="##" target="_self" aria-lab
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Learn More" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /ventures WCAG 4.1.3

Element:

```
<a class="Modal_dialogTrigger__6C7WP Link_ctaTertiary__Ai4Hu Link_-dark__6RmSy Link_
buttonAsLink__4_bbF" data-allytmln="learnMoreRobKerr" aria-label="learn more rob ker
r" role="button" href="##" data-
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Broken link: https://www.ally.com/about/careers/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/about/careers/">Careers</a>
```

MEDIUM Broken link: https://www.ally.com/sitemap/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/sitemap/">Site Map</a>
```

MEDIUM Broken link: https://www.ally.com/stories/save/add-cash-in-store/?CP=SF260125 returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/stories/save/add-cash-in-store/?CP=SF260125"></a>
```

MEDIUM Broken link: https://www.ally.com/## returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/##">Shop Ally Gear</a>
```

MEDIUM Broken link: https://www.ally.com/invest/disclosures/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/invest/disclosures/">Ally Invest Disclosures</a>
```

MEDIUM Broken link: https://www.ally.com/education/financial-education-programs/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/education/financial-education-programs/">Financial Education Programs</a>
```

MEDIUM Broken link: https://www.ally.com/bank/interest-checking-account/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/bank/interest-checking-account/">Spending</a>
```

MEDIUM Broken link: https://www.ally.com/bank/checking-and-savings-accounts/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/bank/checking-and-savings-accounts/">Get Started</a>
```

MEDIUM Broken link: https://www.ally.com/legal/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/legal/">Legal</a>
```

MEDIUM Broken link: https://www.ally.com/stories/taxes/steps-to-file-your-taxes/?CP=SF260305 returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/stories/taxes/steps-to-file-your-taxes/?CP=SF260305">
</a>
```

MEDIUM Broken link: https://www.ally.com/ventures/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/ventures/">Ally Ventures</a>
```

MEDIUM Broken link: https://www.ally.com/invest/self-directed-trading/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/invest/self-directed-trading/">Self-Directed Trading</
a>
```

MEDIUM Broken link: https://www.ally.com/stories/taxes/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/stories/taxes/">Taxes</a>
```

MEDIUM Broken link: https://www.ally.com/stories/save/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/stories/save/">Save</a>
```

MEDIUM Broken link: https://www.ally.com/privacy/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/privacy/">Privacy</a>
```

MEDIUM Broken link: https://www.ally.com/bank/find-atms/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/bank/find-atms/">ATM Locator</a>
```

MEDIUM Broken link: https://www.ally.com/about/suppliers/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/about/suppliers/">Suppliers</a>
```

MEDIUM Broken link: https://www.ally.com/stories/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/stories/">Conversationally</a>
```

MEDIUM Broken link: https://www.ally.com/invest/wealth-management/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/invest/wealth-management/">Personal Advice</a>
```

MEDIUM Broken link: https://www.ally.com/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/"></a>
```

MEDIUM Broken link: https://www.ally.com/invest/robo-automated-investing/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/invest/robo-automated-investing/">Robo Portfolios</a>
```

MEDIUM Broken link: https://www.ally.com/bank/online-savings-account/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/bank/online-savings-account/">Savings</a>
```

MEDIUM Broken link: https://www.ally.com/about/company-structure/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/about/company-structure/">Our Company</a>
```

MEDIUM Broken link: https://www.ally.com/bank/high-yield-cd/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/bank/high-yield-cd/">High Yield CD</a>
```

MEDIUM Broken link: https://www.ally.com/corporate-finance/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/corporate-finance/">Corporate Finance</a>
```

MEDIUM Broken link: https://www.ally.com/accessibility/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/accessibility/">Accessibility</a>
```

MEDIUM Broken link: https://www.ally.com/bank/money-market-account/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/bank/money-market-account/">Money Market</a>
```

MEDIUM Broken link: https://www.ally.com/stories/save/how-to-use-spending-and-savings-buckets-together/?CP=SF251201 returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/stories/save/how-to-use-spending-and-savings-buckets-together/?CP=SF251201"></a>
```

MEDIUM Broken link: https://www.ally.com/bank/no-penalty-cd/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/bank/no-penalty-cd/">No Penalty CD</a>
```

MEDIUM Broken link: https://www.ally.com/stories/save/open-checking-and-savings-accounts/?CP=SF251201 returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/stories/save/open-checking-and-savings-accounts/?CP=SF251201"></a>
```

MEDIUM Broken link: https://www.ally.com/security/ returns 503 Service Unavailable

Page: /

Element:

```
<a href="https://www.ally.com/security/">Security</a>
```

MEDIUM Broken link: https://www.ally.com/about/suppliers/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/about/suppliers/">Suppliers</a>
```

MEDIUM Broken link: https://www.ally.com/bank/find-atms/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/bank/find-atms/">ATM Locator</a>
```

MEDIUM Broken link: https://www.ally.com/security/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/security/">Security Center</a>
```

MEDIUM Broken link: https://www.ally.com/accessibility/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/accessibility/">Accessibility</a>
```

MEDIUM Broken link: https://www.ally.com/about/company-structure/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/about/company-structure/">Our Company</a>
```

MEDIUM Broken link: https://www.ally.com/about/careers/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/about/careers/">Careers</a>
```

MEDIUM Broken link: https://www.ally.com/stories/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/stories/">Conversationally</a>
```

MEDIUM Broken link: https://www.ally.com/sitemap/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/sitemap/">Site Map</a>
```

MEDIUM Broken link: https://www.ally.com/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/"></a>
```

MEDIUM Broken link: https://www.ally.com/security/how-to-detect-fraud-and-identity-theft#howToDetectFraud returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/security/how-to-detect-fraud-and-identity-theft#howToDetectFraud">How to Detect Fraud</a>
```

MEDIUM Broken link: https://www.ally.com/invest/disclosures/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/invest/disclosures/">Ally Invest Disclosures</a>
```

MEDIUM Broken link: https://www.ally.com/corporate-finance/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/corporate-finance/">Corporate Finance</a>
```

MEDIUM Broken link: https://www.ally.com/education/financial-education-programs/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/education/financial-education-programs/">Financial Education Programs</a>
```

MEDIUM Broken link: https://www.ally.com/legal/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/legal/">Legal</a>
```

MEDIUM Broken link: https://www.ally.com/privacy/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/privacy/">Privacy</a>
```

MEDIUM Broken link: https://www.ally.com/ventures/ returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.ally.com/ventures/">Ally Ventures</a>
```

MEDIUM Broken link: https://www.ally.com/security/our-approach## returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/security/our-approach##">Shop Ally Gear</a>
```

MEDIUM Broken link: https://www.ally.com/privacy/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/privacy/">Privacy</a>
```

MEDIUM Broken link: https://www.ally.com/security/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/security/">Security Center</a>
```

MEDIUM Broken link: https://www.ally.com/accessibility/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/accessibility/">Accessibility</a>
```

MEDIUM Broken link: https://www.ally.com/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/"></a>
```

MEDIUM Broken link: https://www.ally.com/stories/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/stories/">Conversationally</a>
```

MEDIUM Broken link: https://www.ally.com/about/company-structure/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/about/company-structure/">Our Company</a>
```

MEDIUM Broken link: https://www.ally.com/corporate-finance/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/corporate-finance/">Corporate Finance</a>
```

MEDIUM Broken link: https://www.ally.com/about/careers/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/about/careers/">Careers</a>
```

MEDIUM Broken link: https://www.ally.com/sitemap/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/sitemap/">Site Map</a>
```

MEDIUM Broken link: https://www.ally.com/education/financial-education-programs/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/education/financial-education-programs/">Financial Edu
cation Programs</a>
```

MEDIUM Broken link: https://www.ally.com/legal/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/legal/">Legal</a>
```

MEDIUM Broken link: https://www.ally.com/invest/disclosures/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/invest/disclosures/">Ally Invest Disclosures</a>
```

MEDIUM Broken link: https://www.ally.com/bank/find-atms/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/bank/find-atms/">ATM Locator</a>
```

MEDIUM Broken link: https://www.ally.com/go/learn/webroot/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/go/learn/webroot/">Webroot® SecureAnywhere™</a>
```

MEDIUM Broken link: https://www.ally.com/about/suppliers/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/about/suppliers/">Suppliers</a>
```

MEDIUM Broken link: https://www.ally.com/ventures/ returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="https://www.ally.com/ventures/">Ally Ventures</a>
```

MEDIUM Broken link: https://www.ally.com/bank/find-atms/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/bank/find-atms/">ATM Locator</a>
```

MEDIUM Broken link: https://www.ally.com/privacy/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/privacy/">Privacy</a>
```

MEDIUM Broken link: https://www.ally.com/accessibility/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/accessibility/">Accessibility</a>
```

MEDIUM Broken link: https://www.ally.com/about/careers/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/about/careers/">Careers</a>
```

MEDIUM Broken link: https://www.ally.com/security/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/security/">Security</a>
```

MEDIUM Broken link: https://www.ally.com/about/company-structure/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/about/company-structure/">Our Company</a>
```

MEDIUM Broken link: https://www.ally.com/ventures/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/ventures/">Ally Ventures</a>
```

MEDIUM Broken link: https://www.ally.com/invest/disclosures/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/invest/disclosures/">Ally Invest Disclosures</a>
```

MEDIUM Broken link: https://www.ally.com/legal/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/legal/">Legal</a>
```

MEDIUM Broken link: https://www.ally.com/security/personal-security## returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/security/personal-security##">Shop Ally Gear</a>
```

MEDIUM Broken link: https://www.ally.com/corporate-finance/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/corporate-finance/">Corporate Finance</a>
```

MEDIUM Broken link: https://www.ally.com/stories/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/stories/">Conversationally</a>
```

MEDIUM Broken link: https://www.ally.com/messages/sms/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/messages/sms/">our unique short codes</a>
```

MEDIUM Broken link: https://www.ally.com/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/"></a>
```

MEDIUM Broken link: https://www.ally.com/sitemap/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/sitemap/">Site Map</a>
```

MEDIUM Broken link: https://www.ally.com/education/financial-education-programs/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/education/financial-education-programs/">Financial Education Programs</a>
```

MEDIUM Broken link: https://www.ally.com/about/suppliers/ returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="https://www.ally.com/about/suppliers/">Suppliers</a>
```

MEDIUM Broken link: https://www.ally.com/security/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/security/">Security</a>
```

MEDIUM Broken link: https://www.ally.com/about/company-structure/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/about/company-structure/">Learn More</a>
```

MEDIUM Broken link: https://www.ally.com/ventures## returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/ventures##">Visit Better</a>
```

MEDIUM Broken link: https://www.ally.com/sitemap/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/sitemap/">Site Map</a>
```

MEDIUM Broken link: https://www.ally.com/stories/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/stories/">Conversationally</a>
```

MEDIUM Broken link: https://www.ally.com/ventures#ventures-team returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/ventures#ventures-team">Ventures Team</a>
```

MEDIUM Broken link: https://www.ally.com/corporate-finance/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/corporate-finance/">Corporate Finance</a>
```

MEDIUM Broken link: https://www.ally.com/ventures#focus returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/ventures#focus">Focus</a>
```

MEDIUM Broken link: https://www.ally.com/about/suppliers/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/about/suppliers/">Suppliers</a>
```

MEDIUM Broken link: https://www.ally.com/ventures#how-we-help returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/ventures#how-we-help">How We Help</a>
```

MEDIUM Broken link: https://www.ally.com/privacy/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/privacy/">Privacy</a>
```

MEDIUM Broken link: https://www.ally.com/accessibility/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/accessibility/">Accessibility</a>
```

MEDIUM Broken link: https://www.ally.com/about/careers/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/about/careers/">Careers</a>
```

MEDIUM Broken link: https://www.ally.com/ventures#about-ally returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/ventures#about-ally">About Ally</a>
```

MEDIUM Broken link: https://www.ally.com/education/financial-education-programs/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/education/financial-education-programs/">Financial Education Programs</a>
```

MEDIUM Broken link: https://www.ally.com/invest/disclosures/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/invest/disclosures/">Ally Invest Disclosures</a>
```

MEDIUM Broken link: https://www.ally.com/bank/find-atms/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/bank/find-atms/">ATM Locator</a>
```

MEDIUM Broken link: https://www.ally.com/ventures#relationships returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/ventures#relationships">Relationships</a>
```

MEDIUM Broken link: https://www.ally.com/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/">Home</a>
```

MEDIUM Broken link: https://www.ally.com/ventures/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/ventures/">Ally Ventures</a>
```

MEDIUM Broken link: https://www.ally.com/legal/ returns 503 Service Unavailable

Page: /ventures

Element:

```
<a href="https://www.ally.com/legal/">Legal</a>
```

MEDIUM x-content-type-options header has invalid or weak value: nosniff nosniff

Page: /security/how-to-detect-fraud-and-identity-theft

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM x-content-type-options header has invalid or weak value: nosniff nosniff

Page: /security/our-approach

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM x-content-type-options header has invalid or weak value: nosniff nosniff

Page: /security/personal-security

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM x-content-type-options header has invalid or weak value: nosniff nosniff

Page: /ventures

SONDE FIX PLAN
Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Broken link: http://www.ally.com/search returns 503 Service Unavailable

Page: /

Element:

```
<a href="http://www.ally.com/search">Search</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returns 403 Forbidden

Page: /

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returns 403 Forbidden

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Broken link: http://www.ally.com/search returns 503 Service Unavailable

Page: /security/how-to-detect-fraud-and-identity-theft

Element:

```
<a href="http://www.ally.com/search">Search</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returns 403 Forbidden

Page: /security/our-approach

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Broken link: http://www.ally.com/search returns 503 Service Unavailable

Page: /security/our-approach

Element:

```
<a href="http://www.ally.com/search">Search</a>
```

LOW Broken link: http://www.ally.com/search returns 503 Service Unavailable

Page: /security/personal-security

Element:

```
<a href="http://www.ally.com/search">Search</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returns 403 Forbidden

Page: /security/personal-security

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returns 403 Forbidden

Page: /ventures

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue

---

This report is a health check, not a verdict. Every website has room to improve.

Disclaimer: This report presents the results of automated accessibility analysis and is provided free of charge, as-is, without warranty of any kind. Findings are generated by software, not by human accessibility experts, and may contain errors or omissions. Automated testing can detect approximately 30–40% of accessibility issues; manual expert evaluation is recommended for complete conformance assessment. Scores reflect algorithmic analysis under a published methodology open to public review—they are not legal determinations of compliance. Results reflect the state of the website at the time of scanning and may change as the site is updated. Nothing in this report constitutes legal advice. Sonde assumes no liability for decisions made based on these results.

Generated by **Sonde** · April 11, 2026