Sonde

Accessibility Health Check

https://kingcounty.gov

940

Excellent

April 10, 2026
Provided free by Sonde

https://daylight.sonde.life/section508/kingcounty-gov/

19 pages | **461** findings | **38** critical | **70** high | **314** medium | **39** low | **24.3** avg/page | **26,041** elements | **89** with findings | **99.7%** ECR | **5m 9s** total | **16.3s** per page

Top Findings

CRITICAL

Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "King County is proud to be part of the Seattle/King County C" WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<p class="hero-text">
                        King County is proud to be part of the Seattle/King County C
linic, the largest community-driven free health clinic of its kind in the United Sta
tes.<br>
```

1.00:1 ✗ CURRENT

4.54:1 ✓ SUGGESTED

King County is proud to be par...

#ffffff on #ffffff

#767676 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #767676 (ratio: 4.5:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "expand_more" WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<span tabindex="0" id="heroScrollTo" class="material-icons scroll-down-arrow" transl
ate="no">expand_more</span>
```

1.00:1 ✗ CURRENT

3.03:1 ✓ SUGGESTED

expand_more

#ffffff on #ffffff

#949494 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #949494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Seattle/King County Clinic is April 23 - 26"

WCAG 1.4.3

Page: / WCAG 1.4.3

Element:

```
<h3 class="hero-title">
                    Seattle/King County Clinic is April 23 - 26
                </h3>
```

1.00:1 ✗ CURRENT

3.03:1 ✓ SUGGESTED

Seattle/King County Clinic is ...

#ffffff on #ffffff

#949494 on #ffffff

SONDE FIX PLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #949494 (ratio: 3.0:1).

CRITICAL

Insufficient color contrast: 1.02:1 (required: 4.5:1 for normal text). Foreground: rgb(102, 102, 102), background: rgb(24, 112, 137). Text: "Select LanguageAbkhazAcehneseAcholiAfarAfrikaansAlbanianAlur"

WCAG 1.4.3

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.3

Element:

```
<div class="skiptranslate goog-te-gadget" dir="ltr" style=""><div id=":0.targetLangu
age"><select class="goog-te-combo" aria-label="Language Translate Widget"><option va
lue="">Select Language</option><
```

1.02:1 ✗ CURRENT

4.53:1 ✓ SUGGESTED

Select LanguageAbkhazAcehneseA...

Select LanguageAbkhazAcehneseA...

#666666 on #187089

#e6e6e6 on #187089

SONDE FIX PLAN

Current ratio: 1.02:1 (need 4.5:1). Change foreground from #666666 to #e6e6e6 (ratio: 4.5:1). Or change background from #187089 to #000000.

CRITICAL

Insufficient color contrast: 1.72:1 (required: 4.5:1 for normal text). Foreground: rgb(68, 68, 68), background: rgb(24, 112, 137). Text: "Translate"

WCAG 1.4.3

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.3

Element:

```
<a class="VIpgJd-ZVi9od-l4eHX-hSRGPd" href="https://translate.google.com" target="_blank"><img src="https://www.gstatic.com/images/branding/googlelogo/1x/googlelogo_color_42x16dp.png" width="37px" hei
```

1.72:1 ✗ CURRENT

Translate

#444444 on #187089

4.53:1 ✓ SUGGESTED

Translate

#e6e6e6 on #187089

SONDE FIX PLAN

Current ratio: 1.72:1 (need 4.5:1). Change foreground from #444444 to #e6e6e6 (ratio: 4.5:1).

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically.

WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/404 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/calendar WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /en/categories/about-king-county WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/about-king-county WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /en/categories/buildings-property WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/buildings-property WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /en/categories/certificates-permits-licenses WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/certificates-permits-licenses WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/courts-jails-legal-system WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /en/categories/governance-and-leadership WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/governance-and-leadership WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /en/categories/governance-leadership WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/governance-leadership WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH <html> element must have a lang attribute: Fix any of the following: The <html> element does not have a lang attribute WCAG 3.1.1

Page: /en/404/404-folder-test-js WCAG 3.1.1

Element:

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7
b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">he...
```

SONDE FIX PLAN

Ensure every HTML document has a lang attribute. See: https://www.w3.org/WAI/WCAG22/Understanding/language-of-page Add a lang attribute to the <html> element with a valid BCP 47 language tag. Example: <html lang="en">.

HIGH <html> element must have a lang attribute: Fix any of the following: The <html> element does not have a lang attribute WCAG 3.1.1

Page: /en/categories WCAG 3.1.1

Element:

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)
&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>

...
```

SONDE FIX PLAN

Ensure every HTML document has a lang attribute. See: https://www.w3.org/WAI/WCAG22/Understanding/language-of-page Add a lang attribute to the <html> element with a valid BCP 47 language tag. Example: <html lang="en">.

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.3.1

Element:

```
<li class="page-item disabled"><button class="page-link active">1</button></li>
```

SONDE FIX PLAN

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: span

WCAG 1.3.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.3.1

Element:

```
<ul id="cat-pagination" class="pagination" style="justify-content: center; padding-t
op: 20px;">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.97 (foreground color: #007bff, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county

WCAG 1.4.3

Element:

```
<button id="next" class="page-link">Next</button>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum Current ratio: 3.98:1 (need 4.5:1). Change foreground from #007bff to #0072ed (ratio: 4.5:1).

HIGH

Focus jumps backward from "Close official government website notice" to "Here's how you know" (visual distance: 499px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Here's how you know</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Universal Design bookletDigital 182026" to "Local Nav Category +" (visual distance: 882px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 2.4.3

Element:

```
<a>Local Nav Category +</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/calendar WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/animals-pets-pests WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/buildings-property WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/certificates-permits-licenses WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/courts-jails-legal-system WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/governance-and-leadership WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/governance-leadership WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/governance-leadership/government-oversight WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county

WCAG 2.4.3

Element:

```
<a></a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Page has no detectable navigation mechanisms (no <nav>, search, sitemap link, breadcrumbs, or table of contents). Users need multiple ways to locate content. WCAG 2.4.5

Page: /en/404/404-folder-test-js WCAG 2.4.5

SONDE FIX PLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

HIGH Page has no detectable navigation mechanisms (no <nav>, search, sitemap link, breadcrumbs, or table of contents). Users need multiple ways to locate content. WCAG 2.4.5

Page: /en/categories WCAG 2.4.5

SONDE FIX PLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/404

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/404/404-folder-test-js

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/calendar

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/about-king-county

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/animals-pets-pests

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/buildings-property

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/certificates-permits-licenses

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/courts-jails-legal-system

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/governance-and-leadership

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/governance-leadership

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/governance-leadership/government-oversight

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/governance-leadership/king-county-legislation-codes

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /en WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /en WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/404 WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "complementary" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.3.1

Element:

```
<!-- 3 complementary landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/calendar WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/calendar WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/about-king-county WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/about-king-county WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/animals-pets-pests WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/animals-pets-pests WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/buildings-property WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/buildings-property WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/certificates-permits-licenses WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/certificates-permits-licenses WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/courts-jails-legal-system WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/courts-jails-legal-system WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/governance-and-leadership WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/governance-and-leadership WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/governance-leadership WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/governance-leadership WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /

Element:

```
<h3 class="hero-title">
                    Seattle/King County Clinic is April 23 - 26
                </h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div class="note-text">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /en

Element:

```
<h3 class="hero-title">
                    Seattle/King County Clinic is April 23 - 26
                </h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /en/404/404-folder-test-js

Element:

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7
b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">he...
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/
Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /en/404/404-folder-test-js

Element:

```
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7
b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /en/calendar

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /en/categories

Element:

```
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)
&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /en/categories

Element:

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)
&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>

...
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/
Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /en/categories/about-king-county

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /en/categories/animals-pets-pests

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /en/categories/buildings-property

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use

Element:

```
<h3>Building and fire codes</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /en/categories/certificates-permits-licenses

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /en/categories/courts-jails-legal-system

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /en/categories/governance-and-leadership

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /en/categories/governance-leadership

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /en/categories/governance-leadership/government-oversight

Element:

```
<h3>Auditor's Office</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county

Element:

```
<h3>About King County’s Participatory Budgeting program</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departmen
ts</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-an
imal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404 WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/calendar WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/calendar WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/calendar WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/calendar WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/calendar WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/calendar WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/calendar WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/calendar WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/calendar WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/calendar WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departmen
ts</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-part
ners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/animals-pets-pests WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/animals-pets-pests WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/animals-pets-pests WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/animals-pets-pests WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/animals-pets-pests WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/animals-pets-pests WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/animals-pets-pests WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/animals-pets-pests WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/animals-pets-pests WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/animals-pets-pests WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/buildings-property WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/buildings-property WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King Co
unty TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/buildings-property WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-an
imal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departmen
ts</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departmen
ts</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King Co
unty TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/certificates-permits-licenses WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/certificates-permits-licenses WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/certificates-permits-licenses WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/certificates-permits-licenses WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/certificates-permits-licenses WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/certificates-permits-licenses WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/certificates-permits-licenses WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/certificates-permits-licenses WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/certificates-permits-licenses WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/certificates-permits-licenses WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/courts-jails-legal-system WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/courts-jails-legal-system WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/courts-jails-legal-system WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/courts-jails-legal-system WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/courts-jails-legal-system WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/courts-jails-legal-system WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/courts-jails-legal-system WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/courts-jails-legal-system WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/courts-jails-legal-system WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/courts-jails-legal-system WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-and-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departmen
ts</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-and-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/governance-and-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/governance-and-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/governance-and-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-and-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-and-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-and-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-and-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King Co
unty TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-and-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-an
imal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-an
imal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/governance-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/governance-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/governance-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King Co
unty TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-an
imal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">C
areers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-part
ners/employee-resources">Employee resources</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county WCAG 1.4.1

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Navigation region "footerLinks" (present on kingcounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Page: /en/404/404-folder-test-js WCAG 3.2.3

Element:

```
<!-- missing: nav -->
```

SONDE FIX PLAN

Ensure the "footerLinks" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "footerLinks" (present on kingcounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Page: /en/categories WCAG 3.2.3

Element:

```
<!-- missing: nav -->
```

SONDE FIX PLAN

Ensure the "footerLinks" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: / WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/404 WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Month" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/calendar WCAG 4.1.3

Element:

```
<button type="button" class="btn btn-primary " id="cal-month-btn">Month</button>
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/calendar WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "chevron_left" inserts 18 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/calendar WCAG 4.1.3

Element:

```
<button type="button" class="btn btn-secondary" id="previous-btn" title="Previous we
ek"><span class="material-icons" style="vertical-align: middle;">chevron_left</span>
</button>
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "chevron_right" inserts 23 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /en/calendar WCAG 4.1.3

Element:

```
<button type="button" class="btn btn-secondary" id="next-btn" title="Next week"><spa
n class="material-icons" style="vertical-align: middle;">chevron_right</span></butto
n>
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /en/categories/about-king-county WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/animals-pets-pests WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/buildings-property WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/certificates-permits-licenses WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/courts-jails-legal-system WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/governance-and-leadership WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/governance-leadership WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/governance-leadership/government-oversight WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "2" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county

WCAG 4.1.3

Element:

```
<button class="page-link">2</button>
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county

WCAG 4.1.3

Element:

```
<button aria-label="Language selector" aria-describedby="langSelected" class="btn bt
n-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" da
ta-target="#langList" aria-haspo
```

SONDE FIX PLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Broken link: https://kingcounty.gov/en/sitecore returns 404 Not Found

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing

Element:

```
<a href="https://kingcounty.gov/en/sitecore">OPTIONAL LINK</a>
```

MEDIUM Broken link: https://kingcounty.gov/en/404/404-folder-test-js/-/media/4eda65354f6449a3b72b426b0b0cb398.ashx returns 404 Not Found

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing

Element:

```
<a href="https://kingcounty.gov/en/404/404-folder-test-js/-/media/4eda65354f6449a3b7
2b426b0b0cb398.ashx">508 Overview</a>
```

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Page: / WCAG 2.4.5

SONDE FIX PLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Page: /en WCAG 2.4.5

SONDE FIX PLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Page: /en/categories/governance-leadership/government-oversight WCAG 2.4.5

SONDE FIX PLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Page: /en/categories/governance-leadership/king-county-legislation-codes WCAG 2.4.5

SONDE FIX PLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county

WCAG 2.4.5

SONDE FIX PLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Content clipped by 71px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: / WCAG 1.4.12

Element:

```
<h1 class="sr-only">Home</h1>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.12

Element:

```
<h2 class="sr-only">
            Topic Cards
        </h2>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing WCAG 1.4.12

Element:

```
<div class="topic-card-footer">Add text for your Topic 1 description and embed a URL to the Topic Detail Page here.</div>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /en/calendar WCAG 1.4.12

Element:

```
<a class="calendar-event-link" href="#">Free Household Hazardous Waste Collection - Carnation/Duvall (Wastemobile) </a>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 200px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /en/calendar WCAG 1.4.12

Element:

```
<div class="row filter-row smooth-transition" id="filterRow"><div class="container"><div class="kc-form calendar-filters"><div class="kc-form-element button clear-button-row"><input type="submit" name
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Page requires horizontal scrolling at 320px width (1px overflow). Content should reflow without horizontal scrolling at this width.

WCAG 1.4.10

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.10

Element:

```
<html>
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

MEDIUM

Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.12

Element:

```
<h2 id="footerLinks" class="sr-only">Footer Links</h2>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /en/categories/governance-leadership/government-oversight WCAG 1.4.12

Element:

```
<a href="#maincontent" class="sr-only sr-only-focusable">Skip to main content</a>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Stuck loading state: loading indicator CSS class on persists after page readiness

Page: /en/calendar

Element:

```
<div class="spinner-border" role="status"><span class="sr-only">Loading...</span></div>
```

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing

Element:

```
<h2></h2>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /en/categories/about-king-county

Element:

```
<h2></h2>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /en/categories/buildings-property

Element:

```
<h2></h2>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /en/categories/certificates-permits-licenses

Element:

```
<h2></h2>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /en/categories/governance-and-leadership

Element:

```
<h2></h2>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW

Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /en/categories/governance-leadership

Element:

```
<h2></h2>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/404

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/404

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/404/404-folder-test-js/test-page-for-pdf-publishing

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-border" still running after page readiness

Page: /en/calendar

Element:

```
<div class="spinner-border" role="status"><span class="sr-only">Loading...</span></d
iv>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/calendar

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/calendar

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/about-king-county

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/about-king-county

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/about-king-county/about-prosecuting-attorneys-office

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/buildings-property

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/buildings-property

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/buildings-property/permits-inspections-codes-building-land-use

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/certificates-permits-licenses

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/certificates-permits-licenses

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/courts-jails-legal-system

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/courts-jails-legal-system

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/governance-and-leadership

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/governance-and-leadership

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/governance-leadership

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/governance-leadership

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/governance-leadership/government-oversight

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/governance-leadership/government-oversight

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/governance-leadership/king-county-legislation-codes

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/governance-leadership/king-county-legislation-codes

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /en/categories/governance-leadership/local-government-unincorporated-king-county

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

$$\text{Score} = \text{round}(1000 \times S \,/\, (S + P/N))$$

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue

---

This report is a health check, not a verdict. Every website has room to improve.

Disclaimer: This report presents the results of automated accessibility analysis and is provided free of charge, as-is, without warranty of any kind. Findings are generated by software, not by human accessibility experts, and may contain errors or omissions. Automated testing can detect approximately 30–40% of accessibility issues; manual expert evaluation is recommended for complete conformance assessment. Scores reflect algorithmic analysis under a published methodology open to public review—they are not legal determinations of compliance. Results reflect the state of the website at the time of scanning and may change as the site is updated. Nothing in this report constitutes legal advice. Sonde assumes no liability for decisions made based on these results.

Leaderboard Methodology

Generated by **Sonde** · April 10, 2026