Sonde

Accessibility Health Check

https://mecknc.gov

957

Excellent

April 11, 2026
Provided free by Sonde

https://daylight.sonde.life/section508/mecknc-gov/

10 pages | **257** findings | **0** critical | **53** high | **174** medium | **30** low | **25.7** avg/page | **6,260** elements | **68** with findings | **98.9%** ECR | **5m 28s** total | **32.8s** per page

Top Findings

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /About WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Accessibility-Toolbar WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /CharMeck311 WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Departments WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Need-a-Speaker WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /brand-guidelines WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=presentation] WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<ul class="usa-pagination__list pager__items js-pager__items">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /

Element:

```
<div class="reciteme-button" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /

Element:

```
<div class="reciteme-button" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /About

Element:

```
<div class="reciteme-button" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /About WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Accessibility-Toolbar WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Accessibility-Toolbar WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /Accessibility-Toolbar

Element:

```
<div class="reciteme-button" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Accessibility-Toolbar WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /CharMeck311 WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /CharMeck311

Element:

```
<div class="reciteme-button" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /Departments

Element:

```
<div class="reciteme-button" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Departments WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Need-a-Speaker WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /Need-a-Speaker

Element:

```
<div class="reciteme-button" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /Policies/Privacy-and-Legal-Notices

Element:

```
<div class="reciteme-button" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /Policies/Web-Accessibility-Statement

Element:

```
<div class="reciteme-button" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (631.8px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.8px instead of at least 24px.

WCAG 2.5.8

Page: /Policies/Web-Accessibility-Statement WCAG 2.5.8

Element:

```
<a href="https://www.section508.gov/manage/laws-and-policies" class="ext" data-extlink="" aria-label="(link is external)" target="_blank" rel="noopener noreferrer" title="(opens in a new window)">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (326.6px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 18.4px instead of at least 24px.

WCAG 2.5.8

Page: /Policies/Web-Accessibility-Statement WCAG 2.5.8

Element:

```
<a href="https://www.ada.gov/2010ADAstandards_index.htm" class="ext" data-extlink="" aria-label="(link is external)" target="_blank" rel="noopener noreferrer" title="(opens in a new window)">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Page: /brand-guidelines

Element:

```
<div class="reciteme-button" tabindex="1">
```

SONDE FIX PLAN

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH [role="img"] elements must have alternative text: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /brand-guidelines WCAG 1.1.1

Element:

```
<span class="fa-ext extlink" role="img" aria-hidden="false">
```

SONDE FIX PLAN

Ensure [role="img"] elements have alternative text. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Console warning: Couldn't load preload assets: ProgressEvent

Page: /

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent

Page: /CharMeck311

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent

Page: /Need-a-Speaker

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent

Page: /Policies/Privacy-and-Legal-Notices

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent

Page: /Policies/Web-Accessibility-Statement

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent

Page: /brand-guidelines

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Focus jumps backward from "(link is external)" to "(link is external)" (visual distance: 383px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /Policies/Web-Accessibility-Statement WCAG 2.4.3

Element:

```
<a>(link is external)</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Missing X-Content-Type-Options header

Page: /

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /About

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /Accessibility-Toolbar

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /Departments

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /About WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /About WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Accessibility-Toolbar WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Accessibility-Toolbar WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /CharMeck311 WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /CharMeck311 WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Departments WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Departments WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Need-a-Speaker WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Need-a-Speaker WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Policies/Privacy-and-Legal-Notices WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Policies/Privacy-and-Legal-Notices WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Policies/Web-Accessibility-Statement WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /Policies/Web-Accessibility-Statement WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /brand-guidelines WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /brand-guidelines WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /

Element:

```
<h6 class="meckco-latest-news--item-title   ">SMBC to Establish Second U.S. Headquar
ters in Mecklenburg County, Creating 2,000 Jobs</h6>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /About

Element:

```
<h3 class=" meckco-heading-3  meckco-highlight primary-color-teal ">Mecklenburg Boar
d of County Commissioners Community Vision</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /brand-guidelines

Element:

```
<h5 class="serviceHeader   ">Our Look and Feel Visual Guidelines</h5>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /About WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /About WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /About WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /About WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /About WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /About WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /About WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /About WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /About WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /About WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Accessibility-Toolbar WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Accessibility-Toolbar WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Accessibility-Toolbar WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Accessibility-Toolbar WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Accessibility-Toolbar WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Accessibility-Toolbar WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Accessibility-Toolbar WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Accessibility-Toolbar WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Accessibility-Toolbar WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Accessibility-Toolbar WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /CharMeck311 WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /CharMeck311 WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /CharMeck311 WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /CharMeck311 WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /CharMeck311 WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /CharMeck311 WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /CharMeck311 WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /CharMeck311 WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /CharMeck311 WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /CharMeck311 WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Departments WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Departments WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Departments WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Need-a-Speaker WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Need-a-Speaker WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Need-a-Speaker WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Need-a-Speaker WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Need-a-Speaker WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Need-a-Speaker WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Need-a-Speaker WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Need-a-Speaker WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Need-a-Speaker WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Need-a-Speaker WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /brand-guidelines WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://www.mecknc.gov/Departments">
    Browse by Department Listing  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /brand-guidelines WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://vote.mecknc.gov">
    Vote in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /brand-guidelines WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://tax.mecknc.gov/services/pay">
    Pay Taxes and Fees  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /brand-guidelines WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://hhs.mecknc.gov/">
    Health and Human Services  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /brand-guidelines WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://health.mecknc.gov/services/office-vital-records">
    Birth and Death Certificates  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /brand-guidelines WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://gis.mecknc.gov/">
    GIS &amp;amp; Mapping  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /brand-guidelines WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://parkandrec.mecknc.gov/">
    Park and Recreation  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /brand-guidelines WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://wipeoutwaste.mecknc.gov/">
    Recycle in Mecklenburg County  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /brand-guidelines WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://ada.mecknc.gov/">
    Americans With Disabilities Act  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /brand-guidelines WCAG 1.4.1

Element:

```
<a class="usa-link" href="https://deeds.mecknc.gov">
    Marriage and Divorce Records  </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM "div:nth-of-type(4)" is visually at position 11 but receives focus at position 1 (drift: 10). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<div></div>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

Page: /About WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM "div:nth-of-type(4)" is visually at position 12 but receives focus at position 1 (drift: 11). WCAG 2.4.3

Page: /About WCAG 2.4.3

Element:

```
<div></div>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

Page: /Accessibility-Toolbar WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

Page: /CharMeck311 WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

Page: /Departments WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

Page: /Need-a-Speaker WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM "div:nth-of-type(4)" is visually at position 12 but receives focus at position 1 (drift: 11). WCAG 2.4.3

Page: /Policies/Privacy-and-Legal-Notices WCAG 2.4.3

Element:

```
<div></div>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

Page: /Policies/Privacy-and-Legal-Notices WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected. WCAG 2.4.3

Page: /Policies/Web-Accessibility-Statement WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN
Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM

Focus jumps backward from "div:nth-of-type(4)" to "Skip to main content" (visual distance: 1324px). Explicit tabIndex detected.

WCAG 2.4.3

Page: /brand-guidelines WCAG 2.4.3

Element:

```
<a>Skip to main content</a>
```

SONDE FIX PLAN

Review tabIndex values. Prefer tabIndex="0" and use DOM order for focus sequence.

MEDIUM

Content clipped by 6px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: / WCAG 1.4.12

Element:

```
<div class="image-text--image"><div><div><img src="/sites/g/files/otddlp126/files/styles/568x414/public/acquiadam/2022-08/mc-img-www-hero-woman-using-computer.png?h=92704f59&amp;itok=yXyANMl8" alt="Af
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 25px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.12

Element:

```
<label for="edit-search-api-fulltext" class="visually-hidden">Search</label>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 95px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /Policies/Privacy-and-Legal-Notices WCAG 1.4.12

Element:

```
<a href="#main-content" class="visually-hidden focusable">
      Skip to main content
    </a>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 87px at 320px width. WCAG 1.4.10

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.10

Element:

```
<li class="usa-breadcrumb__list-item usa-current" aria-current="page">
                                  Web Accessibility Statement
                              </li>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Page requires horizontal scrolling at 320px width (12px overflow). Content should reflow without horizontal scrolling at this width. WCAG 1.4.10

Page: /Policies/Web-Accessibility-Statement WCAG 1.4.10

Element:

```
<html>
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

LOW Deep focus region: nav "Footer navigation" has 15 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /Policies/Web-Accessibility-Statement WCAG 2.4.1

Element:

```
<nav role="nav">Footer navigation</nav>
```

SONDE FIX PLAN

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://www.twitter.com/MeckCounty returns 403 Forbidden

Page: /

Element:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Link timeout: https://mcmap.org/qol did not respond within 5000ms

Page: /

Element:

```
<a href="https://mcmap.org/qol">Find Quality of Life Data Where I Live</a>
```

LOW Link timeout: https://mcmap.org/qol did not respond within 5000ms

Page: /

Element:

```
<a href="https://mcmap.org/qol">Find Quality of Life Data Where I Live</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returns 403 Forbidden

Page: /

Element:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Link timeout: https://mcmap.org/qol did not respond within 5000ms

Page: /About

Element:

```
<a href="https://mcmap.org/qol">Find Quality of Life Data Where I Live</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returns 403 Forbidden

Page: /About

Element:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Link timeout: https://mcmap.org/qol did not respond within 5000ms

Page: /Accessibility-Toolbar

Element:

```
<a href="https://mcmap.org/qol">Find Quality of Life Data Where I Live</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returns 403 Forbidden

Page: /Accessibility-Toolbar

Element:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returns 403 Forbidden

Page: /CharMeck311

Element:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Link timeout: https://mcmap.org/qol did not respond within 5000ms

Page: /CharMeck311

Element:

```
<a href="https://mcmap.org/qol">Find Quality of Life Data Where I Live</a>
```

LOW Link timeout: https://mcmap.org/qol did not respond within 5000ms

Page: /Departments

Element:

```
<a href="https://mcmap.org/qol">Find Quality of Life Data Where I Live</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returns 403 Forbidden

Page: /Departments

Element:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returns 403 Forbidden

Page: /Need-a-Speaker

Element:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Link timeout: https://mcmap.org/qol did not respond within 5000ms

Page: /Need-a-Speaker

Element:

```
<a href="https://mcmap.org/qol">Find Quality of Life Data Where I Live</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returns 403 Forbidden

Page: /Policies/Privacy-and-Legal-Notices

Element:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Link timeout: https://mcmap.org/qol did not respond within 5000ms

Page: /Policies/Privacy-and-Legal-Notices

Element:

```
<a href="https://mcmap.org/qol">Find Quality of Life Data Where I Live</a>
```

LOW Link timeout: https://mcmap.org/qol did not respond within 5000ms

Page: /Policies/Web-Accessibility-Statement

Element:

```
<a href="https://mcmap.org/qol">Find Quality of Life Data Where I Live</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returns 403 Forbidden

Page: /Policies/Web-Accessibility-Statement

Element:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

LOW Link timeout: https://mcmap.org/qol did not respond within 5000ms

Page: /brand-guidelines

Element:

```
<a href="https://mcmap.org/qol">Find Quality of Life Data Where I Live</a>
```

LOW Broken link: https://www.twitter.com/MeckCounty returns 403 Forbidden

Page: /brand-guidelines

Element:

```
<a href="https://www.twitter.com/MeckCounty">Twitter - X</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue

---

This report is a health check, not a verdict. Every website has room to improve.

Disclaimer: This report presents the results of automated accessibility analysis and is provided free of charge, as-is, without warranty of any kind. Findings are generated by software, not by human accessibility experts, and may contain errors or omissions. Automated testing can detect approximately 30–40% of accessibility issues; manual expert evaluation is recommended for complete conformance assessment. Scores reflect algorithmic analysis under a published methodology open to public review—they are not legal determinations of compliance. Results reflect the state of the website at the time of scanning and may change as the site is updated. Nothing in this report constitutes legal advice. Sonde assumes no liability for decisions made based on these results.

Leaderboard Methodology

Generated by **Sonde** · April 11, 2026