Sonde

Accessibility Health Check

https://minnehahacounty.org

920

Excellent

April 11, 2026
Provided free by Sonde

https://daylight.sonde.life/section508/minnehahacounty-org/

9 pages | **387** findings | **1** critical | **116** high | **210** medium | **60** low | **43.0** avg/page | **4,655** elements | **202** with findings | **95.7%** ECR | **5m 32s** total | **36.9s** per page

Top Findings

CRITICAL

Insufficient color contrast: 1.37:1 (required: 4.5:1 for normal text). Foreground: rgba(0, 0, 0, 0.26), background: rgb(220, 220, 220). Text: "View Today"

WCAG 1.4.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.3

Element:

```
<button class="MuiButtonBase-root MuiButton-root MuiButton-contained MuiButton-containedDefault MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-colorDefault Mui-disabled MuiButton-root Mu
```

1.37:1 ✗ CURRENT

View Today

#bdbdbd on #dcdcdc

4.52:1 ✓ SUGGESTED

View Today

#616161 on #dcdcdc

SONDE FIX PLAN

Current ratio: 1.37:1 (need 4.5:1). Change foreground from #bdbdbd to #616161 (ratio: 4.5:1). Or change background from #dcdcdc to #ffffff.

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-241" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-262" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-248" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-213" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-223" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-294" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-229" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-295" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-281" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-285" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-283" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-222" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-230" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-289" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-245" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-254" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-217" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-298" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-269" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-274" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-275" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-286" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-197" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-208" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-233" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-244" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-250" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-272" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-193" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-210 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-231" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-237 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-267" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-266" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-218" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-227" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-239" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-240" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-242" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-256" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-247" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-276" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-257" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-258" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-264 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-284" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-290" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-263" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-211" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-220" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-221" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-271" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-282 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-278" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-292" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-215" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-296" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-194" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-214" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-236" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-251" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-268" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-219 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-259" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-301" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-291 clerk-simple-206" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 40...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-196" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" style="width: 176px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-212" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 136px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-226" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-235" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-300" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-232" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-265" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-260" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-253" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-224" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-228 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-238" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 48px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-299" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-280" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-label attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.2

Element:

```
<div class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row prmbl-grid cl
erk-simple-18ua6wv" id="eventListRow-undefined-datetime" aria-label="undefined event
on undefined, undefined">
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-246 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-195" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-209" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 40px; height: 40px;...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-293" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-249" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 96px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-273 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-287" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 256px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-255 clerk-simple-20
6" role="progressbar"><span aria-live="polite" aria-busy="true"><span class="react-l
oading-skeleton" style="width: 40...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH

ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-297" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 80px;"></span><br>...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH ARIA progressbar nodes must have an accessible name: Fix any of the following: aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute WCAG 1.1.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.1.1

Element:

```
<span class="prmbl-skeletonLoader clerk-simple-191 clerk-simple-277" role="progressb
ar"><span aria-live="polite" aria-busy="true"><span class="react-loading-skeleton" s
tyle="width: 176px;"></span><br...
```

SONDE FIX PLAN

Ensure every ARIA progressbar node has an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content

HIGH Console warning: Couldn't load preload assets: ProgressEvent

Page: /

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (3 occurrences)

Page: /commission/meetingInfo/meetingInfo.php

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (7 occurrences)

Page: /dept/rd/forms/forms.php

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (2 occurrences)

Page: /dept/so/divisions/em/history/history.php

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (8 occurrences)

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (4 occurrences)

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (5 occurrences)

Page: /dept/so/mostWanted/mostWanted.php

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (9 occurrences)

Page: /residents/boardsCommissions/boardsCommissions.php

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Console warning: Couldn't load preload assets: ProgressEvent (6 occurrences)

Page: /residents/mediaReleases/mediaReleases.php

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

HIGH Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 578px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Agendas, Minutes & Video</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Choose date" to "Announcement" (visual distance: 414px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 2.4.3

Element:

```
<div>Announcement</div>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "For the Record" to "South Dakota Vital Records Request (Birth, Death and Marriag" (visual distance: 422px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /dept/rd/forms/forms.php WCAG 2.4.3

Element:

```
<a>South Dakota Vital Records Request (Birth, Death and Marriag</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Minnehaha County YouTube Channel" to "Agendas, Minutes & Video" (visual distance: 578px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 2.4.3

Element:

```
<a>Agendas, Minutes & Video</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "#container > div:nth-of-type(2) > p:nth-of-type(4) > a" to "Mortgage Foreclosure Results" (visual distance: 804px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 2.4.3

Element:

```
<a>Mortgage Foreclosure Results</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "#container > div:nth-of-type(2) > p:nth-of-type(4) > a" to "Contact Form" (visual distance: 683px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /dept/so/mostWanted/mostWanted.php WCAG 2.4.3

Element:

```
<a>Contact Form</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<section class="TabbedPanelsContent TabbedPanelsContentVisible" id="panel1" role="tabpanel" aria-labelledby="tab1" style="display: block;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<p class="minnCoSD">Minnehaha County, South Dakota</p>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<ul class="TabbedPanelsTabGroup" role="tablist">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div id="seal">
<img src="Images/common/mha_seal_transparent.png" alt="Minnehaha County Logo"></div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div id="quickLinks">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /

Element:

```
<html lang="en" class=" js ">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/
Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div id="endLink">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<li><a href="https://www.minnehahacounty.gov">Home</a></li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<li><a href="https://wwwminnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
</li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<li><a href="https://www.minnehahacounty.gov/about/about.php">About Us</a></li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<div id="mclogo">
        <img src="Images/common/mha_logo_horz_RGBDarkGlow2.png" alt="Minnehaha Count
y Strong Foundation, Strong Future">
        </div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<td id="gs_tti50" class="gsib_a">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /

Element:

```
<li><a href="https://web.minnehahacounty.gov/contact/contact.php">Contact</a></li>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<div id="headerBackground">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<h3 class="MuiTypography-root MuiTypography-subtitle1 clerk-simple-185 prmbl-typogra
phy clerk-simple-1ivutjb" id="eventListRow-undefined-title" aria-label="Event Name">
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Aside should not be contained in another landmark: Fix any of the following: The complementary landmark is contained in another landmark.

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<aside aria-label="Filter to events from a specific date range">
```

SONDE FIX PLAN

Ensure the complementary landmark or aside is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

ARIA role should be appropriate for the element: Fix any of the following: ARIA role toolbar is not allowed for given element

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<section class="MuiGrid2-root MuiGrid2-container MuiGrid2-direction-xs-row MuiGrid2-
spacing-xs-1 prmbl-grid clerk-simple-kbfj7k" role="toolbar" aria-label="Filters, Sea
rch, and Jump to Today button">
```

SONDE FIX PLAN

Ensure role attribute has an appropriate value for the element. See: https://www.w3.org/WAI/WCAG22/quickref/ Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Aside should not be contained in another landmark: Fix any of the following: The complementary landmark is contained in another landmark.

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<aside aria-label="Navigate to events from a specific date">
```

SONDE FIX PLAN

Ensure the complementary landmark or aside is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<div class="column">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<div class="column2">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<html lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<div id="endLink">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<div class="prmbl-buttonGroup clerk-simple-15 clerk-simple-20 clerk-simple-16">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/rd/forms/forms.php

Element:

```
<div id="headerBackground">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /dept/rd/forms/forms.php

Element:

```
<html lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/rd/forms/forms.php

Element:

```
<div id="endLink">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/rd/forms/forms.php

Element:

```
<div class="gridContainer clearfix">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /dept/rd/forms/forms.php

Element:

```
<h3 style="text-align:center;">Forms    </h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/divisions/em/history/history.php

Element:

```
<div id="endLink">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/divisions/em/history/history.php

Element:

```
<div class="gridContainer clearfix">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /dept/so/divisions/em/history/history.php

Element:

```
<h3>History</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /dept/so/divisions/em/history/history.php

Element:

```
<html lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/divisions/em/history/history.php

Element:

```
<div id="headerBackground">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Element:

```
<div class="gridContainer clearfix">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Element:

```
<div id="headerBackground">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Element:

```
<h3 style="text-align:center;">Courtroom J Livestream</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Element:

```
<div id="endLink">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Element:

```
<html lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<div id="endLink">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<div id="headerBackground">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<html lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<h3 style="text-align:center;">Upcoming Scheduled Mortgage Foreclosures</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<h5>Wednesday, April 15th, 2026</h5>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<div class="gridContainer clearfix">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<div class="gridContainer clearfix">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<html lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<div id="endLink">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<div id="headerBackground">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<h3 style="text-align:center;">Minnehaha County's Most Wanted Fugitives</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<div id="headerBackground">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<div class="gridContainer clearfix">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<html lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<div id="endLink">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<h3><strong>Current Opening</strong></h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<div class="gridContainer clearfix">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<div id="headerBackground">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<div id="endLink">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<html lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commiss
ion Calendar</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfPro
cedure.pdf">Rules of Procedure</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.ph
p">Joe Kippley</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.
php">Jen Bleyenberg</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.
php">Gerald Beninga</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.ph
p">Dean Karsky</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.1

Element:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/rd/forms/forms.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/rd/forms/forms.php WCAG 1.4.1

Element:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/rd/forms/forms.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.php">Gerald Beninga</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/rd/forms/forms.php WCAG 1.4.1

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commission Calendar</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/rd/forms/forms.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.php">Meeting Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/rd/forms/forms.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/rd/forms/forms.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/rd/forms/forms.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/rd/forms/forms.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/rd/forms/forms.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuideboo
k.pdf">Jail Inmate Guidebook</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitorin
g/electronicMonitoring.php">Electronic Monitoring</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisi
tation.php">Jail Visitation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Element:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">
Who's Behind Bars</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Pris
on Rape Elimination Act Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/em/history/history.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Element:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Prison Rape Elimination Act Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Pris
on Rape Elimination Act Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisi
tation.php">Jail Visitation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuidebook.pdf">Jail Inmate Guidebook</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Element:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInformation.php">Jail Division Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/execution_judgment.php">Execution of Judgment</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/eviction_process.php">Eviction Process</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/visitation/jailvisitation.php">Jail Visitation</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Element:

```
<a href="https://web.minnehahacounty.gov/dept/so/jailInmateInfo/jailInmateInfo.php">Who's Behind Bars</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/prea/prea.php">Pris
on Rape Elimination Act Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/information/jailInf
ormation.php">Jail Division Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/JailInmateGuideboo
k.pdf">Jail Inmate Guidebook</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Element:

```
<a href="https://jail.minnehahacounty.gov/dept/so/divisions/jail/electronicMonitoring/electronicMonitoring.php">Electronic Monitoring</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/civil_information.php">Civil Division Process Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /dept/so/mostWanted/mostWanted.php WCAG 1.4.1

Element:

```
<a href="/dept/so/divisions/civil/forms/forms.php">Civil Forms</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.php">Dean Karsky</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commiss
ion Calendar</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.
php">Gerald Beninga</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.p
hp">Meeting Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfProcedure.pdf">Rules of Procedure</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.php">Jen Bleyenberg</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Element:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissions.php">Minnehaha County Boards and Commissions</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/boardsCommissions/boardsCommissions.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/jenBleyenberg.
php">Jen Bleyenberg</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/rulesProcedure/RulesOfPro
cedure.pdf">Rules of Procedure</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commiss
ion Calendar</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/deanKarsky.ph
p">Dean Karsky</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Element:

```
<a href="https://www.minnehahacounty.gov/residents/boardsCommissions/boardsCommissio
ns.php">Minnehaha County Boards and Commissions</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/geraldBeninga.
php">Gerald Beninga</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov">Commission Office</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/commission/meetingInfo/meetingInfo.p
hp">Meeting Information</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/joekippley.php">Joe Kippley</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(34, 34, 34)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.1

Element:

```
<a href="https://commission.minnehahacounty.gov/dept/co/commissioners/coleHeisey.php">Cole Heisey</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Insufficient color contrast: 3.86:1 (required: 4.5:1 for normal text). Foreground: rgb(34, 34, 34), background: rgb(53, 122, 232). Text: "search"

WCAG 1.4.3

Page: /dept/rd/forms/forms.php WCAG 1.4.3

Element:

```
<title>search</title>
```

3.86:1 ✗ CURRENT

search

#222222 on #357ae8

4.51:1 ✓ SUGGESTED

search

#131313 on #357ae8

SONDE FIX PLAN

Current ratio: 3.86:1 (need 4.5:1). Change foreground from #222222 to #131313 (ratio: 4.5:1).

MEDIUM

Navigation region "Main Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: /dept/so/divisions/em/history/history.php WCAG 3.2.3

Element:

```
<!-- missing: nav#cbp-hrmenu -->
```

SONDE FIX PLAN

Ensure the "Main Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM

Navigation region "Main Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages.

WCAG 3.2.3

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php WCAG 3.2.3

Element:

```
<!-- missing: nav#cbp-hrmenu -->
```

SONDE FIX PLAN

Ensure the "Main Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Main Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php WCAG 3.2.3

Element:

```
<!-- missing: nav#cbp-hrmenu -->
```

SONDE FIX PLAN

Ensure the "Main Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Main Navigation" (present on minnehahacounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Page: /dept/so/mostWanted/mostWanted.php WCAG 3.2.3

Element:

```
<!-- missing: nav#cbp-hrmenu -->
```

SONDE FIX PLAN

Ensure the "Main Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "20" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "3" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "5" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "27" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "12" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "8" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "2" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "7" inserts 63 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-54 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" title="">7<span
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "25" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "4" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "15" inserts 39 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-54 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" title="">15<spa
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "24" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "13" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "17" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "11" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin Mui
PickersDay-today clerk-simple-53 clerk-simple-1hw99co" tabindex="-1" type="button" r
ole="gridcell" aria-selected="fa
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "9" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "19" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "23" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "21" inserts 28 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-54 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" title="">21<spa
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "16" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "10" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "22" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "18" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Clicking "6" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content.

WCAG 4.1.3

Page: /commission/meetingInfo/meetingInfo.php WCAG 4.1.3

Element:

```
<button class="MuiButtonBase-root MuiPickersDay-root MuiPickersDay-dayWithMargin cle
rk-simple-53 clerk-simple-1bd1qgv" tabindex="-1" type="button" role="gridcell" aria-
selected="false" aria-disabled="
```

SONDE FIX PLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM

Broken link: https://minnehahacounty.gov/residents/mediaReleases/2025-11-26_50-144-020BridgeReplacementOpening.pdf returns 404 Not Found

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<a href="https://minnehahacounty.gov/residents/mediaReleases/2025-11-26_50-144-020Br
idgeReplacementOpening.pdf">Bridge Replacement on County Highway 104 (246th St.)</a>
```

MEDIUM

Content clipped by 7px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.12

Element:

```
<legend class="clerk-simple-14lo706"><span>From Date</span></legend>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /commission/meetingInfo/meetingInfo.php WCAG 1.4.12

Element:

```
<p class="MuiTypography-root MuiTypography-body1 prmbl-typography clerk-simple-1mnrfu1" id="focusHelperMessagePrevious" aria-hidden="true" style="border: 0px; clip: rect(0px, 0px, 0px, 0px); height: 1
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Content clipped by 78px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.12

Element:

```
<a class="skip-main" href="#container">Skip to main content</a>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Page requires horizontal scrolling at 320px width (49px overflow). Content should reflow without horizontal scrolling at this width. WCAG 1.4.10

Page: /residents/mediaReleases/mediaReleases.php WCAG 1.4.10

Element:

```
<html>
```

SONDE FIX PLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

MEDIUM Stuck loading state: loading indicator CSS class on persists after page readiness

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<div class="clerk-simple-76 prmbl-autocomplete__placeholder clerk-simple-1jqq78o-placeholder" id="react-select-2-placeholder">Type or select an event category to filter...</div>
```

LOW Broken link: https://siouxlandlib.org/ returns 403 Forbidden

Page: /

Element:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returns 404 Not Found

Page: /

Element:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returns 404 Not Found

Page: /

Element:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Link timeout: https://web.minnehahacounty.gov/conForms/email_pd_attorneyContact.php did not respond within 5000ms

Page: /

Element:

```
<a href="https://web.minnehahacounty.gov/conForms/email_pd_attorneyContact.php">Contact Your Public Defender</a>
```

LOW Link timeout: https://jobs.minnehahacounty.gov/ did not respond within 5000ms

Page: /

Element:

```
<a href="https://jobs.minnehahacounty.gov/">Career Opportunities</a>
```

LOW Unreachable link: https://wwwminnehahacounty.gov/campusMap/campusMap.pdf — fetch failed

Page: /

Element:

```
<a href="https://wwwminnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returns 404 Not Found

Page: /

Element:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Broken link: http://siouxlandlib.org/ returns 403 Forbidden

Page: /

Element:

```
<a href="http://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returns 403 Forbidden

Page: /

Element:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: http://www.911metro.org/ returns 403 Forbidden

Page: /

Element:

```
<a href="http://www.911metro.org/">Metro Communications</a>
```

LOW Unreachable link: https://www.gotwarrants.org/ — fetch failed

Page: /

Element:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://siouxlandlib.org/ returns 403 Forbidden

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returns 404 Not Found

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Link timeout: https://jobs.minnehahacounty.gov/ did not respond within 5000ms

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<a href="https://jobs.minnehahacounty.gov/">Career Opportunities</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returns 404 Not Found

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registration</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returns 403 Forbidden

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Unreachable link: https://www.gotwarrants.org/ — fetch failed

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Unreachable link: https://wwwminnehahacounty.gov/campusMap/campusMap.pdf — fetch failed

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<a href="https://wwwminnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returns 404 Not Found

Page: /commission/meetingInfo/meetingInfo.php

Element:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Unreachable link: https://www.gotwarrants.org/ — fetch failed

Page: /dept/rd/forms/forms.php

Element:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returns 404 Not Found

Page: /dept/rd/forms/forms.php

Element:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returns 403 Forbidden

Page: /dept/rd/forms/forms.php

Element:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returns 404 Not Found

Page: /dept/rd/forms/forms.php

Element:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registratio
n</a>
```

LOW Unreachable link: https://wwwminnehahacounty.gov/campusMap/campusMap.pdf — fetch failed

Page: /dept/rd/forms/forms.php

Element:

```
<a href="https://wwwminnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returns 404 Not Found

Page: /dept/rd/forms/forms.php

Element:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Applicatio
n.pdf">Conditional Use Permit</a>
```

LOW Broken link: https://siouxlandlib.org/ returns 403 Forbidden

Page: /dept/rd/forms/forms.php

Element:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Unreachable link: https://www.gotwarrants.org/ — fetch failed

Page: /dept/so/divisions/em/history/history.php

Element:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Unreachable link: https://wwwminnehahacounty.gov/campusMap/campusMap.pdf — fetch failed

Page: /dept/so/divisions/em/history/history.php

Element:

```
<a href="https://wwwminnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
```

LOW Broken link: https://ujs.sd.gov/uploads/docs/VirtualCourtsFAQ.pdf returns 404 Not Found

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Element:

```
<a href="https://ujs.sd.gov/uploads/docs/VirtualCourtsFAQ.pdf">https://ujs.sd.gov/uploads/docs/VirtualCourtsFAQ.pdf</a>
```

LOW Unreachable link: https://www.gotwarrants.org/ — fetch failed

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Element:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Unreachable link: https://wwwminnehahacounty.gov/campusMap/campusMap.pdf — fetch failed

Page: /dept/so/divisions/jail/courtroomJ/courtroomJ.php

Element:

```
<a href="https://wwwminnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
```

LOW Broken link: https://twitter.com/MinnehahaCounty returns 403 Forbidden

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<a href="https://twitter.com/MinnehahaCounty"></a>
```

LOW Broken link: http://www.nws.noaa.gov/com/weatherreadynation/ returns 403 Forbidden

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<a href="http://www.nws.noaa.gov/com/weatherreadynation/"></a>
```

LOW Link timeout: http://www.gotwarrants.org/ did not respond within 5000ms

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<a href="http://www.gotwarrants.org/">Got Warrants</a>
```

LOW Unreachable link: https://wwwminnehahacounty.gov/campusMap/campusMap.pdf — fetch failed

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<a href="https://wwwminnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms

Page: /dept/so/mortgageForeclosures/mortgageForeclosures.php

Element:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Unreachable link: https://wwwminnehahacounty.gov/campusMap/campusMap.pdf — fetch failed

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<a href="https://wwwminnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
```

LOW Unreachable link: http://www.gotwarrants.org/ — fetch failed

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<a href="http://www.gotwarrants.org/">Got Warrants</a>
```

LOW Unreachable link: https://www.gotwarrants.org/ — fetch failed

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<a href="https://www.gotwarrants.org/">GotWarrants.org</a>
```

LOW Unreachable link: https://www.gotwarrants.org/report_warrants/report_warrants.php — fetch failed

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<a href="https://www.gotwarrants.org/report_warrants/report_warrants.php">Contact Fo
rm</a>
```

LOW Broken link: https://twitter.com/MinnehahaCounty returns 403 Forbidden

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<a href="https://twitter.com/MinnehahaCounty"></a>
```

LOW Broken link: http://www.nws.noaa.gov/com/weatherreadynation/ returns 403 Forbidden

Page: /dept/so/mostWanted/mostWanted.php

Element:

```
<a href="http://www.nws.noaa.gov/com/weatherreadynation/"></a>
```

LOW Unreachable link: https://www.gotwarrants.org/ — fetch failed

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returns 404 Not Found

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registratio
n</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returns 404 Not Found

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Birth, Death or Marriage Application</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returns 404 Not Found

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf">Conditional Use Permit</a>
```

LOW Broken link: https://siouxlandlib.org/ returns 403 Forbidden

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Broken link: https://www.siouxfalls.gov/government/boards-commissions/library-bd-trustees returns 403 Forbidden

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<a href="https://www.siouxfalls.gov/government/boards-commissions/library-bd-trustees">Library Board of Trustees</a>
```

LOW Unreachable link: http://www.gotwarrants.org/ — fetch failed

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<a href="http://www.gotwarrants.org/">Gotwarrants.org</a>
```

LOW Unreachable link: https://wwwminnehahacounty.gov/campusMap/campusMap.pdf — fetch failed

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<a href="https://wwwminnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
```

LOW Link timeout: https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf did not respond within 5000ms

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<a href="https://web.minnehahacounty.gov/upload/agCal/Calendar/calendar.pdf">Commiss
ion Calendar</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returns 403 Forbidden

Page: /residents/boardsCommissions/boardsCommissions.php

Element:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35
026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf returns 404 Not Found

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<a href="https://www.minnehahacounty.gov/dept/rd/forms/SDVitalRecordsRequest.pdf">Bi
rth, Death or Marriage Application</a>
```

LOW Broken link: https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Application.pdf returns 404 Not Found

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<a href="https://www.minnehahacounty.gov/dept/pl/appForms/Forms/CUP%20-%20Applicatio
n.pdf">Conditional Use Permit</a>
```

LOW Broken link: https://my605drive.sd.gov/tap/eservices/_/ returns 404 Not Found

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<a href="https://my605drive.sd.gov/tap/eservices/_/">Renew Motor Vehicle Registratio
n</a>
```

LOW Unreachable link: https://wwwminnehahacounty.gov/campusMap/campusMap.pdf — fetch failed

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<a href="https://wwwminnehahacounty.gov/campusMap/campusMap.pdf">Campus Map</a>
```

LOW Link timeout: https://www.gotwarrants.org/ did not respond within 5000ms

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<a href="https://www.gotwarrants.org/">Got Warrants</a>
```

LOW Broken link: https://beacon.schneidercorp.com/Application.aspx?AppID=1180&LayerID=35026&PageTypeID=2&PageID=13236 returns 403 Forbidden

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<a href="https://beacon.schneidercorp.com/Application.aspx?AppID=1180&amp;LayerID=35
026&amp;PageTypeID=2&amp;PageID=13236">Assessed Values</a>
```

LOW Broken link: https://siouxlandlib.org/ returns 403 Forbidden

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<a href="https://siouxlandlib.org/">Siouxland Libraries</a>
```

LOW Unreachable link: http://www.gotwarrants.org/ — fetch failed

Page: /residents/mediaReleases/mediaReleases.php

Element:

```
<a href="http://www.gotwarrants.org/">Gotwarrants.org</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue

---

This report is a health check, not a verdict. Every website has room to improve.

Disclaimer: This report presents the results of automated accessibility analysis and is provided free of charge, as-is, without warranty of any kind. Findings are generated by software, not by human accessibility experts, and may contain errors or omissions. Automated testing can detect approximately 30–40% of accessibility issues; manual expert evaluation is recommended for complete conformance assessment. Scores reflect algorithmic analysis under a published methodology open to public review—they are not legal determinations of compliance. Results reflect the state of the website at the time of scanning and may change as the site is updated. Nothing in this report constitutes legal advice. Sonde assumes no liability for decisions made based on these results.

Leaderboard Methodology

Generated by **Sonde** · April 11, 2026