Sonde

Accessibility Health Check

https://muni.org

869

Strong

April 11, 2026
Provided free by Sonde

https://daylight.sonde.life/section508/muni-org/

6 pages | **309** findings | **25** critical | **94** high | **130** medium | **60** low | **51.5** avg/page | **7,175** elements | **169** with findings | **97.6%** ECR | **5m 20s** total | **53.4s** per page

Top Findings

CRITICAL

Interactive element with role="button" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2

Page: /Pages/PropertyInformation.aspx WCAG 4.1.2

Element:

```
<!-- a11y: role="button" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2

Page: /Pages/PropertyInformation.aspx WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Form elements must have labels: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element has no placeholder attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 4.1.2

Element:

```
<input name="k" type="text" class="anc_search">
```

SONDE FIX PLAN

Ensure every form element has a label. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 2.4.4 WCAG 4.1.2

Element:

```
<a class="muni_navlinka cbs-Line1Link ms-displayBlock" target="" href="https://www.muni.org/Departments/health/Admin/animal_control"></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 2.4.4 WCAG 4.1.2

Element:

```
<a class="muni_navlinka cbs-Line1Link ms-displayBlock" target="" href="https://www.muni.org/Departments/health/Admin/animal_control/Pages/licensefacility.aspx"></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 2.4.4 WCAG 4.1.2

Element:

```
<a class="muni_navlinka cbs-Line1Link ms-displayBlock" target="" href="https://www.muni.org/Departments/health/Admin/animal_control/Pages/BarkingDogs.aspx"></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 2.4.4 WCAG 4.1.2

Element:

```
<a class="muni_navlinka cbs-Line1Link ms-displayBlock" target="_self" href="https://www.muni.org/Departments/health/Admin/animal_control/Pages/FormsandBrochures.aspx"></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 2.4.4 WCAG 4.1.2

Element:

```
<a class="muni_navlinka cbs-Line1Link ms-displayBlock" target="" href="https://www.muni.org/Departments/health/Admin/animal_control/Pages/AnimalBites.aspx"></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 2.4.4 WCAG 4.1.2

Element:

```
<a class="muni_navlinka cbs-Line1Link ms-displayBlock" target="" href="https://www.muni.org/Departments/health/Admin/animal_control/Pages/spay.aspx"></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 2.4.4 WCAG 4.1.2

Element:

```
<a class="muni_navlinka cbs-Line1Link ms-displayBlock" target="" href="https://www.muni.org/Departments/health/Admin/animal_control/Pages/disaster.aspx"></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Images must have alternative text: Fix any of the following: Element does not have an alt attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 1.1.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.1.1

Element:

```
<img id="MOA_TemporaryTopImg" src="/Departments/health/SiteAssets/header-default.jpg" class="img-fluid">
```

SONDE FIX PLAN

Ensure <img> elements have alternative text or a role of none or presentation. See: https://www.w3.org/WAI/WCAG22/Understanding/non-text-content Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

CRITICAL

Input buttons must have discernible text: Fix any of the following: Element has a value attribute and the value attribute is empty Element has an empty value attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 4.1.2

Element:

```
<input name="Search" type="submit" value="" class="anc_search_button">
```

SONDE FIX PLAN

Ensure input buttons have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 WCAG 4.1.2

Page: /Departments/health/Pages/default.aspx WCAG 2.4.4 WCAG 4.1.2

Element:

```
<a href="/departments/health/Pages/default.aspx">
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 WCAG 4.1.2

Page: /Departments/health/Pages/default.aspx WCAG 2.4.4 WCAG 4.1.2

Element:

```
<a href="https://www.instagram.com/ancpublichealth/" target="_blank"><img src="/Departments/health/PublishingImages/Instagram%2028x28.jpg" alt="" style="width:40px;height:40px;"></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Input buttons must have discernible text: Fix any of the following: Element has a value attribute and the value attribute is empty Element has an empty value attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /Departments/health/Pages/default.aspx WCAG 4.1.2

Element:

```
<input name="Search" type="submit" value="" class="anc_search_button">
```

SONDE FIX PLAN

Ensure input buttons have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4 WCAG 4.1.2

Page: /Departments/health/Pages/default.aspx WCAG 2.4.4 WCAG 4.1.2

Element:

```
<a href="https://www.docket.care/">
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Form elements must have labels: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element has no placeholder attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /Departments/health/Pages/default.aspx WCAG 4.1.2

Element:

```
<input name="k" type="text" class="anc_search">
```

SONDE FIX PLAN

Ensure every form element has a label. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Input buttons must have discernible text: Fix any of the following: Element has a value attribute and the value attribute is empty Element has an empty value attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /Pages/PropertyInformation.aspx WCAG 4.1.2

Element:

```
<input name="Search" type="submit" value="" class="anc_search_button">
```

SONDE FIX PLAN

Ensure input buttons have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL

Form elements must have labels: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element has no placeholder attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /Pages/PropertyInformation.aspx WCAG 4.1.2

Element:

```
<input name="k" type="text" class="anc_search">
```

SONDE FIX PLAN

Ensure every form element has a label. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

CRITICAL

Form elements must have labels: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element has no placeholder attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 4.1.2

Element:

```
<input name="k" type="text" class="anc_search">
```

SONDE FIX PLAN

Ensure every form element has a label. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Input buttons must have discernible text: Fix any of the following: Element has a value attribute and the value attribute is empty Element has an empty value attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 4.1.2

Element:

```
<input name="Search" type="submit" value="" class="anc_search_button">
```

SONDE FIX PLAN

Ensure input buttons have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Form elements must have labels: Fix any of the following: Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element has no placeholder attribute Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /pages/default.aspx WCAG 4.1.2

Element:

```
<input name="k" type="text" class="anc_search">
```

SONDE FIX PLAN

Ensure every form element has a label. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Input buttons must have discernible text: Fix any of the following: Element has a value attribute and the value attribute is empty Element has an empty value attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute Element does not have an implicit (wrapped) <label> Element does not have an explicit <label> Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /pages/default.aspx WCAG 4.1.2

Element:

```
<input name="Search" type="submit" value="" class="anc_search_button">
```

SONDE FIX PLAN

Ensure input buttons have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Departments/health/Pages/default.aspx WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Page: /Departments/health/Pages/default.aspx WCAG 1.3.1

Element:

```
<!-- a11y: role="heading" name="  " -->
```

SONDE FIX PLAN

Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Pages/PropertyInformation.aspx WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /pages/default.aspx WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 4.28 (foreground color: #ed0033, background color: #f8f9fa, font size: 12.8pt (17px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.3

Element:

```
<strong class="ms-rteThemeForeColor-9-0" style="font-size:17px;">Please come to the shelter as soon as possible to look for your pet.</strong>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum Current ratio: 4.29:1 (need 4.5:1). Change foreground from #ed0033 to #e60032 (ratio: 4.5:1).

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: #text

WCAG 1.3.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.3.1

Element:

```
<ul class="my-breadcrumbNode">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: #text

WCAG 1.3.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.3.1

Element:

```
<ul class="my-breadcrumbRootNode">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.99 (foreground color: #ffffff, background color: #ff0000, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.3

Element:

```
<a class="nav-link dropdown-toggle text-white fw-bold ps-2 " href="#" id="navbarDrop
down" role="button" data-bs-toggle="dropdown" aria-expanded="false">Get Help</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl07__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl07_labe
l"></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: ul

WCAG 1.3.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.3.1

Element:

```
<ul>
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl08__ControlWrapper_RichHtmlField" class="ms-rtestate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl08_label">></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.14 (foreground color: #ffffff, background color: #ff9900, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.3

Element:

```
<a class="nav-link dropdown-toggle text-white fw-bold ps-2 " href="#" id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-expanded="false">Permits &amp;amp; Licensing</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: #text

WCAG 1.3.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.3.1

Element:

```
<ul class="my-breadcrumbNode">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl01__ControlWrapper_RichImageField" class="ms-rtest
ate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl01_labe
l"><img id="MOA_TemporaryTopImg" ...
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (187px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.4px instead of at least 24px.

WCAG 2.5.8

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 2.5.8

Element:

```
<select class="goog-te-combo" aria-label="Language Translate Widget">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: ul

WCAG 1.3.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.3.1

Element:

```
<ul>
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: #text

WCAG 1.3.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.3.1

Element:

```
<ul class="my-breadcrumbNode">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.53 (foreground color: #ffffff, background color: #0393c0, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.3

Element:

```
<a class="nav-link dropdown-toggle text-white fw-bold ps-2 " href="#" id="navbarDrop
down" role="button" data-bs-toggle="dropdown" aria-expanded="false">Community Progra
ms</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.56 (foreground color: #ffffff, background color: #279a64, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.3

Element:

```
<a class="nav-link dropdown-toggle text-white fw-bold ps-2 " href="#" id="navbarDrop
down" role="button" data-bs-toggle="dropdown" aria-expanded="false">About Us</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum Current ratio: 3.56:1 (need 4.5:1). Change foreground from #ffffff to #212121 (ratio: 4.5:1). Current ratio: 3.83:1 (need 4.5:1). Change foreground from #ffffff to #1a1a1a (ratio: 4.5:1). Current ratio: 2.14:1 (need 4.5:1). Change foreground from #ffffff to #444444 (ratio: 4.5:1). Current ratio: 3.54:1 (need 4.5:1). Change foreground from #ffffff to #212121 (ratio: 4.6:1). Current ratio: 4.00:1 (need 4.5:1). Change foreground from #ffffff to #161616 (ratio: 4.5:1).

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.82 (foreground color: #ffffff, background color: #cc33ff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.3

Element:

```
<a class="nav-link dropdown-toggle text-white fw-bold ps-2 " href="#" id="navbarDrop
down" role="button" data-bs-toggle="dropdown" aria-expanded="false">Your Health</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="/Departments/transit/PeopleMover/Pages/default.aspx" target="_blank">People Mover bus lines:</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /Departments/health/Pages/default.aspx WCAG 4.1.2

Element:

```
<iframe src="https://www.google.com/maps/d/u/0/embed?mid=18XrmS7XQM_Ft0-rc0Q7zBpTkQ-7YDko&amp;ehbc=2E312F" width="100%" height="480"></iframe>
```

SONDE FIX PLAN

Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: #text

WCAG 1.3.1

Page: /Departments/health/Pages/default.aspx WCAG 1.3.1

Element:

```
<ul class="my-breadcrumbNode">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="mailto:Michelle.R.Fehribach@anchorageak.gov">michelle.r.fehribach@anchorageak.gov</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="mailto:wwahd@muni.org">wwahd@muni.org</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.53 (foreground color: #ffffff, background color: #0393c0, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a class="nav-link dropdown-toggle text-white fw-bold ps-2 " href="#" id="navbarDrop
down" role="button" data-bs-toggle="dropdown" aria-expanded="false">Community Progra
ms</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Departments/health/Pages/default.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl01__ControlWrapper_RichImageField" class="ms-rtest
ate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl01_labe
l"><img id="MOA_TemporaryTopImg" ...
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.94 (foreground color: #ffffff, background color: #808080, font size: 14.0pt (18.6667px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:14p
t;"><i class="fas fa-phone" aria-hidden="true"></i> (907) 343-6718</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.65 (foreground color: #ffffff, background color: #279a2f, font size: 14.0pt (18.6667px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:14p
t;"><i class="fas fa-phone" aria-hidden="true"></i> (907) 343-4758</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: #text

WCAG 1.3.1

Page: /Departments/health/Pages/default.aspx WCAG 1.3.1

Element:

```
<ul class="my-breadcrumbRootNode">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.14 (foreground color: #ffffff, background color: #ff9900, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a class="nav-link dropdown-toggle text-white fw-bold ps-2 " href="#" id="navbarDrop
down" role="button" data-bs-toggle="dropdown" aria-expanded="false">Permits &amp; Li
censing</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.65 (foreground color: #ffffff, background color: #279a2f, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:12p
t;">Licensing, facility inspections, facility database</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.82 (foreground color: #ffffff, background color: #cc33ff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a class="nav-link dropdown-toggle text-white fw-bold ps-2 " href="#" id="navbarDrop
down" role="button" data-bs-toggle="dropdown" aria-expanded="false">Your Health</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="mailto:kristin.vanderende@anchorageak.gov">kristin.vanderende@anchorageak.g
ov</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.63 (foreground color: #ffffff, background color: #00a7ff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#De
partmentDropNav" aria-controls="DepartmentDropNav" aria-expanded="false" aria-label
="Toggle navigation">Departments ...
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="mailto:george.conway@anchorageak.gov">george.conway@anchorageak.gov</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="mailto:katharine.stodgell@anchorageak.gov%20%E2%80%8B">katharine.stodgell@anchorageak.gov </a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.65 (foreground color: #ffffff, background color: #279a2f, font size: 16.0pt (21.3333px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span style="color:#ffffff;font-family:tahoma, geneva, sans-serif;font-size:16pt;">Child Care</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.99 (foreground color: #ffffff, background color: #ff0000, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:12p
t;">Benefits counseling, resources, long-term care options</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.56 (foreground color: #ffffff, background color: #279a64, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a class="nav-link dropdown-toggle text-white fw-bold ps-2 " href="#" id="navbarDrop
down" role="button" data-bs-toggle="dropdown" aria-expanded="false">About Us</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum Current ratio: 3.56:1 (need 4.5:1). Change foreground from #ffffff to #212121 (ratio: 4.5:1). Current ratio: 3.83:1 (need 4.5:1). Change foreground from #ffffff to #1a1a1a (ratio: 4.5:1). Current ratio: 2.14:1 (need 4.5:1). Change foreground from #ffffff to #444444 (ratio: 4.5:1). Current ratio: 3.54:1 (need 4.5:1). Change foreground from #ffffff to #212121 (ratio: 4.6:1). Current ratio: 4.00:1 (need 4.5:1). Change foreground from #ffffff to #161616 (ratio: 4.5:1).

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Departments/health/Pages/default.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl07__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl07_labe
l"></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="mailto:darcie.montalvo@anchorageak.gov">darcie.montalvo@anchorageak.gov</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.53 (foreground color: #ffffff, background color: #0393c0, font size: 16.0pt (21.3333px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span style="color:#ffffff;font-family:tahoma, geneva, sans-serif;font-size:16pt;">E
nvironmental Health</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="mailto:samantha.hansen@anchorageak.gov">samantha.hansen@anchorageak.gov</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Departments/health/Pages/default.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl08__ControlWrapper_RichHtmlField" class="ms-rtestate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl08_label">></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.94 (foreground color: #ffffff, background color: #808080, font size: 16.0pt (21.3333px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span style="color:#ffffff;font-family:tahoma, geneva, sans-serif;font-size:16pt;">Our Department</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.94 (foreground color: #ffffff, background color: #808080, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:12pt;">Learn more about AHD</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="https://maps.app.goo.gl/Le8TCns8fgank6TF7">view map</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.14 (foreground color: #ffffff, background color: #ff9900, font size: 14.0pt (18.6667px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:14pt;"><i class="fas fa-phone" aria-hidden="true"></i> (907) 343-4668</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.53 (foreground color: #ffffff, background color: #0393c0, font size: 14.0pt (18.6667px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:14p
t;"><i class="fas fa-phone" aria-hidden="true"></i> (907) 343-4200</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.99 (foreground color: #ffffff, background color: #ff0000, font size: 16.0pt (21.3333px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span style="color:#ffffff;font-family:tahoma, geneva, sans-serif;font-size:16pt;">A
ging &amp; Disability Resources</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (187px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.4px instead of at least 24px.

WCAG 2.5.8

Page: /Departments/health/Pages/default.aspx WCAG 2.5.8

Element:

```
<select class="goog-te-combo" aria-label="Language Translate Widget">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.14 (foreground color: #ffffff, background color: #ff9900, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:12pt;">WIC benefits, transportation vouchers, breastfeeding support </span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.53 (foreground color: #ffffff, background color: #0393c0, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:12pt;">Air quality, food safety, health permits, noise permitting &amp;amp; complaints</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="mailto:Kimberly.Rash@anchorageak.gov" style="background-color:#f0efe9;">kimberly.rash@anchorageak.gov</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.9 (foreground color: #0d6efd, background color: #f0efe9, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="mailto:leila.taylor@anchorageak.gov">leila.taylor@anchorageak.gov</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 2.14 (foreground color: #ffffff, background color: #ff9900, font size: 16.0pt (21.3333px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span style="color:#ffffff;font-family:tahoma, geneva, sans-serif;font-size:16pt;">Women, Infants, &amp;amp; Children</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.99 (foreground color: #ffffff, background color: #ff0000, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a class="nav-link dropdown-toggle text-white fw-bold ps-2 " href="#" id="navbarDrop
down" role="button" data-bs-toggle="dropdown" aria-expanded="false">Get Help</a>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.99 (foreground color: #ffffff, background color: #ff0000, font size: 14.0pt (18.6667px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:14p
t;"><i class="fas fa-phone" aria-hidden="true"></i> (907) 343-7770</span>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.81 (foreground color: #fbfbfb, background color: #808080, font size: 14.0pt (18.6667px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Pages/PropertyInformation.aspx WCAG 1.4.3

Element:

```
<div class="navbar-div">Muni.org</div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Page: /Pages/PropertyInformation.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl01__ControlWrapper_RichImageField" class="ms-rtest
ate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl01_labe
l"><div class="ms-rtestate-field"...
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Page: /Pages/PropertyInformation.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl08__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl08_labe
l"></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute. WCAG 4.1.2

Page: /Pages/PropertyInformation.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl03__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl03_labe
l"></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Pages/PropertyInformation.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl07__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl07_labe
l"></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (187px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.4px instead of at least 24px.

WCAG 2.5.8

Page: /Pages/PropertyInformation.aspx WCAG 2.5.8

Element:

```
<select class="goog-te-combo" aria-label="Language Translate Widget">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: #text

WCAG 1.3.1

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 1.3.1

Element:

```
<ul class="my-breadcrumbRootNode">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl05__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl05_labe
l"></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: #text

WCAG 1.3.1

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 1.3.1

Element:

```
<ul class="my-breadcrumbNode">
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl04__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl04_labe
l"></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl06__ControlWrapper_RichHtmlField" class="ms-rtestate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl06_label">></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.81 (foreground color: #fbfbfb, background color: #808080, font size: 14.0pt (18.6667px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 1.4.3

Element:

```
<div class="navbar-div">Municipal Meetings</div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.81 (foreground color: #fbfbfb, background color: #808080, font size: 14.0pt (18.6667px), font weight: normal). Expected contrast ratio of 4.5:1

WCAG 1.4.3

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 1.4.3

Element:

```
<div class="navbar-div">Muni.org</div>
```

SONDE FIX PLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (187px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.4px instead of at least 24px.

WCAG 2.5.8

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 2.5.8

Element:

```
<select class="goog-te-combo" aria-label="Language Translate Widget">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl01__ControlWrapper_RichImageField" class="ms-rtest
ate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl01_labe
l"><div class="ms-rtestate-field"...
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl07__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl07_labe
l"></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Elements must only use permitted ARIA attributes: Fix all of the following: aria-labelledby attribute cannot be used on a div with no valid role attribute.

WCAG 4.1.2

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 4.1.2

Element:

```
<div id="ctl00_PlaceHolderMain_ctl08__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl08_labe
l"></div>
```

SONDE FIX PLAN

Ensure ARIA attributes are not prohibited for an element's role. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (187px by 19px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.4px instead of at least 24px.

WCAG 2.5.8

Page: /pages/default.aspx WCAG 2.5.8

Element:

```
<select class="goog-te-combo" aria-label="Language Translate Widget">
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Insufficient color contrast: 2.09:1 (required: 4.5:1 for normal text). Foreground: rgb(33, 37, 41), background: rgb(0, 87, 157). Text: "Anchorage Health Department"

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<b>Anchorage Health Department</b>
```



SONDE FIX PLAN

Current ratio: 2.09:1 (need 4.5:1). Change foreground from #212529 to #c5cbd0 (ratio: 4.5:1).

HIGH

Insufficient color contrast: 2.09:1 (required: 4.5:1 for normal text). Foreground: rgb(33, 37, 41), background: rgb(0, 87, 157). Text: "Anchorage Health Department825 L StreetAnchorage, AK 99501"

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<p class="text-center">
                <b>Anchorage Health Department</b><br>825 L Street<br>Anchorage, AK 9
9501</p>
```

2.09:1 ✗ CURRENT

Anchorage Health Department825...

#212529 on #00579d

4.50:1 ✓ SUGGESTED

Anchorage Health Department825...

#c5cbd0 on #00579d

SONDE FIX PLAN

Current ratio: 2.09:1 (need 4.5:1). Change foreground from #212529 to #c5cbd0 (ratio: 4.5:1).

HIGH

Insufficient color contrast: 3.65:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(39, 154, 47). Text: "Licensing, facility inspections, facility database"

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span class="text-white" style="font-family:tahoma, geneva, sans-serif;font-size:12p
t;">Licensing, facility inspections, facility database</span>
```

3.65:1 ✗ CURRENT

Licensing, facility inspection...

#ffffff on #279a2f

4.51:1 ✓ SUGGESTED

Licensing, facility inspection...

#1f1f1f on #279a2f

SONDE FIX PLAN

Current ratio: 3.65:1 (need 4.5:1). Change foreground from #ffffff to #1f1f1f (ratio: 4.5:1). Current ratio: 2.14:1 (need 4.5:1). Change foreground from #ffffff to #444444 (ratio: 4.5:1). Current ratio: 3.54:1 (need 4.5:1). Change foreground from #ffffff to #212121 (ratio: 4.6:1). Current ratio: 4.00:1 (need 4.5:1). Change foreground from #ffffff to #161616 (ratio: 4.5:1). Current ratio: 3.95:1 (need 4.5:1). Change foreground from #ffffff to #171717 (ratio: 4.5:1).

HIGH

Insufficient color contrast: 2.63:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(0, 167, 255). Text: "Departments ▼"

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#DepartmentDropNav" aria-controls="DepartmentDropNav" aria-expanded="false" aria-label="Toggle navigation">Departments
```

2.63:1 ✗ CURRENT

Departments ▼

#ffffff on #00a7ff

4.52:1 ✓ SUGGESTED

Departments ▼

#373737 on #00a7ff

SONDE FIX PLAN

Current ratio: 2.63:1 (need 4.5:1). Change foreground from #ffffff to #373737 (ratio: 4.5:1).

HIGH

Insufficient color contrast: 3.65:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(39, 154, 47). Text: "Child Care"

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<span style="color:#ffffff;font-family:tahoma, geneva, sans-serif;font-size:16pt;">Child Care</span>
```

3.65:1 ✗ CURRENT

Child Care

#ffffff on #279a2f

4.51:1 ✓ SUGGESTED

Child Care

#1f1f1f on #279a2f

SONDE FIX PLAN

Current ratio: 3.65:1 (need 4.5:1). Change foreground from #ffffff to #1f1f1f (ratio: 4.5:1). Current ratio: 2.14:1 (need 4.5:1). Change foreground from #ffffff to #444444 (ratio: 4.5:1). Current ratio: 3.54:1 (need 4.5:1). Change foreground from #ffffff to #212121 (ratio: 4.6:1). Current ratio: 4.00:1 (need 4.5:1). Change foreground from #ffffff to #161616 (ratio: 4.5:1). Current ratio: 3.95:1 (need 4.5:1). Change foreground from #ffffff to #171717 (ratio: 4.5:1).

HIGH

Insufficient color contrast: 2.88:1 (required: 3:1 for large text). Foreground: rgb(126, 159, 150), background: rgb(255, 255, 255). Text: "DCM Update Chapters 1 + 6 - Stakeholder Advisory Group Meeti"

WCAG 1.4.3

Page: /pages/default.aspx WCAG 1.4.3

Element:

```
<div class="MOA_MainPageNewsItemTitle">DCM Update Chapters 1 + 6 - Stakeholder Advis
ory Group Meeting 4</div>
```

2.88:1 ✗ CURRENT

DCM Update Chapters 1 + 6 - St...

#7e9f96 on #ffffff

3.00:1 ✓ SUGGESTED

DCM Update Chapters 1 + 6 - St...

#7a9c92 on #ffffff

SONDE FIX PLAN

Current ratio: 2.88:1 (need 3:1). Change foreground from #7e9f96 to #7a9c92 (ratio: 3.0:1).

HIGH

Insufficient color contrast: 2.88:1 (required: 3:1 for large text). Foreground: rgb(126, 159, 150), background: rgb(255, 255, 255). Text: "Anchorage Transportation Fair"

WCAG 1.4.3

Page: /pages/default.aspx WCAG 1.4.3

Element:

```
<div class="MOA_MainPageWhatsNewItemTitle">Anchorage Transportation Fair</div>
```

2.88:1 ✗ CURRENT

Anchorage Transportation Fair

#7e9f96 on #ffffff

3.00:1 ✓ SUGGESTED

Anchorage Transportation Fair

#7a9c92 on #ffffff

SONDE FIX PLAN

Current ratio: 2.88:1 (need 3:1). Change foreground from #7e9f96 to #7a9c92 (ratio: 3.0:1).

HIGH Insufficient color contrast: 2.88:1 (required: 3:1 for large text). Foreground: rgb(126, 159, 150), background: rgb(255, 255, 255). Text: "Municipal Calendars" WCAG 1.4.3

Page: /pages/default.aspx WCAG 1.4.3

Element:

```
<div class="MOA_MainPageFeaturedItemTitle">Municipal Calendars</div>
```

2.88:1 ✗ CURRENT

Municipal Calendars

#7e9f96 on #ffffff

3.00:1 ✓ SUGGESTED

Municipal Calendars

#7a9c92 on #ffffff

SONDE FIX PLAN

Current ratio: 2.88:1 (need 3:1). Change foreground from #7e9f96 to #7a9c92 (ratio: 3.0:1).

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /Departments/health/Pages/default.aspx

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing X-Content-Type-Options header

Page: /pages/default.aspx

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM

Page has 10 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.3.1

Element:

```
<!-- 10 navigation landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 10 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /Departments/health/Pages/default.aspx WCAG 1.3.1

Element:

```
<!-- 10 navigation landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 9 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /Pages/PropertyInformation.aspx WCAG 1.3.1

Element:

```
<!-- 9 navigation landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 9 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 1.3.1

Element:

```
<!-- 9 navigation landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

Page has 8 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them.

WCAG 1.3.1

Page: /pages/default.aspx WCAG 1.3.1

Element:

```
<!-- 8 navigation landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div id="anc_logo" style="float:left; width:255px; margin-right:10px">
                        <a href="/"><img name="onetidHeadbnnr0" id="ctl00_onetidHead
bnnr2" alt="Muni.org" src="/SiteAssets/anc_logo_60pxH.png"></a>
                ...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div id="ctl00_PlaceHolderMain_ctl03__ControlWrapper_RichHtmlField" class="ms-rtestate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl03_label"><p><span class="ms-rteForeColor...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div class="col-12">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div id="ctl00_PlaceHolderMain_ctl06__ControlWrapper_RichHtmlField" class="ms-rtestate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl06_label"><p><br></p></div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<nav class="navbar">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div style="float:left">
                                        <input name="k" type="text" class="anc_searc
h">
                                    </div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div id="MOA_ContentFooter">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div id="ctl00_PlaceHolderMain_ctl01__ControlWrapper_RichImageField" class="ms-rtest
ate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl01_labe
l"><img id="MOA_TemporaryTopImg" ...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div id="google_translate_element" style="height:30px; overflow:hidden; margin:0; pa
dding:0; float:left;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div id="ctl00_PlaceHolderMain_ctl04__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl04_labe
l">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div id="ctl00_PlaceHolderMain_ctl05__ControlWrapper_RichHtmlField" class="ms-rtestate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl05_label">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<div class="general-title w-100">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /Departments/health/Pages/default.aspx

Element:

```
<nav class="navbar">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<div id="MOA_ContentFooter">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<div id="google_translate_element" style="height:30px; overflow:hidden; margin:0; pa
dding:0; float:left;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /Departments/health/Pages/default.aspx

Element:

```
<html style="visibility: visible; height: 100%;" dir="ltr" lang="en-US">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/
Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<div id="ctl00_PlaceHolderMain_ctl04__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl04_labe
l">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<a href="/departments/health/clinicalservices/pages/immunization.aspx">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<div id="anc_logo" style="float:left; width:255px; margin-right:10px">
                        <a href="/"><img name="onetidHeadbnnr0" id="ctl00_onetidHead
bnnr2" alt="Muni.org" src="/SiteAssets/anc_logo_60pxH.png"></a>
                ...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<div class="row">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<p></p>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<div style="float:left">
                                        <input name="k" type="text" class="anc_searc
h">
                                    </div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<div class="general-title w-100">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /Departments/health/Pages/default.aspx

Element:

```
<h4 class="ms-rteElement-H4B">Quick Links<br></h4>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<div id="ctl00_PlaceHolderMain_ctl03__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl03_labe
l"><p style="text-align:center;"><...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<div id="ctl00_PlaceHolderMain_ctl05__ControlWrapper_RichHtmlField" class="ms-rtestate-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl05_label">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Departments/health/Pages/default.aspx

Element:

```
<p><br><br></p>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Pages/PropertyInformation.aspx

Element:

```
<div id="anc_logo" style="float:left; width:255px; margin-right:10px">
                        <a href="/"><img name="onetidHeadbnnr0" id="ctl00_onetidHeadbnnr2" alt="Muni.org" src="/SiteAssets/anc_logo_60pxH.png"></a>
                ...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Pages/PropertyInformation.aspx

Element:

```
<div class="general-title w-100">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /Pages/PropertyInformation.aspx

Element:

```
<html style="visibility: visible; height: 100%;" dir="ltr" lang="en-US">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /Pages/PropertyInformation.aspx

Element:

```
<nav class="navbar">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Pages/PropertyInformation.aspx

Element:

```
<div id="ctl00_PlaceHolderMain_ctl04__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl04_labe
l">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Pages/PropertyInformation.aspx

Element:

```
<div id="google_translate_element" style="height:30px; overflow:hidden; margin:0; pa
dding:0; float:left;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Pages/PropertyInformation.aspx

Element:

```
<div style="float:left">
                                        <input name="k" type="text" class="anc_searc
h">
                                    </div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Pages/PropertyInformation.aspx

Element:

```
<div id="MOA_ContentFooter">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<div id="MOA_ContentFooter">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<div id="anc_logo" style="float:left; width:255px; margin-right:10px">
                        <a href="/"><img name="onetidHeadbnnr0" id="ctl00_onetidHead
bnnr2" alt="Muni.org" src="/SiteAssets/anc_logo_60pxH.png"></a>
                ...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<div style="float:left">
                                        <input name="k" type="text" class="anc_searc
h">
                                    </div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<div id="ctl00_PlaceHolderMain_ctl03__ControlWrapper_RichHtmlField" class="ms-rtesta
te-field" style="display:inline" aria-labelledby="ctl00_PlaceHolderMain_ctl03_labe
l">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<div class="general-title w-100">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<div id="google_translate_element" style="height:30px; overflow:hidden; margin:0; pa
dding:0; float:left;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<html style="visibility: visible; height: 100%;" dir="ltr" lang="en-US">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<nav class="navbar">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div class="row justify-content-center" style="margin-bottom:10px; padding-left:17p
x; padding-right:17px;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /pages/default.aspx

Element:

```
<html style="visibility: visible; height: 100%;" dir="ltr" lang="en-US">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/
Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div class="row justify-content-center" style="margin-bottom:10px; padding-left:17p
x; padding-right:17px;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div class="row justify-content-center" style="margin-bottom:10px; padding-left:17p
x; padding-right:17px;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div class="row justify-content-center" style="margin-bottom:10px; padding-left:17p
x; padding-right:17px;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div class="row justify-content-center" style="margin-bottom:10px; padding-left:17p
x; padding-right:17px">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div class="TopRequestsContainer">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div class="row justify-content-center">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div style="float:left">
                                        <input name="k" type="text" class="anc_searc
h">
                                    </div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div id="google_translate_element" style="height:30px; overflow:hidden; margin:0; pa
dding:0; float:left;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div id="anc_logo" style="float:left; width:255px; margin-right:10px">
                        <a href="/"><img name="onetidHeadbnnr0" id="ctl00_onetidHead
bnnr2" alt="Muni.org" src="/SiteAssets/anc_logo_60pxH.png"></a>
                ...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div class="row justify-content-center" style="margin-bottom:10px; padding-left:17p
x; padding-right:17px">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div class="row justify-content-center" style="margin-bottom:10px; padding-left:17p
x; padding-right:17px;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /pages/default.aspx

Element:

```
<nav class="navbar">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div class="row justify-content-center" style="margin-bottom:10px; padding-left:17p
x; padding-right:17px;">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /pages/default.aspx

Element:

```
<div id="MOA_ContentFooter">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(33, 37, 41), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.1

Element:

```
<a class="dropdown-item" href="https://www.muni.org/departments/health/clinicalservices/pages/infectious-disease.aspx">Tuberculosis Screening</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(33, 37, 41), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.1

Element:

```
<a class="dropdown-item" href="http://www.muni.org/departments/health/admin/environment/pages/default.aspx">Noise Permits</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(33, 37, 41), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.1

Element:

```
<a class="dropdown-item" href="https://www.muni.org/departments/health/clinicalservices/pages/cancer-screenings.aspx">Cancer Screenings</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(33, 37, 41), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.1

Element:

```
<a class="dropdown-item" href="https://www.muni.org/departments/health/clinicalservices/pages/sexual-health.aspx">Sexual Health</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="http://www.muni.org/departments/health" class="nav-link text-white ps-2 " aria-current="page">Home</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(33, 37, 41), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.1

Element:

```
<a class="dropdown-item" href="http://www.muni.org/departments/health/pages/dhhs%20commissions.aspx">Commissions</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(33, 37, 41), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.1

Element:

```
<a class="dropdown-item" href="https://www.muni.org/departments/health/clinicalservices/pages/immunization.aspx">Immunizations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(33, 37, 41), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.1

Element:

```
<a class="dropdown-item" href="http://www.muni.org/departments/health/pressreleases/pages/default.aspx">Press Releases</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(33, 37, 41), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.1

Element:

```
<a class="dropdown-item" href="http://www.muni.org/departments/health/childcare/pages/default.aspx">Child Care</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(33, 37, 41), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.1

Element:

```
<a class="dropdown-item" href="http://www.muni.org/departments/health/admin/environment/pages/default.aspx">Food Safety</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="http://www.muni.org/departments/health" class="nav-link text-white ps-2 " aria-current="page">Home</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(13, 110, 253), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="mailto:katharine.stodgell@anchorageak.gov%20%E2%80%8B">katharine.stodgell@anchorageak.gov </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(13, 110, 253), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="mailto:george.conway@anchorageak.gov">george.conway@anchorageak.gov</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(13, 110, 253), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="mailto:leila.taylor@anchorageak.gov">leila.taylor@anchorageak.gov</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(13, 110, 253), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="/Departments/transit/PeopleMover/Pages/default.aspx" target="_blank">People Mover bus lines:</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(13, 110, 253), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="mailto:wwahd@muni.org">wwahd@muni.org</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(13, 110, 253), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="https://maps.app.goo.gl/Le8TCns8fgank6TF7">view map</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(13, 110, 253), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="mailto:darcie.montalvo@anchorageak.gov">darcie.montalvo@anchorageak.gov</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(13, 110, 253), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="mailto:samantha.hansen@anchorageak.gov">samantha.hansen@anchorageak.gov</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(13, 110, 253), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /Departments/health/Pages/default.aspx WCAG 1.4.1

Element:

```
<a href="mailto:Michelle.R.Fehribach@anchorageak.gov">michelle.r.fehribach@anchorageak.gov</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(251, 251, 251), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Pages/PropertyInformation.aspx WCAG 1.4.1

Element:

```
<a href="http://www.muni.org/" class="navbar-main-link"><div class="navbar-div">Mun
i.org</div></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(251, 251, 251), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 1.4.1

Element:

```
<a href="http://www.muni.org/" class="navbar-main-link"><div class="navbar-div">Mun
i.org</div></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(251, 251, 251), text: rgb(52, 52, 52)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 1.4.1

Element:

```
<a href="http://www.muni.org/Residents/Pages/MuniMeetings.aspx" class="navbar-main-l
ink"><div class="navbar-div">Municipal Meetings</div></a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Insufficient color contrast: 4.22:1 (required: 4.5:1 for normal text). Foreground: rgb(33, 37, 41), background: rgb(39, 154, 47). Text: "Main Pagethread Program SearchHow to Get Li"

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<div class="col-12 mt-0 p-1 ps-3 flex-fill" style="background-color:#279a2f;">
            <a class="btn btn-light" href="/Departments/health/Childcare/Pages/defau
lt.aspx"><b>Main Page</b></a><a cla
```

4.22:1 ✗ CURRENT

Main Pagethread Program Searc...

#212529 on #279a2f

4.53:1 ✓ SUGGESTED

Main Pagethread Program Searc...

#1c1f23 on #279a2f

SONDE FIX PLAN

Current ratio: 4.22:1 (need 4.5:1). Change foreground from #212529 to #1c1f23 (ratio: 4.5:1).
Current ratio: 3.91:1 (need 4.5:1). Change foreground from #212529 to #16181b (ratio: 4.5:1).

MEDIUM

Insufficient color contrast: 4.13:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(124, 125, 125). Text: "Bike, Bus, Walk, and Carpool!"

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<p>Bike, Bus, Walk, and Carpool! <br></p>
```

4.13:1 ✗ CURRENT

Bike, Bus, Walk, and Carpool!

#ffffff on #7c7d7d

4.50:1 ✓ SUGGESTED

Bike, Bus, Walk, and Carpool!

#131313 on #7c7d7d

SONDE FIX PLAN

Current ratio: 4.13:1 (need 4.5:1). Change foreground from #ffffff to #131313 (ratio: 4.5:1).

MEDIUM

Insufficient color contrast: 3.91:1 (required: 4.5:1 for normal text). Foreground: rgb(13, 110, 253), background: rgb(240, 239, 233). Text: "view map"

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<a href="https://maps.app.goo.gl/Le8TCns8fgank6TF7">view map</a>
```

3.91:1 ✗ CURRENT

view map

#0d6efd on #f0efe9

4.53:1 ✓ SUGGESTED

view map

#0262f1 on #f0efe9

SONDE FIX PLAN

Current ratio: 3.91:1 (need 4.5:1). Change foreground from #0d6efd to #0262f1 (ratio: 4.5:1).

MEDIUM

Insufficient color contrast: 4.13:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(124, 125, 125). Text: " Click here for more info."

WCAG 1.4.3

Page: /Departments/health/Pages/default.aspx WCAG 1.4.3

Element:

```
<div>Click here for more info.<br></div>
```

4.13:1 ✗ CURRENT

Click here for more info.

#ffffff on #7c7d7d

4.50:1 ✓ SUGGESTED

Click here for more info.

#131313 on #7c7d7d

SONDE FIX PLAN

Current ratio: 4.13:1 (need 4.5:1). Change foreground from #ffffff to #131313 (ratio: 4.5:1).

MEDIUM Insufficient color contrast: 3.82:1 (required: 4.5:1 for normal text). Foreground: rgb(251, 251, 251), background: rgb(128, 128, 128). Text: "Muni.org" WCAG 1.4.3

Page: /Residents/Pages/AnchorageWorks.aspx WCAG 1.4.3

Element:

```
<div class="navbar-div">Muni.org</div>
```

3.82:1 ✗ CURRENT

Muni.org

#fbfbfb on #808080

4.54:1 ✓ SUGGESTED

Muni.org

#171717 on #808080

SONDE FIX PLAN

Current ratio: 3.82:1 (need 4.5:1). Change foreground from #fbfbfb to #171717 (ratio: 4.5:1).

MEDIUM Broken link: https://www.muni.org/Departments/museum returns 404 NOT FOUND

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<a href="https://www.muni.org/Departments/museum">Museum</a>
```

MEDIUM Broken link: https://www.muni.org/Departments/CDA/easypark returns 404 NOT FOUND

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<a href="https://www.muni.org/Departments/CDA/easypark">Easy Park</a>
```

MEDIUM Broken link: https://www.muni.org/Departments/CDA/easypark returns 404 NOT FOUND

Page: /Departments/health/Pages/default.aspx

Element:

```
<a href="https://www.muni.org/Departments/CDA/easypark">Easy Park</a>
```

MEDIUM Broken link: https://www.muni.org/Departments/museum returns 404 NOT FOUND

Page: /Departments/health/Pages/default.aspx

Element:

```
<a href="https://www.muni.org/Departments/museum">Museum</a>
```

MEDIUM Broken link: https://www.muni.org/Departments/CDA/easypark returns 404 NOT FOUND

Page: /Pages/PropertyInformation.aspx

Element:

```
<a href="https://www.muni.org/Departments/CDA/easypark">Easy Park</a>
```

MEDIUM Broken link: https://www.muni.org/Departments/museum returns 404 NOT FOUND

Page: /Pages/PropertyInformation.aspx

Element:

```
<a href="https://www.muni.org/Departments/museum">Museum</a>
```

MEDIUM Broken link: https://www.muni.org/Departments/CDA/easypark returns 404 NOT FOUND

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<a href="https://www.muni.org/Departments/CDA/easypark">Easy Park</a>
```

MEDIUM Broken link: https://www.muni.org/Departments/museum returns 404 NOT FOUND

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<a href="https://www.muni.org/Departments/museum">Museum</a>
```

MEDIUM Broken link: https://www.muni.org/Departments/museum returns 404 NOT FOUND

Page: /pages/default.aspx

Element:

```
<a href="https://www.muni.org/Departments/museum">Museum</a>
```

MEDIUM

Broken link: https://www.muni.org/Departments/CDA/easypark returns 404 NOT FOUND

Page: /pages/default.aspx

Element:

```
<a href="https://www.muni.org/Departments/CDA/easypark">Easy Park</a>
```

MEDIUM

Page requires horizontal scrolling at 320px width (75px overflow). Content should reflow without horizontal scrolling at this width.

WCAG 1.4.10

Page: /Departments/health/Admin/animal_control/Pages/default.aspx WCAG 1.4.10

Element:

```
<html>
```

SONDE FIX PLAN

Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

MEDIUM

Content clipped by 15px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Page: /Departments/health/Pages/default.aspx WCAG 1.4.12

Element:

```
<div id="google_translate_element" style="height:30px; overflow:hidden; margin:0; pa
dding:0; float:left;">
                        <div class="skiptranslate goog-te-gadget" dir="ltr" style
=""><div id=":0.targetLanguage"><
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Page: /Departments/health/Pages/default.aspx

Element:

```
<h3>
```

SONDE FIX PLAN

Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/

LOW Broken link: http://www.communitycouncils.org/servlet/content/home.html returns 404 Not Found

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<a href="http://www.communitycouncils.org/servlet/content/home.html">Community Councils</a>
```

LOW Broken link: http://petharbor.com/anchorage/ returns 404 Not Found

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<a href="http://petharbor.com/anchorage/">Adoptable Pets</a>
```

LOW Broken link: http://petharbor.com/anchorage/ returns 404 Not Found

Page: /Departments/health/Pages/default.aspx

Element:

```
<a href="http://petharbor.com/anchorage/">Adoptable Pets</a>
```

LOW Link timeout: https://www.muni.org/anchorageworks/CRM/ServiceRequest/ServiceRequestCategory did not respond within 5000ms

Page: /Departments/health/Pages/default.aspx

Element:

```
<a href="https://www.muni.org/anchorageworks/CRM/ServiceRequest/ServiceRequestCategory">Complaints</a>
```

LOW Broken link: https://forms.office.com/g/eEAxbgWifp returns 405 Method Not Allowed

Page: /Departments/health/Pages/default.aspx

Element:

```
<a href="https://forms.office.com/g/eEAxbgWifp">Request an Outreach</a>
```

LOW Broken link: http://www.communitycouncils.org/servlet/content/home.html returns 404 Not Found

Page: /Departments/health/Pages/default.aspx

Element:

```
<a href="http://www.communitycouncils.org/servlet/content/home.html">Community Counc
ils</a>
```

LOW Broken link: http://www.communitycouncils.org/servlet/content/home.html returns 404 Not Found

Page: /Pages/PropertyInformation.aspx

Element:

```
<a href="http://www.communitycouncils.org/servlet/content/home.html">Community Counc
ils</a>
```

LOW Broken link: http://www.communitycouncils.org/servlet/content/home.html returns 404 Not Found

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<a href="http://www.communitycouncils.org/servlet/content/home.html">Community Counc
ils</a>
```

LOW Link timeout: https://www.muni.org/anchorageworks did not respond within 5000ms

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<a href="https://www.muni.org/anchorageworks">&amp;quot;Let's get Started&amp;quot;</a>
```

LOW Broken link: http://www.communitycouncils.org/servlet/content/home.html returns 404 Not Found

Page: /pages/default.aspx

Element:

```
<a href="http://www.communitycouncils.org/servlet/content/home.html">Community Councils</a>
```

LOW Broken link: https://x.com/MayorLaFrance returns 403 Forbidden

Page: /pages/default.aspx

Element:

```
<a href="https://x.com/MayorLaFrance"></a>
```

LOW Unreachable link: http://agency.governmentjobs.com/moa/default.cfm — fetch failed

Page: /pages/default.aspx

Element:

```
<a href="http://agency.governmentjobs.com/moa/default.cfm">Job Opportunities</a>
```

LOW Broken link: https://anchorage-transportation-fair.com/ returns 405 Method Not Allowed

Page: /pages/default.aspx

Element:

```
<a href="https://anchorage-transportation-fair.com/">Anchorage Transportation Fair</a>
```

LOW Unreachable link: http://www.muni.org/anchorageworks/CRM/ServiceRequest/ServiceRequestCategory — fetch failed

Page: /pages/default.aspx

Element:

```
<a href="http://www.muni.org/anchorageworks/CRM/ServiceRequest/ServiceRequestCategory">Nuisance Property Reporting</a>
```

LOW Link timeout: https://www.muni.org/PublicNotice/Pages/NOTICE-OF-MUNICIPAL-ASSEMBLY-PUBLIC-HEARINGS-Ordinance-No.-AO-2026-36.aspx did not respond within 5000ms

Page: /pages/default.aspx

Element:

```
<a href="https://www.muni.org/PublicNotice/Pages/NOTICE-OF-MUNICIPAL-ASSEMBLY-PUBLIC-HEARINGS-Ordinance-No.-AO-2026-36.aspx">NOTICE OF MUNICIPAL ASSEMBLY PUBLIC HEARINGS Ordinance No. AO 2026-364/14/2026 7</a>
```

LOW Link timeout: http://www.muni.org/anchorageworks/CRM/ServiceRequest/ServiceRequestCategory did not respond within 5000ms

Page: /pages/default.aspx

Element:

```
<a href="http://www.muni.org/anchorageworks/CRM/ServiceRequest/ServiceRequestCategory">Nuisance Property Reporting</a>
```

LOW Broken link: https://www.awwu.biz/ returns 403 Forbidden

Page: /pages/default.aspx

Element:

```
<a href="https://www.awwu.biz/"></a>
```

LOW Link timeout: https://www.muni.org/anchorageworks/CRM/ServiceRequest/ServiceRequestCategory did not respond within 5000ms

Page: /pages/default.aspx

Element:

```
<a href="https://www.muni.org/anchorageworks/CRM/ServiceRequest/ServiceRequestCategory"></a>
```

LOW Link timeout: https://www.muni.org/ContactUs/Pages/default.aspx did not respond within 5000ms

Page: /pages/default.aspx

Element:

```
<a href="https://www.muni.org/ContactUs/Pages/default.aspx">Contact Us</a>
```

LOW Missing Referrer-Policy header

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

SONDE FIX PLAN
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Missing Referrer-Policy header

Page: /Pages/PropertyInformation.aspx

SONDE FIX PLAN
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Missing Referrer-Policy header

Page: /Residents/Pages/AnchorageWorks.aspx

SONDE FIX PLAN
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /Departments/health/Admin/animal_control/Pages/default.aspx

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /Departments/health/Pages/default.aspx

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /Departments/health/Pages/default.aspx

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /Pages/PropertyInformation.aspx

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /Pages/PropertyInformation.aspx

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /Residents/Pages/AnchorageWorks.aspx

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /pages/default.aspx

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /pages/default.aspx

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue

---

This report is a health check, not a verdict. Every website has room to improve.

Disclaimer: This report presents the results of automated accessibility analysis and is provided free of charge, as-is, without warranty of any kind. Findings are generated by software, not by human accessibility experts, and may contain errors or omissions. Automated testing can detect approximately 30–40% of accessibility issues; manual expert evaluation is recommended for complete conformance assessment. Scores reflect algorithmic analysis under a published methodology open to public review—they are not legal determinations of compliance. Results reflect the state of the website at the time of scanning and may change as the site is updated. Nothing in this report constitutes legal advice. Sonde assumes no liability for decisions made based on these results.

Leaderboard Methodology

Generated by **Sonde** · April 11, 2026