Sonde

Barrierefreiheits-Gesundheitscheck

https://ally.com

927

0 1000

Excellent

April 28, 2026
Kostenlos bereitgestellt von Sonde

https://daylight.sonde.life/usfin/ally-com/ (https://daylight.sonde.life/usfin/ally-com/)

3 Seiten | **83** Befunde | **8** critical | **12** high | **60** medium | **3** low | **27.7** Ø/Seite | **1,830** Elemente | **54** mit Befunden | **97%** ECR | **3m 33s** Gesamt | **1m 11s** pro Seite

Top-Befunde

Direkten Link kopieren · Diskussion eröffnen

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Ally Bank" WCAG 1.4.3

Seite: / (https://www.ally.com/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<p data-testid="RichTextTestId_block_p" class="Text_body-md__aYHxV -mt-0 -mb-xxs -color-gray-white">Ally Bank </p>
```

1.00:1 ✗ AKTUELL → 4.53:1 ✓ VORGESCHLAGEN

Ally Bank

#ffffff auf #ffffff → #777676 auf #ffffff

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Spending" WCAG 1.4.3

Seite: / (https://www.ally.com/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<a class="Link_link__JHJ4m Link_-dark__6RmSy Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="explore-Checking" href="https://www.ally.com/bank/interest-checking-account/" target="_s
```

1.00:1 ✗ AKTUELL → 4.53:1 ✓ VORGESCHLAGEN

Spending

#ffffff auf #ffffff → #777676 auf #ffffff

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "You've got an ally in every corner." WCAG 1.4.3

Seite: / (https://www.ally.com/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<strong data-testid="RichTextTestId_mark_bold">You've got an ally in every corner.</strong>
```

1.00:1 ✗ AKTUELL → 3.03:1 ✓ VORGESCHLAGEN

You've got an ally in every co...

#ffffff auf #ffffff → #959494 auf #ffffff

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Bank product Icon" WCAG 1.4.3

Seite: / (https://www.ally.com/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<title>Bank product Icon</title>
```

1.00:1 ✗ AKTUELL

4.53:1 ✓ VORGESCHLAGEN

Bank product Icon

#ffffff auf #ffffff

#777676 auf #ffffff

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: / (https://www.ally.com/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: / (https://www.ally.com/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH "role=text" should have no focusable descendants: Fix any of the following: Element has focusable descendants

Seite: / (https://www.ally.com/)

Element:

```
<p class="userConsent__disclaimerText" role="text">
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure role="text" is used on elements with no focusable descendants. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH Console warning: 🚀 _satellite.notify is deprecated. Please use the `_satellite.logger` API.

Seite: / (https://www.ally.com/)

Quelle: `https://www.ally.com/_next/static/chunks/5230-99413ba528bff774.js:0` MEDIUM

SONDE FEHLERBEHEBUNGSPLAN

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives

HIGH Focus jumps backward from "Decline Cookies" to "Skip to login" (visual distance: 845px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Seite: / (https://www.ally.com/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

Element:

```
<button>Skip to login</button>
```

SONDE FEHLERBEHEBUNGSPLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally Logo, go to ally.com" (visual distance: 451px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Seite: / (https://www.ally.com/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

Element:

```
<a>Ally Logo, go to ally.com</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally ventures logo" (visual distance: 445px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Seite: /ventures (https://www.ally.com/ventures) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

Element:

```
<a>Ally ventures logo</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Reorder elements in the DOM to match the visual layout.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: / (https://www.ally.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: / (https://www.ally.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: / (https://www.ally.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: / (https://www.ally.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: / (https://www.ally.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /ventures (https://www.ally.com/ventures) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /ventures (https://www.ally.com/ventures) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /ventures (https://www.ally.com/ventures) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /ventures (https://www.ally.com/ventures) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /ventures (https://www.ally.com/ventures) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="helpTopNav" href="https://www.ally.com/help/" target="_self" allytm-click-tagged="true">Help</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" href="http://www.ally.com/search" target="_self" allytm-click-tagged="true">Search</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investorRelations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-tagged="true">Investor Relations<
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompany" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click-tagged="true">Our Company</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="true">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="aboutUsTopNav" href="https://www.ally.com/about/" target="_self" allytm-click-tagged="true">About Us</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-tagged="true">Social Impact</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-suppliers" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged="true">Suppliers</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCenter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media Center</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="contactUsTopNav" href="https://www.ally.com/contact-us/" target="_self" allytm-click-tagged="true">Contact Us</
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investorRelations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-tagged="true">Investor Relations<
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-tagged="true">Social Impact</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-dealerServices" href="https://www.ally.com/dealer/" target="_self" allytm-click-tagged="true">Dealer Services</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-allyVentures" href="https://www.ally.com/ventures/" target="_self" allytm-click-tagged="true">Ally Ventures</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-corporateFinance" href="https://www.ally.com/corporate-finance/" target="_self" allytm-click-tagged="true">Corporate Finance
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="true">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompany" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click-tagged="true">Our Company</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCenter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media Center</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-suppliers" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged="true">Suppliers</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-conversationally" href="https://www.ally.com/stories/" target="_self" allytm-click-tagged="true">Conversationally</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Navigation region "Top Menu" (present on www.ally.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Seite: /ventures (https://www.ally.com/ventures) WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

Element:

```
<!-- missing: nav[aria-label="Top Menu"] -->
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure the "Top Menu" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="defaul
```

SONDE FEHLERBEHEBUNGSPLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &amp; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

SONDE FEHLERBEHEBUNGSPLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Auto Menu" dat
a-allytmln="autoMenu" allytm-click-tagged="true">Auto</button>
```

SONDE FEHLERBEHEBUNGSPLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Accept" inserts 15 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="userConsent__btn" allytmln="Banner - Accept" allytm-click-tagged="true" aria-label="Accept Cookies">A
ccept</button>
```

SONDE FEHLERBEHEBUNGSPLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Auto Menu" dat
a-allytmln="autoMenu" allytm-click-tagged="true">Auto</button>
```

SONDE FEHLERBEHEBUNGSPLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU sty
les_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="defaul
```

SONDE FEHLERBEHEBUNGSPLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &am
p; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

SONDE FEHLERBEHEBUNGSPLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Modelshop" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /ventures (https://www.ally.com/ventures) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm Link_-no-inline__7AGiC Link_
-embedded-block___x1B8" data-allytmln="venturesExternalLinkInterstitial" href="##" t
```

SONDE FEHLERBEHEBUNGSPLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /ventures (https://www.ally.com/ventures) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU sty
les_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="defaul
```

SONDE FEHLERBEHEBUNGSPLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Learn More" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /ventures (https://www.ally.com/ventures) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<a class="Modal_dialogTrigger__6C7WP Link_ctaTertiary__Ai4Hu Link_-dark__6RmSy Link_buttonAsLink__4_bbF" data-allytm
ln="learnMoreRobKerr" aria-label="learn more rob kerr" role="button" href="##" allyt
```

SONDE FEHLERBEHEBUNGSPLAN

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Car IQ" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /ventures (https://www.ally.com/ventures) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm Link_-no-inline__7AGiC Link_
-embedded-block___x1B8" data-allytmln="venturesExternalLinkInterstitial" href="##" t
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Greenlight" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /ventures (https://www.ally.com/ventures) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm Link_-no-inline__7AGiC Link_
-embedded-block___x1B8" data-allytmln="venturesExternalLinkInterstitial" href="##" t
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM x-content-type-options header has invalid or weak value: nosniff nosniff

Seite: /ventures (https://www.ally.com/ventures)

SONDE FEHLERBEHEBUNGSPLAN
Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

Seite: / (https://www.ally.com/)

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

Seite: /ventures (https://www.ally.com/ventures)

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

Methodik

Der Sonde Score ist ein universeller Compliance-Index von 0–1000 — wie ein Bonitätsscore für Barrierefreiheit. Jeder Befund wird nach seiner Auswirkung gewichtet. Die Rohstrafe wird pro Seite normalisiert, um die Vergleichbarkeit zu gewährleisten. Eine harmonische Kurve stellt sicher, dass jede Seite eine aussagekräftige Bewertung erhält.

```
Score = round(1000 × S / (S + P/N))
```

wobei S = Empfindlichkeit (750), P = Σ(Gewicht × Anzahl), N = gescannte Seiten

STUFE	GEWICHT	BEISPIELE
Kritisch	10	Tastaturfallen
Hoch	3	Fehlender Alternativtext
Mittel	1	Überschriftenstruktur
Niedrig	0.25	Best-Practice-Probleme

Der Sonde Score ist ein lebendiger Standard (v0.1). Er wird offen entwickelt, weil Barrierefreiheit zu wichtig für Entscheidungen hinter verschlossenen Türen ist. Ihre Expertise macht ihn besser.

Mission Control

Prüfen Sie die Rohdaten der Befunde, verfolgen Sie Änderungen zwischen Scans und tragen Sie zu Sondes offener Methodik bei.

- Befunde ansehen (https://github.com/sondeinc/daylight/blob/main/public/usfin/ally-com/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=ally-com)
- Änderungen verfolgen (https://github.com/sondeinc/daylight/commits/main/public/usfin/ally-com/?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=ally-com)
- Site vorschlagen (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=ally-com)
- Problem melden (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+Ally+Financial&utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=com)