Sonde

접근성 상태 확인

https://ally.com

927



Excellent

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usfin/ally-com/ (https://daylight.sonde.life/usfin/ally-com/)

3 페이지 | **83** 검출 결과 | **8** critical | **12** high | **60** medium | **3** low | **27.7** 평균/페이지 | **1,830** 요소 | **54** 검출 결과 있음 | **97%** ECR | **3m 33s** 총합 | **1m 11s** 페이지당

주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Ally Bank" WCAG 1.4.3

페이지: / (https://www.ally.com/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<p data-testid="RichTextTestId_block_p" class="Text_body-md__aYHxV -mt-0 -mb-xxs -color-gray-white">Ally Bank </p>
```

1.00:1 ✗ 현재

#ffffff 배경 #ffffff

→

4.53:1 ✓ 제안됨

Ally Bank

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Spending" WCAG 1.4.3

페이지: / (https://www.ally.com/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a class="Link_link__JHJ4m Link_-dark__6RmSy Link_-no-inline__7AGiC Link_-embedded-block___x1B8" data-allytmln="explore-Checking" href="https://www.ally.com/bank/interest-checking-account/" target="_s
```

1.00:1 ✗ 현재

#ffffff 배경 #ffffff

→

4.53:1 ✓ 제안됨

Spending

#777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "You've got an ally in every corner." WCAG 1.4.3

페이지: / (https://www.ally.com/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<strong data-testid="RichTextTestId_mark_bold">You've got an ally in every corner.</strong>
```

1.00:1 ✗ 현재

#ffffff 배경 #ffffff

→

3.03:1 ✓ 제안됨

You've got an ally in every co...

#959494 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Bank product Icon" WCAG 1.4.3

페이지: / (https://www.ally.com/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<title>Bank product Icon</title>
```

1.00:1 ✗ 현재 → 4.53:1 ✓ 제안됨

Bank product Icon

#ffffff 배경 #ffffff → #777676 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: / (https://www.ally.com/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: / (https://www.ally.com/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH "role=text" should have no focusable descendants: Fix any of the following: Element has focusable descendants

페이지: / (https://www.ally.com/)

요소:

```
<p class="userConsent__disclaimerText" role="text">
```

SONDE 수정 계획

Ensure role="text" is used on elements with no focusable descendants. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH Console warning: 🚀 _satellite.notify is deprecated. Please use the `_satellite.logger` API.

페이지: / (https://www.ally.com/)

소스: https://www.ally.com/_next/static/chunks/5230-99413ba528bff774.js:0 MEDIUM

SONDE 수정 계획

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives

HIGH Focus jumps backward from "Decline Cookies" to "Skip to login" (visual distance: 845px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: / (https://www.ally.com/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<button>Skip to login</button>
```

SONDE 수정 계획

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally Logo, go to ally.com" (visual distance: 451px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: / (https://www.ally.com/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Ally Logo, go to ally.com</a>
```

SONDE 수정 계획

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "Ally ventures logo" (visual distance: 445px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /ventures (https://www.ally.com/ventures) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Ally ventures logo</a>
```

SONDE 수정 계획

Reorder elements in the DOM to match the visual layout.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.ally.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.ally.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.ally.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.ally.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.ally.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /ventures (https://www.ally.com/ventures) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /ventures (https://www.ally.com/ventures) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /ventures (https://www.ally.com/ventures) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /ventures (https://www.ally.com/ventures) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /ventures (https://www.ally.com/ventures) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="helpTopNav" href="https://www.ally.com/help/" target="_self" allytm-click-tagged="true">Help</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" href="http://www.ally.com/search" target="_self" allytm-click-tagged="true">Search</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investorRelations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-tagged="true">Investor Relations<
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompany" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click-tagged="true">Our Company</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="true">Careers</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="aboutUsTopNav" href="https://www.ally.com/about/" target="_self" allytm-click-tagged="true">About Us</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-tagged="true">Social Impact</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-suppliers" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged="true">Suppliers</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCenter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media Center</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.ally.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="contactUsTopNav" href="https://www.ally.com/contact-us/" target="_self" allytm-click-tagged="true">Contact Us</
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investorRelations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-tagged="true">Investor Relations<
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-tagged="true">Social Impact</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-dealerServices" href="https://www.ally.com/dealer/" target="_self" allytm-click-tagged="true">Dealer Services</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-allyVentures" href="https://www.ally.com/ventures/" target="_self" allytm-click-tagged="true">Ally Ventures</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-corporateFinance" href="https://www.ally.com/corporate-finance/" target="_self" allytm-click-tagged="true">Corporate Finance
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="true">Careers</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompany" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click-tagged="true">Our Company</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCenter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media Center</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-suppliers" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged="true">Suppliers</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 26, 26), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /ventures (https://www.ally.com/ventures) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-conversationally" href="https://www.ally.com/stories/" target="_self" allytm-click-tagged="true">Conversationally</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Navigation region "Top Menu" (present on www.ally.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /ventures (https://www.ally.com/ventures) WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav[aria-label="Top Menu"] -->
```

SONDE 수정 계획

Ensure the "Top Menu" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU styles_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="defaul
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &amp; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Auto Menu" dat
a-allytmln="autoMenu" allytm-click-tagged="true">Auto</button>
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Accept" inserts 15 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="userConsent__btn" allytmln="Banner - Accept" allytm-click-tagged="true" aria-label="Accept Cookies">A
ccept</button>
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Auto" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Auto Menu" dat
a-allytmln="autoMenu" allytm-click-tagged="true">Auto</button>
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU sty
les_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="defaul
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Investing & Retirement" inserts 6 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: / (https://www.ally.com/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="styles_mainNavListItemBtn__EFhR4" type="button" aria-expanded="false" aria-label="Open Investing &am
p; Retirement Menu" data-allytmln="investMenu" allytm-click-tagged="true">Investing &
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Modelshop" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /ventures (https://www.ally.com/ventures) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm Link_-no-inline__7AGiC Link_
-embedded-block___x1B8" data-allytmln="venturesExternalLinkInterstitial" href="##" t
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "SIPC" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /ventures (https://www.ally.com/ventures) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm styles_-underline__agAoU sty
les_-inline__545GH Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln="defaul
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Learn More" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /ventures (https://www.ally.com/ventures) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a class="Modal_dialogTrigger__6C7WP Link_ctaTertiary__Ai4Hu Link_-dark__6RmSy Link_buttonAsLink__4_bbF" data-allytm
ln="learnMoreRobKerr" aria-label="learn more rob kerr" role="button" href="##" allyt
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Car IQ" inserts 7 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /ventures (https://www.ally.com/ventures) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm Link_-no-inline__7AGiC Link_
-embedded-block___x1B8" data-allytmln="venturesExternalLinkInterstitial" href="##" t
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Visit Greenlight" inserts 8 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /ventures (https://www.ally.com/ventures) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a class="Link_link__JHJ4m Modal_dialogTrigger__6C7WP styles_interstitialTrigger__s2UXm Link_-no-inline__7AGiC Link_
-embedded-block___x1B8" data-allytmln="venturesExternalLinkInterstitial" href="##" t
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM x-content-type-options header has invalid or weak value: nosniff nosniff

페이지: /ventures (https://www.ally.com/ventures)

SONDE 수정 계획
Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

페이지: / (https://www.ally.com/)

요소:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

페이지: /ventures (https://www.ally.com/ventures)

요소:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

등급	가중치	예시
치명적	10	키보드 트랩
높음	3	대체 텍스트 누락
중간	1	제목 계층
낮음	0.25	모범 사례

Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.

미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usfin/ally-com/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=ally-com)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usfin/ally-com/?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=ally-com)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=ally-com)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+Ally+Financial&utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=ally-com)