Sonde

접근성 상태 확인

https://capitalone.com

989



Excellent

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usfin/capitalone-com/ (https://daylight.sonde.life/usfin/capitalone-com/)

14 페이지 | **79** 검출 결과 | **2** critical | **15** high | **54** medium | **8** low | **5.6** 평균/페이지 | **1,994** 요소 | **73** 검출 결과 있음 | **96.3%** ECR | **3m 21s** 총합 | **14.3s** 페이지당

주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Credit card overview" WCAG 1.4.3

페이지: / (https://www.capitalone.com/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a class="site-L2__tabbable ng-star-inserted" href="/credit-cards/" target="_self">Credit card overview</a>
```

1.00:1 ✗ 현재

Credit card overview

4.53:1 ✓ 제안됨

☐ #ffffff 배경 ☐ #ffffff

■ #777676 배경 ☐ #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Keyboard trap detected in nav "Cars for saleNew cars for saleUsed cars ". Focus cycles within 4 elements without escaping. 17 focusable elements in container. WCAG 2.1.2

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 2.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/no-keyboard-trap)

요소:

```
<nav role="nav">Cars for saleNew cars for saleUsed cars </nav>
```

SONDE 수정 계획

Ensure Tab and Shift+Tab can move focus out of this region. If this is a modal dialog, provide a close mechanism (Escape key) that returns focus to the trigger element.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Console warning: OneTag has encountered at least one warning. Please refer to the oneTag documentation on how to enable oneTag debug messages.

페이지: / (https://www.capitalone.com/)

소스: `https://onetms.capitalone.com/ot/ot.js:7` MEDIUM

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

HIGH Console warning: Newrelic action queued -> setCustomAttribute: app-version 0.1.678 (2 occurrences)

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

소스: `https://www.capitalone.com/cars/ocb-ui/search-assets/logger.BmHwsxRQ.js:0` MEDIUM

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.capitalone.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.capitalone.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.capitalone.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.capitalone.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.capitalone.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.capitalone.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.capitalone.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.capitalone.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 2 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 navigation landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "contentinfo" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 contentinfo landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "contentinfo" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-row">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<label _ngcontent-web-shell-c2931505271="" for="ods-input-1" class="grv-shr-lib-textfield__label grv-shr-lib-text__body--tiny">Password</label>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<div _ngcontent-web-shell-c2667954597="" class="card-overlay">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<h1 _ngcontent-web-shell-c2562791342="" tabindex="0" class="main-title visuallyhidden ng-star-inserted" aria-label="Explore Capital One’s Banking and Financial Services">Explore Capital One’s Banking ...
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<input _ngcontent-web-shell...="" type="text" id="ods-input-0" maxlength="50" name="ods-input-0" aria-label="Username" aria-describedby="us-login-auth-error-..." required="" class="login-username grv-...
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<img _ngcontent-web-shell...="" alt="FDIC-Insured - Backe..." lang="en-US" src="data:image/png;base6..." class="gds-fdic-sign gds-fd...">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<input _ngcontent-web-shell...="" type="password" id="ods-input-1" maxlength="64" name="ods-input-1" aria-label="Password" aria-describedby="us-login-auth-error-..." required="" class="login-password ...
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-row"><div _ngcontent-web-shell-c347514875="" class="grv-shr-lib-col headline"><h2 _ngcontent-web-shell-c347514875="" class="grv-shr-lib-text_...
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-margin-top: 68px; display: block;" class="legacy-component ng-star-inserted">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-margin-top: 68px; display: bloc
k;" class="legacy-component ng-star-inserted">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<shared-cms-base-shared-component id="meet-capital-one" tabindex="-1" style="scroll-margin-top: 68px; display: bloc
k;" class="legacy-component ng-star-inserted">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<input _ngcontent-web-shell-c2931505271="" type="checkbox" id="rememberMe" name="rememberMe" class="rem-checkbox ng-
untouched ng-pristine ng-valid" data-initial-value="">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<div _ngcontent-web-shell...="" role="tabpanel" class="feature-image active..." id="activeImage0" aria-labelledby="t
ab0" style="background-image: ur...">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<div _ngcontent-web-shell-c347514875="" role="tablist" class="interactive-features-tablist">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM The skip-link target should exist and be focusable: Fix any of the following: No skip link target

페이지: / (https://www.capitalone.com/)

요소:

```
<a _ngcontent-web-shell-c1855419180="" href="#default-id" class="site-header__skip-nav"> Skip to main content
</a>
```

SONDE 수정 계획
Ensure all skip links have a focusable target. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<label _ngcontent-web-shell-c2931505271="" for="rememberMe" class="grv-shr-lib-text__body--tiny">Remember me</label>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<a _ngcontent-web-shell-c2931505271="" id="setUpAccess" class="asset-link set-up-access grv-shr-lib-text__body--tin
y" data-initial-value="Set up online access" href="https://verified.capitalone.com/en...
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<div _ngcontent-web-shell-c2931505271="" class="grv-shr-lib-col--sm-2 login-field ng-star-inserted">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

페이지: / (https://www.capitalone.com/)

요소:

```
<html lang="en">
```

SONDE 수정 계획

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<label _ngcontent-web-shell-c2931505271="" for="ods-input-0" class="grv-shr-lib-textfield__label grv-shr-lib-text__body--tiny">Username</label>
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: / (https://www.capitalone.com/)

요소:

```
<div _ngcontent-web-shell-c553998024="" class="grv-shr-lib-row ng-tns-c553998024-0">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Contentinfo landmark should not be contained in another landmark: Fix any of the following: The contentinfo landmark is contained in another landmark.

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

요소:

```
<footer class="bg-FsClrBrandPaletteMidnight font-sans text-white">
```

SONDE 수정 계획

Ensure the contentinfo landmark is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should not have more than one contentinfo landmark: Fix any of the following: Document has more than one contentinfo landmark

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

요소:

```
<footer>
```

SONDE 수정 계획

Ensure the document has at most one contentinfo landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

요소:

```
<nav class="hidden xl:flex order-2">
```

SONDE 수정 계획
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.capitalone.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="sub-heading-link" href="/credit-cards/travel-and-miles/" target="_self" tabindex="-1"><span class="sub-hea
ding">Credit Level: Excellent to Good</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.capitalone.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="sub-heading-link" href="/credit-cards/cash-back/" target="_self" tabindex="-1"><span class="sub-heading">C
redit Level: Excellent to Fair</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.capitalone.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="site-L2__tabbable" href="/credit-cards/fair-and-building/" target="_self"><span class="heading">Credit Bui
lding</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.capitalone.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="sub-heading-link" href="/small-business/credit-cards/" target="_self" tabindex="-1"><span class="sub-heading">Credit Level: Excellent to Fair</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.capitalone.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="site-L2__tabbable" href="/credit-cards/cash-back/" target="_self"><span class="heading">Cash Back Rewards</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.capitalone.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="site-L2__tabbable" href="/credit-cards/travel-and-miles/" target="_self"><span class="heading">Travel Rewards</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.capitalone.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="sub-heading-link" href="/credit-cards/fair-and-building/" target="_self" tabindex="-1"><span class="sub-heading">Credit Level: Fair to Rebuilding</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.capitalone.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="site-L2__tabbable" href="/credit-cards/students/" target="_self"><span class="heading">Student Rewards</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.capitalone.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="site-L2__tabbable" href="/small-business/credit-cards/" target="_self"><span class="heading">Business Rewards</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(0, 0, 0)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.capitalone.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="sub-heading-link" href="/credit-cards/students/" target="_self" tabindex="-1"><span class="sub-heading">Credit Level: Fair</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Navigation region "card" (present on www.capitalone.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav#card-menu-container -->
```

SONDE 수정 계획

Ensure the "card" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "bank" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "auto" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "businessOOF" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "commercial" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "benefits" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "How to calculate car loan interest?" inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button data-hk="s4000021010010000" type="button" aria-expanded="false" data-closed="" class="group inline-flex w-fu
ll items-center justify-between border-2 border-transparent font-fsFontWeightSemibol
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "[data-testid="open-account-menu"]" inserts 3 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button class="cursor-pointer" data-analytics-track-on="click" data-analytics-tag-key="BASE_HEADER_ACCOUNT_ICON" dat
a-testid="open-account-menu" data-analytics-has-listener="true"><div><div data-hk="s
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Cars for sale" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button data-testid="make-tab-toggle-visibility-button" data-analytics-tag-key="BASE_HEADER_CARS_FOR_SALE" data-anal
ytics-replacements="show" data-analytics-track-on="click" aria-expanded="false" clas
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Broken link: https://www.capitalone.com/activate/ returned status 404 Not Found after 1 attempts

페이지: / (https://www.capitalone.com/)

요소:

```
<a href="https://www.capitalone.com/activate/">Activate Credit Card</a>
```

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

페이지: / (https://www.capitalone.com/) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE 수정 계획
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page requires horizontal scrolling at 320px width (21px overflow). Content should reflow without horizontal scrolling at this width. WCAG 1.4.10

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<html>
```

SONDE 수정 계획
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

요소:

```
<button data-hk="s4000021010010000" type="button" aria-expanded="false" data-closed="" class="group inline-flex w-fu
ll items-center justify-between border-2 border-transparent font-fsFontWeightSemibol
```

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

요소:

```
<button data-hk="s4000020010010000" type="button" aria-expanded="false" data-closed="" class="group inline-flex w-fu
ll items-center justify-between border-2 border-transparent font-fsFontWeightSemibol
```

MEDIUM Stuck loading state: aria-busy="true" on <button> persists after page readiness

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

요소:

```
<button data-hk="s4000022010010000" type="button" aria-expanded="false" data-closed="" class="group inline-flex w-fu
ll items-center justify-between border-2 border-transparent font-fsFontWeightSemibol
```

LOW Broken link: https://verified.capitalone.com/enroll/pii returned status 404 Not Found after 1 attempts

페이지: / (https://www.capitalone.com/)

요소:

```
<a href="https://verified.capitalone.com/enroll/pii">Activate Your Account</a>
```

LOW Broken link: https://verified.capitalone.com/sign-in-help/ returned status 404 Not Found after 1 attempts

페이지: / (https://www.capitalone.com/)

요소:

```
<a href="https://verified.capitalone.com/sign-in-help/">Forgot username or password?</a>
```

LOW Broken link: https://verified.capitalone.com/auth/signin returned status 404 Not Found after 1 attempts

페이지: / (https://www.capitalone.com/)

요소:

```
<a href="https://verified.capitalone.com/auth/signin">Sign In</a>
```

LOW Broken link: https://www.x.com/askcapitalone returned status 403 Forbidden after 1 attempts

페이지: / (https://www.capitalone.com/)

요소:

```
<a href="https://www.x.com/askcapitalone">Reach @AskCapitalOne</a>
```

LOW Link timeout: unsafe:javascript:void(0); did not respond within 5000ms after 8 attempts

페이지: / (https://www.capitalone.com/)

요소:

```
<a href="unsafe:javascript:void(0);">Benefits &amp;amp; Tools</a>
```

LOW Broken link: https://x.com/capitalone/ returned status 403 Forbidden after 1 attempts

페이지: / (https://www.capitalone.com/)

요소:

```
<a href="https://x.com/capitalone/">X</a>
```

LOW Broken link: https://api.capitalone.com/oauth2/authorize?client_id=ae59503b7657fa6154be7bb44f48bc01&response_type=code&grant_type=authorization_code&scope=ncUniversalId%20openid&redirect_uri=https://ane.capitalone.com/protected/860354/auth returned status 404 Not Found after 1 attempts

페이지: /cars/calculator (https://www.capitalone.com/cars/calculator)

요소:

```
<a href="https://api.capitalone.com/oauth2/authorize?client_id=ae59503b7657fa6154be7bb44f48bc01&amp;response_type=code&amp;grant_type=authorization_code&amp;scope=ncUniversalId%20openid&amp;redirect_uri=https://ane.capitalone.com/protected/860354/auth">Sign in</a>
```

방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

등급	가중치	예시
치명적	10	키보드 트랩
높음	3	대체 텍스트 누락
중간	1	제목 계층
낮음	0.25	모범 사례

Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.

미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usfin/capitalone-com/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=capitalone-com)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usfin/capitalone-com/?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=capitalone-com)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=capitalone-com)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+Capital+One&utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=capitalone-com)