Sonde

접근성 상태 확인

https://chase.com

941



Excellent

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usfin/chase-com/ (https://daylight.sonde.life/usfin/chase-com/)

4 페이지 | **102** 검출 결과 | **8** critical | **10** high | **76** medium | **8** low | **25.5** 평균/페이지 | **4,592** 요소 | **76** 검출 결과 있음 | **98.3%** ECR | **3m 22s** 총합 | **50.5s** 페이지당

주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 94, 184), background: rgb(0, 94, 184). Text: "Slide 1" WCAG 1.4.3

페이지: / (https://www.chase.com/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span class="bh3abbp14ff9w40">Slide 1</span>
```

1.00:1 ✗ 현재

#005eb8 배경 #005eb8

4.53:1 ✓ 제안됨

Slide 1

#c0dcff 배경 #005eb8

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #005eb8 to #c0dcff (ratio: 4.5:1). Or change background from #005eb8 to #000000.

CRITICAL Insufficient color contrast: 1.08:1 (required: 4.5:1 for normal text). Foreground: rgb(16, 24, 32), background: rgb(4, 30, 66). Text: "Loading" WCAG 1.4.3

페이지: /business (https://www.chase.com/business) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span class="accessible-text">Loading</span>
```

1.08:1 ✗ 현재

Loading

#101820 배경 #041e42

4.51:1 ✓ 제안됨

Loading

#7c8791 배경 #041e42

SONDE 수정 계획

Current ratio: 1.08:1 (need 4.5:1). Change foreground from #101820 to #7c8791 (ratio: 4.5:1). Or change background from #041e42 to #000000.

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Chase logo links to Chase Home" WCAG 1.4.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span class="accessible-text" id="chase-header-logo-hat"> Chase logo links to Chase Home</span>
```

1.00:1 ✗ 현재

#ffffff 배경 #ffffff

3.03:1 ✓ 제안됨

Chase logo links to Chase Home

#959494 배경 #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "ATM & branch" WCAG 1.4.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a href="https://locator.chase.com/?locale=en_US" class="chaseanalytics-track-link" data-pt-name="hd_atmbranch">ATM &amp;amp; branch</a>
```

1.00:1 ✗ 현재

☐ #ffffff 배경 ☐ #ffffff

→

4.53:1 ✓ 제안됨

ATM & branch

■ #777676 배경 ☐ #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Explore Products " WCAG 1.4.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a class="header__section--dropdown__title__link chaseanalytics-track-link" role="button" href="#" data-pt-name="hd_exploreproducts">Explore Products<span class="icon-down-expansion"></span>
```

1.00:1 ✗ 현재

☐ #ffffff 배경 ☐ #ffffff

→

4.53:1 ✓ 제안됨

Explore Products ...

■ #777676 배경 ☐ #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Español" WCAG 1.4.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<a href="/es/digital/banking" class="chaseanalytics-track-link language-toggle" lang="es" data-pt-name="hd_espanol">Español</a>
```

1.00:1 ✗ 현재

☐ #ffffff 배경 ☐ #ffffff

→

4.53:1 ✓ 제안됨

Español

■ #777676 배경 ☐ #ffffff

SONDE 수정 계획

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (52.3px by 21.2px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.2px instead of at least 24px. WCAG 2.5.8

페이지: / (https://www.chase.com/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<button type="button" id="show-hide-btn" tabindex="0" style="min-width:0;display:...">
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

페이지: /business (https://www.chase.com/business)

요소:

```
<div class="consent-banner" tabindex="1">
```

SONDE 수정 계획


Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

HIGH Insufficient color contrast: 2.51:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(161, 164, 165). Text: "Explore solutions" WCAG 1.4.3

페이지: /business (https://www.chase.com/business) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span class="sc-73a9a8bc-0 hlNXhq btn-primary-button-text btn-not-inverse disabled">Explore solutions</span>
```



SONDE 수정 계획

Current ratio: 2.51:1 (need 4.5:1). Change foreground from #ffffff to #3b3a3a (ratio: 4.5:1).

HIGH Console warning: [Analytics-Lite]: clearEventsQueue() is deprecated. You can safely remove this function call from your codebase.

페이지: /business (https://www.chase.com/business)

소스: `https://asset.chase.com/web/library/digddsautomation/reportingjs/Reporting.js:0` MEDIUM

SONDE 수정 계획

Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer Add Strict-Transport-Security header with max-age of at least 31536000

HIGH Focus jumps backward from "See details" to "KNOWLEDGE CENTER" (visual distance: 580px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /business (https://www.chase.com/business) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>KNOWLEDGE CENTER</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "See details" to "PAYMENT SOLUTIONS" (visual distance: 580px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /business (https://www.chase.com/business) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>PAYMENT SOLUTIONS</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "div:nth-of-type(1) > div:nth-of-type(2) > a" to "Skip to main content" (visual distance: 1388px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /business (https://www.chase.com/business) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip to main content</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Learn more" to "SAPPHIRE RESERVE FOR BUSINESS℠" (visual distance: 580px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /business (https://www.chase.com/business) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>SAPPHIRE RESERVE FOR BUSINESS℠</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Give feedback" to "Skip to main content" (visual distance: 4593px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Skip to main content</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: / (https://www.chase.com/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: / (https://www.chase.com/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /business (https://www.chase.com/business) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /business (https://www.chase.com/business) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /business (https://www.chase.com/business) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /business (https://www.chase.com/business) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<!-- a11y: role="generic" name="Skip to main content" -->
```

SONDE 수정 계획
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /business (https://www.chase.com/business)

요소:

```
<a href="#main" class="sc-f1d44d46-0 eSbDRK mds-body-large-heavier mds-pos-fixed mds-text-center mds-text-decoration
-none">Skip to main content</a>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /business (https://www.chase.com/business)

요소:

```
<div class="consent-banner-section-wrapper" region="landmark" aria-label="Privacy Policy">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.chase.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ceoa7cu1vfdbab1 hdh74911vfdbab0 sqb3ra71vfdbab5 jfv80461vfdbab3 y32955a1vfdbab7 w8tna1t1d6nc7e0 chaseanaly
tics-track-link regular-link " aria-disabled="false" href="/personal/mortgage" data-
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.chase.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ceoa7cu1vfdbab1 hdh74911vfdbab0 sqb3ra71vfdbab5 jfv80461vfdbab3 y32955a1vfdbab7 w8tna1t1d6nc7e0 chaseanaly
tics-track-link regular-link " aria-disabled="false" href="https://creditcards.chase
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.chase.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ceoa7cu1vfdbab1 hdh74911vfdbab0 sqb3ra71vfdbab5 jfv80461vfdbab3 y32955a1vfdbab7 w8tna1t1d6nc7e0 chaseanaly
tics-track-link regular-link " aria-disabled="false" href="/personal/savings/bank-cd
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.chase.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ceoa7cu1vfdbab1 hdh74911vfdbab0 sqb3ra71vfdbab5 jfv80461vfdbab3 y32955a1vfdbab7 w8tna1t1d6nc7e0 chaseanaly
tics-track-link regular-link " aria-disabled="false" href="/personal/credit-cards/fr
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.chase.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ceoa7cu1vfdbab1 hdh74911vfdbab0 sqb3ra71vfdbab5 jfv80461vfdbab3 y32955a1vfdbab7 w8tna1t1d6nc7e0 chaseanaly
tics-track-link regular-link " aria-disabled="false" href="https://personal.chase.co
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.chase.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ceoa7cu1vfdbab1 hdh74911vfdbab0 sqb3ra71vfdbab5 jfv80461vfdbab3 y32955a1vfdbab7 w8tna1t1d6nc7e0 chaseanaly
tics-track-link regular-link " aria-disabled="false" href="/personal/offers/total-ch
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.chase.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ceoa7cu1vfdbab1 hdh74911vfdbab0 sqb3ra71vfdbab5 jfv80461vfdbab3 y32955a1vfdbab7 w8tna1t1d6nc7e0 chaseanaly
tics-track-link regular-link " aria-disabled="false" href="https://creditcards.chase
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.chase.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ceoa7cu1vfdbab1 hdh74911vfdbab0 sqb3ra71vfdbab5 jfv80461vfdbab3 y32955a1vfdbab7 w8tna1t1d6nc7e0 chaseanaly
tics-track-link regular-link " aria-disabled="false" href="https://creditcards.chase
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.chase.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ceoa7cu1vfdbab1 hdh74911vfdbab0 sqb3ra71vfdbab5 jfv80461vfdbab3 y32955a1vfdbab7 w8tna1t1d6nc7e0 chaseanaly
tics-track-link regular-link " aria-disabled="false" href="https://personal.chase.co
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.chase.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ceoa7cu1vfdbab1 hdh74911vfdbab0 sqb3ra71vfdbab5 jfv80461vfdbab3 y32955a1vfdbab7 w8tna1t1d6nc7e0 chaseanaly
tics-track-link regular-link " aria-disabled="false" href="https://creditcards.chase
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /business (https://www.chase.com/business) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://instagram.com/chase" role="link" title="Instagram" data-pt-name="ft_soc_instagram" rel="noreferrer"
target="_blank" class="link btn-link btn-not-inverse btn-content-driven chaseanalyt
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /business (https://www.chase.com/business) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.youtube.com/chase" role="link" title="YouTube" data-pt-name="ft_soc_youtube" rel="noreferrer" t
arget="_blank" class="link btn-link btn-not-inverse btn-content-driven chaseanalytic
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /business (https://www.chase.com/business) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://twitter.com/Chase" role="link" title="X, formerly Twitter" data-pt-name="ft_soc_x" rel="noreferrer"
target="_blank" class="link btn-link btn-not-inverse btn-content-driven chaseanalyt
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /business (https://www.chase.com/business) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.pinterest.com/chase/" role="link" title="Pinterest" data-pt-name="ft_soc_pinterest" rel="norefe
rrer" target="_blank" class="link btn-link btn-not-inverse btn-content-driven chasea
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /business (https://www.chase.com/business) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.facebook.com/chase" role="link" title="Facebook" data-pt-name="ft_soc_facebook" rel="noreferre
r" target="_blank" class="link btn-link btn-not-inverse btn-content-driven chaseanaly
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /business (https://www.chase.com/business) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.linkedin.com/company/chase?trk=company_logo" role="link" title="LinkedIn" data-pt-name="ft_soc_
linkedin" rel="noreferrer" target="_blank" class="link btn-link btn-not-inverse btn-
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/es/digital/banking" class="chaseanalytics-track-link language-toggle" lang="es" data-pt-name="sm_espanol">
                                                <p class="sidemenu__prim--title">Español</p></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.chase.com/personal/education" class=" chaseanalytics-track-link category-sm_financial_educatio
n" data-pt-name="sm_financial_education">
                                            <p class="sidemenu__prim--title">Fin
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(237, 237, 237), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://autofinance.chase.com/auto-finance/home?offercode=WDXDPXXX00" class=" chaseanalytics-track-link " d
ata-pt-name="sm_fs_autoloans">
                                            <div class="sidemenu__sec--container">
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(237, 237, 237), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://personal.chase.com/personal/savings" class=" chaseanalytics-track-link " data-pt-name="sm_fs_saving
s">
                                            <div class="sidemenu__sec--container">
                                                <span class="sidemenu__se
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.chase.com" class=" chaseanalytics-track-link category-home" data-pt-name="sm_home">
                                        <p class="sidemenu__prim--title">Home</p>
                                        </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.chase.com/personal/credit-cards/free-credit-score" class=" chaseanalytics-track-link " data-pt-
name="sm_get_credit_score">
                                        <p class="sidemenu__prim--title">Free credit scor
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(237, 237, 237), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://www.chase.com/personal/savings/bank-cd" class=" chaseanalytics-track-link " data-pt-name="sm_fs_cd
s">
                                        <div class="sidemenu__sec--container">
                                               <span class="sidemenu__sec
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(237, 237, 237), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://creditcards.chase.com/" class=" chaseanalytics-track-link " data-pt-name="sm_fs_credit-cards">
                                        <div class="sidemenu__sec--container">
                                               <span class="sidemenu__sec--icon
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(237, 237, 237), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://personal.chase.com/personal/checking" class=" chaseanalytics-track-link " data-pt-name="sm_fs_check
ing">
                                        <div class="sidemenu__sec--container">
                                               <span class="sidemenu__
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://secure.chase.com/web/auth/dashboard" class=" chaseanalytics-track-link  signInBtn" data-pt-name="sm
_signinclassic">
                                        <p class="sidemenu__prim--title">Sign in</p>
                                        </a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Navigation region "Customer service" (present on www.chase.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /business (https://www.chase.com/business) WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav[aria-label="Customer service"] -->
```

SONDE 수정 계획

Ensure the "Customer service" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Customer Type" (present on www.chase.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav[aria-label="Customer Type"] -->
```

SONDE 수정 계획

Ensure the "Customer Type" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "Customer service" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "nav" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Console warning: [Analytics-Lite]: clearEventsQueue() is deprecated. You can safely remove this function call from your codebase.

페이지: / (https://www.chase.com/)

소스: `https://asset.chase.com/web/library/digddsautomation/reportingjs/Reporting.js:0` MEDIUM

SONDE 수정 계획
Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

MEDIUM Clicking "Facebook (Opens Overlay)" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a role="button" class=" regular-link chaseanalytics-opt-exlnk icon icon-facebook" target="_blank" rel="noopener" hr
ef="https://www.facebook.com/chase" data-pt-name="fm_share_fb">
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Footnote1(Opens Overlay)" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a role="button" href="#" class="scroll-top"><span class="disclosure" data-disclosure-url="/content/chase-ux/en/stru
ctured/module/disclosure/personal/mobile-online-banking/disc-mobile-app/_jcr_content
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Footnote2(Opens Overlay)" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a role="button" href="#" class="scroll-top"><span data-disclosure-url="/content/chase-ux/en/structured/module/discl
osure/personal/checking/checking-quick-deposit-disc/_jcr_content/module/disclosureco
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Footnote4(Opens Overlay)" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a role="button" href="#" class="scroll-top"><span data-disclosure-url="/content/chase-ux/en/structured/module/disclosure/personal/checking/checking-online-bill-pay-disc/_jcr_content/module/disclosure
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Footnote3(Opens Overlay)" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a role="button" href="#" class="scroll-top"><span class="disclosure" data-disclosure-url="/content/chase-ux/en/structured/module/disclosure/personal/checking/checking-quickpay-disc/_jcr_content/modul
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Footnote5(Opens Overlay)" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /digital/banking (https://www.chase.com/digital/banking)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a role="button" href="#" class="scroll-top"><span class="disclosure" data-disclosure-url="/content/chase-ux/en/structured/module/disclosure/commercial-banking/golden-source/CB000002-account-alerts/_j
```

SONDE 수정 계획

Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Broken link: https://www.chase.com/content/dam/chaseux-fragments/en/chase-footnotes-and-disclosures/business/banking/ranked-1 returned status 404 Not Found after 1 attempts

페이지: /business (https://www.chase.com/business)

요소:

```
<a href="https://www.chase.com/content/dam/chaseux-fragments/en/chase-footnotes-and-disclosures/business/banking/ranked-1">Footnote
        1Opens overlay</a>
```

MEDIUM Content clipped by 71px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /business (https://www.chase.com/business) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<span class="sc-5ed86311-0 bSfPPF accessible-text">Open side menu</span>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 95px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /business (https://www.chase.com/business) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<a href="#main" class="sc-f1d44d46-0 eSbDRK mds-body-large-heavier mds-pos-fixed mds-text-center mds-text-decoration
-none">Skip to main content</a>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 215px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /business (https://www.chase.com/business) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<span id="nav-logo-link-text" class="sc-5ed86311-0 bSfPPF accessible-text">Chase for Business links to Chase for Bus
iness home</span>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 388px at 320px width. WCAG 1.4.10

페이지: /business (https://www.chase.com/business) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div aria-hidden="true" class="sc-93c77d2f-1 TKxeB mds-body-medium h-100 w-100 mds-pos-fixed mds-top-0" aria-label
="Sign in panel" role="dialog"><div class="h-100 mds-d-none"></div></div>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 439px at 320px width. WCAG 1.4.10

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<ul class="sub-header__nav util clearfix" aria-label="secondary navigation" role="menubar" style="width: 759px; opac
ity: 1; transition-timing-function: cubic-bezier(0.1, 0.57, 0.1, 1); transition-dura
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 8px at 320px width. WCAG 1.4.10

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="footer__module-footer__section--tiles row">
              <div class="seo-content parsys"><div class="seocontent section"><div class="footer__module-footer__se
ction--tile col-xs-12 col-sm
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 47px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<h1 class="accessible-text">Digital Banking Features</h1>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 69px at 320px width. WCAG 1.4.10

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<a class=" regular   category-deposits" href="#deposits" role="menuitem">
                                Deposit checks</a>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 373px at 320px width. WCAG 1.4.10

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<a class=" category-Stay" href="#stay" role="menuitem">
                                Stay connected</a>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 37px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<span class="accessible-text"> Show Search</span>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 87px at 320px width. WCAG 1.4.10

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<li class="sub-header__nav--item" role="none">
              <a class=" regular   category-deposits" href="#deposits" role="menuitem">
                                Deposit checks</a>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 35px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<span class="accessible-text" id="chase-header-logo-hat"> Chase logo links to Chase Home</span>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 224px at 320px width. WCAG 1.4.10

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<a class=" category-payments" href="#payments" role="menuitem">
                                Make payments</a>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 8px at 320px width. WCAG 1.4.10

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="seo-content parsys"><div class="seocontent section"><div class="footer__module-footer__section--tile col
-xs-12 col-sm-6 col-md-4 col-lg-2">
      <div class="footer__module-footer__section
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 8px at 320px width. WCAG 1.4.10

페이지: /digital/banking (https://www.chase.com/digital/banking) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<div class="seocontent section"><div class="footer__module-footer__section--tile col-xs-12 col-sm-6 col-md-4 col-lg-
2">
      <div class="footer__module-footer__section--tile__icon icon-checking-small
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

LOW Console warning: [Analytics-Lite]: clearEventsQueue() is deprecated. You can safely remove this function call from your codebase. (2 occurrences)

페이지: /digital/banking (https://www.chase.com/digital/banking)

소스: `https://asset.chase.com/web/library/digddsautomation/reportingjs/Reporting.js:0` MEDIUM

SONDE 수정 계획
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Broken link: https://twitter.com/Chase returned status 403 Forbidden after 1 attempts

페이지: / (https://www.chase.com/)

요소:

```
<a href="https://twitter.com/Chase">X, formerly Twitter</a>
```

LOW Link timeout: https://optout.aboutads.info/?c=2&lang=EN did not respond within 5000ms after 8 attempts

페이지: / (https://www.chase.com/)

요소:

```
<a href="https://optout.aboutads.info/?c=2&amp;lang=EN">AdChoices</a>
```

LOW Broken link: https://twitter.com/Chase returned status 403 Forbidden after 1 attempts

페이지: /business (https://www.chase.com/business)

요소:

```
<a href="https://twitter.com/Chase">X, formerly Twitter, Opens overlay</a>
```

LOW Link timeout: https://optout.aboutads.info/?c=2&lang=EN did not respond within 5000ms after 8 attempts

페이지: /business (https://www.chase.com/business)

요소:

```
<a href="https://optout.aboutads.info/?c=2&amp;lang=EN">AdChoices, Opens overlay</a>
```

LOW Broken link: https://twitter.com/Chase returned status 403 Forbidden after 1 attempts

페이지: /digital/banking (https://www.chase.com/digital/banking)

요소:

```
<a href="https://twitter.com/Chase">X, formerly Twitter
                    (Opens Overlay)</a>
```

방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

등급	가중치	예시
치명적	10	키보드 트랩
높음	3	대체 텍스트 누락
중간	1	제목 계층
낮음	0.25	모범 사례

Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.

미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usfin/chase-com/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=chase-com)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usfin/chase-com/?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=chase-com)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=chase-com)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+JPMorgan+Chase&utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=chase-com)