Sonde

접근성 상태 확인

https://wellsfargo.com

940



Excellent

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usfin/wellsfargo-com/ (https://daylight.sonde.life/usfin/wellsfargo-com/)

6 페이지 | **174** 검출 결과 | **9** critical | **27** high | **110** medium | **28** low | **29.0** 평균/페이지 | **5,829** 요소 | **107** 검출 결과 있음 | **98.2%** ECR | **3m 23s** 총합 | **33.8s** 페이지당

주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

CRITICAL Certain ARIA roles must be contained by particular parents: Fix any of the following: Required ARIA parent role not present: row WCAG 1.3.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<div role="rowheader" class="section-header" test-id="table-section-header" aria-colspan="4">Find a bank account</di
v>
```

SONDE 수정 계획

Ensure elements with an ARIA role that require parent roles are contained by them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: [role=rowheader] WCAG 1.3.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<div role="rowgroup">
                    <div class="row">
                        <div role="rowheader" class="section-header" test-id="table-section-header" aria-colspan
="4">Find a bank account</di...
```

SONDE 수정 계획

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

CRITICAL Certain ARIA roles must contain particular children: Fix any of the following: Element has children which are not allowed: h2[tabindex], [role=rowheader] WCAG 1.3.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<div class="table" role="table" aria-label="At a glance" aria-describedby="header-checkingalt">
```

SONDE 수정 계획

Ensure elements with an ARIA role that require child roles contain them. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

CRITICAL Insufficient color contrast: 1.27:1 (required: 4.5:1 for normal text). Foreground: rgb(85, 85, 85), background: rgb(56, 96, 190). Text: "Filter Icon" WCAG 1.4.3

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<title>Filter Icon</title>
```

1.27:1 ✗ 현재



#555555 배경 #3860be

4.52:1 ✓ 제안됨



#e2e2e1 배경 #3860be

SONDE 수정 계획

Current ratio: 1.27:1 (need 4.5:1). Change foreground from #555555 to #e2e2e1 (ratio: 4.5:1). Or change background from #3860be to #000000.

CRITICAL Insufficient color contrast: 1.27:1 (required: 4.5:1 for normal text). Foreground: rgb(85, 85, 85), background: rgb(56, 96, 190). Text: "Filter Icon" WCAG 1.4.3

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<title>Filter Icon</title>
```

1.27:1 ✗ 현재



#555555 배경 #3860be

4.52:1 ✓ 제안됨



#e2e2e1 배경 #3860be

SONDE 수정 계획

Current ratio: 1.27:1 (need 4.5:1). Change foreground from #555555 to #e2e2e1 (ratio: 4.5:1). Or change background from #3860be to #000000.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

요소:

```
<!-- a11y: role="image" -->
```

SONDE 수정 계획
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

페이지: / (https://www.wellsfargo.com/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://connect.secure.wellsfargo.com/auth/login/present?passkey=Y">Sign on with a passkey</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

페이지: / (https://www.wellsfargo.com/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://oam.wellsfargo.com/oamo/identity/help/passwordhelp/">Forgot username or password?</a>
```

SONDE 수정 계획
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

페이지: / (https://www.wellsfargo.com/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="/privacy-security/?linkLoc=signon">Privacy, Cookies, and Legal</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=presentation] WCAG 1.3.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<ul>
```

SONDE 수정 계획

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="true" role="button">
```

SONDE 수정 계획

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://connect.secure.wellsfargo.com/auth/login/present?passkey=Y">Sign on with a passkey</a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="/privacy-security/?linkLoc=signon">
                Privacy, Cookies, and Legal
            </a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

요소:

```
<a href="https://oam.wellsfargo.com/oamo/identity/help/passwordhelp/">
                Forgot username or password?
            </a>
```

SONDE 수정 계획

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획
Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획
Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true") WCAG 4.1.2

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

요소:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE 수정 계획
Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

HIGH Focus jumps backward from "Compare all" to "Everyday Checking" (visual distance: 932px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

요소:

```
<a>Everyday Checking</a>
```

SONDE 수정 계획
Reorder elements in the DOM to match the visual layout.

HIGH Page requires horizontal scrolling at 320px width (650px overflow). Content should reflow without horizontal scrolling at this width. WCAG 1.4.10

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<html>
```

SONDE 수정 계획
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

HIGH strict-transport-security header has invalid or weak value: max-age=21600

페이지: / (https://www.wellsfargo.com/)

SONDE 수정 계획
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 4 navigation landmarks, 3 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

요소:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE 수정 계획
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /atm/ (https://www.wellsfargo.com/atm/)

요소:

```
<div id="title">
                        <h1 class="c11" id="skip" tabindex="-1">
                                Wells Fargo ATM Banking
                        </h1>


                        <div class="headerLocation">




                        </div>

                </div>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /atm/ (https://www.wellsfargo.com/atm/)

요소:

```
<a class="c52twitter twitter c28aLink" href="/exit/social?site=twitter" target="_blank" rel="noopener noreferrer" da
ta-mrkt-tracking-id="415a27d6-dd26-4063-8081-5196399dc4dd" aria-label="Share this pa...
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

페이지: /atm/ (https://www.wellsfargo.com/atm/)

요소:

```
<html xmlns="http://www.w3.org/1999/xhtml" lang="en">
```

SONDE 수정 계획

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /atm/ (https://www.wellsfargo.com/atm/)

요소:

```
<div id="contentBody">
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

페이지: /atm/ (https://www.wellsfargo.com/atm/)

요소:

```
<div class="c20" role="complementary">
```

SONDE 수정 계획

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /atm/ (https://www.wellsfargo.com/atm/)

요소:

```
<li>
                                        <a href="#" class="printLink">


                                                Print
                                        </a>
                                </li>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /atm/ (https://www.wellsfargo.com/atm/)

요소:

```
<div id="contentTop">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /atm/ (https://www.wellsfargo.com/atm/)

요소:

```
<div class="c52noLink" id="NID1_5_3_1_2_2">Share</div>
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /atm/ (https://www.wellsfargo.com/atm/)

요소:

```
<a class="c52fb facebook c28aLink" href="/exit/social?site=facebook" target="_blank" rel="noopener noreferrer" data-mrkt-tracking-id="3b21794e-c658-46f4-900f-297d992ea6f9" aria-label="Share this page ...
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.wellsfargo.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.wellsfargo.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.wellsfargo.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.wellsfargo.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/checking/" class="">Checking</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.wellsfargo.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="langPrefToggle" lang="es">Español</a
>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.wellsfargo.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Zelle<sup>®</sup>?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.wellsfargo.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/">See more FAQs</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.wellsfargo.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/savings-cds/" class="">Savings &amp;amp; CDs</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.wellsfargo.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://creditcards.wellsfargo.com/?sub_channel=WEB&amp;vendor_code=WF&amp;linkLoc=FNMC&amp;lang=en" data-platform="creditCardsWF">Credit Cards</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.wellsfargo.com/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/about/corporate/governance/">Leadership &amp;amp; Governance</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/">See more FAQs</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="langPrefToggle" lang="es">Español</a
>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/about/diversity/">Inclusion &amp;amp; Accessibility</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/investor-relations/">Investor Relations </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Zelle<sup>®</sup>?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/com/" class="tabNavLink" id="tabNavCommercial" name="tabNavCommercial">Commercial Banking</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/biz/" class="tabNavLink" id="tabNavSmallBusiness" name="tabNavSmallBusiness">Business</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/spanish/" id="langPrefToggle" class="spTogglePersonal" xml:lang="es" name="langPrefToggle" lang="es">Español</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(82, 117, 189), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ShareLink c52linkedin" href="http://www.linkedin.com/shareArticle?mini=true&amp;ro=false&amp;url=https%3A%
2F%2Fwww.wellsfargo.com%2Fatm%2F&amp;summary=ATM%20Banking%20-%20Wells%20Fargo&amp;t
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/">Customer Service</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/cib/" class="tabNavLink" id="tabNavCorporateBanking" name="tabNavCorporateBanking">Corporate &amp; Investm
ent Banking</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(82, 117, 189), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a class="ShareLink c52email" href="mailto:?body=Hi%2C%0A%0AI%20thought%20you'd%20be%20interested%20in%20this%20pag
e%20I%20found%20on%20wellsfargo.com%3A%20%0A%0AWells%20Fargo%20ATM%20Banking%0AWells%
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/investing-wealth/" class="tabNavLink" id="tabInvestingWealth" name="tabInvestingWealth">Investing &amp;amp; We
alth Management</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(90, 93, 98), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/">Personal</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Zelle<sup>®</sup>?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/">See more FAQs</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="langPrefToggle" lang="es">Español</a
>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(90, 70, 155), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="https://sites.wf.com/fargo/" enrollmentid="5208">Meet Fargo</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/">Customer Service and FAQs</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/biz/checking/">Checking</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/biz/savings/">Savings &amp;amp; CDs</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help </a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/online-banking/wires-faqs/">How do I set up a wire transfer?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/biz/business-credit/credit-cards/">Credit Cards</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/online-banking/activity-faqs/#whyaremyavailableandpostedbalancesdifferent">Why are my available balan
ce and posted balances different?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/biz/help/faqs/">See more FAQs</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/checking-savings/deposits-faqs/#whenwillmydepositbecreditedtomyaccount">When will my deposit be credi
ted to my account?</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="langPrefToggle" lang="es">Español</a
>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="langPrefToggle" lang="es">Español</a
>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/">See more FAQs</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/">Customer Service and FAQs</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Zelle<sup>®</sup>?</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(90, 70, 155), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a title=" Learn more about mobile and online banking" type="componentlink" data-page-uri="tcm:702-352491-64" data-component-uri="tcm:702-267348" href="/mobile-online-banking/">Learn more</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```


SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Insufficient color contrast: 4.11:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 0, 0), background: rgb(215, 30, 40). Text: "MENU" WCAG 1.4.3

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

요소:

```
<span>MENU</span>
```



SONDE 수정 계획
Current ratio: 4.11:1 (need 4.5:1). Change foreground from #000000 to #f1f1f1 (ratio: 4.5:1).

MEDIUM Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /about/ (https://www.wellsfargo.com/about/) WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE 수정 계획
Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Header Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav[aria-label="Header Navigation"] -->
```

SONDE 수정 계획
Ensure the "Header Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "Main Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content. Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE 수정 계획
Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation "Main Navigation" has links in a different order than on www.wellsfargo.com. Shared links appear as [Investing & Wealth Management, Business, Checking, Savings & CDs, Credit Cards, Commercial Banking, Corporate & Investment Banking, About Wells Fargo, ATMs/Locations, Customer service and FAQs, Español] vs baseline [Checking, Savings & CDs, Credit Cards, Investing & Wealth Management, Business, Commercial Banking, Corporate & Investment Banking, About Wells Fargo, ATMs/Locations, Customer service and FAQs, Español]. WCAG 3.2.3

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<nav aria-label="Main Navigation"><!-- 16 links --></nav>
```

SONDE 수정 계획
Keep navigation links in the same relative order across all pages. Adding or removing links is fine, but shared links should maintain consistent ordering.

MEDIUM Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE 수정 계획
Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "Footer Navigation" (present on www.wellsfargo.com) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

요소:

```
<!-- missing: nav[aria-label="Footer Navigation"] -->
```

SONDE 수정 계획
Ensure the "Footer Navigation" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "Contactless SymbolOpens Dialog" inserts 5 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a tabindex="0" role="button" id="7f74e3c7-7384-4abc-8dc6-93416b82cd53" data-content-id="tcm:84-184177-16" data-cid
="tcm:222-184177" data-ctid="tcm:222-2806-32" class="c29link" type="balloonhelp">Cont
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Search Opens a dialog." inserts 1 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<button id="nxgSearchButton">
                                                        <span class="nxgSearchText">Search</span> 
                                                        <span class="nxgVisuallyHidden" id="nxgSearchDescrip
tion">Opens a dialog.</span>
                                                        <span class="nxgS
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Share this page" inserts 9 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

요소:

```
<a href="#" class="c52Link PopupOpener" aria-expanded="false" aria-labelledby="c52_socialshare" role="button"><span class="hidden" id="c52_socialshare">Share this page</span> </a>
```

SONDE 수정 계획
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Broken link: https://www.wellsfargo.com/investor-relations/ returned status 404 Not Found after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www.wellsfargo.com/investor-relations/">Investor Relations</a>
```

MEDIUM Content clipped by 54px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<span class="hidden" id="c52_socialshare">Share this page</span>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 143px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<span class="jaws_hidden">Share this page on Facebook, opens a dialog</span>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<span class="nxgVisuallyHidden" id="nxgSearchDescription">Opens a dialog.</span>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 99px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<span class="hidden" data-translation-text="footnote-dialog-announcement">Opens a modal dialog for footnote </span>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 102px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<a href="#skip" class="hidden">Skip to main content</a>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 459px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

페이지: /biz/ (https://www.wellsfargo.com/biz/) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

요소:

```
<h1 class="hidden" id="skip">Wells Fargo business online banking login &amp;amp; business services</h1>
```

SONDE 수정 계획
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 125px at 320px width. WCAG 1.4.10

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<a href="/checking/prime/">Prime Checking</a>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 280px at 320px width. WCAG 1.4.10

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<span role="columnheader" test-id="table-theme" class="table-column wim_gold column4 column-hidden" aria-hidden="fal
se">

                                                <p><a href="/checking/premier/">Premier Checki
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 132px at 320px width. WCAG 1.4.10

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<span role="cell" class="header-desc-text column3 column-hidden">Elevated experience with rewards</span>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 132px at 320px width. WCAG 1.4.10

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<span role="columnheader" test-id="table-theme" class="table-column periwinkle column3 column-hidden" aria-hidden="f
alse">

                                        <p><a href="/checking/prime/">Prime Checking
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 132px at 320px width. WCAG 1.4.10

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<span class="color-theme"></span>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 125px at 320px width. WCAG 1.4.10

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<p><a href="/checking/prime/">Prime Checking</a></p>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 280px at 320px width. WCAG 1.4.10

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/) WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

요소:

```
<span role="cell" class="header-desc-text column4 column-hidden">Exclusive benefits, priority service</span>
```

SONDE 수정 계획
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Missing X-Frame-Options header

페이지: /biz/ (https://www.wellsfargo.com/biz/)

SONDE 수정 계획
Add X-Frame-Options: DENY or SAMEORIGIN

LOW Deep focus region: navigation "corporate, legal, security" has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

페이지: /atm/ (https://www.wellsfargo.com/atm/) WCAG 2.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/bypass-blocks)

요소:

```
<nav role="navigation">corporate, legal, security</nav>
```

SONDE 수정 계획
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Deep focus region: navigation "Privacy, Cookies, Security & Legal " has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/) WCAG 2.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/bypass-blocks)

요소:

```
<nav role="navigation">Privacy, Cookies, Security & Legal
                                </nav>
```

SONDE 수정 계획
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://www.twitter.com/wellsfargo/ returned status 403 Forbidden after 1 attempts

페이지: / (https://www.wellsfargo.com/)

요소:

```
<a href="https://www.twitter.com/wellsfargo/">Continue</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/life-at-wells-fargo/benefits/ returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www.wellsfargojobs.com/en/life-at-wells-fargo/benefits/">Benefits</a>
```

LOW Link timeout: https://www-us.computershare.com/Investor/ did not respond within 5000ms after 2 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www-us.computershare.com/Investor/">Computershare Trust Co.</a>
```

LOW Broken link: https://www.wellsfargojobs.com/ returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www.wellsfargojobs.com/">Search jobs</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/inclusion/ returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www.wellsfargojobs.com/en/inclusion/">Inclusion</a>
```

LOW Broken link: https://newsroom.wf.com/ returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://newsroom.wf.com/">Newsroom</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/diversity/ returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www.wellsfargojobs.com/en/diversity/">Job seekers</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/frequently-asked-questions returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www.wellsfargojobs.com/en/frequently-asked-questions">FAQs</a>
```

LOW Broken link: https://newsroom.wf.com/English/news-releases/ returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://newsroom.wf.com/English/news-releases/">Press Releases</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/early-careers/ returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www.wellsfargojobs.com/en/early-careers/">Early careers</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/resources/ returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www.wellsfargojobs.com/en/resources/">Hiring resources</a>
```

LOW Broken link: https://newsroom.wf.com/English/home/default.aspx returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://newsroom.wf.com/English/home/default.aspx">Learn more</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/ returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www.wellsfargojobs.com/en/">Join us</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/well-life returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://www.wellsfargojobs.com/en/well-life">Well Life</a>
```

LOW Broken link: https://newsroom.wf.com/English/press-room/ returned status 403 Forbidden after 1 attempts

페이지: /about/ (https://www.wellsfargo.com/about/)

요소:

```
<a href="https://newsroom.wf.com/English/press-room/">Media resources</a>
```

LOW Link timeout: https://www.wellsfargo.com/biz/savings/platinum/ did not respond within 5000ms after 2 attempts

페이지: /biz/ (https://www.wellsfargo.com/biz/)

요소:

```
<a href="https://www.wellsfargo.com/biz/savings/platinum/">Business Platinum Savings




                                                
```

LOW Missing Referrer-Policy header

페이지: /atm/ (https://www.wellsfargo.com/atm/)

SONDE 수정 계획
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Missing Referrer-Policy header

페이지: /auto-loans/ (https://www.wellsfargo.com/auto-loans/)

SONDE 수정 계획
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Missing Referrer-Policy header

페이지: /checking/alt/ (https://www.wellsfargo.com/checking/alt/)

SONDE 수정 계획
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

등급	가중치	예시
치명적	10	키보드 트랩
높음	3	대체 텍스트 누락
중간	1	제목 계층
낮음	0.25	모범 사례

Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.

미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usfin/wellsfargo-com/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=wellsfargo-com)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usfin/wellsfargo-com/?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=wellsfargo-com)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=wellsfargo-com)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+Wells+Fargo&utm_source=daylight&utm_medium=report&utm_campaign=usfin&utm_content=wellsfarg
com)