Sonde

Barrierefreiheits-Gesundheitscheck

https://kingcounty.gov

943

0 1000

Excellent

April 28, 2026
Kostenlos bereitgestellt von Sonde

https://daylight.sonde.life/usgov/kingcounty-gov/ (https://daylight.sonde.life/usgov/kingcounty-gov/)

12 Seiten | **292** Befunde | **18** critical | **50** high | **209** medium | **15** low | **24.3** Ø/Seite | **12,527** Elemente | **85** mit Befunden | **99.3%** ECR | **3m 9s** Gesamt | **15.8s** pro Seite

Top-Befunde

Direkten Link kopieren · Diskussion eröffnen

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "expand_more" WCAG 1.4.3

Seite: / (https://kingcounty.gov/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<span tabindex="0" id="heroScrollTo" class="material-icons scroll-down-arrow" translate="no">expand_more</span>
```

1.00:1 ✗ AKTUELL

3.03:1 ✓ VORGESCHLAGEN

expand_more

#ffffff auf #ffffff

#959494 auf #ffffff

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 3:1 for large text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "King County Disaster Recovery Center runs April 28 - June 10" WCAG 1.4.3

Seite: / (https://kingcounty.gov/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<h3 class="hero-title">
                    King County Disaster Recovery Center runs April 28 - June 10
                </h3>
```

1.00:1 ✗ AKTUELL

3.03:1 ✓ VORGESCHLAGEN

King County Disaster Recovery ...

#ffffff auf #ffffff

#959494 auf #ffffff

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 1.00:1 (need 3:1). Change foreground from #ffffff to #959494 (ratio: 3.0:1).

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "King County's Disaster Recovery Center is now available to h" WCAG 1.4.3

Seite: / (https://kingcounty.gov/) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<p class="hero-text">
                    King County's Disaster Recovery Center is now available to help residents impacted by Decemb
er's flooding with applications for federal disaster assistanc
```

1.00:1 ✗ AKTUELL

4.53:1 ✓ VORGESCHLAGEN

King County's Disaster Recover...

#ffffff auf #ffffff

#777676 auf #ffffff

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.72:1 (required: 4.5:1 for normal text). Foreground: rgb(68, 68, 68), background: rgb(24, 112, 137). Text: "Translate" WCAG 1.4.3

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<a class="VIpgJd-ZVi9od-l4eHX-hSRGPd" href="https://translate.google.com" target="_blank"><img src="https://www.gstatic.com/images/branding/googlelogo/1x/googlelogo_color_42x16dp.png" width="37px" hei
```

1.72:1 ✗ AKTUELL



#444444 auf #187089

4.52:1 ✓ VORGESCHLAGEN



#e6e6e5 auf #187089

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 1.72:1 (need 4.5:1). Change foreground from #444444 to #e6e6e5 (ratio: 4.5:1).

CRITICAL Insufficient color contrast: 1.02:1 (required: 4.5:1 for normal text). Foreground: rgb(102, 102, 102), background: rgb(24, 112, 137). Text: "Select LanguageAbkhazAcehneseAcholiAfarAfrikaansAlbanianAlur" WCAG 1.4.3

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<div class="skiptranslate goog-te-gadget" dir="ltr" style=""><div id=":0.targetLanguage"><select class="goog-te-combo" aria-label="Language Translate Widget"><option value="">Select Language</option><
```

1.02:1 ✗ AKTUELL



#666666 auf #187089

4.52:1 ✓ VORGESCHLAGEN



#e6e6e5 auf #187089

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 1.02:1 (need 4.5:1). Change foreground from #666666 to #e6e6e5 (ratio: 4.5:1). Or change background from #187089 to #000000.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: / (https://kingcounty.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: / (https://kingcounty.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: / (https://kingcounty.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: / (https://kingcounty.gov/) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/non-text-content)

Element:

```
<!-- a11y: role="image" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Empty heading (role="heading"). Headings must contain text for screen reader navigation to work. WCAG 1.3.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- a11y: role="heading" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add text content to the heading, or remove the heading element if it serves no structural purpose. WCAG 1.3.1 requires meaningful heading structure.

HIGH <html> element must have a lang attribute: Fix any of the following: The <html> element does not have a lang attribute WCAG 3.1.1

Seite: /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

WCAG 3.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/language-of-page)

Element:

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7b*pathInfo%7d)&amp;user=extrane
t%5cAnonymous&amp;site=KCGov">he...
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure every HTML document has a lang attribute. See: https://www.w3.org/WAI/WCAG22/Understanding/language-of-page (https://www.w3.org/WAI/WCAG22/Understanding/language-of-page) Add a lang attribute to the <html> element with a valid BCP 47 language tag. Example: <html lang="en">.

HIGH <html> element must have a lang attribute: Fix any of the following: The <html> element does not have a lang attribute WCAG 3.1.1

Seite: /en/categories (https://kingcounty.gov/en/categories) WCAG 3.1.1 (https://www.w3.org/WAI/WCAG22/Understanding/language-of-page)

Element:

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&a
mp;site=KCGov">here</a>.</h2>

...
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure every HTML document has a lang attribute. See: https://www.w3.org/WAI/WCAG22/Understanding/language-of-page (https://www.w3.org/WAI/WCAG22/Understanding/language-of-page) Add a lang attribute to the <html> element with a valid BCP 47 language tag. Example: <html lang="en">.

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<li class="page-item"><button class="page-link">2</button></li>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.97 (foreground color: #007bff, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<button id="next" class="page-link">Next</button>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum) Current ratio: 3.98:1 (need 4.5:1). Change foreground from #007bff to #0072ee (ratio: 4.5:1).

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: span WCAG 1.3.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<ul id="cat-pagination" class="pagination" style="justify-content: center; padding-top: 20px;">
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<li class="page-item disabled"><button class="page-link active">1</button></li>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<li class="page-item"><button class="page-link">3</button></li>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.97 (foreground color: #007bff, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<button id="next" class="page-link">Next</button>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum) Current ratio: 3.98:1 (need 4.5:1). Change foreground from #007bff to #0072ee (ratio: 4.5:1).

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<li class="page-item"><button class="page-link">2</button></li>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<li class="page-item"><button class="page-link">11</button></li>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Elements must meet minimum color contrast ratio thresholds: Fix any of the following: Element has insufficient color contrast of 3.97 (foreground color: #007bff, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1 WCAG 1.4.3

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<button class="page-link">11</button>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds. See: https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

HIGH <ul> and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: span WCAG 1.3.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<ul id="cat-pagination" class="pagination" style="justify-content: center; padding-top: 20px;">
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<li class="page-item disabled"><button class="page-link active">1</button></li>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<li class="page-item disabled"><button disabled="" class="disabled page-link">...</button></li>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH <li> elements must be contained in a <ul> or <ol>: Fix any of the following: List item does not have a <ul>, <ol> parent element WCAG 1.3.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<li class="page-item"><button class="page-link">3</button></li>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure <li> elements are used semantically. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

HIGH Console error: Uncaught TypeError: Cannot read properties of null (reading 'addEventListener')

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

Quelle: `https://cds.kingcounty.gov/index.js:40` MEDIUM

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Focus jumps backward from "Close official government website notice" to "Here's how you know" (visual distance: 499px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Seite: / (https://kingcounty.gov/) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

Element:

```
<a>Here's how you know</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Seite: /en (https://kingcounty.gov/en) WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

Element:

```
<a></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Universal Design bookletDigital 182026" to "Local Nav Category +" (visual distance: 882px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

Element:

```
<a>Local Nav Category +</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

Element:

```
<a></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Skip to main content" to "header > div > div:nth-of-type(1) > div:nth-of-type(1) > a" (visual distance: 539px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 2.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/focus-order)

Element:

```
<a></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Reorder elements in the DOM to match the visual layout.

HIGH Page has no detectable navigation mechanisms (no <nav>, search, sitemap link, breadcrumbs, or table of contents). Users need multiple ways to locate content. WCAG 2.4.5

Seite: /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

HIGH Page has no detectable navigation mechanisms (no <nav>, search, sitemap link, breadcrumbs, or table of contents). Users need multiple ways to locate content. WCAG 2.4.5

Seite: /en/categories (https://kingcounty.gov/en/categories) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: / (https://kingcounty.gov/)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: /en (https://kingcounty.gov/en)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: /en/404 (https://kingcounty.gov/en/404)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: /en/calendar (https://kingcounty.gov/en/calendar)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: /en/categories (https://kingcounty.gov/en/categories)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

SONDE FEHLERBEHEBUNGSPLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Content-Type-Options: nosniff Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: / (https://kingcounty.gov/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: / (https://kingcounty.gov/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 2 navigation landmarks, 1 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /en (https://kingcounty.gov/en) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "complementary" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 3 complementary landmarks, 1 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Seite: / (https://kingcounty.gov/)

Element:

```
<h3 class="hero-title">
                    King County Disaster Recovery Center runs April 28 - June 10
                </h3>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Seite: / (https://kingcounty.gov/)

Element:

```
<div class="note-text">
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Seite: /en (https://kingcounty.gov/en)

Element:

```
<h3 class="hero-title">
                    King County Disaster Recovery Center runs April 28 - June 10
                </h3>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Seite: /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

Element:

```
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7b*pathInfo%7d)&amp;user=extrane
t%5cAnonymous&amp;site=KCGov">here</a>.</h2>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Seite: /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

Element:

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2f404%2f404-folder-test-js+(route%3a+%7b*pathInfo%7d)&amp;user=extrane
t%5cAnonymous&amp;site=KCGov">he...
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Seite: /en/calendar (https://kingcounty.gov/en/calendar)

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Seite: /en/categories (https://kingcounty.gov/en/categories)

Element:

```
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Seite: /en/categories (https://kingcounty.gov/en/categories)

Element:

```
<html><head><title>Object moved</title></head><body>
<h2>Object moved to <a href="/404?item=%2fen%2fcategories+(route%3a+%7b*pathInfo%7d)&amp;user=extranet%5cAnonymous&amp;site=KCGov">here</a>.</h2>

...
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/) Ensure that the page, or at least one of its frames contains a level-one heading. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

Element:

```
<aside class="col-md-12 col-lg-4 right-rail">

            </aside>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

Element:

```
<h3>Building and fire codes</h3>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employe
e resources</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://kingcounty.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en (https://kingcounty.gov/en) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal S
ervices (RASKC)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal Services (RASKC)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal S
ervices (RASKC)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal S
ervices (RASKC)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet adoption</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employee resources</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/jobs-benefits/find-a-job">Careers</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/found-pet">Found Pets</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/pet-licenses">Pet licenses</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/dhr/about-king-county/hr-resources-employees-partners/employee-resources">Employe
e resources</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about-king-county/departments">Departments</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="https://contact.kingcounty.gov/">Contact us </a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services/adopt-a-pet">Pet a doption</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/independents/about-king-county/king-county-tv">King County TV (KCTV)</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/shared-topics/about">SEE ALL</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 86, 245), text: rgb(51, 51, 51)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a class="nav-link" href="/en/dept/executive-services/animals-pets-pests/regional-animal-services">Regional Animal S
ervices (RASKC)</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Insufficient color contrast: 3.98:1 (required: 4.5:1 for normal text). Foreground: rgb(0, 123, 255), background: rgb(255, 255, 255). Text: "11" WCAG 1.4.3

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<button class="page-link">11</button>
```

3.98:1 ✗ AKTUELL

11

#007bff auf #ffffff

4.52:1 ✓ VORGESCHLAGEN

11

#0072ee auf #ffffff

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 3.98:1 (need 4.5:1). Change foreground from #007bff to #0072ee (ratio: 4.5:1).

MEDIUM Navigation region "footerLinks" (present on kingcounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Seite: /en/404/404-folder-test-js (https://kingcounty.gov/en/404/404-folder-test-js)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

Element:

```
<!-- missing: nav -->
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure the "footerLinks" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Navigation region "footerLinks" (present on kingcounty.gov) is missing on this page. Navigation should appear consistently across pages. WCAG 3.2.3

Seite: /en/categories (https://kingcounty.gov/en/categories)

WCAG 3.2.3 (https://www.w3.org/WAI/WCAG22/Understanding/consistent-navigation)

Element:

```
<!-- missing: nav -->
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure the "footerLinks" navigation region appears on all pages in the site. Consistent navigation helps users predict where to find content.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: / (https://kingcounty.gov/) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en (https://kingcounty.gov/en) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/404 (https://kingcounty.gov/en/404) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "chevron_right" inserts 28 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button type="button" class="btn btn-secondary" id="next-btn" title="Next week"><span class="material-icons" style
="vertical-align: middle;">chevron_right</span></button>
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "chevron_left" inserts 18 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button type="button" class="btn btn-secondary" id="previous-btn" title="Previous week"><span class="material-icons"
style="vertical-align: middle;">chevron_left</span></button>
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Month" inserts 4 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button type="button" class="btn btn-primary " id="cal-month-btn">Month</button>
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/categories/animals-pets-pests (https://kingcounty.gov/en/categories/animals-pets-pests)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Clicking "Language selector English" inserts 2 element(s) without ARIA live region. Screen readers will not announce this dynamic content. WCAG 4.1.3

Seite: /en/categories/buildings-property/permits-inspections-codes-building-land-use (https://kingcounty.gov/en/categories/buildings-property/permits-inspections-codes-building-land-use)

WCAG 4.1.3 (https://www.w3.org/WAI/WCAG22/Understanding/status-messages)

Element:

```
<button class="btn btn-link dropdown-toggle" type="button" id="languageMenuButton" data-toggle="modal" data-target
="#langList" aria-haspopup="true" aria-expanded="false">
                    <span ari
```

SONDE FEHLERBEHEBUNGSPLAN
Wrap dynamically inserted content in an element with aria-live="polite" (or role="status"/"alert") so assistive technologies announce the change.

MEDIUM Broken link: https://kingcounty.gov/en/404/404-folder-test-js/-/media/4eda65354f6449a3b72b426b0b0cb398.ashx returned status 404 Not Found after 1 attempts

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

Element:

```
<a href="https://kingcounty.gov/en/404/404-folder-test-js/-/media/4eda65354f6449a3b72b426b0b0cb398.ashx">508 Overvie
w</a>
```

MEDIUM Broken link: https://kingcounty.gov/en/sitecore returned status 404 Not Found after 1 attempts

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

Element:

```
<a href="https://kingcounty.gov/en/sitecore">OPTIONAL LINK</a>
```

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: / (https://kingcounty.gov/) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: /en (https://kingcounty.gov/en) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Element overflows viewport by 1057px at 320px width. WCAG 1.4.10

Seite: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

Element:

```
<div class="slick-track" style="opacity: 1; width: 1377px; transform: translate3d(0px, 0px, 0px);"><div class="slick
-slide slick-current slick-active" data-slick-index="0" aria-hidden="false" style="w
```

SONDE FEHLERBEHEBUNGSPLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 37px at 320px width. WCAG 1.4.10

Seite: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

Element:

```
<li style="width: 100%; display: inline-block;"><a href="/en/index/#F" tabindex="0">F</a></li>
```

SONDE FEHLERBEHEBUNGSPLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 71px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: () WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<h1 class="sr-only">Home</h1>
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 37px at 320px width. WCAG 1.4.10

Seite: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

Element:

```
<div><li style="width: 100%; display: inline-block;"><a href="/en/index/#F" tabindex="0">F</a></li></div>
```

SONDE FEHLERBEHEBUNGSPLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 37px at 320px width. WCAG 1.4.10

Seite: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

Element:

```
<a href="/en/index/#F" tabindex="0">F</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Element overflows viewport by 37px at 320px width. WCAG 1.4.10

Seite: () WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

Element:

```
<div class="slick-slide slick-active" data-slick-index="6" aria-hidden="false" style="width: 51px;"><div><li style
="width: 100%; display: inline-block;"><a href="/en/index/#F" tabindex="0">F</a></li><
```

SONDE FEHLERBEHEBUNGSPLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow.

MEDIUM Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<div class="topic-card-footer">Add text for your Topic 1 description and embed a URL to the Topic Detail Page here.
</div>
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<h2 class="sr-only">
            Topic Cards
        </h2>
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 200px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: /en/calendar (https://kingcounty.gov/en/calendar) WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<div class="row filter-row smooth-transition" id="filterRow"><div class="container"><div class="kc-form calendar-fil
ters"><div class="kc-form-element button clear-button-row"><input type="submit" name
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 26px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<span class="sr-only">Language selector</span>
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 53px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<h2 id="footerLinks" class="sr-only">Footer Links</h2>
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<a href="#maincontent" class="sr-only sr-only-focusable">Skip to main content</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Page requires horizontal scrolling at 320px width (1px overflow). Content should reflow without horizontal scrolling at this width. WCAG 1.4.10

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

Element:

```
<html>
```

SONDE FEHLERBEHEBUNGSPLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Seite: /en/404/404-folder-test-js/test-page-for-pdf-publishing (https://kingcounty.gov/en/404/404-folder-test-js/test-page-for-pdf-publishing)

Element:

```
<h2></h2>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

Element:

```
<h2></h2>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Headings should not be empty: Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

Seite: /en/categories/buildings-property (https://kingcounty.gov/en/categories/buildings-property)

Element:

```
<h2></h2>
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure headings have discernible text. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Seite: / (https://kingcounty.gov/)

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Seite: / (https://kingcounty.gov/)

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Seite: /en (https://kingcounty.gov/en)

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Seite: /en (https://kingcounty.gov/en)

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Seite: /en/404 (https://kingcounty.gov/en/404)

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Seite: /en/404 (https://kingcounty.gov/en/404)

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Seite: /en/calendar (https://kingcounty.gov/en/calendar)

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Seite: /en/calendar (https://kingcounty.gov/en/calendar)

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Seite: /en/categories/about-king-county (https://kingcounty.gov/en/categories/about-king-county)

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="3
0"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Seite: /en/categories/about-king-county/about-prosecuting-attorneys-office (https://kingcounty.gov/en/categories/about-king-county/about-prosecuting-attorneys-office)

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" height="96px" viewBox="0 0 66 66">
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
```

Methodik

Der Sonde Score ist ein universeller Compliance-Index von 0–1000 — wie ein Bonitätsscore für Barrierefreiheit. Jeder Befund wird nach seiner Auswirkung gewichtet. Die Rohstrafe wird pro Seite normalisiert, um die Vergleichbarkeit zu gewährleisten. Eine harmonische Kurve stellt sicher, dass jede Seite eine aussagekräftige Bewertung erhält.

```
Score = round(1000 × S / (S + P/N))
```

wobei S = Empfindlichkeit (750), P = Σ(Gewicht × Anzahl), N = gescannte Seiten

STUFE	GEWICHT	BEISPIELE
Kritisch	10	Tastaturfallen
Hoch	3	Fehlender Alternativtext
Mittel	1	Überschriftenstruktur
Niedrig	0.25	Best-Practice-Probleme

Der Sonde Score ist ein lebendiger Standard (v0.1). Er wird offen entwickelt, weil Barrierefreiheit zu wichtig für Entscheidungen hinter verschlossenen Türen ist. Ihre Expertise macht ihn besser.

Mission Control

Prüfen Sie die Rohdaten der Befunde, verfolgen Sie Änderungen zwischen Scans und tragen Sie zu Sondes offener Methodik bei.

- Befunde ansehen (https://github.com/sondeinc/daylight/blob/main/public/usgov/kingcounty-gov/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=kingcounty-gov)
- Änderungen verfolgen (https://github.com/sondeinc/daylight/commits/main/public/usgov/kingcounty-gov/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=kingcounty-gov)
- Site vorschlagen (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=kingcounty-gov)
- Problem melden (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+King+County+%28WA%29&utm_source=daylight&utm_medium=report&utm_campaign=usgov&u
gov)