Sonde

Barrierefreiheits-Gesundheitscheck

https://multco.us

962



Excellent

April 28, 2026
Kostenlos bereitgestellt von Sonde

https://daylight.sonde.life/usgov/multco-us/ (https://daylight.sonde.life/usgov/multco-us/)

10 Seiten | **162** Befunde | **10** critical | **30** high | **100** medium | **22** low | **16.2** Ø/Seite | **3,856** Elemente | **37** mit Befunden | **99%** ECR | **3m 6s** Gesamt | **18.6s** pro Seite

Top-Befunde

Direkten Link kopieren · Diskussion eröffnen

CRITICAL Interactive element with role="link" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Seite: / (https://multco.us/) WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="link" -->
```

SONDE FEHLERBEHEBUNGSPLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Insufficient color contrast: 1.00:1 (required: 4.5:1 for normal text). Foreground: rgb(255, 255, 255), background: rgb(255, 255, 255). Text: "Hogar" WCAG 1.4.3

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.3 (https://www.w3.org/WAI/WCAG22/Understanding/contrast-minimum)

Element:

```
<a class="group-menu__link nav-link group-menu__link--active active" href="/es/elected/jessica-vega-pederson">Hogar
</a>
```

1.00:1 ✗ AKTUELL

4.53:1 ✓ VORGESCHLAGEN

Hogar

#ffffff auf #ffffff

#777676 auf #ffffff

SONDE FEHLERBEHEBUNGSPLAN

Current ratio: 1.00:1 (need 4.5:1). Change foreground from #ffffff to #777676 (ratio: 4.5:1).

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: / (https://multco.us/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: / (https://multco.us/) WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </s
pan><span class="visually-hidden">X (Twitter)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true">
</span><span class="visually-hidden">Facebook</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </span><span class="visually-hidden">X (Twitter)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (16px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://twitter.com/multco"><span class="fa-brands fa-x-twitter" aria-hidden="true"> </span><span class="visually-hidden">X (Twitter)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (10px by 18px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 22px instead of at least 24px. WCAG 2.5.8

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 2.5.8 (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

Element:

```
<a class="link-white" href="https://facebook.com/MultCo"><span class="fa-brands fa-facebook-f" aria-hidden="true"></span><span class="visually-hidden">Facebook</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum (https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum)

HIGH Missing Content-Security-Policy header

Seite: / (https://multco.us/)

SONDE FEHLERBEHEBUNGSPLAN

Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

MEDIUM Page has 7 "navigation" landmarks but only 6 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: / (https://multco.us/) WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 7 navigation landmarks, 6 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 4.1.2 (https://www.w3.org/WAI/WCAG22/Understanding/name-role-value)

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 8 "navigation" landmarks but only 7 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.3.1 (https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships)

Element:

```
<!-- 8 navigation landmarks, 7 labeled -->
```

SONDE FEHLERBEHEBUNGSPLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/audit-reports-special-reports-memos" hreflang="en">Audit reports, special reports, &amp;amp; memos</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/county-auditor-and-staff" hreflang="en">County Auditor and Staff</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/audits-progress" hreflang="en">Audits in Progress</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/county-auditors-responsibilities" hreflang="en">County Auditor's Responsibilities</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/salary-commission" hreflang="en">Salary Commission</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/job-volunteer-and-internship-opportunities" hreflang="en">Job, Volunteer and Internship Opportunities
</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/current-audit-schedule" hreflang="en">Current Audit Schedule</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/auditors-community-advisory-committee" hreflang="en">Auditor’s Community Advisory Committee</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/board-commissioners-audit-committee" hreflang="en">Board of Commissioners Audit Committee</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/invite-multnomah-county-auditor-jennifer-mcguirk-event" hreflang="en">Invite Multnomah County Auditor Jennifer McGuirk to an event</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/news-headlines-and-media-coverage" hreflang="en">News Headlines and Media Coverage</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/news/board-proclaims-may-2024-asian-asian-american-native-hawaiian-and-pacific-islander-heritage" hreflang="en">Board proclaims May 2024 as Asian, Asian American, Native Hawaiian and Pacific
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/news/news-release-multnomah-county-chair-jessica-vega-pederson-shares-next-steps-work-open-24-hour" hreflang="en">NEWS RELEASE: Multnomah County Chair Jessica Vega Pederson shares next steps
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/official-statements" hreflang="en">Official Statements</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/news/news-release-chair-vega-pederson-mayor-wheeler-share-homelessness-response-action-plan" hreflang="e
n">NEWS RELEASE: Chair Vega Pederson, Mayor Wheeler share Homelessness Response Action
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/weekly-updates" hreflang="en">Weekly Updates</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/news/silos-substance-use-disorder-service-providers-create-frustration-among-experts-call-creation" hrefla
ng="en">Silos in substance use disorder service providers create frustration among e
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/info/important-documents" hreflang="en">Important Documents</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/es/info/oportunidades-de-empleo-voluntariado-y-practicas-profesionales" hreflang="es">Oportunidades de emp
leo, voluntariado y prácticas profesionales</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/es/info/comision-de-salarios" hreflang="es">Comisión de Salarios</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/es/info/comite-de-auditoria-de-la-junta-de-comisionados" hreflang="es">Comité de Auditoría de la Junta de
Comisionados</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/es/info/auditor-del-condado-y-personal" hreflang="es">Auditor del condado y personal</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/es/info/responsabilidades-del-auditor-del-condado" hreflang="es">Responsabilidades del auditor del condado
</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/es/info/invita-la-auditora-del-condado-de-multnomah-jennifer-mcguirk-un-evento" hreflang="es">Invita a la
auditora del condado de Multnomah, Jennifer McGuirk, a un evento</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/es/info/informes-de-auditoria-informes-especiales-y-memorandos" hreflang="es">Informes de auditoría, infor
mes especiales y memorandos</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/es/info/comite-asesor-comunitario-del-auditor" hreflang="es">Comité Asesor Comunitario del Auditor</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/es/info/auditorias-en-curso" hreflang="es">Auditorías en curso</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(52, 96, 148), text: rgb(33, 37, 41)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/es/info/calendario-de-auditoria-actual" hreflang="es">Calendario de auditoría actual</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: / (https://multco.us/) WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Page has only one navigation mechanism (navigation). WCAG requires at least two ways to locate a page within a set of pages. WCAG 2.4.5

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

WCAG 2.4.5 (https://www.w3.org/WAI/WCAG22/Understanding/multiple-ways)

SONDE FEHLERBEHEBUNGSPLAN
Add at least two of: site navigation (<nav>), search functionality (input[type="search"] or role="search"), a sitemap link, breadcrumb navigation, or a table of contents.

MEDIUM Content clipped by 29px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<span class="visually-hidden">con nosotros. Enlaces a redes sociales:</span>
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 33px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<a class="link link--text-block" href="/es/info/suscribete-al-boletin-informativo-de-la-presidenta-vega-pederson">
  <span class="link__text link__text--text-block">Suscríbete al boletín mensual de JV
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 48px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<h2 class="visually-hidden" id="block-multnomah-gov-theme-mainnavbar-menu">Main navbar</h2>
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.12 (https://www.w3.org/WAI/WCAG22/Understanding/text-spacing)

Element:

```
<a href="#main-content" class="visually-hidden focusable skip-link">
      Skip to main content
    </a>
```

SONDE FEHLERBEHEBUNGSPLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Page requires horizontal scrolling at 320px width (20px overflow). Content should reflow without horizontal scrolling at this width. WCAG 1.4.10

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

WCAG 1.4.10 (https://www.w3.org/WAI/WCAG22/Understanding/reflow)

Element:

```
<html>
```

SONDE FEHLERBEHEBUNGSPLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at narrow widths.

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

Seite: / (https://multco.us/)

Element:

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

Seite: / (https://multco.us/)

Element:

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

Element:

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

Seite: /elected/auditors-office (https://multco.us/elected/auditors-office)

Element:

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

Seite: /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

Element:

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

Seite: /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

Element:

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Link timeout: https://multco.us/services/board-documents did not respond within 5000ms after 2 attempts

Seite: /elected/board-county-commissioners (https://multco.us/elected/board-county-commissioners)

Element:

```
<a href="https://multco.us/services/board-documents">Search ordinances, board resolutions, orders and proclamations
</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

Seite: /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

Element:

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

Seite: /elected/jessica-vega-pederson (https://multco.us/elected/jessica-vega-pederson)

Element:

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

Element:

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

Seite: /elected/julia-brim-edwards (https://multco.us/elected/julia-brim-edwards)

Element:

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

Seite: /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

Element:

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

Seite: /elected/nicole-morrisey-odonnell (https://multco.us/elected/nicole-morrisey-odonnell)

Element:

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

Element:

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

Seite: /es/elected/jessica-vega-pederson (https://multco.us/es/elected/jessica-vega-pederson)

Element:

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

Seite: /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

Element:

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Link timeout: https://multco.us/es/services/documentos-de-la-junta did not respond within 5000ms after 2 attempts

Seite: /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

Element:

```
<a href="https://multco.us/es/services/documentos-de-la-junta">Buscar ordenanzas, resoluciones de la junta, órdenes y proclamaciones</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

Seite: /es/elected/junta-de-comisionados-del-condado (https://multco.us/es/elected/junta-de-comisionados-del-condado)

Element:

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

Seite: /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

Element:

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

Seite: /es/elected/nicole-morrisey-odonnell (https://multco.us/es/elected/nicole-morrisey-odonnell)

Element:

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

LOW Broken link: https://twitter.com/multco returned status 403 Forbidden after 1 attempts

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

Element:

```
<a href="https://twitter.com/multco">X (Twitter)</a>
```

LOW Broken link: https://bsky.app/profile/multco.bsky.social returned status 404 Not Found after 1 attempts

Seite: /es/elected/oficina-del-auditor (https://multco.us/es/elected/oficina-del-auditor)

Element:

```
<a href="https://bsky.app/profile/multco.bsky.social">Bluesky</a>
```

Methodik

Der Sonde Score ist ein universeller Compliance-Index von 0–1000 — wie ein Bonitätsscore für Barrierefreiheit. Jeder Befund wird nach seiner Auswirkung gewichtet. Die Rohstrafe wird pro Seite normalisiert, um die Vergleichbarkeit zu gewährleisten. Eine harmonische Kurve stellt sicher, dass jede Seite eine aussagekräftige Bewertung erhält.

```
Score = round(1000 × S / (S + P/N))
```

wobei S = Empfindlichkeit (750), P = Σ(Gewicht × Anzahl), N = gescannte Seiten

STUFE	GEWICHT	BEISPIELE
Kritisch	10	Tastaturfallen
Hoch	3	Fehlender Alternativtext
Mittel	1	Überschriftenstruktur
Niedrig	0.25	Best-Practice-Probleme

Der Sonde Score ist ein lebendiger Standard (v0.1). Er wird offen entwickelt, weil Barrierefreiheit zu wichtig für Entscheidungen hinter verschlossenen Türen ist. Ihre Expertise macht ihn besser.

Mission Control

Prüfen Sie die Rohdaten der Befunde, verfolgen Sie Änderungen zwischen Scans und tragen Sie zu Sondes offener Methodik bei.

- Befunde ansehen (https://github.com/sondeinc/daylight/blob/main/public/usgov/multco-us/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=multco-us)
- Änderungen verfolgen (https://github.com/sondeinc/daylight/commits/main/public/usgov/multco-us/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=multco-us)
- Site vorschlagen (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=multco-us)
- Problem melden (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+Multnomah+County+%28OR%29&utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=multco-us)