Sonde

Barrierefreiheits-Gesundheitscheck

https://section508.gov

987

0 1000

Excellent

April 28, 2026
Kostenlos bereitgestellt von Sonde

https://daylight.sonde.life/usgov/section508-gov/ (https://daylight.sonde.life/usgov/section508-gov/)

20 Seiten | **178** Befunde | **0** critical | **20** high | **133** medium | **25** low | **8.9** Ø/Seite | **5,333** Elemente | **21** mit Befunden | **99.6%** ECR | **3m 22s** Gesamt | **10.1s** pro Seite

Top-Befunde

Direkten Link kopieren · Diskussion eröffnen

HIGH Missing Content-Security-Policy header

Seite: / (https://www.section508.gov/)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/ (https://www.section508.gov/contributors/)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

Seite: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

SONDE FEHLERBEHEBUNGSPLAN
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Seite: /contributors/ (https://www.section508.gov/contributors/)

Element:

```
<div id="contributor-tab" class="contribs-tab">
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Seite: /contributors/ (https://www.section508.gov/contributors/)

Element:

```
<p>This site includes content developed in collaboration with other agencies and/or content that is directly contrib
uted by members of the federal IT accessibility community. Our growning list of cont...
```

SONDE FEHLERBEHEBUNGSPLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Seite: /contributors/ (https://www.section508.gov/contributors/)

Element:

```
<html lang="en" class="">
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Seite: /contributors/ (https://www.section508.gov/contributors/)

Element:

```
<p>We welcome any feedback and suggestions for improvement. We also welcome suggestions for new content and updates to existing content. If you have suggestions, or if you are interested in contributi...
```

SONDE FEHLERBEHEBUNGSPLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.section508.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.section508.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: / (https://www.section508.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/ (https://www.section508.gov/contributors/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/ (https://www.section508.gov/contributors/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/ (https://www.section508.gov/contributors/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/dhs.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Department of Hom
eland Security<span class="appended-url"> (https://www.section508.gov/contributors/d
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/ed.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Department of Educ
ation<span class="appended-url"> (https://www.section508.gov/contributors/ed.html)</
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/fcc.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Federal Communica
tions Commission<span class="appended-url"> (https://www.section508.gov/contributors
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/fhwa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Federal Highway Administration<span class="appended-url"> (https://www.section508.gov/contributors/f
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/frith-chet.html" class="usa-breadcrumb__link" data-url-appended="true">Chet Frith<span class
="appended-url"> (https://www.section508.gov/contributors/frith-chet.html)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.secti
on508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/gsa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">General Services Administration<span class="appended-url"> (https://www.section508.gov/contributors/g
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/haileselassie.html" class="usa-breadcrumb__link" data-url-appended="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.gov/contributors/haileselassie
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="tru
e">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sir
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appen
ded="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sir
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/hhs.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Department of Hea
lth and Human Services<span class="appended-url"> (https://www.section508.gov/contri
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/lovley.html" class="usa-breadcrumb__link" data-url-appended="true">Rebecca Lovley<span class
="appended-url"> (https://www.section508.gov/contributors/lovley.html)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/lovley.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="tr
ue">Rebecca Lovley<span class="appended-url"> (https://www.section508.gov/contributo
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.secti
on508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/martin-beth.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Beth Martin<span class="appended-url"> (https://www.section508.gov/contribu
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/martin-beth.html" class="usa-breadcrumb__link" data-url-appended="true">Beth Martin<span clas
s="appended-url"> (https://www.section508.gov/contributors/martin-beth.html)</span><
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/mcgland-denise.html" class="usa-breadcrumb__link" data-url-appended="true">Denise McGland<spa
n class="appended-url"> (https://www.section508.gov/contributors/mcgland-denise.html
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/mcgland-denise.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appe
nded="true">Denise McGland<span class="appended-url"> (https://www.section508.gov/co
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/nasa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">National Aeronau
tics and Space Administration<span class="appended-url"> (https://www.section508.gov
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/opm.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Office of Personn
el Management<span class="appended-url"> (https://www.section508.gov/contributors/op
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Justen Proctor<span class="appended-url"> (https://www.section508.gov/contribut
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/procter.html" class="usa-breadcrumb__link" data-url-appended="true">Justen Proctor<span class="appended-url"> (https://www.section508.gov/contributors/procter.html)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="t
rue">Justen Proctor<span class="appended-url"> (https://www.section508.gov/contribut
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="tru
e">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sir
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/sirk.html" class="usa-breadcrumb__link" data-url-appended="true">Betsy Sirk<span class="appen
ded-url"> (https://www.section508.gov/contributors/sirk.html)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appen
ded="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appen
ded="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="tru
e">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sir
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/smith-frances.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Frances Smith<span class="appended-url"> (https://www.section508.gov/cont
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/smith-frances.html" class="usa-breadcrumb__link" data-url-appended="true">Frances Smith<span class="appended-url"> (https://www.section508.gov/contributors/smith-frances.html)</
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/sweeney-kate.html" class="usa-breadcrumb__link" data-url-appended="true">Kate Sweeney<span cl
ass="appended-url"> (https://www.section508.gov/contributors/sweeney-kate.html)</spa
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/sweeney-kate.html" class="text-no-underline text-primary-dark margin-left-05" data-url-append
ed="true">Kate Sweeney<span class="appended-url"> (https://www.section508.gov/contri
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.secti
on508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/contributors/usab.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">U.S. Access Boar
d<span class="appended-url"> (https://www.section508.gov/contributors/usab.html)</sp
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE FEHLERBEHEBUNGSPLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Seite: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

Element:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE FEHLERBEHEBUNGSPLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

LOW Broken link: https://www.ssa.gov/accessibility/andi/help/install.html returned status 403 Forbidden after 1 attempts

Seite: / (https://www.section508.gov/)

Element:

```
<a href="https://www.ssa.gov/accessibility/andi/help/install.html">ANDI (Accessible Name &amp;amp; Description Inspecto
r)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: / (https://www.section508.gov/)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/ (https://www.section508.gov/contributors/)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www2.ed.gov/about/landing.jhtml returned status 404 Not Found after 1 attempts

Seite: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

Element:

```
<a href="https://www2.ed.gov/about/landing.jhtml">https://www2.ed.gov/about/ (https://www2.ed.gov/about/landing.jhtml)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://highways.dot.gov/about/about-fhwa returned status 403 Forbidden after 1 attempts

Seite: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

Element:

```
<a href="https://highways.dot.gov/about/about-fhwa">https://highways.dot.gov/about/about-fhwa (https://highways.dot.gov/about/about-</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.hhs.gov/about/index.html returned status 403 Forbidden after 1 attempts

Seite: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

Element:

```
<a href="https://www.hhs.gov/about/index.html">https://www.hhs.gov/about/ (https://www.hhs.gov/about/index.html)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.opm.gov/about-us/our-mission-role-history/ returned status 404 Not Found after 1 attempts

Seite: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

Element:

```
<a href="https://www.opm.gov/about-us/our-mission-role-history/">https://www.opm.gov/about-us/our-mission-role-histo
ry/ (https://www.opm.gov/abou</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

Seite: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

Element:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

Methodik

Der Sonde Score ist ein universeller Compliance-Index von 0–1000 — wie ein Bonitätsscore für Barrierefreiheit. Jeder Befund wird nach seiner Auswirkung gewichtet. Die Rohstrafe wird pro Seite normalisiert, um die Vergleichbarkeit zu gewährleisten. Eine harmonische Kurve stellt sicher, dass jede Seite eine aussagekräftige Bewertung erhält.

```
Score = round(1000 × S / (S + P/N))
```

wobei S = Empfindlichkeit (750), P = Σ(Gewicht × Anzahl), N = gescannte Seiten

STUFE	GEWICHT	BEISPIELE
Kritisch	10	Tastaturfallen
Hoch	3	Fehlender Alternativtext
Mittel	1	Überschriftenstruktur
Niedrig	0.25	Best-Practice-Probleme

Der Sonde Score ist ein lebendiger Standard (v0.1). Er wird offen entwickelt, weil Barrierefreiheit zu wichtig für Entscheidungen hinter verschlossenen Türen ist. Ihre Expertise macht ihn besser.

Mission Control

Prüfen Sie die Rohdaten der Befunde, verfolgen Sie Änderungen zwischen Scans und tragen Sie zu Sondes offener Methodik bei.

- Befunde ansehen (https://github.com/sondeinc/daylight/blob/main/public/usgov/section508-gov/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=section508-gov)
- Änderungen verfolgen (https://github.com/sondeinc/daylight/commits/main/public/usgov/section508-gov/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=section508-gov)
- Site vorschlagen (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=section508-gov)
- Problem melden (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+Section508.gov+%28GSA%29&utm_source=daylight&utm_medium=report&utm_campaign=usgov-gov)