Sonde

접근성 상태 확인

https://section508.gov

987



Excellent

April 28, 2026
Sonde가 무료로 제공

https://daylight.sonde.life/usgov/section508-gov/ (https://daylight.sonde.life/usgov/section508-gov/)

20 페이지 | **178** 검출 결과 | **0** critical | **20** high | **133** medium | **25** low | **8.9** 평균/페이지 | **5,333** 요소 | **21** 검출 결과 있음 | **99.6%** ECR | **3m 22s** 총합 | **10.1s** 페이지당

주요 검출 결과

검출 결과 공유용 직접 링크 복사 · 검출 결과에 대한 피드백 토론 열기

HIGH Missing Content-Security-Policy header

페이지: / (https://www.section508.gov/)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/ (https://www.section508.gov/contributors/)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Content-Security-Policy header

페이지: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

SONDE 수정 계획
Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /contributors/ (https://www.section508.gov/contributors/)

요소:

```
<div id="contributor-tab" class="contribs-tab">
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /contributors/ (https://www.section508.gov/contributors/)

요소:

```
<p>This site includes content developed in collaboration with other agencies and/or content that is directly contrib
uted by members of the federal IT accessibility community. Our growning list of cont...
```

SONDE 수정 계획
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Document should have one main landmark: Fix all of the following: Document does not have a main landmark

페이지: /contributors/ (https://www.section508.gov/contributors/)

요소:

```
<html lang="en" class="">
```

SONDE 수정 계획

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

페이지: /contributors/ (https://www.section508.gov/contributors/)

요소:

```
<p>We welcome any feedback and suggestions for improvement. We also welcome suggestions for new content and updates to existing content. If you have suggestions, or if you are interested in contributi...
```

SONDE 수정 계획

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/ (https://www.w3.org/WAI/WCAG22/quickref/)

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.section508.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.section508.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: / (https://www.section508.gov/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/ (https://www.section508.gov/contributors/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/ (https://www.section508.gov/contributors/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/ (https://www.section508.gov/contributors/) WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/dhs.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Department of Hom
eland Security<span class="appended-url"> (https://www.section508.gov/contributors/d
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/ed.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Department of Educ
ation<span class="appended-url"> (https://www.section508.gov/contributors/ed.html)</
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/fcc.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Federal Communica
tions Commission<span class="appended-url"> (https://www.section508.gov/contributors
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/fhwa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Federal Highway Administration<span class="appended-url"> (https://www.section508.gov/contributors/f
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/frith-chet.html" class="usa-breadcrumb__link" data-url-appended="true">Chet Frith<span class
="appended-url"> (https://www.section508.gov/contributors/frith-chet.html)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.secti
on508.gov/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/gsa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">General Services Administration<span class="appended-url"> (https://www.section508.gov/contributors/g
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/haileselassie.html" class="usa-breadcrumb__link" data-url-appended="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.gov/contributors/haileselassie
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency's 508 PM</
a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="tru
e">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sir
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appen
ded="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sir
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/hhs.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Department of Hea
lth and Human Services<span class="appended-url"> (https://www.section508.gov/contri
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/lovley.html" class="usa-breadcrumb__link" data-url-appended="true">Rebecca Lovley<span class
="appended-url"> (https://www.section508.gov/contributors/lovley.html)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/lovley.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="tr
ue">Rebecca Lovley<span class="appended-url"> (https://www.section508.gov/contributo
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.secti
on508.gov/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/martin-beth.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Beth Martin<span class="appended-url"> (https://www.section508.gov/contribu
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/martin-beth.html" class="usa-breadcrumb__link" data-url-appended="true">Beth Martin<span clas
s="appended-url"> (https://www.section508.gov/contributors/martin-beth.html)</span><
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/mcgland-denise.html" class="usa-breadcrumb__link" data-url-appended="true">Denise McGland<spa
n class="appended-url"> (https://www.section508.gov/contributors/mcgland-denise.html
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/mcgland-denise.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appe
nded="true">Denise McGland<span class="appended-url"> (https://www.section508.gov/co
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/nasa.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">National Aeronau
tics and Space Administration<span class="appended-url"> (https://www.section508.gov
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/opm.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Office of Personn
el Management<span class="appended-url"> (https://www.section508.gov/contributors/op
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Justen Proctor<span class="appended-url"> (https://www.section508.gov/contribut
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/procter.html" class="usa-breadcrumb__link" data-url-appended="true">Justen Proctor<span class="appended-url"> (https://www.section508.gov/contributors/procter.html)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/procter.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="t
rue">Justen Proctor<span class="appended-url"> (https://www.section508.gov/contribut
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-ur
l"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="tru
e">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sir
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/sirk.html" class="usa-breadcrumb__link" data-url-appended="true">Betsy Sirk<span class="appen
ded-url"> (https://www.section508.gov/contributors/sirk.html)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appen
ded="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/haileselassie.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appen
ded="true">Antonio Haileselassie<span class="appended-url"> (https://www.section508.
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/sirk.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="tru
e">Betsy Sirk<span class="appended-url"> (https://www.section508.gov/contributors/sir
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/smith-frances.html" class="text-no-underline text-primary-dark margin-left-05" data-url-appended="true">Frances Smith<span class="appended-url"> (https://www.section508.gov/cont
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/smith-frances.html" class="usa-breadcrumb__link" data-url-appended="true">Frances Smith<span class="appended-url"> (https://www.section508.gov/contributors/smith-frances.html)</
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.section508.gov/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/sweeney-kate.html" class="usa-breadcrumb__link" data-url-appended="true">Kate Sweeney<span class="appended-url"> (https://www.section508.gov/contributors/sweeney-kate.html)</spa
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link" data-url-appended="true">Contributors<span class="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(26, 68, 128), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/sweeney-kate.html" class="text-no-underline text-primary-dark margin-left-05" data-url-append
ed="true">Kate Sweeney<span class="appended-url"> (https://www.section508.gov/contri
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link" data-url-appended="true">Home<span class="appended-url"> (https://www.secti
on508.gov/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Home<span class="appended-url"> (http
s://www.section508.gov/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">Contributors<span class
="appended-url"> (https://www.section508.gov/contributors/)</span></a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 162), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/contributors/usab.html" class="usa-breadcrumb__link padding-y-1" data-url-appended="true">U.S. Access Boar
d<span class="appended-url"> (https://www.section508.gov/contributors/usab.html)</sp
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/whats-new/" class="external-link" onclick="return navigate(this)">What's New!</a>
```

SONDE 수정 계획

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/content-library/" class="external-link" onclick="return navigate(this)">Content Library</a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(113, 118, 122), text: rgb(27, 27, 27)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

페이지: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

WCAG 1.4.1 (https://www.w3.org/WAI/WCAG22/Understanding/use-of-color)

요소:

```
<a href="/tools/program-manager-listing/" class="external-link" onclick="return navigate(this)">My Agency’s 508 PM</
a>
```

SONDE 수정 계획
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

LOW Broken link: https://www.ssa.gov/accessibility/andi/help/install.html returned status 403 Forbidden after 1 attempts

페이지: / (https://www.section508.gov/)

요소:

```
<a href="https://www.ssa.gov/accessibility/andi/help/install.html">ANDI (Accessible Name &amp;amp; Description Inspecto
r)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: / (https://www.section508.gov/)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/ (https://www.section508.gov/contributors/)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/dhs.html (https://www.section508.gov/contributors/dhs.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www2.ed.gov/about/landing.jhtml returned status 404 Not Found after 1 attempts

페이지: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

요소:

```
<a href="https://www2.ed.gov/about/landing.jhtml">https://www2.ed.gov/about/ (https://www2.ed.gov/about/landing.jhtml)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/ed.html (https://www.section508.gov/contributors/ed.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/fcc.html (https://www.section508.gov/contributors/fcc.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://highways.dot.gov/about/about-fhwa returned status 403 Forbidden after 1 attempts

페이지: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

요소:

```
<a href="https://highways.dot.gov/about/about-fhwa">https://highways.dot.gov/about/about-fhwa (https://highways.dot.gov/about/about-</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/fhwa.html (https://www.section508.gov/contributors/fhwa.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/frith-chet.html (https://www.section508.gov/contributors/frith-chet.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/gsa.html (https://www.section508.gov/contributors/gsa.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/haileselassie.html (https://www.section508.gov/contributors/haileselassie.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.hhs.gov/about/index.html returned status 403 Forbidden after 1 attempts

페이지: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

요소:

```
<a href="https://www.hhs.gov/about/index.html">https://www.hhs.gov/about/ (https://www.hhs.gov/about/index.html)</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/hhs.html (https://www.section508.gov/contributors/hhs.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/lovley.html (https://www.section508.gov/contributors/lovley.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/martin-beth.html (https://www.section508.gov/contributors/martin-beth.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/mcgland-denise.html (https://www.section508.gov/contributors/mcgland-denise.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/nasa.html (https://www.section508.gov/contributors/nasa.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.opm.gov/about-us/our-mission-role-history/ returned status 404 Not Found after 1 attempts

페이지: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

요소:

```
<a href="https://www.opm.gov/about-us/our-mission-role-history/">https://www.opm.gov/about-us/our-mission-role-histo
ry/ (https://www.opm.gov/abou</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/opm.html (https://www.section508.gov/contributors/opm.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/procter.html (https://www.section508.gov/contributors/procter.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/sirk.html (https://www.section508.gov/contributors/sirk.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/smith-frances.html (https://www.section508.gov/contributors/smith-frances.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/sweeney-kate.html (https://www.section508.gov/contributors/sweeney-kate.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

LOW Broken link: https://www.gsa.gov/technology/government-it-initiatives/digital-strategy returned status 404 Not Found after 1 attempts

페이지: /contributors/usab.html (https://www.section508.gov/contributors/usab.html)

요소:

```
<a href="https://www.gsa.gov/technology/government-it-initiatives/digital-strategy">Digital Strategy</a>
```

방법론

Sonde Score는 0~1000 범위의 보편적인 규정 준수 지수입니다. 접근성에 대한 신용 점수처럼 생각할 수 있습니다. 각 검출 결과는 사람이 접근하는 데 미치는 영향에 따라 가중됩니다. 키보드 트랩 같은 심각한 문제는 모범 사례 제안 같은 낮은 심각도 문제보다 훨씬 크게 반영됩니다. 원시 페널티는 페이지별로 정규화되어 규모가 다른 사이트도 비교할 수 있습니다. 조화 곡선은 모든 사이트에 의미 있는 점수를 부여하여 0점이나 거짓 완벽 점수를 피합니다.

```
Score = round(1000 × S / (S + P/N))
```

S = 민감도 (750), P = Σ(가중치 × 개수), N = 스캔 페이지 수

등급	가중치	예시
치명적	10	키보드 트랩
높음	3	대체 텍스트 누락
중간	1	제목 계층
낮음	0.25	모범 사례

Sonde Score는 살아 있는 표준입니다(v0.1). 접근성은 닫힌 문 뒤에서 결정하기에는 너무 중요하므로 공개적으로 구축하고 있습니다. 여러분의 전문성이 이 기준을 더 좋게 만듭니다.

미션 컨트롤

원시 검출 결과 데이터를 검토하고, 스캔 간 변화를 추적하며, Sonde의 공개 방법론에 기여하세요.

- 검출 결과 데이터 보기 (https://github.com/sondeinc/daylight/blob/main/public/usgov/section508-gov/findings.json?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=section508-gov)
- 변경 사항 추적 (https://github.com/sondeinc/daylight/commits/main/public/usgov/section508-gov/?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=section508-gov)
- 사이트 추천 (https://github.com/sondeinc/daylight/discussions/categories/nominations?utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=section508-gov)
- 스캔 문제 보고 (https://github.com/sondeinc/daylight/issues/new?template=report-scanning-issue.yml&title=Scanning+issue%3A+Section508.gov+%28GSA%29&utm_source=daylight&utm_medium=report&utm_campaign=usgov&utm_content=section508-gov)