Sonde

Accessibility Health Check

https://ally.com

950



Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usfin/ally-com/

2 pages **73** findings **0** critical **10** high **44** medium **19** low **36.5** avg/page
1,161 elements **52** with findings **95.5%** ECR **3m 20s** total **1m 40s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /ventures WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /ventures WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH "role=text" should have no focusable descendants: Fix any of the following: Element has focusable descendants

Page: /

Element:

```
<p class="userConsent__disclaimerText" role="text">
```

SONDE FIX PLAN
Ensure role="text" is used on elements with no focusable descendants. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH "role=text" should have no focusable descendants: Fix any of the following: Element has focusable descendants

Page: /ventures

Element:

```
<p class="userConsent__disclaimerText" role="text">
```

SONDE FIX PLAN
Ensure role="text" is used on elements with no focusable descendants. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH Focus jumps backward from "Decline Cookies" to "Skip to login" (visual distance: 4295px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>Skip to login</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Skip to main content" to "Ally Logo, go to ally.com" (visual distance: 451px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>Ally Logo, go to ally.com</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout. Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

HIGH Focus jumps backward from "Skip to main content" to "Ally ventures logo" (visual distance: 445px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /ventures WCAG 2.4.3

Element:

```
<a>Ally ventures logo</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "Decline Cookies" to "Skip to main content" (visual distance: 859px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /ventures WCAG 2.4.3

Element:

```
<button>Skip to main content</button>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /ventures WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Page: /ventures WCAG 4.1.2

Element:

```
<!-- a11y: role="generic" -->
```

SONDE FIX PLAN

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompany" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click-tagged="true">Our Company</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="helpTopNav" href="https://www.ally.com/help/" target="_self" allytm-click-tagged="true">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="contactUsTopNav" href="https://www.ally.com/contact-us/" target="_self" allytm-click-tagged="true">Contact Us</
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" data-allytmln="aboutUsTopNav" href="https://www.ally.com/about/" target="_self" allytm-click-tagged="true">About Us</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-tagged="true">Social Impact</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers" href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="true">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-t
agged="true">Investor Relations<
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCen
ter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media
Center</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_link__JHJ4m Link_navLinkTop__7USdO Link_-no-inline__7AGiC" href="htt
p://www.ally.com/search/" target="_self" allytm-click-tagged="true">Search</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-supplier
s" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged
="true">Suppliers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-conversa
tionally" href="https://www.ally.com/stories/" target="_self" allytm-click-tagged="t
rue">Conversationally</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-corporat
eFinance" href="https://www.ally.com/corporate-finance/" target="_self" allytm-click
-tagged="true">Corporate Finance
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-allyVent
ures" href="https://www.ally.com/ventures/" target="_self" allytm-click-tagged="tru
e">Ally Ventures</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-investor
Relations" href="https://www.ally.com/about/investor/" target="_self" allytm-click-t
agged="true">Investor Relations<
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-careers"
href="https://www.ally.com/about/careers/" target="_self" allytm-click-tagged="tru
e">Careers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-supplier
s" href="https://www.ally.com/about/suppliers/" target="_self" allytm-click-tagged
="true">Suppliers</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-ourCompa
ny" href="https://www.ally.com/about/company-structure/" target="_self" allytm-click
-tagged="true">Our Company</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-mediaCen
ter" href="https://media.ally.com/" target="_self" allytm-click-tagged="true">Media
Center</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-socialImpact" href="https://www.ally.com/about/social-impact/" target="_self" allytm-click-tagged="true">Social Impact</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(42, 42, 42), text: rgb(255, 255, 255)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /ventures WCAG 1.4.1

Element:

```
<a class="Link_navLink__ZbrPx Link_-no-inline__7AGiC" data-allytmln="footer-dealerServices" href="https://www.ally.com/dealer/" target="_self" allytm-click-tagged="true">Dealer Services</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Our Company" on https://www.ally.com/ and "Learn More About Ally" on https://www.ally.com/ventures. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /ventures WCAG 3.2.4

Element:

```
<a class="Link_ctaPrimary__H4y9b" data-allytmln="learnMoreVentures" href="https://www.ally.com/about/company-structure/" target="_self" aria-label="Learn More About Ally" allytm-click-tagged="true">Learn More</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally

consistent.

MEDIUM

The same link functionality is identified as "Ally Ventures" on https://www.ally.com/ and "Ally ventures logo" on https://www.ally.com/ventures. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /ventures WCAG 3.2.4

Element:

```
<a class="Link_link__JHJ4m Link_-no-inline__7AGiC" data-allytmln="allyVenturesLogo"
href="http://www.ally.com/ventures/" target="_self" aria-label="Ally ventures logo"
allytm-click-tagged="true"><img alt="Ally ventures logo" class="styles_Image__YRv0H
" src="https://secure.ally.com/acs/content/cms/images/201178/0xsu4cuk2auf/4CfBKGA4q4
JsRY9l0k9TX4/dbdd5d85253114b3a43832ceab10c7a5/32814ventureslogo.png?w=456&amp;h=100&
amp;q=90&amp;fm=webp" srcset="https://secure.ally.com/acs/content/cms/images/201
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Ally Logo, go to ally.com" on https://www.ally.com/ and "Home" on https://www.ally.com/ventures. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /ventures WCAG 3.2.4

Element:

```
<a class="Breadcrumbs_navLinks__W__Yt Link_navLink__ZbrPx Link_-no-inline__7AGiC" da
ta-allytmln="infobar-Home" href="https://www.ally.com/" target="_self" allytm-click-
tagged="true">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Top Menu" is present on https://www.ally.com/ but missing on https://www.ally.com/ventures. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Page: /ventures WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Top Menu"] -->
```

SONDE FIX PLAN

Ensure the "Top Menu" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content. Ensure the "Sub Menu" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "Instagram" on https://www.ally.com/ and "Facebook" on https://www.ally.com/ventures. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /ventures WCAG 3.2.4

Element:

```
<a class="Link_link__JHJ4m Link_-underline__lnWRl Link_-inline__GtMVe" data-allytmln
="Facebook" href="https://www.facebook.com/ally" target="_blank" aria-label="Faceboo
k" allytm-click-tagged="true"><svg aria-hidden="false" class="styles_svgIcon__UoR7M"
width="25" height="25" xmlns="http://www.w3.org/2000/svg"><title>Facebook Logo</titl
e><image href="//secure.ally.com/acs/content/cms/images/201178/kihwedicfgkh/2LMJ9WlZ
iWU6OtQCRqbvob/9dd16b86bb0714fae4fac09e800eee3b/Facebook_Logo__1_.svg" width="2
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Console warning: 🚀 _satellite.notify is deprecated. Please use the `_satellite.logger` API.

Page: /

Source: https://www.ally.com/_next/static/chunks/437-ece642eda218d40a.js:0 MEDIUM

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM

"Skip to main content" is visually at position 3 but receives focus at position 75 (drift: 72).

WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<button>Skip to main content</button>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM "About Us" is visually at position 4 but receives focus at position 77 (drift: 73). WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>About Us</a>
```

SONDE FIX PLAN
Align DOM order with visual presentation, or use tabIndex to match the visual sequence.

MEDIUM Interactive control "button.styles_button__xA8Jv" is only 29px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<button.styles_button__xA8Jv>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.userConsent__disclaimerHighlight.userConsent__disclaimerHighlight_link" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<a.userConsent__disclaimerHighlight.userConsent__disclaimerHighlight_link>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.Link_link__JHJ4m.Link_-dark__6RmSy" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<a.Link_link__JHJ4m.Link_-dark__6RmSy>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.Link_link__JHJ4m.Link_navLinkTop__7USdO" is only 28px tall at Tablet. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: WCAG 2.5.8

Element:

```
<a.Link_link__JHJ4m.Link_navLinkTop__7USdO>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM x-content-type-options header has invalid or weak value: nosniff nosniff

Page: /ventures

SONDE FIX PLAN

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Link timeout: https://www.ally.com/security/ did not respond within 5000ms after 4 attempts

Page: /

Element:

```
<a href="https://www.ally.com/security/">Security</a>
```

LOW Link timeout: https://www.ally.com/accessibility/ did not respond within 5000ms after 3 attempts

Page: /

Element:

```
<a href="https://www.ally.com/accessibility/">Accessibility</a>
```

LOW Link timeout: https://www.ally.com/## did not respond within 5000ms after 3 attempts

Page: /

Element:

```
<a href="https://www.ally.com/##">Shop Ally Gear</a>
```

LOW Link timeout: https://www.ally.com/sitemap/ did not respond within 5000ms after 3 attempts

Page: /

Element:

```
<a href="https://www.ally.com/sitemap/">Site Map</a>
```

LOW Link timeout: https://www.ally.com/invest/disclosures/ did not respond within 5000ms after 3 attempts

Page: /

Element:

```
<a href="https://www.ally.com/invest/disclosures/">Ally Invest Disclosures</a>
```

LOW Link timeout: https://www.ally.com/ventures/ did not respond within 5000ms after 3 attempts

Page: /

Element:

```
<a href="https://www.ally.com/ventures/">Ally Ventures</a>
```

LOW Link timeout: https://www.ally.com/dealer/ did not respond within 5000ms after 3 attempts

Page: /

Element:

```
<a href="https://www.ally.com/dealer/">Dealer Services</a>
```

LOW Link timeout: https://www.ally.com/education/financial-education-programs/ did not respond within 5000ms after 3 attempts

Page: /

Element:

```
<a href="https://www.ally.com/education/financial-education-programs/">Financial Education Programs</a>
```

LOW Link timeout: https://www.ally.com/invest/disclosures/ did not respond within 5000ms after 3 attempts

Page: /ventures

Element:

```
<a href="https://www.ally.com/invest/disclosures/">Ally Invest Disclosures</a>
```

LOW Link timeout: https://www.ally.com/dealer/ did not respond within 5000ms after 3 attempts

Page: /ventures

Element:

```
<a href="https://www.ally.com/dealer/">Dealer Services</a>
```

LOW Link timeout: https://www.ally.com/accessibility/ did not respond within 5000ms after 3 attempts

Page: /ventures

Element:

```
<a href="https://www.ally.com/accessibility/">Accessibility</a>
```

LOW Broken link: https://www.tiktok.com/@allydoitright returned status 403 Forbidden after 1 attempts

Page: /ventures

Element:

```
<a href="https://www.tiktok.com/@allydoitright">TikTok Logo</a>
```

LOW Link timeout: https://www.ally.com/sitemap/ did not respond within 5000ms after 3 attempts

Page: /ventures

Element:

```
<a href="https://www.ally.com/sitemap/">Site Map</a>
```

LOW Link timeout: https://www.ally.com/ventures/ did not respond within 5000ms after 3 attempts

Page: /ventures

Element:

```
<a href="https://www.ally.com/ventures/">Ally Ventures</a>
```

LOW Link timeout: https://www.ally.com/education/financial-education-programs/ did not respond within 5000ms after 3 attempts

Page: /ventures

Element:

```
<a href="https://www.ally.com/education/financial-education-programs/">Financial Education Programs</a>
```

LOW Link timeout: https://www.ally.com/security/ did not respond within 5000ms after 4 attempts

Page: /ventures

Element:

```
<a href="https://www.ally.com/security/">Security</a>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue