Sonde

Control de salud de accesibilidad

https://chase.com

961

0 1000

Excellent

May 22, 2026

Proporcionado gratis por Sonde

https://daylight.sonde.life/usfin/chase-com/

3 pages **85** findings **0** critical **6** high **70** medium **9** low **28.3** avg/page

3,763 elements **49** with findings **98.7%** ECR **3m 17s** total **1m 6s** per page

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (52.3px by 21.2px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 21.2px instead of at least 24px.

WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<button type="button" id="show-hide-btn" tabindex="0" style="min-width: 0px; dis
p...">
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Elements should not have tabindex greater than zero: Fix any of the following: Element has a tabindex greater than 0

Página: /business/business-sbw-2

Elemento:

```
<div class="consent-banner" tabindex="1">
```

PLAN DE CORRECCIÓN SONDE

Ensure tabindex attribute values are not greater than 0. See: https://www.w3.org/WAI/WCAG22/quickref/

HIGH

Console warning: [Analytics-Lite]: clearEventsQueue() is deprecated. You can safely remove this function call from your codebase.

Página: /business/business-sbw-2

Fuente: https://asset.chase.com/web/library/digddsautomation/reportingjs/Reporting.js:0

MEDIUM

PLAN DE CORRECCIÓN SONDE

Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer Add Strict-Transport-Security header with max-age of at least 31536000 Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH

Focus jumps backward from "div:nth-of-type(1) > div:nth-of-type(2) > a" to "Skip to main content" (visual distance: 1388px). No explicit tabIndex — likely a DOM order issue.

WCAG 2.4.3

Página: /business/business-sbw-2 WCAG 2.4.3

Elemento:

```
<a>Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: / WCAG 1.3.1

Elemento:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /business/business-sbw-2 WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE
Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /business/business-sbw-2 WCAG 1.3.1

Elemento:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /business/business-sbw-2 WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM Focusable element has generic role. Keyboard users can reach it but screen readers provide no context about its purpose. WCAG 4.1.2

Página: /business/business-sbw-2 WCAG 4.1.2

Elemento:

```
<!-- a11y: role="generic" -->
```

PLAN DE CORRECCIÓN SONDE

Add an explicit ARIA role (e.g., role="button") and an accessible name. WCAG 4.1.2 requires interactive elements to expose their role.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /business/business-sbw-2

Elemento:

```
<div class="consent-banner-section-wrapper" region="landmark" aria-label="Privacy Policy">
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Página: /business/business-sbw-2

Elemento:

```
<a href="#main" class="sc-f1d44d46-0 eSbDRK mds-body-large-heavier mds-pos-fixed mds
-text-center mds-text-decoration-none">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure all page content is contained by landmarks. See:
https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://personal.chase.co
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="/personal/savings/bank-cd
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="/personal/offers/total-ch
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://creditcards.chase
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://creditcards.chase
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://personal.chase.co
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://creditcards.chase
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="/personal/credit-cards/fr
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="/personal/mortgage" data-
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 96, 240), text: rgb(65, 64, 66)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: / WCAG 1.4.1

Elemento:

```
<a class="fk205of1vfdbab1 o5g3ebd1vfdbab0 hdvm5et1vfdbab5 nmst0ts1vfdbab3 onjb3cd1vf
dbab7 fjkrdh61d6nc7e0 chaseanalytics-track-link regular-link " aria-disabled="false"
href="https://creditcards.chase
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /business/business-sbw-2 WCAG 1.4.1

Elemento:

```
<a href="https://www.youtube.com/chase" role="link" title="YouTube" data-pt-name="ft
_soc_youtube" rel="noreferrer" target="_blank" class="link btn-link btn-not-inverse
btn-content-driven chaseanalytic
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/business-sbw-2 WCAG 1.4.1

Elemento:

```
<a href="https://instagram.com/chase" role="link" title="Instagram" data-pt-name="ft
_soc_instagram" rel="noreferrer" target="_blank" class="link btn-link btn-not-invers
e btn-content-driven chaseanalyt
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/business-sbw-2 WCAG 1.4.1

Elemento:

```
<a href="https://www.facebook.com/chase" role="link" title="Facebook" data-pt-name
="ft_soc_facebook" rel="noreferrer" target="_blank" class="link btn-link btn-not-inv
erse btn-content-driven chaseanaly
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/business-sbw-2 WCAG 1.4.1

Elemento:

```
<a href="https://twitter.com/Chase" role="link" title="X, formerly Twitter" data-pt-
name="ft_soc_x" rel="noreferrer" target="_blank" class="link btn-link btn-not-invers
e btn-content-driven chaseanalyt
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/business-sbw-2 WCAG 1.4.1

Elemento:

```
<a href="https://www.pinterest.com/chase/" role="link" title="Pinterest" data-pt-nam
e="ft_soc_pinterest" rel="noreferrer" target="_blank" class="link btn-link btn-not-i
nverse btn-content-driven chasea
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(0, 94, 184), text: rgb(16, 24, 32)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /business/business-sbw-2 WCAG 1.4.1

Elemento:

```
<a href="https://www.linkedin.com/company/chase?trk=company_logo" role="link" title
="LinkedIn" data-pt-name="ft_soc_linkedin" rel="noreferrer" target="_blank" class="l
ink btn-link btn-not-inverse btn-
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation region "Checking Choose a checking accountDebit card for kidsSavings & CDsChoose a savings accountCDsCredit cardsExplore credit cardsSee if you're pre-approvedPersonal credit cardsBusiness credit cardsHome loansExplore Home LendingMortgage ratesApply for a mortgageBuy a homeRefinanceHome equityMortgage calculatorsManage accountsAutoExplore car financingRefinance your carInvesting by J.P. MorganExplore investingWork with our advisorsInvest on your ownRetirement and IRAsEducation planningInvesting insightsEducation & goalsEducation centerFree credit scoreChase Money SkillsSecurity CenterTravelBook with Chase TravelExplore The EditTravel inspirationEditor hotel picksRestaurant guidesChase Travel Corporate Solutions" is present on https://www.chase.com/ but missing on https://www.chase.com/business/business-sbw-2. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Página: /business/business-sbw-2 WCAG 3.2.3

Elemento:

```
<!-- missing: nav -->
```

PLAN DE CORRECCIÓN SONDE

Ensure the "Checking Choose a checking accountDebit card for kidsSavings & CDsChoose a savings accountCDsCredit cardsExplore credit cardsSee if you're pre-approvedPersonal credit cardsBusiness credit cardsHome loansExplore Home LendingMortgage ratesApply for a mortgageBuy a homeRefinanceHome equityMortgage calculatorsManage accountsAutoExplore car financingRefinance your carInvesting by J.P. MorganExplore investingWork with our advisorsInvest on your ownRetirement and IRAsEducation planningInvesting insightsEducation & goalsEducation centerFree credit scoreChase Money SkillsSecurity CenterTravelBook with Chase TravelExplore The EditTravel inspirationEditor hotel picksRestaurant guidesChase Travel Corporate Solutions" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "Privacy" on https://www.chase.com/ and "Privacy Policy" on https://www.chase.com/business/business-sbw-2. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /business/business-sbw-2 WCAG 3.2.4

Elemento:

```
<a href="https://www.chase.com/digital/resources/privacy-security/privacy/online-privacy-policy" class="chaseanalytics-track-link" data-pt-name="consent-privacy" target="_blank">Privacy Policy</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Console warning: [Analytics-Lite]: clearEventsQueue() is deprecated. You can safely remove this function call from your codebase.

Página: /

Fuente: `https://asset.chase.com/web/library/digddsautomation/reportingjs/Reporting.js:0`

MEDIUM

PLAN DE CORRECCIÓN SONDE

Add X-Content-Type-Options: nosniff Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

---

MEDIUM

Broken link: https://www.chase.com/content/dam/chaseux-fragments/en/chase-footnotes-and-disclosures/business/banking/ranked-1 returned status 404 Not Found after 1 attempts

Página: /business/business-sbw-2

Elemento:

```
<a href="https://www.chase.com/content/dam/chaseux-fragments/en/chase-footnotes-and-disclosures/business/banking/ranked-1">Footnote
        1Opens overlay</a>
```

MEDIUM

Content clipped by 71px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability.

WCAG 1.4.12

Página: /business/business-sbw-1 WCAG 1.4.12

Elemento:

```
<span class="sc-5ed86311-0 bSfPPF accessible-text">Open side menu</span>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM

Interactive control "a.chaseanalytics-track-link" is only 44px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-

WCAG 2.5.8

min` (44px) on touch tiers.

Página: /business/business-sbw-1 WCAG 2.5.8

Elemento:

```
<a.chaseanalytics-track-link>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 388px at Modern phone (390px width). WCAG Sonde responsive contract

Página: /business/business-sbw-1 WCAG Sonde responsive contract

Elemento:

```
<div aria-hidden="true" class="sc-93c77d2f-1 TKxeB mds-body-medium h-100 w-100 mds-p
os-fixed mds-top-0" aria-label="Sign in panel" role="dialog"><div class="h-100 mds-d
-none"></div></div>
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.sc-f1d44d46-0.eSbDRK" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /business/business-sbw-1 WCAG 2.5.8

Elemento:

```
<a.sc-f1d44d46-0.eSbDRK>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.btn-primary-button.btn-not-inverse" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /business/business-sbw-1 WCAG 2.5.8

Elemento:

```
<button.btn-primary-button.btn-not-inverse>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 215px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /business/business-sbw-1 WCAG 1.4.12

Elemento:

```
<span id="nav-logo-link-text" class="sc-5ed86311-0 bSfPPF accessible-text">Chase for Business links to Chase for Business home</span>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.consent-close-icon-wrapper.chaseanalytics-track-link" is only 16px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /business/business-sbw-1 WCAG 2.5.8

Elemento:

```
<a.consent-close-icon-wrapper.chaseanalytics-track-link>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.chaseanalytics-track-link.regular-link" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /business/business-sbw-1 WCAG 2.5.8

Elemento:

```
<a.chaseanalytics-track-link.regular-link>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.btn-no-styles.btn-not-inverse" is only 27px tall at Phone SE. Sonde responsive contract enforces `--sonde-target- WCAG 2.5.8

size-min` (44px) on touch tiers.

Página: /business/business-sbw-1 WCAG 2.5.8

Elemento:

```
<button.btn-no-styles.btn-not-inverse>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 388px at Phone SE (320px width). WCAG 1.4.10

Página: /business/business-sbw-1 WCAG 1.4.10

Elemento:

```
<div aria-hidden="true" class="sc-93c77d2f-1 TKxeB mds-body-medium h-100 w-100 mds-p
os-fixed mds-top-0" aria-label="Sign in panel" role="dialog"><div class="h-100 mds-d
-none"></div></div>
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.btn-primary-button.btn-not-inverse" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /business/business-sbw-1 WCAG 2.5.8

Elemento:

```
<a.btn-primary-button.btn-not-inverse>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.link.btn-link" is only 24px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /business/business-sbw-1 WCAG 2.5.8

Elemento:

```
<a.link.btn-link>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 95px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /business/business-sbw-1 WCAG 1.4.12

Elemento:

```
<a href="#main" class="sc-f1d44d46-0 eSbDRK mds-body-large-heavier mds-pos-fixed mds
-text-center mds-text-decoration-none">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

LOW Broken link: https://twitter.com/Chase returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://twitter.com/Chase">X, formerly Twitter</a>
```

LOW Link timeout: https://secure.chase.com/web/oao/application/card?cfgCode=PREAPPROVEDCONCC&flowVersion=REACT&cellCode=6TKV#/origination/preapproved/index/index did not respond within 5000ms after 2 attempts

Página: /

Elemento:

```
<a href="https://secure.chase.com/web/oao/application/card?cfgCode=PREAPPROVEDCONCC&
amp;flowVersion=REACT&amp;cellCode=6TKV#/origination/preapproved/index/index">See if
you're pre-approved</a>
```

LOW Link timeout: https://optout.aboutads.info/?c=2&lang=EN did not respond within 5000ms after 8 attempts

Página: /

Elemento:

```
<a href="https://optout.aboutads.info/?c=2&amp;lang=EN">AdChoices</a>
```

LOW Link timeout: https://locator.chase.com/ did not respond within 5000ms after 2 attempts

Página: /business/business-sbw-2

Elemento:

```
<a href="https://locator.chase.com/">Find ATM or Branch</a>
```

LOW Link timeout: https://optout.aboutads.info/?c=2&lang=EN did not respond within 5000ms after 8 attempts

Página: /business/business-sbw-2

Elemento:

```
<a href="https://optout.aboutads.info/?c=2&amp;lang=EN">AdChoices, Opens overlay</a>
```

LOW Broken link: https://twitter.com/Chase returned status 403 Forbidden after 1 attempts

Página: /business/business-sbw-2

Elemento:

```
<a href="https://twitter.com/Chase">X, formerly Twitter, Opens overlay</a>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio

Reportar un problema de escaneo