Sonde

Accessibility Health Check

https://wellsfargo.com

949



Excellent

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usfin/wellsfargo-com/

5 pages **192** findings **0** critical **19** high **137** medium **36** low **38.4** avg/page
4,590 elements **125** with findings **97.3%** ECR **3m 18s** total **39.6s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /atm/ WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="https://connect.secure.wellsfargo.com/auth/login/present?passkey=Y">Sign on with a passkey</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px. WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/privacy-security/?linkLoc=signon">Privacy, Cookies, and Legal</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="https://oam.wellsfargo.com/oamo/identity/help/passwordhelp/">Forgot usernam
e or password?</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Document should have one main landmark: Fix all of the following: Document does not have a main landmark

Page: /atm/

Element:

```
<html xmlns="http://www.w3.org/1999/xhtml" lang="en">
```

SONDE FIX PLAN

Ensure the document has a main landmark. See: https://www.w3.org/WAI/WCAG22/quickref/ Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH

 and <ol> must only directly contain <li>, <script> or <template> elements: Fix all of the following: List element has direct children that are not allowed: [role=presentation]

WCAG 1.3.1

Page: /atm/ WCAG 1.3.1

Element:

```
<ul>
```

SONDE FIX PLAN

Ensure that lists are structured correctly. See: https://www.w3.org/WAI/WCAG22/Understanding/info-and-relationships

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="true" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

Interactive controls must not be nested: Fix any of the following: Using a negative tabindex on an element inside an interactive control does not prevent assistive technologies from focusing the element (even with aria-hidden="true")

WCAG 4.1.2

Page: /auto-loans/ WCAG 4.1.2

Element:

```
<summary class="show-hide-content-title" aria-expanded="false" role="button">
```

SONDE FIX PLAN

Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a href="https://oam.wellsfargo.com/oamo/identity/help/passwordhelp/">
                Forgot username or password?
            </a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a href="https://connect.secure.wellsfargo.com/auth/login/present?passkey=Y">Sign on
with a passkey</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (303px by 22px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 20px instead of at least 24px.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a href="/privacy-security/?linkLoc=signon">
                Privacy, Cookies, and Legal
            </a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH Page requires horizontal scrolling at Phone SE (320px width, 650px overflow). Content should reflow without horizontal scrolling. WCAG 1.4.10

Page: /atm/ WCAG 1.4.10

Element:

```
<html lang="und">
```

SONDE FIX PLAN
Use responsive CSS (max-width, flex-wrap, media queries) to ensure content reflows at this viewport width.

HIGH strict-transport-security header has invalid or weak value: max-age=21600

Page: /

SONDE FIX PLAN
Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add a Content-Security-Policy header with appropriate directives Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /about/ WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 2 "complementary" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /atm/ WCAG 1.3.1

Element:

```
<!-- 2 complementary landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "complementary" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 3 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /auto-loans/ WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 3 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 2 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /biz/ WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 2 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<a class="c52twitter twitter c28aLink" href="/exit/social?site=twitter" target="_bla
nk" rel="noopener noreferrer" data-mrkt-tracking-id="415a27d6-dd26-4063-8081-5196399
dc4dd" aria-label="Share this pa...
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div id="contentBody">
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div id="title">
                        <h1 class="c11" id="skip" tabindex="-1">
                                Wells Fargo ATM Banking
                        </h1>


                        <div class="headerLocation">




                        </div>

                </div>
```

SONDE FIX PLAN

Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div class="c52noLink" id="NID1_5_3_1_2_2">Share</div>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<a class="c52fb facebook c28aLink" href="/exit/social?site=facebook" target="_blank"
rel="noopener noreferrer" data-mrkt-tracking-id="3b21794e-c658-46f4-900f-297d992ea6f
9" aria-label="Share this page ...
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /atm/

Element:

```
<div class="c20" role="complementary">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<li>
                                        <a href="#" class="printLink">


                                                Print
                                        </a>
                                </li>
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM All page content should be contained by landmarks: Fix any of the following: Some page content is not contained by landmarks

Page: /atm/

Element:

```
<div id="contentTop">
```

SONDE FIX PLAN
Ensure all page content is contained by landmarks. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/savings-cds/" class="">Savings &amp;amp; CDs</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/checking/" class="">Checking</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="https://creditcards.wellsfargo.com/?sub_channel=WEB&amp;vendor_code=WF&amp;
linkLoc=FNMC&amp;lang=en" data-platform="creditCardsWF">Credit Cards</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: / WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/investor-relations/">Investor Relations </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/about/diversity/">Inclusion &amp; Accessibility</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/about/corporate/governance/">Leadership &amp; Governance</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /about/ WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/spanish/" id="langPrefToggle" class="spTogglePersonal" xml:lang="es" name
="langPrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/cib/" class="tabNavLink" id="tabNavCorporateBanking" name="tabNavCorporate Banking">Corporate &amp;amp; Investment Banking</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/help/">Customer Service</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/com/" class="tabNavLink" id="tabNavCommercial" name="tabNavCommercial">Com
mercial Banking</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(82, 117, 189), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a class="ShareLink c52email" href="mailto:?body=Hi%2C%0A%0AI%20thought%20you'd%20b
e%20interested%20in%20this%20page%20I%20found%20on%20wellsfargo.com%3A%20%0A%0AWell
s%20Fargo%20ATM%20Banking%0AWells%
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(90, 93, 98), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/">Personal</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/biz/" class="tabNavLink" id="tabNavSmallBusiness" name="tabNavSmallBusines
s">Business</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(82, 117, 189), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a class="ShareLink c52linkedin" href="http://www.linkedin.com/shareArticle?mini=tru
e&amp;ro=false&amp;url=https%3A%2F%2Fwww.wellsfargo.com%2Fatm%2F&amp;summary=ATM%20B
anking%20-%20Wells%20Fargo&amp;t
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(67, 67, 67)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /atm/ WCAG 1.4.1

Element:

```
<a href="/investing-wealth/" class="tabNavLink" id="tabInvestingWealth" name="tabInv
estingWealth">Investing &amp; Wealth Management</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/">Customer Service and FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/zelle-faqs/#isthereafeeforzelle">Is there a fee for Ze
lle<sup>®</sup>?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(90, 70, 155), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="https://sites.wf.com/fargo/" enrollmentid="5208">Meet Fargo</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/help/routing-number/">How do I find my routing and account numbers?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /auto-loans/ WCAG 1.4.1

Element:

```
<a href="/privacy-security/fraud/report/">How do I report suspected fraud?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/wires-faqs/">How do I set up a wire transfer?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/business-credit/credit-cards/">Credit Cards</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/help/online-banking/activity-faqs/#whyaremyavailableandpostedbalancesdiffe
rent">Why are my available balance and posted balances different?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/es/" xml:lang="es" id="langPrefToggle" class="spTogglePersonal" name="lang
PrefToggle" lang="es">Español</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/checking/">Checking</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/help/faqs/">See more FAQs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(20, 20, 20), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/help/checking-savings/deposits-faqs/#whenwillmydepositbecreditedtomyaccoun
t">When will my deposit be credited to my account?</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(59, 51, 49), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="/biz/savings/">Savings &amp; CDs</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(120, 112, 112)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Page: /biz/ WCAG 1.4.1

Element:

```
<a href="#" class="ps-masthead-help" role="button" aria-expanded="false">Help </a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Navigation "Privacy, Cookies, Security & Legal Do Not Sell or Share My Personal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap Home About Wells Fargo Careers Inclusion and Accessibility" changes relative order between https://www.wellsfargo.com/ and https://www.wellsfargo.com/about/. Shared links appear as [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Sitemap, About Wells Fargo, Careers, Inclusion and Accessibility] vs baseline [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, About Wells Fargo, Careers, Inclusion and Accessibility, Sitemap].

WCAG 3.2.3

Page: /about/ WCAG 3.2.3

Element:

```
<nav aria-label="Privacy, Cookies, Security &amp;amp; Legal Do Not Sell or Share My Pers
onal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap
Home About Wells Fargo Careers Inclusion and Accessibility"><!-- site-set order mism
atch --></nav>
```

SONDE FIX PLAN

Keep repeated navigation links in the same relative order across comparable pages. Adding or removing links is fine, but shared links should maintain consistent ordering unless users explicitly reorder the list.

MEDIUM

The same link functionality is identified as "About Wells Fargo" on https://www.wellsfargo.com/ and "Skip to main content" on https://www.wellsfargo.com/about/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /about/ WCAG 3.2.4

Element:

```
<a href="#skip" class="hidden">Skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same button functionality is identified as " Search" on https://www.wellsfargo.com/ and "Search Opens a dialog." on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /atm/ WCAG 3.2.4

Element:

```
<button id="nxgSearchButton">
                                                                <span class="nxgSear
chText">Search</span> 
                                                                <span class="nxgVisu
allyHidden" id="nxgSearchDescription">Opens a dialog.</span>
                                                                <span class="nxgSear
chIcon"></span>
                                                        </button>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Español" on https://www.wellsfargo.com/ and "Continúe" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /atm/ WCAG 3.2.4

Element:

```
<a href="/es/" class="c7 utilitybtn" id="popupContinue" name="popupContinue">Continú
e</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation "corporate, legal, security" changes relative order between https://www.wellsfargo.com/ and https://www.wellsfargo.com/atm/. Shared links appear as [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Sitemap, Careers, Inclusion and Accessibility] vs baseline [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Careers, Inclusion and Accessibility, Sitemap].

WCAG 3.2.3

Page: /atm/ WCAG 3.2.3

Element:

```
<nav aria-label="corporate, legal, security"><!-- site-set order mismatch --></nav>
```

SONDE FIX PLAN

Keep repeated navigation links in the same relative order across comparable pages. Adding or removing links is fine, but shared links should maintain consistent ordering unless users explicitly reorder the list.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.wellsfargo.com/ and "selected Personal" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /atm/ WCAG 3.2.4

Element:

```
<a id="tabNavPersonal" class="tabNavLink" href="/" name="tabNavPersonal"> <span clas
s="hidden">selected</span> Personal </a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation region "Header Navigation" is present on https://www.wellsfargo.com/ but missing on https://www.wellsfargo.com/atm/. Navigation should appear consistently across pages in the same site set.

WCAG 3.2.3

Page: /atm/ WCAG 3.2.3

Element:

```
<!-- missing: nav[aria-label="Header Navigation"] -->
```

SONDE FIX PLAN
Ensure the "Header Navigation" navigation region appears on all comparable pages in the site set. Consistent navigation helps users predict where to find content.

MEDIUM

The same link functionality is identified as "ATMs/Locations" on https://www.wellsfargo.com/ and "Find an ATM" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /atm/ WCAG 3.2.4

Element:

```
<a href="/locator/" class="c93" data-cid="tcm:182-173115-16" data-ctid="tcm:223-158449-32" data-presentation="4" id="NID1_6_1_1_1_2_1_1_1">Find an ATM </a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Customer service and FAQs" on https://www.wellsfargo.com/ and "Customer Service" on https://www.wellsfargo.com/atm/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /atm/ WCAG 3.2.4

Element:

```
<a href="/help/">Customer Service</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Navigation "Privacy, Cookies, Security & Legal Do Not Sell or Share My Personal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap Home About Wells Fargo Careers Inclusion and Accessibility" changes relative order between https://www.wellsfargo.com/ and https://www.wellsfargo.com/auto-loans/. Shared links appear as [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice of Data Collection, General Terms of Use, Report Fraud, Sitemap, About Wells Fargo, Careers, Inclusion and Accessibility] vs baseline [Privacy, Cookies, Security & Legal, Do Not Sell or Share My Personal Information, Notice

WCAG 3.2.3

of Data Collection, General Terms of Use, Report Fraud, About Wells Fargo, Careers, Inclusion and Accessibility, Sitemap].

Page: /auto-loans/ WCAG 3.2.3

Element:

```
<nav aria-label="Privacy, Cookies, Security &amp;amp; Legal Do Not Sell or Share My Pers
onal Information Notice of Data Collection General Terms of Use Report Fraud Sitemap
Home About Wells Fargo Careers Inclusion and Accessibility"><!-- site-set order mism
atch --></nav>
```

SONDE FIX PLAN

Keep repeated navigation links in the same relative order across comparable pages. Adding or removing links is fine, but shared links should maintain consistent ordering unless users explicitly reorder the list.

MEDIUM

The same link functionality is identified as "Other ways to make a payment" on https://www.wellsfargo.com/ and "Get the details about auto loan payment options" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /auto-loans/ WCAG 3.2.4

Element:

```
<a class="ps-btn-text" data-cid="tcm:84-341937-16" data-ctid="tcm:91-223644-32" data
-presentation="4" aria-label="Get the details about auto loan payment options" type
="componentlink" data-page-uri="tcm:702-341455-64" data-component-uri="tcm:702-34146
6" href="/auto-loans/make-payments/">Get the details &amp;gt;</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Vehicle financing New and used vehicle financing through your dealer" on https://www.wellsfargo.com/ and "Let's go to auto loan financing" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /auto-loans/ WCAG 3.2.4

Element:

```
<a class="ps-btn-text" data-cid="tcm:84-341936-16" data-ctid="tcm:91-223644-32" data
-presentation="4" aria-label="Let's go to auto loan financing " type="component
link" data-page-uri="tcm:702-341455-64" data-component-uri="tcm:702-341463" href="/a
uto-loans/vehicle-financing-101/">Let's go &gt;</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Education & Tools" on https://www.wellsfargo.com/ and "Learn more about" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /auto-loans/ WCAG 3.2.4

Element:

```
<a aria-label="Learn more about " financial="" health="" at="" wells="" fargo="" typ
e="componentlink" data-page-uri="tcm:702-341455-64" data-component-uri="tcm:702-2481
29" href="/financial-health/">Learn more</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Auto Loans" on https://www.wellsfargo.com/ and "Skip to main content" on https://www.wellsfargo.com/auto-loans/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /auto-loans/ WCAG 3.2.4

Element:

```
<a href="#skip" class="hidden">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "560" on https://www.wellsfargo.com/ and "350" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="akEventChallengeLoaded" id="akEventChallengeLoaded" value
="350" autocomplete="off" readonly="">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "NDX:%pYI uKbBRam4)JJ'n"7!4y@;@G<u)TyK-xFY|F9qEXp7(kK8Yu6wLO*iZ4 LNkPsz3@A}B x?72R5Oh]u9BL#e]kr7`MUg3B%^;@x)X-pRf@dkRaxO$i)E*Z`w? IxV/ejS\O'ch.#t'aN8"u)wQU'ERDc:"k7eq&VfScx}Ow<5%v`b.K+L/%yNir7q3 3^u+@#bLr_#]KF3[zk/SQai'43s1.Jr-hm@xG&%"chSbRJ-,2!sO(]<IPx? pZC{GK6QM2&Lx]T[Io/v=hy/t@-VuUFH$^8(%k<K]%crP8^H#gL6]V nHi2#5z[+EMXzIeT52j5{WK;f4x\>j.DJJ,7"+IBRrL(I]$5[ IAFbw\,hNnu"R&LM)SgS-Z-rgH3`yLha#K{S=&p\Rn.x&0'{<3vC/B<)V eyYd.9[qDDm((T=I%SeKL#fH!k85FIHh/,eSY z4@i.'&eHsdE^+PT*VvY%rzY6 O>dz"bkOv'UwA6%4rQ>An<j@:PE:mS+q%q2<yYB`9UGaQ0J#p=:o@POk 8=`6i'(^K8(I'%jPdGySnK6*{;MXB`u\}I54tim&![r7`uM,wE6-8[SB-I+'[7d=%_nQe-OdYD6v:zS+V" on https://www.wellsfargo.com/ and "NDX:%pYI uKbBRam4)JJ'n"7!4y@;@G<u)TyK-xFY|F9qEXp7(kK8Yu6wLO*iZ4 LNkPsz3@A}B x?72R5Oh]u9BL#e]kr7`MUg3B%^;@x)X-pRf@dkRaxO$i)E*Z`w:FtP+o)IVy? {7#.m5*@2`e_WIO7s7LcYfhUmD4U NJ.THXTov{GH+4)z2by)IALg=9pwMo[EN63Ln'51bYJ\SS#"9.hwMg"AYf@= rT?o(m]M&JRa{{`I4\'TvTG[I [4>/s`zFI}cOI%Tr'C{Ha:GqJ'sx0r0;II<dr@o1`M;wh>6n(k9T#Y f,9hm(g-1ZwY3B?dzZcO/9c4;R)`$"CkDv}Z-[SqQ4p]%I-9oA3X0E+fPYMO),IW}/+ (r`.sDHt+QI2V"QwW(a/S[sTt*^4i<7BN=j8t16oJEE6!c0KSj('a's'#+&j]`C;p$> c&5<)]#M(<xYueQtm^K24I*"q#*b}G;uL;x9I <`*YYIW:$YMNV9huW$mO^IX>uNd5E(s=+49uS\pLsBf@+h=r9%jC>$O? 74^h%%iw;b`!g+oG=^&FI,zOg?Fa\])G2;u_QGn[pE`MT7tH= (5h9S2q.*y0g*3fxT 5Wdq(:c.sB8FfCtgRTkR.`V^eT6\UAnVryV4" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input name="nds-pmd" type="hidden" value="NDX:%pYI uKbBRam4)JJ'n&quot;7!4y@;@G&lt;
u)TyK-xFY|F9qEXp7(kK8Yu6wLO*iZ4 LNkPsz3@A}B x?72R5Oh]u9BL#e]kr7`MUg3B%^;@x)X-pRf@dkR
axO$i)E*Z`w:FtP+o)IVy?{7#.m5*@2`e_WIO7s7LcYfhUmD4U NJ.THXTov{GH+4)z2by)|ALg=9pwMo[EN
63Ln'51bYJ\SS#&quot;9.hwMg&quot;AYf@=rT?o(m]M&amp;JRa{{`l4\'TvTG[|[4&gt;/s`zFl}c0I%T
r'C{Ha:GqJ'sx0r0;ll&lt;dr@o1'`M;wh&gt;6n(k9T#Y f,9hm(g-1ZwY3B?dzZcO/9c4;R)`$&quot;Ck
Dv}Z-[SqQ4p]%l-9oA3X0E+fPYM0),|W}/+(r`.sDHt+QI2V&quot;QwW(a/S[sTt*^4i&lt;7BN=j8t1
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "Cons" on https://www.wellsfargo.com/ and "BIZ" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="LOB" value="BIZ">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "805" on https://www.wellsfargo.com/ and "488" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="akEventChallengeSuppressed" id="akEventChallengeSuppresse
d" value="488" autocomplete="off" readonly="">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "cob" on https://www.wellsfargo.com/ and "biz" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input id="origin" name="origin" type="hidden" value="biz">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "83818b1c5175b82a2.0244753402|r=us-west-2|meta=3|metabgclr=transparent|metaiconclr=%23757575|guitextcolor=%23000000|lang=en|pk=9B8ED233-984B-4DE5-A7B6-3A370D9FF48B|at=40|sup=1|rid=4|ag=101|cdn_url=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc|surl=https%3A%2F%2Fokra.wf.com|smurl=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc%2Fassets%2Fstyle-manager" on https://www.wellsfargo.com/ and "95518b1c53c48a491.6274375402|r=us-west-2|meta=3|metabgclr=transparent|metaiconclr=%23757575|guitextcolor=%23000000|lang=en|pk=9B8ED233-984B-4DE5-A7B6-3A370D9FF48B|at=40|sup=1|rid=14|ag=101|cdn_url=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc|surl=https%3A%2F%2Fokra.wf.com|smurl=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc%2Fassets%2Fstyle-manager" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="akst" id="akst" value="95518b1c53c48a491.6274375402|r=us-west-2|meta=3|metabgclr=transparent|metaiconclr=%23757575|guitextcolor=%23000000|lang=en|pk=9B8ED233-984B-4DE5-A7B6-3A370D9FF48B|at=40|sup=1|rid=14|ag=101|cdn_url=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc|surl=https%3A%2F%2Fokra.wf.com|smurl=https%3A%2F%2Fokra.wf.com%2Fcdn%2Ffc%2Fassets%2Fstyle-manager" autocomplete="off" readonly="">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "805" on https://www.wellsfargo.com/ and "488" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="akEventChallengeComplete" id="akEventChallengeComplete" v
alue="488" autocomplete="off" readonly="">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Business" on https://www.wellsfargo.com/ and "Skip to main content" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<a href="#skip" class="hidden">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same textbox functionality is identified as "203" on https://www.wellsfargo.com/ and "154" on https://www.wellsfargo.com/biz/. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /biz/ WCAG 3.2.4

Element:

```
<input type="hidden" name="akIframeLoaded" id="akIframeLoaded" value="154" autocompl
ete="off" readonly="">
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM Broken link: https://www.wellsfargo.com/investor-relations/ returned status 404 Not Found after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargo.com/investor-relations/">Investor Relations</a>
```

MEDIUM Content clipped by 54px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<a href="#skip" class="hidden">Skip to content</a>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 97px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<ul>

                                                    <li role="presentation">



                <a href="https://connect.secure.wellsfargo.com/auth/login/present?or
igin=cob&amp;LOB=CONS" class="signIn"> <img alt="Secure" src="https://www
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 24px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<span class="hidden">selected</span>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<body>

                <div id="shell" class="t8" data-pid="tcm:222-14699-64" data-ptid="tcm:222-170471-128" data-lightbox-print="false">

                <a href="#skip" class="hidden">Skip to content</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#tabNavPersonal" is only 32px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#tabNavPersonal>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#tabInvestingWealth" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#tabInvestingWealth>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 54px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<span class="hidden" id="c52_socialshare">Share this page</span>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<div id="masthead" class="html5header c1 nxg">
                        <div class="wfLogoStripParent">
                                <div class="wfLogoStripChild">
                                        <div id="brand">

                                        <a href="/"> <img src="https://www17.wellsfa
rgomed
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 143px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /atm/ WCAG 1.4.12

Element:

```
<span class="jaws_hidden">Share this page on Facebook, opens a dialog</span>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<div id="topSearch">

                                                <ul>

                                                        <li role="presentation">



                <a href="https://connect.secure.wellsfargo.com/auth/login/present?or
igin=cob&amp;LOB=CONS" class="sign
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#tabNavSmallBusiness" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#tabNavSmallBusiness>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 34px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<a href="/locator/">ATMs/Locations</a>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 34px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<li role="presentation"><a href="/locator/">ATMs/Locations</a></li>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.signIn" is only 15px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<a.signIn>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<header role="banner">
                <div id="masthead" class="html5header c1 nxg">
                        <div class="wfLogoStripParent">
                                <div class="wfLogoStripChild">
                                        <div id="brand">

                                        <a href="/"> <img src="ht
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<div id="shell" class="t8" data-pid="tcm:222-14699-64" data-ptid="tcm:222-170471-12
8" data-lightbox-print="false">



                <a href="#skip" class="hidden">Skip to content</a>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#tabNavCommercial" is only 20px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#tabNavCommercial>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#langPrefToggle" is only 15px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#langPrefToggle>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<div class="wfLogoStripChild">
                                    <div id="brand">

                                    <a href="/"> <img src="https://www17.wellsfa
rgomedia.com/assets/images/css/template/homepage/homepage-horz-logo.svg" alt="Wells
Fargo Ho
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#nxgSearchButton" is only 36px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /atm/ WCAG 2.5.8

Element:

```
<#nxgSearchButton>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 202px at Tablet (768px width). WCAG Sonde responsive contract

Page: /atm/ WCAG Sonde responsive contract

Element:

```
<div class="wfLogoStripParent">
                                <div class="wfLogoStripChild">
                                        <div id="brand">

                                        <a href="/"> <img src="https://www17.wellsfa
rgomedia.com/assets/images/css/template/homepage/homepag
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#ps-dynamic-footnote-link1" is only 13px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<#ps-dynamic-footnote-link1>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#ps-dynamic-footnote-link2" is only 14px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<#ps-dynamic-footnote-link2>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "a.ps-btn-primary" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<a.ps-btn-primary>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Primary content surface "main" is only 1400px wide at Ultrawide (3440px viewport). Sonde responsive contract expects ≥ 1548px on this tier.

WCAG Sonde responsive contract

Page: /auto-loans/ WCAG Sonde responsive contract

Element:

```
<main>
```

SONDE FIX PLAN

Use `min(100%, var(--sonde-layout-shell-max))` or remove fixed `max-width` so the primary surface expands on large monitors.

MEDIUM

Interactive control "a" is only 15px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<a>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.ps-btn-text" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<a.ps-btn-text>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.ps-sign-on-text" is only 39px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<a.ps-sign-on-text>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#ps-dynamic-footnote-link0" is only 13px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /auto-loans/ WCAG 2.5.8

Element:

```
<#ps-dynamic-footnote-link0>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.ps-btn-secondary" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a.ps-btn-secondary>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "a.c7" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a.c7>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Content clipped by 459px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /biz/ WCAG 1.4.12

Element:

```
<h1 class="hidden" id="skip">Wells Fargo business online banking login &amp; busines
s services</h1>
```

SONDE FIX PLAN

Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a" is only 29px tall at Modern phone. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /biz/ WCAG 2.5.8

Element:

```
<a>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Missing X-Frame-Options header

Page: /biz/

SONDE FIX PLAN

Add X-Frame-Options: DENY or SAMEORIGIN

LOW Deep focus region: navigation "corporate, legal, security" has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /atm/ WCAG 2.4.1

Element:

```
<nav role="navigation">corporate, legal, security</nav>
```

SONDE FIX PLAN

Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Deep focus region: navigation "Privacy, Cookies, Security & Legal " has 11 tab stops before focus escapes. Consider adding skip navigation or grouping with arrow keys. WCAG 2.4.1

Page: /auto-loans/ WCAG 2.4.1

Element:

```
<nav role="navigation">Privacy, Cookies, Security & Legal

</nav>
```

SONDE FIX PLAN
Add a "skip to content" link or use roving tabindex to reduce the number of Tab stops.

LOW Broken link: https://www.twitter.com/wellsfargo/ returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://www.twitter.com/wellsfargo/">Continue</a>
```

LOW Link timeout: https://www.wellsfargo.com/locator/ did not respond within 5000ms after 2 attempts

Page: /

Element:

```
<a href="https://www.wellsfargo.com/locator/">ATMs/Locations</a>
```

LOW Link timeout: https://history.wf.com/ did not respond within 5000ms after 2 attempts

Page: /about/

Element:

```
<a href="https://history.wf.com/">Explore our history</a>
```

LOW Link timeout: https://www.wellsfargo.com/about/supply-chain-management/ did not respond within 5000ms after 2 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargo.com/about/supply-chain-management/">Learn more &gt;
</a>
```

LOW Link timeout: https://newsroom.wf.com/English/news-releases/ did not respond within 5000ms after 2 attempts

Page: /about/

Element:

```
<a href="https://newsroom.wf.com/English/news-releases/">Press Releases</a>
```

LOW Link timeout: https://www.wellsfargojobs.com/en/ did not respond within 5000ms after 2 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/">Join us</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/life-at-wells-fargo/benefits/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/life-at-wells-fargo/benefits/">Benefits</
a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/resources/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/resources/">Hiring resources</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/inclusion/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/inclusion/">Inclusion</a>
```

LOW Link timeout: https://www.wellsfargo.com/locator/ did not respond within 5000ms after 2 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargo.com/locator/">ATMs/Locations</a>
```

LOW Link timeout: https://stories.wf.com/our-impact/ did not respond within 5000ms after 2 attempts

Page: /about/

Element:

```
<a href="https://stories.wf.com/our-impact/">Our Impact</a>
```

LOW Link timeout: https://stories.wf.com/your-business/ did not respond within 5000ms after 2 attempts

Page: /about/

Element:

```
<a href="https://stories.wf.com/your-business/">Your Business</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/well-life returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/well-life">Well Life</a>
```

LOW Link timeout: https://stories.wf.com/your-money/ did not respond within 5000ms after 2 attempts

Page: /about/

Element:

```
<a href="https://stories.wf.com/your-money/">Your Money</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/diversity/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/diversity/">Job seekers</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/early-careers/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/early-careers/">Early careers</a>
```

LOW Broken link: https://www.wellsfargojobs.com/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/">Search jobs</a>
```

LOW Link timeout: https://www-us.computershare.com/Investor/ did not respond within 5000ms after 2 attempts

Page: /about/

Element:

```
<a href="https://www-us.computershare.com/Investor/">Computershare Trust Co.</a>
```

LOW Broken link: https://newsroom.wf.com/ returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://newsroom.wf.com/">Newsroom</a>
```

LOW Broken link: https://www.wellsfargojobs.com/en/frequently-asked-questions returned status 403 Forbidden after 1 attempts

Page: /about/

Element:

```
<a href="https://www.wellsfargojobs.com/en/frequently-asked-questions">FAQs</a>
```

LOW Link timeout: https://www.wellsfargo.com/locator/ did not respond within 5000ms after 2 attempts

Page: /atm/

Element:

```
<a href="https://www.wellsfargo.com/locator/">ATMs/Locations</a>
```

LOW Link timeout: https://www.wellsfargo.com/locator/ did not respond within 5000ms after 2 attempts

Page: /auto-loans/

Element:

```
<a href="https://www.wellsfargo.com/locator/">ATMs/Locations</a>
```

LOW Broken link: https://www.businesstrack.com/ returned status 403 Forbidden after 1 attempts

Page: /biz/

Element:

```
<a href="https://www.businesstrack.com/">Continue</a>
```

LOW Link timeout: https://www.wellsfargo.com/locator/ did not respond within 5000ms after 2 attempts

Page: /biz/

Element:

```
<a href="https://www.wellsfargo.com/locator/">ATMs/Locations</a>
```

LOW Link timeout: https://www.wellsfargo.com/about/supply-chain-management/ did not respond within 5000ms after 2 attempts

Page: /biz/

Element:

```
<a href="https://www.wellsfargo.com/about/supply-chain-management/">Supplier Access
&amp; Impact</a>
```

LOW Missing Referrer-Policy header

Page: /about/

SONDE FIX PLAN
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Missing Referrer-Policy header

Page: /atm/

SONDE FIX PLAN
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

LOW Missing Referrer-Policy header

Page: /auto-loans/

SONDE FIX PLAN
Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

```
Score = round(1000 × S / (S + P/N))
```

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue