Sonde

Control de salud de accesibilidad

https://cityofboise.org

891



Strong

May 22, 2026
Proporcionado gratis por Sonde

https://daylight.sonde.life/usgov/cityofboise-org/

6 pages	**269** findings	**14** critical	**83** high	**158** medium	**14** low	**44.8** avg/page
2,859 elements	**109** with findings	**96.2%** ECR	**3m 56s** total	**39.3s** per page		

Hallazgos principales

Copiar un enlace directo para compartir un hallazgo · Abrir una discusión para dar retroalimentación sobre un hallazgo

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: /departments/city-attorney WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: /departments/city-attorney WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: /departments/city-attorney/employment-opportunities WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2

Página: /departments/city-attorney/employment-opportunities WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2

Página: /departments/city-attorney/subpoena WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL

Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control.

WCAG 4.1.2

Página: /departments/city-attorney/subpoena WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: /departments/city-clerk WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: /departments/city-clerk WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Página: /departments/city-clerk WCAG 4.1.2

Elemento:

```
<!-- a11y: role="textbox" -->
```

PLAN DE CORRECCIÓN SONDE

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: / WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-attorney WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-attorney WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-attorney WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-attorney/employment-opportunities WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-attorney/employment-opportunities WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-attorney/subpoena WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-attorney/subpoena WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-clerk WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-clerk WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Página: /departments/city-clerk WCAG 1.1.1

Elemento:

```
<!-- a11y: role="image" -->
```

PLAN DE CORRECCIÓN SONDE

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

PLAN DE CORRECCIÓN SONDE

Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<figure class="carousel-cell" style="" aria-hidden="true">
```

PLAN DE CORRECCIÓN SONDE

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<figure class="carousel-cell" aria-hidden="true" style="">
```

PLAN DE CORRECCIÓN SONDE
Ensure aria-hidden elements are not focusable nor contain focusable elements. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Página: / WCAG 4.1.2

Elemento:

```
<figure class="carousel-cell" aria-hidden="true" style="">
```

PLAN DE CORRECCIÓN SONDE
Ensure aria-hidden elements are not focusable nor contain focusable elements. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: / WCAG 2.5.8

Elemento:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Página: /departments/city-attorney WCAG 2.4.4

Elemento:

```
<a class="link" href="https://mycourts.idaho.gov/" target="_blank"> <i class="cob-ic
on-Pantheon cob-icon-color--orange"></i></a>
```

PLAN DE CORRECCIÓN SONDE

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Página: /departments/city-attorney WCAG 4.1.2

Elemento:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

PLAN DE CORRECCIÓN SONDE

Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: /departments/city-attorney WCAG 2.5.8

Elemento:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: /departments/city-attorney WCAG 2.5.8

Elemento:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 4.1.2

Elemento:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

PLAN DE CORRECCIÓN SONDE

Ensure <iframe> and <frame> elements have an accessible name. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Elemento:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Elemento:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: /departments/city-attorney/employment-opportunities WCAG 2.5.8

Elemento:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Página: /departments/city-attorney/employment-opportunities WCAG 4.1.2

Elemento:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

PLAN DE CORRECCIÓN SONDE

Ensure <iframe> and <frame> elements have an accessible name. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: /departments/city-attorney/employment-opportunities WCAG 2.5.8

Elemento:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: /departments/city-attorney/subpoena WCAG 2.5.8

Elemento:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Página: /departments/city-attorney/subpoena WCAG 4.1.2

Elemento:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

PLAN DE CORRECCIÓN SONDE

Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: /departments/city-attorney/subpoena WCAG 2.5.8

Elemento:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Página: /departments/city-clerk WCAG 2.4.4

Elemento:

```
<a class="link" href="/departments/city-clerk/city-code/"> <i class="cob-icon-Assign
ment cob-icon-color--blue"></i></a>
```

PLAN DE CORRECCIÓN SONDE

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Página: /departments/city-clerk WCAG 2.4.4

Elemento:

```
<a class="link" href="/departments/city-clerk/master-fees-and-fines/"> <i class="cob
-icon-Banknote cob-icon-color--orange"></i></a>
```

PLAN DE CORRECCIÓN SONDE

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Página: /departments/city-clerk WCAG 2.4.4

Elemento:

```
<a class="link" href="/departments/city-clerk/licensing/"> <i class="cob-icon-Marriage-Settlement cob-icon-color--red"></i></a>
```

PLAN DE CORRECCIÓN SONDE

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: /departments/city-clerk WCAG 2.5.8

Elemento:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

PLAN DE CORRECCIÓN SONDE

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Página: /departments/city-clerk WCAG 2.5.8

Elemento:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

PLAN DE CORRECCIÓN SONDE
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Página: /departments/city-clerk WCAG 2.4.4

Elemento:

```
<a class="link" href="/departments/city-council/"> <i class="cob-icon-Auction cob-ic
on-color--green"></i></a>
```

PLAN DE CORRECCIÓN SONDE
Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Página: /departments/city-clerk WCAG 2.4.4

Elemento:

```
<a class="link" href="/departments/city-clerk/public-records/"> <i class="cob-icon-B
ooks cob-icon-color--blue"></i></a>
```

PLAN DE CORRECCIÓN SONDE
Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Página: /departments/city-clerk WCAG 4.1.2

Elemento:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

PLAN DE CORRECCIÓN SONDE
Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH Focus jumps backward from "SUBMIT" to "(208) 608-7000" (visual distance: 879px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>(208) 608-7000</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "GET DIRECTIONS" to "CLOSE" (visual distance: 773px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: / WCAG 2.4.3

Elemento:

```
<a>CLOSE</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "SUBMIT" to "(208) 608-7950" (visual distance: 892px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /departments/city-attorney WCAG 2.4.3

Elemento:

```
<a>(208) 608-7950</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "GET DIRECTIONS" to "CLOSE" (visual distance: 773px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /departments/city-attorney WCAG 2.4.3

Elemento:

```
<a>CLOSE</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "GET DIRECTIONS" to "CLOSE" (visual distance: 733px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.4.3

Elemento:

```
<a>CLOSE</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "SUBMIT" to "(208) 608-7950" (visual distance: 892px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.4.3

Elemento:

```
<a>(208) 608-7950</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "SUBMIT" to "(208) 608-7950" (visual distance: 892px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /departments/city-attorney/employment-opportunities WCAG 2.4.3

Elemento:

```
<a>(208) 608-7950</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "GET DIRECTIONS" to "CLOSE" (visual distance: 733px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /departments/city-attorney/employment-opportunities WCAG 2.4.3

Elemento:

```
<a>CLOSE</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "SUBMIT" to "(208) 972-8150" (visual distance: 879px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /departments/city-clerk WCAG 2.4.3

Elemento:

```
<a>(208) 972-8150</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "GET DIRECTIONS" to "CLOSE" (visual distance: 733px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /departments/city-clerk WCAG 2.4.3

Elemento:

```
<a>CLOSE</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "SEE MORE" to "Childcare Services Updates" (visual distance: 794px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Página: /departments/city-clerk WCAG 2.4.3

Elemento:

```
<a>Childcare Services Updates</a>
```

PLAN DE CORRECCIÓN SONDE
Reorder elements in the DOM to match the visual layout.

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /departments/city-attorney

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /departments/city-attorney/employment-opportunities

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /departments/city-attorney/subpoena

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Página: /departments/city-clerk

PLAN DE CORRECCIÓN SONDE

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 2 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: / WCAG 1.3.1

Elemento:

```
<!-- 2 navigation landmarks, 0 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /departments/city-attorney WCAG 1.3.1

Elemento:

```
<!-- 4 navigation landmarks, 1 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 1.3.1

Elemento:

```
<!-- 3 navigation landmarks, 1 labeled -->
```

PLAN DE CORRECCIÓN SONDE

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /departments/city-attorney/employment-opportunities WCAG 1.3.1

Elemento:

```
<!-- 3 navigation landmarks, 1 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /departments/city-attorney/subpoena WCAG 1.3.1

Elemento:

```
<!-- 3 navigation landmarks, 1 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Página: /departments/city-clerk WCAG 1.3.1

Elemento:

```
<!-- 5 navigation landmarks, 1 labeled -->
```

PLAN DE CORRECCIÓN SONDE
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /

Elemento:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

PLAN DE CORRECCIÓN SONDE
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /departments/city-attorney

Elemento:

```
<h3><span>Employment Opportunities</span></h3>
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /departments/city-attorney

Elemento:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

PLAN DE CORRECCIÓN SONDE

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney

Elemento:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

PLAN DE CORRECCIÓN SONDE

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney

Elemento:

```
<h3>Be 'In the Know,'</h3>
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /departments/city-attorney/employment-opportunities

Elemento:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

PLAN DE CORRECCIÓN SONDE

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /departments/city-attorney/subpoena

Elemento:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

PLAN DE CORRECCIÓN SONDE

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /departments/city-attorney/subpoena

Elemento:

```
<h3>Be 'In the Know,'</h3>
```

PLAN DE CORRECCIÓN SONDE

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Página: /departments/city-clerk

Elemento:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

PLAN DE CORRECCIÓN SONDE
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Aside should not be contained in another landmark: Fix any of the following: The null landmark is contained in another landmark.

Página: /departments/city-clerk

Elemento:

```
<aside class="col-md-4 sidebar">
```

PLAN DE CORRECCIÓN SONDE
Ensure the complementary landmark or aside is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Página: /departments/city-clerk

Elemento:

```
<h3>Other Links</h3>
```

PLAN DE CORRECCIÓN SONDE
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/city-attorney WCAG 1.4.1

Elemento:

```
<a href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 1.4.1

Elemento:

```
<a href="/departments/city-attorney/">City Attorney</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 1.4.1

Elemento:

```
<a href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/city-attorney/employment-opportunities WCAG 1.4.1

Elemento:

```
<a href="/departments/city-attorney/">City Attorney</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link.

WCAG 1.4.1

Página: /departments/city-attorney/employment-opportunities WCAG 1.4.1

Elemento:

```
<a href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/city-attorney/subpoena WCAG 1.4.1

Elemento:

```
<a href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/city-attorney/subpoena WCAG 1.4.1

Elemento:

```
<a href="/departments/city-attorney/">City Attorney</a>
```

PLAN DE CORRECCIÓN SONDE
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Página: /departments/city-clerk WCAG 1.4.1

Elemento:

```
<a href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.cityofboise.org/ and "Home" on https://www.cityofboise.org/departments/city-attorney. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/city-attorney WCAG 3.2.4

Elemento:

```
<a href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Send a message" on https://www.cityofboise.org/departments/city-attorney and "Skip to main content" on https://www.cityofboise.org/departments/city-attorney/contact-the-office-of-the-city-attorney. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 3.2.4

Elemento:

```
<a href="#body" class="sr-only sr-only-focusable">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Employment Opportunities" on https://www.cityofboise.org/departments/city-attorney and "Skip to main content" on https://www.cityofboise.org/departments/city-attorney/employment-opportunities. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/city-attorney/employment-opportunities WCAG 3.2.4

Elemento:

```
<a href="#body" class="sr-only sr-only-focusable">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.cityofboise.org/ and "Home" on https://www.cityofboise.org/departments/city-attorney/subpoena. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/city-attorney/subpoena WCAG 3.2.4

Elemento:

```
<a href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.cityofboise.org/ and "Home" on https://www.cityofboise.org/departments/city-clerk. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Página: /departments/city-clerk WCAG 3.2.4

Elemento:

```
<a href="/">Home</a>
```

PLAN DE CORRECCIÓN SONDE
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Interactive control "a.btn.btn-primary" is only 39px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Página: /departments/city-attorney WCAG 2.5.8

Elemento:

```
<a.btn.btn-primary>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#bf6389c5-d8b9-475f-f13a-2f79c1208c47" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Elemento:

```
<#bf6389c5-d8b9-475f-f13a-2f79c1208c47>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#844b5512-d760-45dd-918a-04968769dfbc" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Elemento:

```
<#844b5512-d760-45dd-918a-04968769dfbc>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#817d418c-f1a8-45a3-e40e-b62746ff2c74" is only 30px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Elemento:

```
<#817d418c-f1a8-45a3-e40e-b62746ff2c74>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#8eb355c3-ad0c-4037-8005-2c102378af24" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Elemento:

```
<#8eb355c3-ad0c-4037-8005-2c102378af24>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#391d2431-5de3-4614-8da0-96f835bddc2a" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Elemento:

```
<#391d2431-5de3-4614-8da0-96f835bddc2a>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#f6718dda-0e45-48f9-bf8f-ecfe8a500a9e" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/employment-opportunities WCAG 2.5.8

Elemento:

```
<#f6718dda-0e45-48f9-bf8f-ecfe8a500a9e>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#Intern" is only 29px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/employment-opportunities WCAG 2.5.8

Elemento:

```
<#Intern>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#c9204231-7756-4e10-cb50-60870fb4bb73" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/employment-opportunities WCAG 2.5.8

Elemento:

```
<#c9204231-7756-4e10-cb50-60870fb4bb73>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Página: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Elemento:

```
<div class="grecaptcha-error"></div>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#subpoena" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/subpoena WCAG 2.5.8

Elemento:

```
<#subpoena>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.btn.btn-search" is only 30px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` WCAG 2.5.8

(44px) on touch tiers.

Página: /departments/city-attorney/subpoena WCAG 2.5.8

Elemento:

```
<button.btn.btn-search>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#pin" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/subpoena WCAG 2.5.8

Elemento:

```
<#pin>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Phone SE (320px width). WCAG 1.4.10

Página: /departments/city-attorney/subpoena WCAG 1.4.10

Elemento:

```
<div class="grecaptcha-error"></div>
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#buttonstatus" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/subpoena WCAG 2.5.8

Elemento:

```
<#buttonstatus>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Phone SE (320px width). WCAG 1.4.10

Página: /departments/city-attorney/subpoena WCAG 1.4.10

Elemento:

```
<iframe title="reCAPTCHA" width="256" height="60" role="presentation" name="a-bdc5qv27l1ih" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin allow-scripts allow-top-n
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 7px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /departments/city-attorney/subpoena WCAG 1.4.12

Elemento:

```
<div class="grecaptcha-badge" data-style="bottomright" style="width: 256px; height: 60px; display: block; transition: right 0.3s; position: fixed; bottom: 14px; right: -186px; box-shadow: gray 0px 0px
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Página: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Elemento:

```
<div class="grecaptcha-badge" data-style="bottomright" style="width: 256px; height: 60px; display: block; transition: right 0.3s; position: fixed; bottom: 14px; right: -186px; box-shadow: gray 0px 0px
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 180px at Modern phone (390px width). WCAG Sonde responsive contract

Página: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Elemento:

```
<input class="form-control search-form__text-input" type="text" placeholder="Search"
aria-label="Search">
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Página: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Elemento:

```
<div class="grecaptcha-logo"><iframe title="reCAPTCHA" width="256" height="60" role
="presentation" name="a-bdc5qv27l1ih" frameborder="0" scrolling="no" sandbox="allow-
forms allow-popups allow-same-ori
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 180px at Modern phone (390px width). WCAG Sonde responsive contract

Página: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Elemento:

```
<form id="header-search" class="form-inline my-2 my-lg-0 search-form"><input class
="form-control search-form__text-input" type="text" placeholder="Search" aria-label
="Search"> <button class="btn btn-s
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /departments/city-attorney/subpoena WCAG 1.4.12

Elemento:

```
<a href="#body" class="sr-only sr-only-focusable">Skip to main content</a>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.sr-only.sr-only-focusable" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/subpoena WCAG 2.5.8

Elemento:

```
<a.sr-only.sr-only-focusable>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 165px at Modern phone (390px width). WCAG Sonde responsive contract

Página: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Elemento:

```
<span class="text-hide">Search</span>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Página: /departments/city-attorney/subpoena WCAG 1.4.12

Elemento:

```
<span class="sr-only">Submit</span>
```

PLAN DE CORRECCIÓN SONDE
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "input.form-control.search-form__text-input" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/subpoena WCAG 2.5.8

Elemento:

```
<input.form-control.search-form__text-input>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#buttonack" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-attorney/subpoena WCAG 2.5.8

Elemento:

```
<#buttonack>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Página: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Elemento:

```
<iframe title="reCAPTCHA" width="256" height="60" role="presentation" name="a-bdc5qv
27l1ih" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-
origin allow-scripts allow-top-n
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 175px at Modern phone (390px width). WCAG Sonde responsive contract

Página: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Elemento:

```
<button class="btn btn-search btn-outline-success my-2 my-sm-0" type="button"><span
class="text-hide">Search</span></button>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.link.h3" is only 25px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-clerk WCAG 2.5.8

Elemento:

```
<a.link.h3>
```

PLAN DE CORRECCIÓN SONDE

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Phone SE (320px width). WCAG 1.4.10

Página: /departments/city-clerk WCAG 1.4.10

Elemento:

```
<div class="grecaptcha-logo"><iframe title="reCAPTCHA" width="256" height="60" role
="presentation" name="a-hmn104dc0kgk" frameborder="0" scrolling="no" sandbox="allow-
forms allow-popups allow-same-ori
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 186px at Phone SE (320px width). WCAG 1.4.10

Página: /departments/city-clerk WCAG 1.4.10

Elemento:

```
<div class="grecaptcha-badge" data-style="bottomright" style="width: 256px; height:
60px; display: block; transition: right 0.3s; position: fixed; bottom: 14px; right:
-186px; box-shadow: gray 0px 0px
```

PLAN DE CORRECCIÓN SONDE

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "button.btn--submit--circle" is only 38px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-clerk WCAG 2.5.8

Elemento:

```
<button.btn--submit--circle>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 165px at Phone SE (320px width). WCAG 1.4.10

Página: /departments/city-clerk WCAG 1.4.10

Elemento:

```
<span class="text-hide">Search</span>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.link.link--right-chevron" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Página: /departments/city-clerk WCAG 2.5.8

Elemento:

```
<a.link.link--right-chevron>
```

PLAN DE CORRECCIÓN SONDE
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 175px at Phone SE (320px width). WCAG 1.4.10

Página: /departments/city-clerk WCAG 1.4.10

Elemento:

```
<button class="btn btn-search btn-outline-success my-2 my-sm-0" type="button"><span class="text-hide">Search</span></button>
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 180px at Phone SE (320px width). WCAG 1.4.10

Página: /departments/city-clerk WCAG 1.4.10

Elemento:

```
<form id="header-search" class="form-inline my-2 my-lg-0 search-form"><input class
="form-control search-form__text-input" type="text" placeholder="Search" aria-label
="Search"> <button class="btn btn-s
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 180px at Phone SE (320px width). WCAG 1.4.10

Página: /departments/city-clerk WCAG 1.4.10

Elemento:

```
<input class="form-control search-form__text-input" type="text" placeholder="Search"
aria-label="Search">
```

PLAN DE CORRECCIÓN SONDE
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Página: /

Elemento:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Broken link: https://mycourts.idaho.gov/ returned status 403 Forbidden after 1 attempts

Página: /departments/city-attorney

Elemento:

```
<a href="https://mycourts.idaho.gov/"></a>
```

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Página: /departments/city-attorney

Elemento:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Página: /departments/city-attorney/contact-the-office-of-the-city-attorney

Elemento:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Link timeout: https://www.cityofboise.org/departments/city-attorney/employment-opportunities#body did not respond within 5000ms after 2 attempts

Página: /departments/city-attorney/employment-opportunities

Elemento:

```
<a href="https://www.cityofboise.org/departments/city-attorney/employment-opportunities#body">Skip to main content</a>
```

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Página: /departments/city-attorney/employment-opportunities

Elemento:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Página: /departments/city-attorney/subpoena

Elemento:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Página: /departments/city-clerk

Elemento:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Página: /departments/city-attorney

Elemento:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Página: /departments/city-attorney

Elemento:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

Metodología

Sonde Score es un índice universal de cumplimiento 0–1000 — piénsalo como una puntuación de crédito para la accesibilidad. Cada hallazgo se pondera por su impacto en el acceso humano: una trampa de teclado (crítico) cuenta mucho más que una sugerencia de buena práctica (bajo). La penalización bruta se normaliza por página para que las puntuaciones sean comparables entre sitios de cualquier tamaño. Una curva armónica garantiza que cada sitio obtenga una puntuación significativa — sin ceros, sin perfecciones falsas.

```
Puntuación = round(1000 × S / (S + P/N))
```

donde S = sensibilidad (750), P = Σ(peso × cantidad), N = páginas escaneadas

NIVEL	PESO	EJEMPLOS
Crítico	10	Trampas de teclado
Alto	3	Texto alternativo faltante
Medio	1	Jerarquía de encabezados
Bajo	0.25	Mejores prácticas

El Sonde Score es un estándar vivo (v0.1). Lo estamos creando en abierto porque la accesibilidad es demasiado importante para que se tomen decisiones a puerta cerrada. Su experiencia lo mejora.

Ingresar a Mission Control

Revise los datos crudos de los hallazgos, rastree los cambios entre los escaneos y contribuya a la metodología abierta de Sonde.

Ver datos de hallazgos | Rastrear cambios | Nominar un sitio | Reportar un problema de escaneo