Sonde

Accessibility Health Check

https://cityofboise.org



Strong

May 22, 2026
Provided free by Sonde

https://daylight.sonde.life/usgov/cityofboise-org/

6 pages **269** findings **14** critical **83** high **158** medium **14** low **44.8** avg/page
2,859 elements **109** with findings **96.2%** ECR **3m 56s** total **39.3s** per page

Top Findings

Copy a direct link to share a finding · Open a discussion to give feedback on a finding

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-attorney WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-attorney WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN
Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-attorney/employment-opportunities WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-attorney/employment-opportunities WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-attorney/subpoena WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-attorney/subpoena WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-clerk WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-clerk WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

CRITICAL Interactive element with role="textbox" has no accessible name. Screen readers cannot identify this control. WCAG 4.1.2

Page: /departments/city-clerk WCAG 4.1.2

Element:

```
<!-- a11y: role="textbox" -->
```

SONDE FIX PLAN

Add an accessible name using aria-label, aria-labelledby, or visible text content. WCAG 4.1.2 requires all interactive elements to have a programmatically determinable name.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: / WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-attorney WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-attorney WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-attorney WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-attorney/employment-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-attorney/employment-opportunities WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-attorney/subpoena WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-attorney/subpoena WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-clerk WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-clerk WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN
Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH Image has no accessible name in the accessibility tree. Screen readers will skip or announce it generically. WCAG 1.1.1

Page: /departments/city-clerk WCAG 1.1.1

Element:

```
<!-- a11y: role="image" -->
```

SONDE FIX PLAN

Add alt text to the image. If decorative, mark with role="presentation" or alt="". WCAG 1.1.1 requires text alternatives for non-text content.

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

SONDE FIX PLAN

Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

---

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<figure class="carousel-cell" style="" aria-hidden="true">
```

SONDE FIX PLAN

Ensure aria-hidden elements are not focusable nor contain focusable elements. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

---

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

---

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<figure class="carousel-cell" aria-hidden="true" style="">
```

SONDE FIX PLAN
Ensure aria-hidden elements are not focusable nor contain focusable elements. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

ARIA hidden element must not be focusable or contain focusable elements: Fix all of the following: Focusable content should have tabindex="-1" or be removed from the DOM

WCAG 4.1.2

Page: / WCAG 4.1.2

Element:

```
<figure class="carousel-cell" aria-hidden="true" style="">
```

SONDE FIX PLAN
Ensure aria-hidden elements are not focusable nor contain focusable elements. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: / WCAG 2.5.8

Element:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: /departments/city-attorney WCAG 2.4.4

Element:

```
<a class="link" href="https://mycourts.idaho.gov/" target="_blank"> <i class="cob-ic
on-Pantheon cob-icon-color--orange"></i></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /departments/city-attorney WCAG 4.1.2

Element:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

SONDE FIX PLAN

Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: /departments/city-attorney WCAG 2.5.8

Element:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: /departments/city-attorney WCAG 2.5.8

Element:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 4.1.2

Element:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

SONDE FIX PLAN

Ensure <iframe> and <frame> elements have an accessible name. See:
https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Element:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Element:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: /departments/city-attorney/employment-opportunities WCAG 2.5.8

Element:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See:
https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /departments/city-attorney/employment-opportunities WCAG 4.1.2

Element:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

SONDE FIX PLAN

Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: /departments/city-attorney/employment-opportunities WCAG 2.5.8

Element:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: /departments/city-attorney/subpoena WCAG 2.5.8

Element:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /departments/city-attorney/subpoena WCAG 4.1.2

Element:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

SONDE FIX PLAN

Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: /departments/city-attorney/subpoena WCAG 2.5.8

Element:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: /departments/city-clerk WCAG 2.4.4

Element:

```
<a class="link" href="/departments/city-clerk/city-code/"> <i class="cob-icon-Assign
ment cob-icon-color--blue"></i></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: /departments/city-clerk WCAG 2.4.4

Element:

```
<a class="link" href="/departments/city-clerk/master-fees-and-fines/"> <i class="cob
-icon-Banknote cob-icon-color--orange"></i></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: /departments/city-clerk WCAG 2.4.4

Element:

```
<a class="link" href="/departments/city-clerk/licensing/"> <i class="cob-icon-Marriage-Settlement cob-icon-color--red"></i></a>
```

SONDE FIX PLAN

Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: /departments/city-clerk WCAG 2.5.8

Element:

```
<a href="/SiteDirectory" class="small">Sitemap</a>
```

SONDE FIX PLAN

Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

All touch targets must be 24px large, or leave sufficient space: Fix any of the following: Target has insufficient size (160px by 12.8px, should be at least 24px by 24px) Target has insufficient space to its closest neighbors. Safe clickable space has a diameter of 17.6px instead of at least 24px.

WCAG 2.5.8

Page: /departments/city-clerk WCAG 2.5.8

Element:

```
<a href="/terms-of-use" class="small">Terms of Use</a>
```

SONDE FIX PLAN
Ensure touch targets have sufficient size and space. See: https://www.w3.org/WAI/WCAG22/Understanding/target-size-minimum

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: /departments/city-clerk WCAG 2.4.4

Element:

```
<a class="link" href="/departments/city-council/"> <i class="cob-icon-Auction cob-ic
on-color--green"></i></a>
```

SONDE FIX PLAN
Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Links must have discernible text: Fix all of the following: Element is in tab order and does not have accessible text Fix any of the following: Element does not have text that is visible to screen readers aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element has no title attribute

WCAG 2.4.4

Page: /departments/city-clerk WCAG 2.4.4

Element:

```
<a class="link" href="/departments/city-clerk/public-records/"> <i class="cob-icon-B
ooks cob-icon-color--blue"></i></a>
```

SONDE FIX PLAN
Ensure links have discernible text. See: https://www.w3.org/WAI/WCAG22/Understanding/link-purpose-in-context

HIGH

Frames must have an accessible name: Fix any of the following: Element has no title attribute aria-label attribute does not exist or is empty aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty Element's default semantics were not overridden with role="none" or role="presentation"

WCAG 4.1.2

Page: /departments/city-clerk WCAG 4.1.2

Element:

```
<iframe src="https://www.google.com/maps/embed/v1/place?key=AIzaSyA0s1a7phLN0iaD6-UE
7m4qP-z21pH0eSc&amp;q=150 N Capitol Blvd, Boise, ID 83702" width="600" height="200"
frameborder="0" style="border:0"...
```

SONDE FIX PLAN

Ensure <iframe> and <frame> elements have an accessible name. See: https://www.w3.org/WAI/WCAG22/Understanding/name-role-value

HIGH Focus jumps backward from "SUBMIT" to "(208) 608-7000" (visual distance: 879px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>(208) 608-7000</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "GET DIRECTIONS" to "CLOSE" (visual distance: 773px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: / WCAG 2.4.3

Element:

```
<a>CLOSE</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "SUBMIT" to "(208) 608-7950" (visual distance: 892px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /departments/city-attorney WCAG 2.4.3

Element:

```
<a>(208) 608-7950</a>
```

SONDE FIX PLAN

Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "GET DIRECTIONS" to "CLOSE" (visual distance: 773px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /departments/city-attorney WCAG 2.4.3

Element:

```
<a>CLOSE</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "GET DIRECTIONS" to "CLOSE" (visual distance: 733px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.4.3

Element:

```
<a>CLOSE</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "SUBMIT" to "(208) 608-7950" (visual distance: 892px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.4.3

Element:

```
<a>(208) 608-7950</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "SUBMIT" to "(208) 608-7950" (visual distance: 892px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /departments/city-attorney/employment-opportunities WCAG 2.4.3

Element:

```
<a>(208) 608-7950</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "GET DIRECTIONS" to "CLOSE" (visual distance: 733px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /departments/city-attorney/employment-opportunities WCAG 2.4.3

Element:

```
<a>CLOSE</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "SUBMIT" to "(208) 972-8150" (visual distance: 879px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /departments/city-clerk WCAG 2.4.3

Element:

```
<a>(208) 972-8150</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "GET DIRECTIONS" to "CLOSE" (visual distance: 733px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /departments/city-clerk WCAG 2.4.3

Element:

```
<a>CLOSE</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Focus jumps backward from "SEE MORE" to "Childcare Services Updates" (visual distance: 794px). No explicit tabIndex — likely a DOM order issue. WCAG 2.4.3

Page: /departments/city-clerk WCAG 2.4.3

Element:

```
<a>Childcare Services Updates</a>
```

SONDE FIX PLAN
Reorder elements in the DOM to match the visual layout.

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /departments/city-attorney

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /departments/city-attorney/employment-opportunities

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /departments/city-attorney/subpoena

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

HIGH Missing Strict-Transport-Security header (HSTS)

Page: /departments/city-clerk

SONDE FIX PLAN

Add Strict-Transport-Security header with max-age of at least 31536000 Add X-Frame-Options: DENY or SAMEORIGIN Add Referrer-Policy: strict-origin-when-cross-origin or no-referrer

MEDIUM Page has 2 "navigation" landmarks but only 0 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: / WCAG 1.3.1

Element:

```
<!-- 2 navigation landmarks, 0 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 4 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /departments/city-attorney WCAG 1.3.1

Element:

```
<!-- 4 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN

Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /departments/city-attorney/employment-opportunities WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 3 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /departments/city-attorney/subpoena WCAG 1.3.1

Element:

```
<!-- 3 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Page has 5 "navigation" landmarks but only 1 have distinct labels. Screen reader users cannot distinguish between them. WCAG 1.3.1

Page: /departments/city-clerk WCAG 1.3.1

Element:

```
<!-- 5 navigation landmarks, 1 labeled -->
```

SONDE FIX PLAN
Add unique aria-label or aria-labelledby to each "navigation" landmark so screen readers can differentiate them. Example: <nav aria-label="Primary">, <nav aria-label="Footer">.

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /

Element:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /departments/city-attorney

Element:

```
<h3><span>Employment Opportunities</span></h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /departments/city-attorney

Element:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney

Element:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM

Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney

Element:

```
<h3>Be 'In the Know,'</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /departments/city-attorney/employment-opportunities

Element:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /departments/city-attorney/subpoena

Element:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

SONDE FIX PLAN

Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /departments/city-attorney/subpoena

Element:

```
<h3>Be 'In the Know,'</h3>
```

SONDE FIX PLAN

Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Landmarks should have a unique role or role/label/title (i.e. accessible name) combination: Fix any of the following: The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable

Page: /departments/city-clerk

Element:

```
<nav class="navbar navbar-expand navbar-light bg-light" style="min-height:105px">
```

SONDE FIX PLAN
Ensure landmarks are unique. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Aside should not be contained in another landmark: Fix any of the following: The null landmark is contained in another landmark.

Page: /departments/city-clerk

Element:

```
<aside class="col-md-4 sidebar">
```

SONDE FIX PLAN
Ensure the complementary landmark or aside is at top level. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Heading levels should only increase by one: Fix any of the following: Heading order invalid

Page: /departments/city-clerk

Element:

```
<h3>Other Links</h3>
```

SONDE FIX PLAN
Ensure the order of headings is semantically correct. See: https://www.w3.org/WAI/WCAG22/quickref/

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /departments/city-attorney WCAG 1.4.1

Element:

```
<a href="/">Home</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 1.4.1

Element:

```
<a href="/departments/city-attorney/">City Attorney</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 1.4.1

Element:

```
<a href="/">Home</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /departments/city-attorney/employment-opportunities WCAG 1.4.1

Element:

```
<a href="/departments/city-attorney/">City Attorney</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /departments/city-attorney/employment-opportunities WCAG 1.4.1

Element:

```
<a href="/">Home</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /departments/city-attorney/subpoena WCAG 1.4.1

Element:

```
<a href="/">Home</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /departments/city-attorney/subpoena WCAG 1.4.1

Element:

```
<a href="/departments/city-attorney/">City Attorney</a>
```

SONDE FIX PLAN
Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM Link is distinguished from surrounding text only by color (link: rgb(255, 255, 255), text: rgb(74, 79, 84)). Users who cannot perceive color differences may not identify this as a link. WCAG 1.4.1

Page: /departments/city-clerk WCAG 1.4.1

Element:

```
<a href="/">Home</a>
```

SONDE FIX PLAN

Add a non-color visual indicator to links: underline (text-decoration: underline), border-bottom, increased font-weight, or a visible icon. The indicator must be present in the default state, not just on hover.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.cityofboise.org/ and "Home" on https://www.cityofboise.org/departments/city-attorney. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /departments/city-attorney WCAG 3.2.4

Element:

```
<a href="/">Home</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Send a message" on https://www.cityofboise.org/departments/city-attorney and "Skip to main content" on https://www.cityofboise.org/departments/city-attorney/contact-the-office-of-the-city-attorney. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 3.2.4

Element:

```
<a href="#body" class="sr-only sr-only-focusable">Skip to main content</a>
```

SONDE FIX PLAN

Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Employment Opportunities" on https://www.cityofboise.org/departments/city-attorney and "Skip to main content" on https://www.cityofboise.org/departments/city-attorney/employment-opportunities. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /departments/city-attorney/employment-opportunities WCAG 3.2.4

Element:

```
<a href="#body" class="sr-only sr-only-focusable">Skip to main content</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.cityofboise.org/ and "Home" on https://www.cityofboise.org/departments/city-attorney/subpoena. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /departments/city-attorney/subpoena WCAG 3.2.4

Element:

```
<a href="/">Home</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

The same link functionality is identified as "Skip to main content" on https://www.cityofboise.org/ and "Home" on https://www.cityofboise.org/departments/city-clerk. Components with the same function should use consistent names within the same locale.

WCAG 3.2.4

Page: /departments/city-clerk WCAG 3.2.4

Element:

```
<a href="/">Home</a>
```

SONDE FIX PLAN
Use the same accessible name for repeated components that perform the same function within a locale. Localized names may differ across locales, but each locale should be internally consistent.

MEDIUM

Interactive control "a.btn.btn-primary" is only 39px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /departments/city-attorney WCAG 2.5.8

Element:

```
<a.btn.btn-primary>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#bf6389c5-d8b9-475f-f13a-2f79c1208c47" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Element:

```
<#bf6389c5-d8b9-475f-f13a-2f79c1208c47>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#844b5512-d760-45dd-918a-04968769dfbc" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Element:

```
<#844b5512-d760-45dd-918a-04968769dfbc>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM

Interactive control "#817d418c-f1a8-45a3-e40e-b62746ff2c74" is only 30px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers.

WCAG 2.5.8

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Element:

```
<#817d418c-f1a8-45a3-e40e-b62746ff2c74>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#8eb355c3-ad0c-4037-8005-2c102378af24" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Element:

```
<#8eb355c3-ad0c-4037-8005-2c102378af24>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#391d2431-5de3-4614-8da0-96f835bddc2a" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney WCAG 2.5.8

Element:

```
<#391d2431-5de3-4614-8da0-96f835bddc2a>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#f6718dda-0e45-48f9-bf8f-ecfe8a500a9e" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/employment-opportunities WCAG 2.5.8

Element:

```
<#f6718dda-0e45-48f9-bf8f-ecfe8a500a9e>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#Intern" is only 29px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/employment-opportunities WCAG 2.5.8

Element:

```
<#Intern>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#c9204231-7756-4e10-cb50-60870fb4bb73" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/employment-opportunities WCAG 2.5.8

Element:

```
<#c9204231-7756-4e10-cb50-60870fb4bb73>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Element:

```
<div class="grecaptcha-error"></div>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#subpoena" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/subpoena WCAG 2.5.8

Element:

```
<#subpoena>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "button.btn.btn-search" is only 30px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` WCAG 2.5.8

(44px) on touch tiers.

Page: /departments/city-attorney/subpoena WCAG 2.5.8

Element:

```
<button.btn.btn-search>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#pin" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/subpoena WCAG 2.5.8

Element:

```
<#pin>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Phone SE (320px width). WCAG 1.4.10

Page: /departments/city-attorney/subpoena WCAG 1.4.10

Element:

```
<div class="grecaptcha-error"></div>
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "#buttonstatus" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/subpoena WCAG 2.5.8

Element:

```
<#buttonstatus>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Phone SE (320px width). WCAG 1.4.10

Page: /departments/city-attorney/subpoena WCAG 1.4.10

Element:

```
<iframe title="reCAPTCHA" width="256" height="60" role="presentation" name="a-bdc5qv27l1ih" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin allow-scripts allow-top-n
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 7px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /departments/city-attorney/subpoena WCAG 1.4.12

Element:

```
<div class="grecaptcha-badge" data-style="bottomright" style="width: 256px; height: 60px; display: block; transition: right 0.3s; position: fixed; bottom: 14px; right: -186px; box-shadow: gray 0px 0px
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Element:

```
<div class="grecaptcha-badge" data-style="bottomright" style="width: 256px; height: 60px; display: block; transition: right 0.3s; position: fixed; bottom: 14px; right: -186px; box-shadow: gray 0px 0px
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 180px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Element:

```
<input class="form-control search-form__text-input" type="text" placeholder="Search"
aria-label="Search">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Element:

```
<div class="grecaptcha-logo"><iframe title="reCAPTCHA" width="256" height="60" role
="presentation" name="a-bdc5qv27l1ih" frameborder="0" scrolling="no" sandbox="allow-
forms allow-popups allow-same-ori
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 180px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Element:

```
<form id="header-search" class="form-inline my-2 my-lg-0 search-form"><input class
="form-control search-form__text-input" type="text" placeholder="Search" aria-label
="Search"> <button class="btn btn-s
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /departments/city-attorney/subpoena WCAG 1.4.12

Element:

```
<a href="#body" class="sr-only sr-only-focusable">Skip to main content</a>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "a.sr-only.sr-only-focusable" is only 1px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/subpoena WCAG 2.5.8

Element:

```
<a.sr-only.sr-only-focusable>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 165px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Element:

```
<span class="text-hide">Search</span>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Content clipped by 23px when text spacing is applied per WCAG 1.4.12. Text may be hidden when users adjust spacing for readability. WCAG 1.4.12

Page: /departments/city-attorney/subpoena WCAG 1.4.12

Element:

```
<span class="sr-only">Submit</span>
```

SONDE FIX PLAN
Avoid fixed-height containers with overflow: hidden for text content. Use min-height or allow containers to grow.

MEDIUM Interactive control "input.form-control.search-form__text-input" is only 40px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/subpoena WCAG 2.5.8

Element:

```
<input.form-control.search-form__text-input>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Interactive control "#buttonack" is only 42px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-attorney/subpoena WCAG 2.5.8

Element:

```
<#buttonack>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Element:

```
<iframe title="reCAPTCHA" width="256" height="60" role="presentation" name="a-bdc5qv
27l1ih" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-
origin allow-scripts allow-top-n
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 175px at Modern phone (390px width). WCAG Sonde responsive contract

Page: /departments/city-attorney/subpoena WCAG Sonde responsive contract

Element:

```
<button class="btn btn-search btn-outline-success my-2 my-sm-0" type="button"><span
class="text-hide">Search</span></button>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.link.h3" is only 25px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-clerk WCAG 2.5.8

Element:

```
<a.link.h3>
```

SONDE FIX PLAN

Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 186px at Phone SE (320px width). WCAG 1.4.10

Page: /departments/city-clerk WCAG 1.4.10

Element:

```
<div class="grecaptcha-logo"><iframe title="reCAPTCHA" width="256" height="60" role
="presentation" name="a-hmn104dc0kgk" frameborder="0" scrolling="no" sandbox="allow-
forms allow-popups allow-same-ori
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 186px at Phone SE (320px width). WCAG 1.4.10

Page: /departments/city-clerk WCAG 1.4.10

Element:

```
<div class="grecaptcha-badge" data-style="bottomright" style="width: 256px; height:
60px; display: block; transition: right 0.3s; position: fixed; bottom: 14px; right:
-186px; box-shadow: gray 0px 0px
```

SONDE FIX PLAN

Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "button.btn--submit--circle" is only 38px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-clerk WCAG 2.5.8

Element:

```
<button.btn--submit--circle>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 165px at Phone SE (320px width). WCAG 1.4.10

Page: /departments/city-clerk WCAG 1.4.10

Element:

```
<span class="text-hide">Search</span>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Interactive control "a.link.link--right-chevron" is only 22px tall at Phone SE. Sonde responsive contract enforces `--sonde-target-size-min` (44px) on touch tiers. WCAG 2.5.8

Page: /departments/city-clerk WCAG 2.5.8

Element:

```
<a.link.link--right-chevron>
```

SONDE FIX PLAN
Apply `min-block-size: var(--sonde-target-size-min)` (or use `.sonde-responsive-toolbar` which already enforces it on its interactive descendants).

MEDIUM Element overflows viewport by 175px at Phone SE (320px width). WCAG 1.4.10

Page: /departments/city-clerk WCAG 1.4.10

Element:

```
<button class="btn btn-search btn-outline-success my-2 my-sm-0" type="button"><span class="text-hide">Search</span></button>
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 180px at Phone SE (320px width). WCAG 1.4.10

Page: /departments/city-clerk WCAG 1.4.10

Element:

```
<form id="header-search" class="form-inline my-2 my-lg-0 search-form"><input class
="form-control search-form__text-input" type="text" placeholder="Search" aria-label
="Search"> <button class="btn btn-s
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

MEDIUM Element overflows viewport by 180px at Phone SE (320px width). WCAG 1.4.10

Page: /departments/city-clerk WCAG 1.4.10

Element:

```
<input class="form-control search-form__text-input" type="text" placeholder="Search"
aria-label="Search">
```

SONDE FIX PLAN
Set max-width: 100% or use overflow-wrap to prevent horizontal overflow at this form factor.

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Page: /

Element:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Broken link: https://mycourts.idaho.gov/ returned status 403 Forbidden after 1 attempts

Page: /departments/city-attorney

Element:

```
<a href="https://mycourts.idaho.gov/"></a>
```

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Page: /departments/city-attorney

Element:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Page: /departments/city-attorney/contact-the-office-of-the-city-attorney

Element:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Link timeout: https://www.cityofboise.org/departments/city-attorney/employment-opportunities#body did not respond within 5000ms after 2 attempts

Page: /departments/city-attorney/employment-opportunities

Element:

```
<a href="https://www.cityofboise.org/departments/city-attorney/employment-opportunities#body">Skip to main content</a>
```

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Page: /departments/city-attorney/employment-opportunities

Element:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Page: /departments/city-attorney/subpoena

Element:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Broken link: https://twitter.com/CityOfBoise returned status 403 Forbidden after 1 attempts

Page: /departments/city-clerk

Element:

```
<a href="https://twitter.com/CityOfBoise">Twitter</a>
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linecap="round" cx="33" cy="33" r="30"></circle>
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-rotator" still running after page readiness

Page: /departments/city-attorney

Element:

```
<svg xmlns="http://www.w3.org/2000/svg" class="VIpgJd-ZVi9od-aZ2wEe" width="96px" he
ight="96px" viewBox="0 0 66 66"><circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="non
e" stroke-width="6" stroke-linec
```

LOW Possible stuck loading animation: "spinner-dash" still running after page readiness

Page: /departments/city-attorney

Element:

```
<circle class="VIpgJd-ZVi9od-aZ2wEe-Jt5cK" fill="none" stroke-width="6" stroke-linec
ap="round" cx="33" cy="33" r="30"></circle>
```

Methodology

The Sonde Score is a universal 0–1000 compliance index — think of it like a credit score for accessibility. Each finding is weighted by its impact on human access: a keyboard trap (critical) counts far more than a best-practice suggestion (low). The raw penalty is normalized per page so scores are comparable across sites of any size. A harmonic curve ensures every site gets a meaningful score — no zeros, no false perfection.

$$\text{Score} = \text{round}(1000 \times S \,/\, (S + P/N))$$

where S = sensitivity (750), P = Σ(weight × count), N = pages scanned

TIER	WEIGHT	EXAMPLES
Critical	10	Keyboard traps, missing page language
High	3	Missing alt text, insufficient contrast
Medium	1	Heading hierarchy, unclear link purpose
Low	0.25	Best-practice suggestions

The Sonde Score is a living standard (v0.1). We're building it in the open because accessibility is too important for closed-door decisions. Your expertise makes it better.

Enter Mission Control

Review raw findings data, track changes between scans, and contribute to Sonde's open methodology.

View Findings Data | Track Changes | Nominate a Site | Report a Scanning Issue